

DEPARTMENT OF TRANSPORT

NO. 265

23 MARCH 2018


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R300 SECTION 1

AMENDMENT OF DECLARATION No. 2136 OF 1992.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 2136 of 1992 by substituting a part of paragraph 3 of the Schedule, being the descriptive declaration of the route from Swartklip Interchange up to Stellenberg Interchange, with the accompanying sheets 1 to 14 of Plan No. P955/17.

(National Road R300 Section 1: Swartklip Interchange – Stellenberg Interchange)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 265

23 MAART 2018


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R300 SEKSIE 1


WYSIGING VAN VERKLARING No. 2136 VAN 1992.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 2136 van 1992 deur 'n gedeelte van paragraaf 3 van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Swartklip Wisselaar tot by Stellenberg Wisselaar, met bygaande velle 1 tot 14 van Plan No. P955/17.


(Nasionale Pad R300 Seksie 1: Swartklip Wisselaar – Stellenberg Wisselaar)
MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R300 of National Route
Vel Sheet 1 of 14	1	Plan P955/17	1




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R300 of National Route	Vel Sheet 2 of 14 Plan P955/17
---	---------------------------------------	---	--------------------------------------




Vel van
Sheet 3 of 14
Plan P955/17

1
stelt die podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R300
of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Podagtieskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R300 of National Route	Vel Sheet	4	van of	14
The South African National Roads Agency SOC Ltd	The figure shown			1	Plan	P955/17	




Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R300 Seksie of National Route R300 Section	Vel Sheet 5 of 14 Plan P955/17
---	---------------------------------------	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R300 Seksie of National Route of National Route	Vel Sheet 6 of 14
The South African National Roads Agency SOC Ltd	The figure shown			1






Die Suid Afrikaanse Nasionale Podogentskap MSB Bpk	Die figuur getoon		steldie padraserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R300 Seksie of National Route of National Route	Vel Sheet 8 of 14
The South African National Roads Agency SOC Ltd	The figure shown			1



Die Suid Afrikaanse Nasionale Podagieskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R300 Sektie 1 of National Route of Section	Vel Sheet 9 of 14 Plan P955/17
--	---------------------------------------	---	---	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R300 of National Route	Vel Sheet 10 of 14
The South African National Roads Agency SOC Ltd	The figure shown			Plan 1 P955/17

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L1	32 581.87	3	762 264.97		R1	32 498.67	3	762 259.01	
L2	32 412.75	3	762 066.42		R2	32 489.60	3	762 248.36	
L3	32 367.43	3	762 008.47		R3	32 432.54	3	762 181.36	
L4	32 333.92	3	761 964.76		R4	32 382.62	3	762 122.74	
L5	32 307.43	3	761 919.97		R5	32 307.71	3	762 034.78	
L6	32 275.68	3	761 866.31		R6	32 253.89	3	761 953.73	
L7	32 256.85	3	761 813.43		R7	32 219.93	3	761 889.89	
L8	32 242.61	3	761 773.42		R8	32 200.56	3	761 851.50	
L9	32 234.74	3	761 751.29		R9	32 174.86	3	761 800.54	
L10	32 226.24	3	761 715.63		R10	32 174.19	3	761 799.27	
L11	32 213.94	3	761 664.07		R11	32 140.77	3	761 702.71	
L12	32 206.26	3	761 631.85		R12	32 113.29	3	761 598.22	
L13	32 203.17	3	761 561.34		R13	32 083.18	3	761 525.23	
L14	32 210.53	3	761 521.09		R14	32 035.25	3	761 462.41	
L15	32 215.68	3	761 492.88		R15	31 971.39	3	761 400.30	
L16	32 241.10	3	761 415.05		R16	31 946.30	3	761 392.86	
L17	32 268.47	3	761 331.23		R17	31 905.82	3	761 399.80	
L18	32 287.46	3	761 312.84		R18	31 822.27	3	761 414.34	
L19	32 405.85	3	761 279.52		R19	31 723.42	3	761 440.91	
L20	32 483.98	3	761 257.52		R20	31 714.63	3	761 409.21	
L21	32 529.05	3	761 249.09		R21	31 713.03	3	761 403.44	
L22	32 638.05	3	761 228.69		R22	31 705.86	3	761 377.55	
L23	32 630.67	3	761 189.56		R23	31 904.99	3	761 330.86	
L24	32 535.79	3	761 207.24		R24	31 905.15	3	761 346.60	
L25	32 422.76	3	761 228.30		R25	31 931.65	3	761 338.86	
L26	32 339.21	3	761 243.86		R26	31 951.84	3	761 319.93	
L27	32 262.32	3	761 258.19		R27	32 008.13	3	761 165.17	
L28	32 243.18	3	761 251.86		R28	32 021.68	3	761 097.58	
L29	32 198.06	3	761 202.45		R29	32 016.59	3	761 041.28	
L30	32 142.98	3	761 129.01		R30	31 991.08	3	760 813.25	
L31	32 121.18	3	761 075.50		R31	31 892.06	3	760 215.89	
L32	32 107.63	3	761 042.22		R32	31 879.26	3	760 138.64	
L33	32 097.78	3	761 012.78		R33	31 862.70	3	760 038.84	
L34	32 087.14	3	760 949.14		R34	31 849.55	3	759 959.54	
L35	32 062.17	3	760 799.79		R35	31 833.43	3	759 862.25	
L36	32 028.73	3	760 599.78		R36	31 817.16	3	759 764.09	
L37	32 007.84	3	760 474.78		R37	31 794.68	3	759 628.47	
L38	31 993.22	3	760 387.34		R38	31 782.09	3	759 570.07	
L39	31 969.64	3	760 246.30		R39	31 770.92	3	759 506.55	
L40	31 953.48	3	760 149.65		R40	31 750.70	3	759 391.46	
L41	31 928.39	3	759 999.59		R41	31 734.34	3	759 298.39	
L42	31 932.22	3	759 966.03		R42	31 713.01	3	759 224.45	
L43	31 916.77	3	759 928.57		R43	31 703.37	3	759 157.42	
L44	31 904.09	3	759 852.57		R44	31 674.34	3	759 057.79	
L45	31 887.80	3	759 754.92		R45	31 653.04	3	758 988.84	
L46	31 869.56	3	759 645.50		R46	31 633.34	3	758 925.10	
L47	31 852.11	3	759 540.91		R47	31 615.82	3	758 894.95	
L48	31 839.23	3	759 464.06		R48	31 612.74	3	758 886.01	
L49	31 826.75	3	759 389.19		R49	31 592.85	3	758 828.29	
L50	31 823.82	3	759 371.43		R50	31 559.57	3	758 731.67	
L51	31 811.84	3	759 299.68		R51	31 491.22	3	758 721.77	
					Vel 11 Van 14 P955/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L52	31 809.16	3	759 276.32		R52	31 322.69	3	758 736.97	
L53	31 800.34	3	759 199.48		R53	31 195.12	3	758 748.48	
L54	31 794.28	3	759 146.76		R54	31 186.89	3	758 749.26	
L55	31 790.87	3	759 117.02		R55	31 183.55	3	758 705.20	
L56	31 783.72	3	759 084.87		R56	31 267.40	3	758 691.80	
L57	31 781.59	3	759 011.12		R57	31 541.51	3	758 667.01	
L58	31 779.85	3	758 950.80		R58	31 561.86	3	758 591.20	
L59	31 785.93	3	758 865.69		R59	31 562.89	3	758 393.94	
L60	31 789.00	3	758 822.69		R60	31 555.06	3	758 295.60	
L61	31 779.43	3	758 785.20		R61	31 515.88	3	757 951.29	
L62	31 785.89	3	758 723.22		R62	31 480.88	3	757 748.78	
L63	31 806.50	3	758 693.33		R63	31 460.92	3	757 631.69	
L64	31 928.20	3	758 682.36		R64	31 413.90	3	757 355.80	
L65	31 921.96	3	758 632.76		R65	31 382.40	3	757 159.99	
L66	31 800.49	3	758 643.71		R66	31 378.21	3	757 134.92	
L67	31 772.06	3	758 618.26		R67	31 325.71	3	756 820.68	
L68	31 748.12	3	758 559.82		R68	31 316.99	3	756 768.34	
L69	31 705.01	3	758 428.78		R69	31 293.32	3	756 625.28	
L70	31 654.85	3	758 276.31		R70	31 261.17	3	756 430.92	
L71	31 632.69	3	758 181.30		R71	31 251.05	3	756 369.76	
L72	31 631.99	3	758 177.43		R72	31 230.73	3	756 246.93	
L73	31 584.41	3	757 916.14		R73	31 214.36	3	756 147.16	
L74	31 551.89	3	757 737.58		R74	31 192.05	3	756 010.96	
L75	31 525.54	3	757 578.66		R75	31 167.79	3	755 862.88	
L76	31 486.85	3	757 345.26		R76	31 165.44	3	755 848.77	
L77	31 453.88	3	757 148.77		R77	31 132.36	3	755 662.49	
L78	31 452.44	3	757 140.06		R78	31 117.82	3	755 580.65	
L79	31 403.59	3	756 845.33		R79	31 081.92	3	755 378.53	
L80	31 389.12	3	756 757.76		R80	31 066.95	3	755 295.81	
L81	31 345.22	3	756 494.21		R81	31 045.45	3	755 198.31	
L82	31 330.43	3	756 405.36		R82	31 004.40	3	755 081.37	
L83	31 320.72	3	756 346.27		R83	30 981.98	3	755 017.52	
L84	31 270.94	3	756 043.27		R84	30 970.08	3	754 989.04	
L85	31 207.72	3	755 663.10		R85	30 963.88	3	754 974.26	
L86	31 176.91	3	755 477.84		R86	30 941.21	3	754 919.90	
L87	31 146.68	3	755 296.06		R87	30 909.60	3	754 860.12	
L88	31 127.44	3	755 180.40		R88	30 880.87	3	754 805.77	
L89	31 094.71	3	755 056.30		R89	30 872.43	3	754 789.81	
L90	31 078.17	3	754 986.22		R90	30 861.52	3	754 769.14	
L91	31 074.51	3	754 976.71		R91	30 844.62	3	754 737.13	
L92	31 069.39	3	754 963.46		R92	30 733.48	3	754 525.57	
L93	31 054.70	3	754 925.38		R93	30 652.07	3	754 412.36	
L94	31 050.39	3	754 910.77		R94	30 617.49	3	754 364.26	
L95	31 047.60	3	754 904.22		R95	30 609.51	3	754 355.01	
L96	31 020.58	3	754 841.04		R96	30 575.52	3	754 315.77	
L97	30 995.60	3	754 782.63		R97	30 545.01	3	754 313.97	
L98	30 994.80	3	754 780.77		R98	30 513.80	3	754 342.57	
L99	30 987.29	3	754 763.16		R99	30 488.07	3	754 366.15	
L100	30 959.40	3	754 697.81		R100	30 468.89	3	754 383.72	
L101	30 954.86	3	754 687.15		R101	30 452.09	3	754 373.65	
L102	30 945.15	3	754 664.04		R102	30 446.44	3	754 370.25	
					Vel 12 Sheet Van 14 of P955/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L103	30 931.85	3	754 632.41		R103	30 427.87	3	754 359.08	
L104	30 847.99	3	754 435.77		R104	30 455.60	3	754 332.51	
L105	30 808.49	3	754 327.77		R105	30 469.15	3	754 319.58	
L106	30 763.49	3	754 143.77		R106	30 523.23	3	754 267.77	
L107	30 776.59	3	754 100.46		R107	30 535.84	3	754 225.56	
L108	30 864.71	3	754 019.01		R108	30 526.03	3	754 183.06	
L109	30 850.45	3	754 007.06		R109	30 506.83	3	754 100.71	
L110	30 845.30	3	754 002.92		R110	30 494.05	3	754 045.86	
L111	30 830.80	3	753 991.27		R111	30 470.76	3	753 958.78	
L112	30 750.10	3	754 065.18		R112	30 455.80	3	753 922.39	
L113	30 730.98	3	754 064.40		R113	30 427.88	3	753 854.49	
L114	30 639.72	3	753 965.23		R114	30 415.91	3	753 825.38	
L115	30 609.94	3	753 932.87		R115	30 380.41	3	753 739.05	
L116	30 559.12	3	753 877.62		R116	30 372.29	3	753 719.31	
L117	30 531.48	3	753 847.58		R117	30 330.05	3	753 623.00	
L118	30 512.40	3	753 814.44		R118	30 328.77	3	753 626.31	
L119	30 495.19	3	753 784.55		R119	30 317.76	3	753 603.11	
L120	30 482.93	3	753 763.26		R120	30 267.81	3	753 497.83	
L121	30 478.44	3	753 755.42		R121	30 273.43	3	753 496.78	
L122	30 473.72	3	753 745.65		R122	30 241.81	3	753 431.49	
L123	30 382.74	3	753 557.02		R123	30 108.39	3	753 464.94	
L124	30 367.63	3	753 525.73		R124	30 094.15	3	753 468.41	
L125	30 356.92	3	753 503.72		R125	30 080.90	3	753 469.47	
L126	30 336.06	3	753 460.59		R126	30 092.28	3	753 456.58	
L127	30 329.51	3	753 447.46		R127	30 090.43	3	753 445.36	
L128	30 327.05	3	753 433.37		R128	30 082.03	3	753 394.37	
L129	30 318.02	3	753 414.51		R129	30 085.39	3	753 313.48	
L130	30 399.76	3	753 393.44		R130	30 082.24	3	753 248.02	
L131	30 417.56	3	753 376.48		R131	30 078.58	3	753 171.90	
L132	30 427.37	3	753 386.17		R132	30 073.44	3	753 130.57	
L133	30 446.44	3	753 381.30		R133	30 005.77	3	752 964.55	
L134	30 471.25	3	753 368.08		R134	29 946.41	3	752 818.91	
L135	30 473.34	3	753 367.59		R135	29 921.47	3	752 767.03	
L136	30 502.22	3	753 356.30		R136	29 878.44	3	752 677.37	
L137	30 489.18	3	753 350.59		R137	29 854.46	3	752 612.91	
L138	30 483.24	3	753 335.38		R138	29 851.68	3	752 605.44	
L139	30 472.82	3	753 308.72		R139	29 849.70	3	752 586.58	
L140	30 444.25	3	753 273.52		R140	29 847.90	3	752 579.81	
L141	30 416.32	3	753 265.01		R141	29 837.62	3	752 558.22	
L142	30 410.64	3	753 263.28		R142	29 834.11	3	752 550.85	
L143	30 402.70	3	753 262.40		R143	29 815.07	3	752 486.46	
L144	30 392.86	3	753 261.30		R144	29 794.98	3	752 387.99	
L145	30 383.10	3	753 260.22		R145	29 783.28	3	752 287.76	
L146	30 359.73	3	753 257.09		R146	29 776.92	3	752 188.13	
L147	30 314.14	3	753 229.29		R147	29 776.98	3	752 119.02	
L148	30 225.19	3	753 168.41		R148	29 780.14	3	752 017.93	
L149	30 193.92	3	753 134.25		R149	29 807.59	3	751 871.88	
L150	29 978.58	3	752 715.03		R150	29 814.90	3	751 833.62	
L151	29 911.48	3	752 545.85		R151	29 832.85	3	751 739.60	
L152	29 888.50	3	752 458.78		R152	29 837.81	3	751 693.27	
L153	29 868.85	3	752 360.81		R153	29 849.10	3	751 639.21	
					Vel 13 Van 14 Sheet of P955/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°		Y	X
L154	29 856.87	3 752 261.48		R154	29 858.13	3 751 595.99
L155	29 852.43	3 752 161.34		R155	29 865.66	3 751 560.54
L156	29 857.54	3 752 061.37		R156	29 882.95	3 751 479.13
L157	29 871.90	3 751 962.79		R157	29 886.84	3 751 460.34
L158	29 947.60	3 751 688.96		R158	29 888.74	3 751 451.52
L159	29 949.29	3 751 682.83		R159	29 912.92	3 751 338.51
L160	29 949.30	3 751 679.16		R160	29 919.16	3 751 246.43
L161	29 955.50	3 751 643.68		R161	29 923.11	3 751 188.23
L162	29 961.19	3 751 631.52		R162	29 926.87	3 751 132.77
L163	29 962.85	3 751 614.17		R163	29 929.11	3 751 099.77
L164	29 980.62	3 751 591.52		R164	29 905.59	3 751 062.25
L165	29 989.45	3 751 578.05		R165	29 875.60	3 751 037.84
L166	29 983.21	3 751 572.07		R166	29 800.84	3 750 978.93
L167	29 966.19	3 751 555.75		R167	29 813.93	3 750 962.73
L168	29 971.93	3 751 536.85		R168	29 828.11	3 750 945.18
L169	29 974.22	3 751 529.32		R169	29 899.21	3 750 998.32
L170	29 988.35	3 751 480.90		R170	29 925.02	3 751 013.61
L171	30 000.31	3 751 439.91		R171	29 941.20	3 751 023.20
L172	30 015.33	3 751 380.76		R172	29 961.45	3 751 017.70
L173	30 083.60	3 751 304.76		R173	29 986.23	3 750 973.25
L174	30 129.45	3 751 253.66		R174	30 017.14	3 750 917.81
L175	30 149.10	3 751 231.76		R175	30 057.15	3 750 841.86
L176	30 169.88	3 751 226.33		R176	30 036.86	3 750 937.46
L177	30 199.99	3 751 218.46				
L178	30 255.00	3 751 237.81				
L179	30 288.10	3 751 249.45				
L180	30 358.31	3 751 276.67				
L181	30 360.23	3 751 265.28				
L182	30 360.50	3 751 261.92				
L183	30 361.86	3 751 244.79				
L184	30 361.63	3 751 242.10				
L185	30 356.42	3 751 240.20				
L186	30 355.79	3 751 232.67				
L187	30 302.36	3 751 211.93				
L188	30 213.59	3 751 169.16				
L189	30 158.16	3 751 135.54				
L190	30 138.61	3 751 123.69				
L191	30 122.91	3 751 114.84				
L192	30 109.40	3 751 109.40				
L193	30 101.74	3 751 106.32				
L194	30 085.96	3 751 078.84				
L195	30 117.94	3 750 954.65				
				Vel	14	Van 14
				Sheet		P955/17