

DEPARTMENT OF TRANSPORT

NO. 266

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R75 SECTION 4

AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph (V) of the Schedule, being the descriptive declaration of the route from Jansenville up to its junction with National Road R63 Section 8, with the accompanying sheets 1 to 20 of Plan No. P996/17.

In the town of Jansenville the R75 Section 4 starts at the intersection with streets known as Fourie Street and Bridge Street at time of declaration, therefrom follows the street known as Bridge Street in a general northerly direction, at the time of declaration.

(National Road R75 Section 4: Jansenville – R63 Junction)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 266

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R75 SEKSIE 4


WYSIGING VAN VERKLARING No. 305 VAN 2012.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf (V) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Jansenville tot by die aansluiting met Nasionale Pad R63 Seksie 8, met bygaande velle 1 tot 20 van Plan No. P996/17.


In die dorp van Jansenville begin die R75 Seksie 4 by die interseksie met strate bekend as Fouriestraat en Bridgestraat tydens datum van verklaring, daarvandaan volg dit die straat bekend as Bridgestraat in 'n algemene noordelike rigting, tydens datum van verklaring.


(Nasionale Pad R75 Seksie 4: Jansenville – R63 Aansluiting)


MINISTER VAN VERVOER






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 Sektie of National Route of Section	Plan P996/17
Vel Sheet 2 of 20	4	R75	Sektie	Plan P996/17



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route	Vel Sheet 3 of 20 Plan P996/17
---	---------------------------------------	--	--------------------------------------



Vel van
Sheet 4 of 20


Plan P996/17

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R75 Seksie
of National Route Section




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route	Vel Sheet 5 of 20 Plan P996/17
---	---------------------------------------	--	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route Section	4	Plan P996/17
Vel Sheet 6 of 20				




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route	Vel Sheet 7 of 20 Plan P996/17
---	---------------------------------------	--	--






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route	Vei Sheet 9 of 20 Plan P996/17
---	---------------------------------------	---	---	--------------------------------------



Vel van
Sheet 10 of 20


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R75 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Plan P996/17



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L1	31 041.96	3 646 317.09		R1	31 018.01	3 646 324.74			
L2	30 999.99	3 646 189.07		R2	31 014.76	3 646 314.89			
L3	30 924.71	3 646 076.31		R3	31 000.97	3 646 278.55			
L4	30 867.83	3 645 961.03		R4	30 986.60	3 646 249.11			
L5	30 817.99	3 645 685.10		R5	30 974.41	3 646 229.53			
L6	30 771.22	3 645 423.32		R6	30 962.30	3 646 221.40			
L7	30 701.49	3 645 037.14		R7	30 884.69	3 646 106.02			
L8	30 700.04	3 644 996.23		R8	30 846.52	3 646 032.41			
L9	30 677.79	3 644 905.83		R9	30 840.40	3 646 005.02			
L10	30 668.11	3 644 865.73		R10	30 831.98	3 645 967.30			
L11	30 660.94	3 644 840.82		R11	30 825.68	3 645 939.07			
L12	30 652.79	3 644 814.87		R12	30 839.43	3 645 946.13			
L13	30 614.38	3 644 741.87		R13	30 800.36	3 645 735.99			
L14	30 583.50	3 644 698.73		R14	30 771.73	3 645 572.99			
L15	30 550.12	3 644 646.15		R15	30 729.08	3 645 332.43			
L16	30 448.54	3 644 520.78		R16	30 676.55	3 645 041.49			
L17	30 439.06	3 644 504.93		R17	30 664.04	3 644 987.87			
L18	30 430.63	3 644 488.02		R18	30 652.18	3 644 906.72			
L19	30 420.25	3 644 463.09		R19	30 644.35	3 644 874.46			
L20	30 410.66	3 644 434.90		R20	30 627.40	3 644 820.97			
L21	30 366.91	3 644 292.86		R21	30 610.01	3 644 785.52			
L22	30 248.01	3 643 907.40		R22	30 602.75	3 644 771.84			
L23	30 242.74	3 643 890.01		R23	30 589.44	3 644 749.44			
L24	30 140.67	3 643 558.98		R24	30 556.02	3 644 703.39			
L25	30 127.62	3 643 523.16		R25	30 524.47	3 644 659.82			
L26	30 114.41	3 643 486.93		R26	30 466.21	3 644 602.90			
L27	30 105.02	3 643 461.17		R27	30 412.97	3 644 507.34			
L28	30 084.29	3 643 411.66		R28	30 391.70	3 644 456.34			
L29	30 067.13	3 643 374.40		R29	30 387.33	3 644 444.07			
L30	30 049.36	3 643 337.30		R30	30 304.84	3 644 176.09			
L31	30 029.79	3 643 301.23		R31	30 239.62	3 643 966.35			
L32	30 011.82	3 643 268.82		R32	30 228.56	3 643 930.23			
L33	29 970.98	3 643 201.18		R33	30 122.51	3 643 584.82			
L34	29 791.15	3 642 932.20		R34	30 103.12	3 643 526.91			
L35	29 790.58	3 642 931.24		R35	30 090.88	3 643 495.48			
L36	29 776.39	3 642 910.12		R36	30 071.64	3 643 446.08			
L37	29 760.33	3 642 885.00		R37	30 040.93	3 643 376.68			
L38	29 745.04	3 642 859.54		R38	30 029.07	3 643 352.51			
L39	29 730.66	3 642 833.36		R39	30 010.19	3 643 317.32			
L40	29 718.39	3 642 809.28		R40	29 950.15	3 643 215.49			
L41	29 703.15	3 642 777.55		R41	29 928.01	3 643 181.42			
L42	29 691.98	3 642 751.65		R42	29 830.91	3 643 037.38			
L43	29 681.17	3 642 723.61		R43	29 768.68	3 642 943.10			
L44	29 671.01	3 642 695.54		R44	29 764.22	3 642 937.12			
L45	29 658.30	3 642 654.27		R45	29 742.26	3 642 903.07			
L46	29 612.35	3 642 492.63		R46	29 730.29	3 642 883.60			
L47	29 579.89	3 642 378.45		R47	29 727.54	3 642 879.12			
L48	29 529.20	3 642 197.40		R48	29 714.73	3 642 856.92			
L49	29 506.67	3 642 119.55		R49	29 708.42	3 642 845.40			
L50	29 494.47	3 642 081.12		R50	29 689.64	3 642 809.15			
L51	29 480.30	3 642 044.16		R51	29 671.35	3 642 768.80			
					Vel Sheet	12	Van of	20	P996/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L52	29 469.56	3 642 020.08		R52	29 663.78	3 642 750.77			
L53	29 451.43	3 641 984.28		R53	29 651.77	3 642 718.62			
L54	29 430.81	3 641 950.61		R54	29 643.63	3 642 693.08			
L55	29 426.65	3 641 944.33		R55	29 605.05	3 642 557.86			
L56	29 423.25	3 641 939.19		R56	29 576.90	3 642 459.18			
L57	29 407.79	3 641 917.15		R57	29 526.96	3 642 284.12			
L58	29 394.80	3 641 900.01		R58	29 481.58	3 642 124.06			
L59	29 393.78	3 641 898.80		R59	29 473.69	3 642 098.40			
L60	29 383.03	3 641 886.00		R60	29 469.43	3 642 085.41			
L61	29 365.58	3 641 866.13		R61	29 459.91	3 642 060.74			
L62	29 266.85	3 641 767.52		R62	29 449.60	3 642 036.04			
L63	29 202.86	3 641 704.61		R63	29 432.14	3 642 000.17			
L64	29 183.56	3 641 685.63		R64	29 419.93	3 641 979.04			
L65	28 979.71	3 641 485.22		R65	29 405.90	3 641 956.76			
L66	28 705.66	3 641 215.90		R66	29 390.51	3 641 934.70			
L67	28 531.59	3 641 044.78		R67	29 368.49	3 641 906.73			
L68	28 501.74	3 641 017.26		R68	29 347.88	3 641 884.01			
L69	28 481.22	3 641 000.46		R69	29 346.76	3 641 882.87			
L70	28 470.63	3 640 992.09		R70	29 290.18	3 641 825.35			
L71	28 449.15	3 640 976.76		R71	29 023.67	3 641 563.14			
L72	28 415.24	3 640 955.09		R72	28 732.29	3 641 277.00			
L73	28 392.42	3 640 941.87		R73	28 587.51	3 641 134.90			
L74	28 352.87	3 640 923.49		R74	28 557.05	3 641 105.04			
L75	28 295.41	3 640 896.80		R75	28 513.74	3 641 062.71			
L76	28 257.12	3 640 882.95		R76	28 445.43	3 641 004.26			
L77	28 243.92	3 640 878.17		R77	28 398.35	3 640 972.96			
L78	28 219.47	3 640 867.30		R78	28 345.37	3 640 946.11			
L79	28 184.51	3 640 849.38		R79	28 316.15	3 640 933.87			
L80	28 140.09	3 640 818.56		R80	28 235.89	3 640 901.04			
L81	28 110.44	3 640 792.43		R81	28 207.30	3 640 889.38			
L82	28 080.04	3 640 766.47		R82	28 174.18	3 640 872.18			
L83	28 055.29	3 640 736.16		R83	28 142.29	3 640 853.53			
L84	28 038.47	3 640 714.38		R84	28 110.52	3 640 829.48			
L85	28 027.62	3 640 698.30		R85	28 084.14	3 640 805.45			
L86	28 014.22	3 640 676.07		R86	28 074.69	3 640 796.14			
L87	27 850.61	3 640 414.22		R87	28 043.89	3 640 762.31			
L88	27 839.45	3 640 396.36		R88	28 032.94	3 640 749.17			
L89	27 833.86	3 640 387.42		R89	28 018.27	3 640 730.21			
L90	27 808.84	3 640 351.84		R90	27 927.43	3 640 585.10			
L91	27 792.36	3 640 331.55		R91	27 835.32	3 640 437.52			
L92	27 765.69	3 640 302.65		R92	27 806.79	3 640 391.82			
L93	27 756.03	3 640 293.46		R93	27 803.94	3 640 387.26			
L94	27 736.53	3 640 276.38		R94	27 795.30	3 640 374.68			
L95	27 725.83	3 640 268.44		R95	27 757.09	3 640 329.33			
L96	27 694.01	3 640 248.70		R96	27 735.36	3 640 308.65			
L97	27 639.27	3 640 215.79		R97	27 715.26	3 640 291.67			
L98	27 627.38	3 640 209.52		R98	27 668.50	3 640 259.15			
L99	27 609.42	3 640 201.70		R99	27 634.91	3 640 240.40			
L100	27 587.09	3 640 191.98		R100	27 601.63	3 640 224.84			
L101	27 573.38	3 640 184.93		R101	27 586.37	3 640 217.70			
L102	27 566.46	3 640 181.36		R102	27 561.03	3 640 205.82			
Vel Sheet 13					Van of 20		P996/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L103	27 552.35	3 640 174.11		R103	27 525.70	3 640 189.26			
L104	27 522.10	3 640 158.54		R104	27 516.08	3 640 183.90			
L105	27 521.48	3 640 158.22		R105	27 515.11	3 640 183.38			
L106	27 495.51	3 640 141.93		R106	27 491.11	3 640 168.81			
L107	27 474.24	3 640 126.06		R107	27 479.36	3 640 160.79			
L108	27 453.78	3 640 109.02		R108	27 439.45	3 640 130.39			
L109	27 425.18	3 640 080.90		R109	27 424.59	3 640 116.49			
L110	27 407.19	3 640 060.82		R110	27 383.24	3 640 074.09			
L111	27 399.30	3 640 050.26		R111	27 362.44	3 640 049.64			
L112	27 384.13	3 640 028.53		R112	27 345.83	3 640 022.50			
L113	27 368.85	3 640 006.34		R113	27 308.17	3 639 937.86			
L114	27 350.05	3 639 972.19		R114	27 296.01	3 639 899.10			
L115	27 338.89	3 639 948.30		R115	27 290.11	3 639 875.56			
L116	27 329.94	3 639 924.78		R116	27 285.49	3 639 851.01			
L117	27 323.06	3 639 903.25		R117	27 283.43	3 639 837.60			
L118	27 317.28	3 639 881.98		R118	27 281.34	3 639 816.92			
L119	27 311.42	3 639 854.33		R119	27 275.04	3 639 714.04			
L120	27 306.51	3 639 816.59		R120	27 268.55	3 639 689.14			
L121	27 304.07	3 639 777.52		R121	27 262.71	3 639 667.34			
L122	27 301.60	3 639 726.21		R122	27 259.59	3 639 639.56			
L123	27 300.83	3 639 713.55		R123	27 250.81	3 639 587.81			
L124	27 298.63	3 639 686.96		R124	27 240.07	3 639 549.47			
L125	27 291.80	3 639 633.48		R125	27 203.21	3 639 431.40			
L126	27 286.10	3 639 608.30		R126	27 187.47	3 639 384.44			
L127	27 242.02	3 639 471.81		R127	27 163.97	3 639 321.70			
L128	27 226.52	3 639 421.44		R128	27 132.47	3 639 248.18			
L129	27 222.90	3 639 411.05		R129	27 100.70	3 639 182.78			
L130	27 214.31	3 639 385.89		R130	27 072.04	3 639 130.11			
L131	27 189.62	3 639 317.72		R131	27 046.24	3 639 086.94			
L132	27 155.81	3 639 237.79		R132	27 019.77	3 639 045.38			
L133	27 140.20	3 639 204.54		R133	26 988.38	3 638 999.68			
L134	27 122.04	3 639 168.54		R134	26 943.47	3 638 940.72			
L135	27 103.04	3 639 133.06		R135	26 736.75	3 638 686.74			
L136	27 089.57	3 639 110.00		R136	26 609.67	3 638 530.87			
L137	27 055.67	3 639 054.41		R137	26 609.61	3 638 530.79			
L138	27 003.36	3 638 977.47		R138	26 475.32	3 638 366.79			
L139	26 952.78	3 638 909.46		R139	26 434.23	3 638 310.43			
L140	26 694.58	3 638 595.17		R140	26 397.91	3 638 254.07			
L141	26 639.42	3 638 527.42		R141	26 391.04	3 638 242.65			
L142	26 570.71	3 638 443.02		R142	26 377.78	3 638 219.45			
L143	26 503.68	3 638 360.66		R143	26 342.13	3 638 153.70			
L144	26 463.39	3 638 307.46		R144	26 281.30	3 638 039.81			
L145	26 437.73	3 638 271.19		R145	26 230.81	3 637 945.27			
L146	26 423.64	3 638 248.84		R146	26 184.03	3 637 857.69			
L147	26 396.32	3 638 201.73		R147	26 079.84	3 637 666.10			
L148	26 305.93	3 638 032.87		R148	26 061.08	3 637 634.58			
L149	26 260.53	3 637 948.06		R149	26 030.35	3 637 587.68			
L150	26 205.36	3 637 845.01		R150	26 016.22	3 637 567.07			
L151	26 120.02	3 637 686.98		R151	25 962.16	3 637 494.69			
L152	26 100.72	3 637 652.06		R152	25 923.77	3 637 448.39			
L153	26 093.72	3 637 640.63		R153	25 838.65	3 637 354.07			
					Vel Sheet 14 of Van 20 P996/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L154	26 034.64	3 637 549.48		R154	25 745.83	3 637 254.20
L155	26 012.57	3 637 518.97		R155	25 717.39	3 637 224.60
L156	25 959.32	3 637 451.72		R156	25 689.30	3 637 196.78
L157	25 933.37	3 637 421.10		R157	25 680.00	3 637 188.14
L158	25 908.55	3 637 393.46		R158	25 660.24	3 637 169.71
L159	25 893.39	3 637 376.59		R159	25 630.30	3 637 142.89
L160	25 751.89	3 637 224.03		R160	25 617.01	3 637 131.84
L161	25 714.45	3 637 185.95		R161	25 601.91	3 637 119.28
L162	25 714.22	3 637 185.74		R162	25 567.13	3 637 092.30
L163	25 664.50	3 637 140.39		R163	25 485.71	3 637 033.13
L164	25 628.29	3 637 109.65		R164	25 460.43	3 637 016.81
L165	25 581.12	3 637 069.60		R165	25 406.81	3 636 983.71
L166	25 475.46	3 636 992.82		R166	25 220.99	3 636 877.87
L167	25 257.17	3 636 869.47		R167	25 115.16	3 636 818.40
L168	25 168.42	3 636 820.69		R168	25 097.75	3 636 807.36
L169	25 136.56	3 636 800.00		R169	25 087.97	3 636 800.67
L170	25 070.02	3 636 740.95		R170	25 051.57	3 636 772.77
L171	25 035.53	3 636 673.36		R171	25 021.11	3 636 729.24
L172	25 035.43	3 636 636.68		R172	25 007.21	3 636 677.47
L173	25 050.38	3 636 581.38		R173	25 003.18	3 636 626.45
L174	25 076.03	3 636 531.24		R174	25 020.05	3 636 542.93
L175	25 103.90	3 636 506.32		R175	25 036.29	3 636 514.11
L176	25 142.56	3 636 483.31		R176	25 149.07	3 636 408.76
L177	25 260.00	3 636 418.78		R177	25 253.70	3 636 381.25
L178	25 305.43	3 636 395.93		R178	25 259.35	3 636 379.76
L179	25 341.68	3 636 386.11		R179	25 321.13	3 636 349.31
L180	25 407.10	3 636 378.06		R180	25 463.52	3 636 319.50
L181	25 485.35	3 636 360.54		R181	25 468.20	3 636 318.46
L182	25 563.65	3 636 316.79		R182	25 530.11	3 636 304.74
L183	25 657.93	3 636 248.60		R183	25 656.60	3 636 211.33
L184	25 695.34	3 636 231.60		R184	25 705.71	3 636 194.44
L185	25 819.18	3 636 194.24		R185	25 752.58	3 636 172.79
L186	25 859.10	3 636 160.53		R186	25 781.52	3 636 141.06
L187	25 962.25	3 636 089.85		R187	25 880.92	3 636 100.03
L188	25 993.47	3 636 074.05		R188	25 895.00	3 636 065.13
L189	26 030.64	3 636 067.08		R189	25 927.38	3 636 038.12
L190	26 142.51	3 636 067.08		R190	26 019.69	3 636 003.23
L191	26 214.75	3 636 029.92		R191	26 146.99	3 636 003.60
L192	26 371.07	3 635 923.09		R192	26 234.62	3 635 966.21
L193	26 416.19	3 635 900.58		R193	26 286.27	3 635 910.53
L194	26 509.10	3 635 865.52		R194	26 494.71	3 635 839.85
L195	26 591.10	3 635 822.59		R195	26 553.15	3 635 811.31
L196	26 658.04	3 635 763.02		R196	26 624.00	3 635 758.02
L197	26 706.77	3 635 704.69		R197	26 695.07	3 635 672.69
L198	26 750.91	3 635 628.26		R198	26 731.92	3 635 600.32
L199	26 770.41	3 635 568.40		R199	26 758.48	3 635 506.22
L200	26 779.09	3 635 529.73		R200	26 813.90	3 635 125.50
L201	26 781.43	3 635 519.30		R201	26 855.54	3 634 842.21
L202	26 792.54	3 635 458.12		R202	26 896.47	3 634 583.31
L203	26 822.61	3 635 243.87		R203	26 912.79	3 634 445.70
L204	26 869.94	3 634 926.13		R204	26 915.04	3 634 366.52
				Vel Sheet	15 of	Van 20 P996/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L205	26 917.62	3 634 602.16		R205	26 915.86	3 634 281.40
L206	26 944.58	3 634 396.22		R206	26 913.96	3 634 234.29
L207	26 939.62	3 634 248.33		R207	26 909.23	3 634 174.19
L208	26 932.57	3 634 177.71		R208	26 897.66	3 634 076.48
L209	26 929.93	3 634 151.32		R209	26 857.56	3 633 750.80
L210	26 920.61	3 634 058.02		R210	26 841.82	3 633 631.24
L211	26 899.55	3 633 885.58		R211	26 820.32	3 633 502.50
L212	26 875.10	3 633 684.29		R212	26 807.44	3 633 437.90
L213	26 870.50	3 633 645.99		R213	26 784.15	3 633 335.98
L214	26 844.80	3 633 494.81		R214	26 763.32	3 633 254.72
L215	26 832.16	3 633 430.86		R215	26 746.93	3 633 199.19
L216	26 807.47	3 633 314.95		R216	26 728.64	3 633 137.20
L217	26 797.50	3 633 270.37		R217	26 708.74	3 633 075.90
L218	26 792.58	3 633 251.88		R218	26 705.27	3 633 065.22
L219	26 771.47	3 633 191.93		R219	26 671.57	3 632 971.64
L220	26 727.83	3 633 053.45		R220	26 631.30	3 632 869.45
L221	26 697.10	3 632 968.08		R221	26 595.78	3 632 787.66
L222	26 654.89	3 632 860.41		R222	26 437.55	3 632 456.03
L223	26 639.26	3 632 824.49		R223	26 261.43	3 632 089.73
L224	26 627.76	3 632 798.07		R224	25 989.69	3 631 523.82
L225	26 614.59	3 632 767.82		R225	25 949.66	3 631 441.49
L226	26 526.96	3 632 584.00		R226	25 922.50	3 631 367.91
L227	26 356.29	3 632 228.54		R227	25 915.68	3 631 342.78
L228	26 044.32	3 631 579.44		R228	25 909.88	3 631 317.17
L229	25 991.93	3 631 470.34		R229	25 905.70	3 631 291.29
L230	25 979.24	3 631 443.92		R230	25 900.54	3 631 238.97
L231	25 977.58	3 631 440.47		R231	25 899.66	3 631 213.68
L232	25 961.70	3 631 403.67		R232	25 901.04	3 631 174.03
L233	25 952.54	3 631 378.21		R233	25 907.05	3 631 121.93
L234	25 942.89	3 631 346.46		R234	25 914.56	3 631 082.29
L235	25 930.85	3 631 288.39		R235	25 924.17	3 631 045.11
L236	25 927.70	3 631 261.75		R236	25 943.65	3 630 982.86
L237	25 926.53	3 631 248.65		R237	25 974.48	3 630 925.57
L238	25 925.22	3 631 202.34		R238	25 987.49	3 630 903.01
L239	25 929.71	3 631 140.13		R239	26 012.87	3 630 870.57
L240	25 940.29	3 631 080.29		R240	26 046.64	3 630 830.61
L241	25 947.80	3 631 055.39		R241	26 074.34	3 630 802.90
L242	25 962.55	3 631 012.07		R242	26 170.47	3 630 717.53
L243	25 981.28	3 630 970.00		R243	26 236.33	3 630 656.20
L244	25 993.72	3 630 946.80		R244	26 242.65	3 630 648.80
L245	26 015.80	3 630 912.28		R245	26 279.16	3 630 597.47
L246	26 030.82	3 630 889.62		R246	26 307.68	3 630 552.78
L247	26 045.63	3 630 870.47		R247	26 334.16	3 630 500.40
L248	26 064.98	3 630 847.70		R248	26 342.60	3 630 478.87
L249	26 086.03	3 630 826.51		R249	26 356.61	3 630 434.99
L250	26 104.14	3 630 809.79		R250	26 365.13	3 630 396.92
L251	26 199.92	3 630 724.94		R251	26 372.61	3 630 350.68
L252	26 211.95	3 630 713.92		R252	26 375.52	3 630 287.07
L253	26 244.05	3 630 682.71		R253	26 374.32	3 630 256.99
L254	26 277.35	3 630 645.93		R254	26 371.59	3 630 228.34
L255	26 318.37	3 630 591.17		R255	26 361.14	3 630 169.71
				Vel Sheet	16 of	20 P996/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		
L256	26 335.24	3 630 563.05		R256	26 354.66 3 630 146.08
L257	26 354.21	3 630 518.53		R257	26 278.84 3 629 905.52
L258	26 377.15	3 630 456.58		R258	26 254.62 3 629 828.86
L259	26 390.45	3 630 401.57		R259	26 247.06 3 629 804.96
L260	26 394.75	3 630 376.76		R260	26 230.31 3 629 751.96
L261	26 398.84	3 630 335.22		R261	26 209.72 3 629 686.80
L262	26 400.46	3 630 313.81		R262	26 161.71 3 629 534.98
L263	26 401.64	3 630 258.62		R263	26 020.84 3 629 089.28
L264	26 394.09	3 630 208.20		R264	25 918.21 3 628 764.21
L265	26 387.52	3 630 173.04		R265	25 773.84 3 628 307.70
L266	26 381.07	3 630 148.76		R266	25 735.12 3 628 185.27
L267	26 372.23	3 630 118.92		R267	25 698.26 3 628 074.97
L268	26 364.41	3 630 092.51		R268	25 671.77 3 627 991.06
L269	26 326.28	3 629 963.80		R269	25 656.96 3 627 931.46
L270	26 311.74	3 629 916.45		R270	25 650.75 3 627 900.12
L271	26 242.09	3 629 704.67		R271	25 644.23 3 627 856.40
L272	26 211.25	3 629 610.89		R272	25 642.45 3 627 841.92
L273	26 173.30	3 629 487.69		R273	25 640.78 3 627 813.92
L274	26 050.78	3 629 100.25		R274	25 641.56 3 627 787.25
L275	25 936.68	3 628 738.96		R275	25 644.98 3 627 723.80
L276	25 929.27	3 628 715.52		R276	25 648.72 3 627 697.68
L277	25 814.86	3 628 354.10		R277	25 653.52 3 627 671.45
L278	25 801.31	3 628 311.15		R278	25 660.57 3 627 639.77
L279	25 694.76	3 627 973.59		R279	25 670.06 3 627 606.39
L280	25 684.33	3 627 935.53		R280	25 752.60 3 627 380.47
L281	25 675.22	3 627 895.57		R281	25 911.34 3 626 949.65
L282	25 671.38	3 627 869.24		R282	26 047.63 3 626 578.09
L283	25 668.78	3 627 843.60		R283	26 066.93 3 626 525.68
L284	25 667.44	3 627 818.85		R284	26 095.39 3 626 448.43
L285	25 666.71	3 627 779.62		R285	26 204.08 3 626 153.33
L286	25 668.05	3 627 752.68		R286	26 356.51 3 625 739.65
L287	25 671.90	3 627 714.33		R287	26 439.35 3 625 514.50
L288	25 675.29	3 627 690.57		R288	26 581.31 3 625 128.95
L289	25 681.92	3 627 657.40		R289	26 664.76 3 624 902.30
L290	25 689.17	3 627 631.37		R290	26 695.75 3 624 813.00
L291	25 697.32	3 627 604.75		R291	26 735.29 3 624 686.24
L292	25 745.57	3 627 473.09		R292	26 819.98 3 624 402.84
L293	25 749.05	3 627 463.60		R293	26 917.87 3 624 074.45
L294	25 775.68	3 627 390.94		R294	26 976.95 3 623 877.40
L295	25 925.72	3 626 982.78		R295	27 016.81 3 623 744.47
L296	26 056.38	3 626 627.43		R296	27 118.97 3 623 403.74
L297	26 194.84	3 626 250.53		R297	27 119.22 3 623 402.92
L298	26 229.27	3 626 155.54		R298	27 232.76 3 623 024.81
L299	26 239.32	3 626 128.61		R299	27 279.69 3 622 868.37
L300	26 304.46	3 625 954.01		R300	27 370.52 3 622 564.65
L301	26 444.15	3 625 574.28		R301	27 478.42 3 622 203.92
L302	26 578.01	3 625 210.62		R302	27 545.01 3 621 981.26
L303	26 688.52	3 624 910.11		R303	27 604.96 3 621 781.35
L304	26 719.18	3 624 822.59		R304	27 654.98 3 621 614.57
L305	26 746.03	3 624 737.28		R305	27 778.06 3 621 204.64
L306	26 773.93	3 624 644.35		R306	27 814.15 3 621 081.13
			Vel Sheet	17 Van of	20 P996/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L307	26 915.82	3 624 169.90		R307	27 930.42	3 620 693.63
L308	27 003.44	3 623 878.20		R308	28 042.56	3 620 318.81
L309	27 007.94	3 623 863.23		R309	28 090.15	3 620 159.84
L310	27 125.64	3 623 469.41		R310	28 109.09	3 620 096.56
L311	27 237.88	3 623 094.89		R311	28 204.86	3 619 776.68
L312	27 274.48	3 622 972.58		R312	28 310.25	3 619 424.18
L313	27 277.53	3 622 962.37		R313	28 430.63	3 619 021.59
L314	27 319.64	3 622 821.64		R314	28 519.19	3 618 726.09
L315	27 356.69	3 622 697.23		R315	28 544.23	3 618 642.53
L316	27 375.53	3 622 655.76		R316	28 744.88	3 617 971.30
L317	27 391.66	3 622 619.80		R317	28 760.32	3 617 919.65
L318	27 411.29	3 622 557.05		R318	28 771.07	3 617 879.97
L319	27 428.68	3 622 454.75		R319	28 777.33	3 617 854.80
L320	27 499.70	3 622 218.77		R320	28 785.85	3 617 816.62
L321	27 551.07	3 622 048.53		R321	28 795.75	3 617 765.63
L322	27 630.42	3 621 783.11		R322	28 803.43	3 617 714.48
L323	27 680.81	3 621 614.58		R323	28 810.90	3 617 649.90
L324	27 733.88	3 621 438.67		R324	28 819.37	3 617 507.19
L325	27 835.64	3 621 098.40		R325	28 842.48	3 617 109.01
L326	27 904.14	3 620 869.41		R326	28 853.70	3 616 914.62
L327	27 999.29	3 620 551.89		R327	28 857.25	3 616 852.94
L328	28 109.32	3 620 183.66		R328	28 867.01	3 616 683.85
L329	28 232.42	3 619 772.09		R329	28 873.53	3 616 576.07
L330	28 346.86	3 619 389.80		R330	28 894.95	3 616 201.27
L331	28 411.82	3 619 173.17		R331	28 913.26	3 615 885.72
L332	28 503.94	3 618 864.61		R332	28 930.26	3 615 591.83
L333	28 546.71	3 618 721.92		R333	28 953.79	3 615 187.82
L334	28 570.35	3 618 643.08		R334	28 978.21	3 614 764.42
L335	28 712.46	3 618 166.97		R335	28 990.97	3 614 546.50
L336	28 759.42	3 618 009.15		R336	28 991.18	3 614 543.01
L337	28 790.06	3 617 906.17		R337	28 993.22	3 614 521.25
L338	28 797.60	3 617 877.81		R338	29 012.97	3 614 077.60
L339	28 808.98	3 617 828.33		R339	29 013.40	3 614 068.06
L340	28 816.57	3 617 790.72		R340	29 018.57	3 613 954.65
L341	28 828.59	3 617 715.90		R341	28 962.44	3 613 563.80
L342	28 837.76	3 617 628.74		R342	28 938.82	3 613 336.16
L343	28 849.93	3 617 406.96		R343	28 921.13	3 613 211.45
L344	28 871.10	3 617 043.57		R344	28 911.08	3 613 133.01
L345	28 871.52	3 617 036.35		R345	28 899.83	3 613 129.11
L346	28 873.33	3 617 005.26		R346	28 899.29	3 613 100.91
L347	28 878.41	3 616 916.33		R347	28 905.96	3 613 062.13
L348	28 896.20	3 616 604.50		R348	28 905.85	3 612 925.69
L349	28 907.49	3 616 409.07		R349	28 909.05	3 612 676.15
L350	28 930.78	3 616 013.62		R350	28 908.79	3 612 578.62
L351	28 953.66	3 615 623.02		R351	28 916.33	3 612 571.42
L352	28 975.42	3 615 244.80		R352	28 935.86	3 612 506.39
L353	28 998.68	3 614 848.03		R353	28 944.02	3 612 484.96
L354	29 013.17	3 614 592.89		R354	28 956.55	3 612 456.50
L355	29 016.62	3 614 532.12		R355	28 971.37	3 612 429.47
L356	29 022.81	3 614 423.03		R356	28 987.64	3 612 402.56
L357	29 037.95	3 614 171.53		R357	29 005.91	3 612 377.00
				Vel Sheet	18 of 20	P996/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L358	29 042.00	3 614 070.27		R358	29 024.71	3 612 353.45			
L359	29 044.30	3 613 962.37		R359	29 063.21	3 612 308.99			
L360	29 008.25	3 613 666.13		R360	29 091.87	3 612 272.45			
L361	28 998.68	3 613 595.76		R361	29 109.36	3 612 246.74			
L362	28 960.55	3 613 319.28		R362	29 138.33	3 612 196.89			
L363	28 938.19	3 613 113.67		R363	29 152.12	3 612 168.34			
L364	28 951.32	3 612 997.29		R364	29 164.91	3 612 138.25			
L365	28 951.47	3 612 941.70		R365	29 182.24	3 612 086.76			
L366	28 945.52	3 612 937.40		R366	29 261.30	3 611 783.50			
L367	28 932.80	3 612 732.35		R367	29 356.79	3 611 416.87			
L368	28 935.80	3 612 615.37		R368	29 357.55	3 611 413.93			
L369	28 940.94	3 612 578.02		R369	29 399.12	3 611 252.46			
L370	28 950.94	3 612 544.66		R370	29 449.07	3 611 061.01			
L371	28 967.72	3 612 493.98		R371	29 498.15	3 610 873.60			
L372	28 993.57	3 612 440.84		R372	29 536.15	3 610 731.16			
L373	29 026.79	3 612 390.12		R373	29 552.82	3 610 668.66			
L374	29 097.29	3 612 306.09		R374	29 617.39	3 610 421.57			
L375	29 121.69	3 612 272.41		R375	29 660.29	3 610 257.42			
L376	29 143.43	3 612 238.33		R376	29 751.47	3 609 907.42			
L377	29 168.93	3 612 190.11		R377	29 802.26	3 609 712.73			
L378	29 185.59	3 612 152.25		R378	29 847.87	3 609 538.61			
L379	29 200.09	3 612 113.73		R379	29 864.92	3 609 468.22			
L380	29 260.35	3 611 888.10		R380	29 894.18	3 609 332.49			
L381	29 289.52	3 611 775.19		R381	29 904.97	3 609 282.46			
L382	29 370.81	3 611 463.39		R382	30 095.21	3 608 399.55			
L383	29 371.24	3 611 461.72		R383	30 152.56	3 608 132.48			
L384	29 415.51	3 611 292.46		R384	30 217.77	3 607 831.16			
L385	29 475.88	3 611 060.94		R385	30 302.72	3 607 435.44			
L386	29 479.56	3 611 042.68		R386	30 360.87	3 607 164.87			
L387	29 527.92	3 610 858.32		R387	30 431.02	3 606 839.89			
L388	29 569.95	3 610 697.96		R388	30 471.51	3 606 651.42			
L389	29 621.23	3 610 502.33		R389	30 490.53	3 606 565.24			
L390	29 642.95	3 610 419.32		R390	30 987.36	3 604 261.20			
L391	29 718.09	3 610 132.23		R391	31 153.23	3 603 492.01			
L392	29 822.23	3 609 733.30		R392	31 177.32	3 603 380.58			
L393	29 883.47	3 609 493.75		R393	31 763.79	3 600 660.56			
L394	29 910.26	3 609 373.47		R394	31 805.30	3 600 472.78			
L395	29 932.10	3 609 271.57		R395	31 813.60	3 600 435.06			
L396	29 956.55	3 609 157.51		R396	31 824.22	3 600 386.72			
L397	30 176.50	3 608 136.44		R397	31 867.17	3 600 230.05			
L398	30 272.27	3 607 691.19		R398	31 975.85	3 599 842.70			
L399	30 326.02	3 607 441.71		R399	32 051.63	3 599 568.72			
L400	30 497.63	3 606 648.64		R400	32 054.25	3 599 559.24			
L401	30 504.85	3 606 615.22		R401	32 073.83	3 599 488.64			
L402	30 509.93	3 606 591.66		R402	32 146.63	3 599 226.14			
L403	31 011.93	3 604 267.03		R403	32 225.85	3 598 942.99			
L404	31 093.42	3 603 889.10		R404	32 272.65	3 598 775.58			
L405	31 177.81	3 603 497.77		R405	32 286.40	3 598 726.38			
L406	31 201.93	3 603 385.89		R406	32 297.88	3 598 685.30			
L407	31 786.88	3 600 677.48		R407	32 314.48	3 598 625.72			
L408	31 829.90	3 600 478.28		R408	32 322.50	3 598 596.92			
					Vel Sheet	19	Van of	20	P996/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L409	31 830.45	3 600 475.77		R409	32 405.30	3 598 299.72
L410	31 848.81	3 600 392.19		R410	32 482.89	3 598 022.92
L411	31 891.40	3 600 236.92		R411	32 564.56	3 597 732.59
L412	31 943.33	3 600 052.09		R412	33 140.77	3 595 680.15
L413	32 000.10	3 599 849.63		R413	33 284.98	3 595 167.01
L414	32 078.42	3 599 566.04		R414	33 313.09	3 595 067.34
L415	32 080.99	3 599 556.81		R415	33 386.56	3 594 804.92
L416	32 170.87	3 599 233.00		R416	33 469.68	3 594 509.21
L417	32 219.31	3 599 059.99		R417	33 563.70	3 594 173.67
L418	32 272.05	3 598 871.30		R418	33 629.51	3 593 939.64
L419	32 322.12	3 598 692.14		R419	33 709.60	3 593 654.68
L420	32 370.99	3 598 516.79		R420	33 764.98	3 593 457.42
L421	32 429.52	3 598 306.59		R421	33 776.21	3 593 422.53
L422	32 507.12	3 598 029.81		R422	33 787.24	3 593 388.25
L423	32 744.07	3 597 186.81		R423	33 811.84	3 593 311.82
L424	32 845.34	3 596 826.09		R424	33 847.94	3 593 211.81
L425	33 017.98	3 596 210.91		R425	33 976.59	3 592 854.90
L426	33 042.19	3 596 124.72		R426	34 068.34	3 592 597.43
L427	33 059.06	3 596 064.67				
L428	33 084.98	3 595 972.40				
L429	33 164.96	3 595 687.11				
L430	33 243.67	3 595 407.04				
L431	33 307.03	3 595 181.91				
L432	33 337.32	3 595 074.28				
L433	33 410.73	3 594 811.92				
L434	33 493.89	3 594 516.21				
L435	33 517.07	3 594 433.42				
L436	33 546.28	3 594 418.72				
L437	33 551.43	3 594 395.24				
L438	33 536.30	3 594 364.72				
L439	33 587.85	3 594 180.64				
L440	33 637.73	3 594 003.57				
L441	33 789.16	3 593 464.40				
L442	33 795.46	3 593 444.83				
L443	33 803.28	3 593 420.56				
L444	33 807.71	3 593 406.81				
L445	33 835.76	3 593 319.71				
L446	34 000.27	3 592 863.49				
L447	34 095.60	3 592 606.92				