

DEPARTMENT OF TRANSPORT

NO. 269

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R63 SECTION 16**AMENDMENT OF DECLARATION No. 305 OF 2012.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph E(V) of the Schedule, being the descriptive declaration of the route from its junction with District Road No. 2760 at Kei Road up to its junction with National Road N2 Section 16, with the accompanying sheets 1 to 22 of Plan No. P926/17.

In the town of Komga the route enters the town along R63 Section 16 from the West and follows the streets known as West Main Street, South Street and Union West Street at the time of declaration.

(National Road R63 Section 16: Kei Road (N6) – N2 Junction)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 269

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R63 SEKSIE 16


WYSIGING VAN VERKLARING No. 305 VAN 2012.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf E(V) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Distriks Pad No. 2760 tot by die aansluiting met Nasionale Pad N2 Seksie 16, met bygaande velle 1 tot 22 van Plan No. P926/17.


In die dorp van Komga kom die pad die dorp binne vanuit die Weste langs die R63 Seksie 16 en volg die strate bekend as Wes Hoofstraat, Suidstraat en Uniestraat tydens datum van verklaring.

(Nasionale Pad R63 Seksie 16: Keiweg (N6) – N2 Aansluiting)
MINISTER VAN VERVOER







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route R63	Vel Sheet 2 of 22 Plan P926/17
---	---------------------------------------	--	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	Vel Sheet 3 of 22 Plan P926/17
---	---------------------------------------	--	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route
Vel Sheet 4 of 22	16	Plan P926/17	16




Die Suid Afrikaanse Nasionale Podagentskop MSB Bpk	Die figuur getoon		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	Vel Sheet 5 of 22
The South African National Roads Agency SOC Ltd	The figure shown			16







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 Sektie of National Route of Section	Vel Sheet 7 of 22 Plan P926/17
---	---------------------------------------	--	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	Vel Sheet	8 of 22
The South African National Roads Agency SOC Ltd	The figure shown			16	Plan




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	Vel Sheet 9 of 22	16 R63 Seksie Section	Plan P926/17
---	---------------------------------------	---	----------------------	--------------------------------	--------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	Vel Sheet 10 of 22 Plan P926/17
---	---------------------------------------	--	------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route
Plan P926/17	16	Sheet 11 of 22	Val van 22




Vel
Sheet 12 of 22
Plan P927/17

16
Seksie
R63
Section
of National Route




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 Seksie of National Route Section	Vel Sheet 13 of 22	Plan P926/17
---	---------------------------------------	--	--------------------------------	-----------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 Sektie of National Route of National Route	Vel van Sheet 14 of 22 Plan P926/17
---	---------------------------------------	---	---

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	-53 379.41	3	619	010.06	R1	-53 404.38	3	619	038.41
L2	-53 428.36	3	619	007.61	R2	-53 443.27	3	619	030.35
L3	-53 631.02	3	618	965.78	R3	-53 634.49	3	618	991.15
L4	-53 688.16	3	618	948.08	R4	-53 740.29	3	618	963.56
L5	-53 763.52	3	618	923.34	R5	-53 782.00	3	618	946.79
L6	-53 860.13	3	618	885.39	R6	-53 798.70	3	618	936.26
L7	-54 205.59	3	618	726.46	R7	-53 920.97	3	618	885.61
L8	-55 118.47	3	618	306.08	R8	-54 587.50	3	618	578.35
L9	-55 526.65	3	618	118.23	R9	-55 118.71	3	618	333.94
L10	-55 616.33	3	618	076.51	R10	-55 629.84	3	618	098.72
L11	-55 728.11	3	618	017.63	R11	-55 774.91	3	618	019.08
L12	-55 834.15	3	617	947.94	R12	-55 812.68	3	617	993.86
L13	-55 897.43	3	617	901.56	R13	-55 866.60	3	617	956.57
L14	-56 234.27	3	617	646.17	R14	-56 166.06	3	617	729.88
L15	-56 413.59	3	617	510.45	R15	-56 438.34	3	617	524.46
L16	-56 580.82	3	617	383.67	R16	-56 602.79	3	617	399.60
L17	-56 952.93	3	617	101.55	R17	-57 002.15	3	617	096.65
L18	-57 435.95	3	616	736.08	R18	-57 961.90	3	616	369.11
L19	-57 743.64	3	616	502.97	R19	-58 117.37	3	616	251.95
L20	-58 100.77	3	616	232.20	R20	-58 118.15	3	616	251.36
L21	-58 356.08	3	616	038.63	R21	-58 118.11	3	616	250.64
L22	-58 867.52	3	615	651.30	R22	-58 504.68	3	615	957.79
L23	-59 165.12	3	615	425.11	R23	-58 884.62	3	615	669.40
L24	-60 178.34	3	614	657.59	R24	-59 187.56	3	615	440.12
L25	-60 472.73	3	614	434.38	R25	-59 488.64	3	615	211.72
L26	-60 697.58	3	614	261.69	R26	-59 687.10	3	615	062.64
L27	-60 742.67	3	614	227.60	R27	-59 709.81	3	615	044.26
L28	-60 802.86	3	614	175.60	R28	-60 057.91	3	614	780.61
L29	-60 840.67	3	614	152.39	R29	-60 420.25	3	614	505.65
L30	-60 866.01	3	614	133.86	R30	-60 598.85	3	614	370.33
L31	-60 938.31	3	614	072.00	R31	-60 709.38	3	614	288.88
L32	-60 980.25	3	614	031.20	R32	-60 748.73	3	614	260.42
L33	-61 099.09	3	613	894.96	R33	-60 861.12	3	614	175.33
L34	-61 232.82	3	613	694.03	R34	-60 887.66	3	614	154.03
L35	-61 492.78	3	613	221.20	R35	-61 029.59	3	614	017.79
L36	-61 602.53	3	613	004.40	R36	-61 108.03	3	613	931.93
L37	-61 611.57	3	612	994.72	R37	-61 119.49	3	613	913.91
L38	-61 621.58	3	612	981.89	R38	-61 158.38	3	613	860.38
L39	-61 745.81	3	612	762.31	R39	-61 203.51	3	613	792.71
L40	-61 772.75	3	612	721.07	R40	-61 254.40	3	613	706.59
L41	-61 807.06	3	612	683.65	R41	-61 359.98	3	613	514.45
L42	-61 834.57	3	612	659.92	R42	-61 574.75	3	613	123.64
L43	-61 867.57	3	612	633.75	R43	-61 578.25	3	613	116.71
L44	-61 916.56	3	612	615.87	R44	-61 602.57	3	613	073.53
L45	-61 974.96	3	612	598.11	R45	-61 611.69	3	613	067.44
L46	-61 982.49	3	612	597.20	R46	-61 620.33	3	613	051.34
L47	-62 048.73	3	612	597.22	R47	-61 655.87	3	612	971.33
L48	-62 206.35	3	612	593.73	R48	-61 764.21	3	612	779.79
L49	-62 252.48	3	612	586.57	R49	-61 798.27	3	612	729.09
L50	-62 319.00	3	612	568.84	R50	-61 822.14	3	612	703.09
L51	-62 346.56	3	612	556.46	R51	-61 829.69	3	612	696.31
					Vel 15 Van 22 Sheet of P926/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-62 372.19	3	612	541.89	R52	-61 845.69	3	612	684.64
L53	-62 389.50	3	612	526.53	R53	-61 925.34	3	612	639.28
L54	-62 400.07	3	612	515.70	R54	-61 998.62	3	612	627.48
L55	-62 443.35	3	612	460.04	R55	-62 117.96	3	612	632.49
L56	-62 458.43	3	612	429.09	R56	-62 166.94	3	612	627.91
L57	-62 468.19	3	612	401.38	R57	-62 199.97	3	612	616.97
L58	-62 474.69	3	612	370.34	R58	-62 278.02	3	612	614.62
L59	-62 477.38	3	612	320.69	R59	-62 337.97	3	612	596.82
L60	-62 473.43	3	612	284.32	R60	-62 416.63	3	612	549.97
L61	-62 469.12	3	612	264.21	R61	-62 439.01	3	612	534.78
L62	-62 461.63	3	612	241.39	R62	-62 445.78	3	612	530.18
L63	-62 452.68	3	612	219.90	R63	-62 472.58	3	612	482.34
L64	-62 438.90	3	612	196.22	R64	-62 484.67	3	612	446.19
L65	-62 435.23	3	612	190.29	R65	-62 490.92	3	612	417.50
L66	-62 415.13	3	612	162.28	R66	-62 499.39	3	612	383.58
L67	-62 383.50	3	612	129.51	R67	-62 502.53	3	612	319.80
L68	-62 337.69	3	612	093.29	R68	-62 494.41	3	612	244.11
L69	-62 256.59	3	612	019.32	R69	-62 468.43	3	612	195.80
L70	-62 228.79	3	611	983.30	R70	-62 454.47	3	612	170.52
L71	-62 197.99	3	611	941.73	R71	-62 440.30	3	612	152.01
L72	-62 132.79	3	611	799.23	R72	-62 395.62	3	612	106.88
L73	-62 051.23	3	611	618.90	R73	-62 355.16	3	612	073.43
L74	-62 044.15	3	611	601.52	R74	-62 314.05	3	612	035.35
L75	-62 034.66	3	611	574.93	R75	-62 261.44	3	611	980.70
L76	-62 010.42	3	611	494.76	R76	-62 228.02	3	611	937.42
L77	-62 000.31	3	611	450.25	R77	-62 219.80	3	611	923.49
L78	-61 986.62	3	611	359.97	R78	-62 216.07	3	611	917.06
L79	-61 983.48	3	611	323.29	R79	-62 173.98	3	611	828.90
L80	-61 981.64	3	611	274.71	R80	-62 094.49	3	611	654.75
L81	-61 982.07	3	611	237.88	R81	-62 071.53	3	611	600.83
L82	-61 987.45	3	611	161.46	R82	-62 048.66	3	611	535.74
L83	-62 009.55	3	610	979.34	R83	-62 031.57	3	611	476.20
L84	-62 039.98	3	610	727.54	R84	-62 019.26	3	611	417.59
L85	-62 051.38	3	610	655.11	R85	-62 014.49	3	611	382.92
L86	-62 070.32	3	610	590.40	R86	-62 010.77	3	611	346.00
L87	-62 104.79	3	610	518.19	R87	-62 007.47	3	611	297.76
L88	-62 132.16	3	610	475.85	R88	-62 007.42	3	611	237.69
L89	-62 165.75	3	610	432.12	R89	-62 011.15	3	611	177.75
L90	-62 209.09	3	610	386.41	R90	-62 034.02	3	610	985.43
L91	-62 295.77	3	610	316.13	R91	-62 066.13	3	610	719.53
L92	-62 323.20	3	610	304.22	R92	-62 069.98	3	610	692.78
L93	-62 360.30	3	610	288.42	R93	-62 085.03	3	610	631.64
L94	-62 447.58	3	610	259.51	R94	-62 096.32	3	610	597.95
L95	-62 501.24	3	610	248.25	R95	-62 111.04	3	610	563.57
L96	-62 729.05	3	610	233.31	R96	-62 128.28	3	610	529.31
L97	-63 092.24	3	610	209.21	R97	-62 179.25	3	610	455.50
L98	-63 209.04	3	610	201.64	R98	-62 267.07	3	610	372.26
L99	-63 270.66	3	610	195.61	R99	-62 343.26	3	610	325.26
L100	-63 328.62	3	610	185.78	R100	-62 367.47	3	610	314.02
L101	-63 386.86	3	610	171.57	R101	-62 454.10	3	610	284.01
L102	-63 416.03	3	610	161.66	R102	-62 541.09	3	610	270.79
					Vel	16	Van	22	P926/17
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-63 488.93	3 610 132.96		R103	-62 755.29	3 610 256.56
L104	-63 529.13	3 610 117.10		R104	-63 107.87	3 610 233.71
L105	-63 537.69	3 610 112.67		R105	-63 206.31	3 610 227.22
L106	-63 696.78	3 610 063.71		R106	-63 277.35	3 610 219.93
L107	-63 790.67	3 610 030.36		R107	-63 329.85	3 610 210.90
L108	-64 023.03	3 609 947.02		R108	-63 464.78	3 610 179.18
L109	-64 346.34	3 609 831.05		R109	-63 561.77	3 610 145.20
L110	-64 413.43	3 609 806.98		R110	-63 598.42	3 610 133.42
L111	-64 748.52	3 609 686.69		R111	-63 671.71	3 610 103.05
L112	-64 764.73	3 609 679.61		R112	-63 741.85	3 610 073.95
L113	-64 837.75	3 609 646.46		R113	-64 404.93	3 609 836.40
L114	-64 882.84	3 609 623.37		R114	-64 414.21	3 609 833.08
L115	-64 953.77	3 609 577.98		R115	-64 450.13	3 609 820.21
L116	-64 975.87	3 609 562.43		R116	-64 501.03	3 609 803.14
L117	-65 009.11	3 609 536.35		R117	-64 584.76	3 609 772.43
L118	-65 044.97	3 609 509.50		R118	-64 753.02	3 609 711.19
L119	-65 081.48	3 609 475.29		R119	-64 770.26	3 609 705.11
L120	-65 234.00	3 609 323.12		R120	-64 801.55	3 609 692.82
L121	-65 303.09	3 609 259.91		R121	-64 899.14	3 609 645.50
L122	-65 325.88	3 609 241.95		R122	-64 943.98	3 609 618.27
L123	-65 382.41	3 609 199.89		R123	-65 016.80	3 609 569.59
L124	-65 434.91	3 609 167.31		R124	-65 034.44	3 609 554.23
L125	-65 516.66	3 609 125.11		R125	-65 053.15	3 609 536.76
L126	-65 595.39	3 609 093.83		R126	-65 078.90	3 609 511.44
L127	-65 611.08	3 609 088.35		R127	-65 133.84	3 609 463.37
L128	-65 637.19	3 609 080.26		R128	-65 233.60	3 609 360.10
L129	-65 689.91	3 609 066.52		R129	-65 298.00	3 609 299.17
L130	-65 725.35	3 609 058.60		R130	-65 420.21	3 609 205.03
L131	-65 788.45	3 609 048.64		R131	-65 483.85	3 609 168.87
L132	-65 833.51	3 609 045.04		R132	-65 537.48	3 609 143.16
L133	-65 906.20	3 609 041.77		R133	-65 599.91	3 609 118.62
L134	-66 065.84	3 609 044.22		R134	-65 668.01	3 609 097.79
L135	-66 657.56	3 609 052.95		R135	-65 724.41	3 609 084.76
L136	-67 032.13	3 609 058.32		R136	-65 769.27	3 609 076.71
L137	-67 423.64	3 609 064.15		R137	-65 814.10	3 609 071.09
L138	-67 740.20	3 609 068.80		R138	-65 903.57	3 609 066.79
L139	-67 791.66	3 609 067.19		R139	-66 116.00	3 609 069.58
L140	-67 848.80	3 609 061.48		R140	-66 758.68	3 609 079.41
L141	-67 913.30	3 609 050.65		R141	-66 884.88	3 609 080.96
L142	-67 966.56	3 609 037.07		R142	-67 255.01	3 609 086.41
L143	-68 036.19	3 609 017.80		R143	-67 593.87	3 609 091.95
L144	-68 348.30	3 608 924.72		R144	-67 789.48	3 609 094.09
L145	-68 611.18	3 608 846.09		R145	-67 902.38	3 609 078.63
L146	-68 724.23	3 608 812.98		R146	-67 920.31	3 609 074.81
L147	-68 737.27	3 608 809.60		R147	-68 036.42	3 609 044.39
L148	-68 820.59	3 608 790.50		R148	-68 288.97	3 608 967.81
L149	-68 887.19	3 608 790.57		R149	-68 350.16	3 608 949.51
L150	-68 927.05	3 608 791.72		R150	-68 384.63	3 608 939.21
L151	-68 959.34	3 608 795.21		R151	-68 507.94	3 608 903.19
L152	-69 014.85	3 608 805.18		R152	-68 581.31	3 608 880.20
L153	-69 058.38	3 608 817.66		R153	-68 612.92	3 608 871.18
				Vel	17	Van 22
				P926/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-69 136.73	3	608	850.16	R154	-68 668.37	3	608	852.62
L155	-69 164.17	3	608	864.87	R155	-68 737.70	3	608	833.08
L156	-69 308.77	3	608	947.76	R156	-68 839.08	3	608	817.87
L157	-69 569.01	3	609	097.35	R157	-68 866.48	3	608	815.85
L158	-69 628.34	3	609	129.86	R158	-68 897.44	3	608	815.52
L159	-69 662.72	3	609	145.34	R159	-68 926.66	3	608	817.07
L160	-69 705.29	3	609	160.63	R160	-68 957.33	3	608	820.43
L161	-69 742.86	3	609	171.42	R161	-68 992.23	3	608	825.93
L162	-69 792.05	3	609	181.97	R162	-69 024.17	3	608	832.95
L163	-69 824.25	3	609	187.22	R163	-69 069.51	3	608	848.25
L164	-70 223.25	3	609	226.30	R164	-69 146.63	3	608	883.69
L165	-70 355.05	3	609	238.79	R165	-69 210.42	3	608	920.59
L166	-70 385.66	3	609	240.35	R166	-69 312.52	3	608	978.71
L167	-70 414.40	3	609	240.65	R167	-69 693.81	3	609	197.50
L168	-70 455.10	3	609	238.69	R168	-69 745.53	3	609	198.64
L169	-70 494.02	3	609	233.65	R169	-69 938.94	3	609	223.60
L170	-70 556.28	3	609	216.39	R170	-70 320.57	3	609	260.03
L171	-70 680.84	3	609	160.63	R171	-70 385.09	3	609	265.13
L172	-70 706.77	3	609	157.99	R172	-70 424.74	3	609	264.59
L173	-70 909.12	3	609	029.86	R173	-70 475.98	3	609	261.38
L174	-70 931.78	3	609	015.49	R174	-70 501.71	3	609	259.75
L175	-70 993.67	3	608	972.49	R175	-70 628.58	3	609	228.84
L176	-71 029.27	3	608	944.82	R176	-70 629.87	3	609	228.59
L177	-71 074.85	3	608	906.14	R177	-70 716.25	3	609	181.62
L178	-71 118.76	3	608	865.16	R178	-70 785.64	3	609	138.34
L179	-71 180.33	3	608	799.41	R179	-70 894.41	3	609	069.32
L180	-71 200.11	3	608	776.52	R180	-70 945.17	3	609	036.60
L181	-71 219.10	3	608	752.93	R181	-71 007.94	3	608	993.02
L182	-71 268.60	3	608	685.91	R182	-71 009.98	3	608	991.44
L183	-71 304.71	3	608	629.96	R183	-71 044.94	3	608	964.30
L184	-71 319.99	3	608	603.78	R184	-71 068.35	3	608	944.83
L185	-71 346.72	3	608	550.54	R185	-71 091.57	3	608	924.74
L186	-71 377.61	3	608	489.13	R186	-71 136.43	3	608	882.86
L187	-71 397.57	3	608	439.96	R187	-71 208.86	3	608	805.52
L188	-71 424.92	3	608	362.54	R188	-71 238.89	3	608	768.22
L189	-71 435.66	3	608	328.06	R189	-71 289.38	3	608	700.12
L190	-71 443.33	3	608	297.03	R190	-71 310.97	3	608	668.33
L191	-71 450.25	3	608	267.80	R191	-71 349.42	3	608	603.13
L192	-71 456.41	3	608	238.02	R192	-71 363.75	3	608	578.66
L193	-71 463.32	3	608	200.76	R193	-71 383.46	3	608	537.02
L194	-71 469.01	3	608	162.49	R194	-71 396.60	3	608	508.72
L195	-71 474.64	3	608	111.60	R195	-71 408.63	3	608	481.38
L196	-71 477.40	3	608	074.02	R196	-71 429.60	3	608	427.83
L197	-71 478.75	3	608	043.89	R197	-71 439.22	3	608	400.84
L198	-71 479.42	3	608	005.72	R198	-71 448.64	3	608	371.09
L199	-71 478.21	3	607	952.90	R199	-71 461.30	3	608	327.70
L200	-71 475.45	3	607	907.84	R200	-71 469.22	3	608	297.31
L201	-71 469.38	3	607	847.96	R201	-71 482.11	3	608	238.67
L202	-71 455.77	3	607	755.72	R202	-71 487.18	3	608	212.48
L203	-71 435.63	3	607	619.63	R203	-71 495.96	3	608	149.80
L204	-71 434.12	3	607	603.62	R204	-71 499.06	3	608	122.33
					Vel 4R Van 22 P926/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L205	-71 431.80	3	607	573.37	R205	-71 501.75	3	608	091.82
L206	-71 431.37	3	607	557.79	R206	-71 503.67	3	608	062.11
L207	-71 431.78	3	607	526.26	R207	-71 504.66	3	608	028.84
L208	-71 435.71	3	607	479.25	R208	-71 504.26	3	607	968.13
L209	-71 444.48	3	607	431.13	R209	-71 502.94	3	607	937.72
L210	-71 448.27	3	607	415.50	R210	-71 498.34	3	607	877.66
L211	-71 462.55	3	607	370.00	R211	-71 495.00	3	607	848.25
L212	-71 474.09	3	607	340.53	R212	-71 476.64	3	607	723.64
L213	-71 480.45	3	607	326.18	R213	-71 456.69	3	607	570.12
L214	-71 494.21	3	607	298.99	R214	-71 456.18	3	607	555.08
L215	-71 509.71	3	607	271.65	R215	-71 456.64	3	607	525.61
L216	-71 535.42	3	607	233.91	R216	-71 457.35	3	607	510.86
L217	-71 544.07	3	607	222.39	R217	-71 458.95	3	607	496.13
L218	-71 563.13	3	607	199.62	R218	-71 465.31	3	607	453.98
L219	-71 582.55	3	607	178.21	R219	-71 468.79	3	607	438.40
L220	-71 616.02	3	607	147.41	R220	-71 498.82	3	607	346.80
L221	-71 652.47	3	607	118.75	R221	-71 501.82	3	607	339.99
L222	-71 691.98	3	607	093.02	R222	-71 581.14	3	607	217.23
L223	-71 718.20	3	607	078.26	R223	-71 602.44	3	607	194.26
L224	-71 746.20	3	607	064.75	R224	-71 624.12	3	607	173.50
L225	-71 789.63	3	607	047.42	R225	-71 647.48	3	607	153.67
L226	-71 814.86	3	607	039.50	R226	-71 671.10	3	607	135.99
L227	-71 852.51	3	607	030.13	R227	-71 694.64	3	607	120.41
L228	-71 902.68	3	607	021.30	R228	-71 719.85	3	607	105.83
L229	-71 936.90	3	607	016.29	R229	-71 746.52	3	607	092.24
L230	-72 287.45	3	606	965.03	R230	-71 772.72	3	607	080.77
L231	-72 560.42	3	606	925.11	R231	-71 813.00	3	607	066.60
L232	-72 865.39	3	606	880.50	R232	-71 827.97	3	607	062.17
L233	-73 247.59	3	606	824.78	R233	-71 852.08	3	607	056.23
L234	-73 509.67	3	606	785.86	R234	-71 879.50	3	607	050.40
L235	-73 733.97	3	606	752.94	R235	-71 890.54	3	607	048.78
L236	-73 828.99	3	606	738.87	R236	-71 896.68	3	607	056.88
L237	-73 905.03	3	606	734.19	R237	-71 913.77	3	607	051.84
L238	-73 955.49	3	606	735.31	R238	-71 973.73	3	607	035.55
L239	-74 053.92	3	606	743.63	R239	-72 008.54	3	607	031.41
L240	-74 174.41	3	606	769.11	R240	-72 051.52	3	607	025.46
L241	-74 435.27	3	606	836.78	R241	-72 241.86	3	606	996.82
L242	-74 544.91	3	606	844.53	R242	-72 578.56	3	606	947.80
L243	-74 949.81	3	606	823.44	R243	-72 617.56	3	606	950.85
L244	-75 142.86	3	606	813.62	R244	-72 672.95	3	606	943.36
L245	-75 226.73	3	606	827.27	R245	-72 670.75	3	606	934.59
L246	-75 675.19	3	606	950.13	R246	-72 670.70	3	606	934.41
L247	-75 688.18	3	606	949.77	R247	-73 043.60	3	606	879.25
L248	-76 100.52	3	607	067.37	R248	-73 487.22	3	606	814.58
L249	-76 405.90	3	607	151.02	R249	-73 513.55	3	606	810.96
L250	-76 745.40	3	607	243.83	R250	-73 566.87	3	606	803.62
L251	-77 125.92	3	607	348.33	R251	-73 611.82	3	606	797.15
L252	-77 310.60	3	607	397.91	R252	-73 716.81	3	606	781.68
L253	-77 314.10	3	607	398.85	R253	-73 827.55	3	606	765.85
L254	-77 387.31	3	607	416.42	R254	-73 861.74	3	606	762.66
L255	-77 450.01	3	607	429.11	R255	-73 905.02	3	606	760.63
					Vel 40 Van 20 P926/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	-77 504.95	3	607 438.90		R256	-73 944.91	3	606 760.44	
L257	-77 556.65	3	607 446.91		R257	-73 982.65	3	606 762.20	
L258	-77 586.87	3	607 450.75		R258	-74 041.59	3	606 767.66	
L259	-77 629.67	3	607 456.19		R259	-74 092.77	3	606 776.47	
L260	-77 670.97	3	607 460.60		R260	-74 099.87	3	606 777.69	
L261	-77 728.20	3	607 465.38		R261	-74 142.77	3	606 788.10	
L262	-77 835.54	3	607 470.29		R262	-74 386.82	3	606 851.61	
L263	-77 897.04	3	607 471.28		R263	-74 407.47	3	606 856.14	
L264	-77 935.44	3	607 471.12		R264	-74 432.67	3	606 861.66	
L265	-77 976.21	3	607 470.21		R265	-74 474.16	3	606 866.66	
L266	-78 017.71	3	607 468.55		R266	-74 514.52	3	606 870.13	
L267	-78 079.43	3	607 464.81		R267	-74 556.06	3	606 869.79	
L268	-78 341.80	3	607 443.91		R268	-74 602.91	3	606 867.49	
L269	-78 457.92	3	607 434.70		R269	-74 806.96	3	606 856.58	
L270	-78 723.10	3	607 413.65		R270	-75 009.04	3	606 846.06	
L271	-79 118.85	3	607 382.33		R271	-75 121.39	3	606 840.44	
L272	-79 318.98	3	607 366.56		R272	-75 130.90	3	606 839.97	
L273	-79 499.29	3	607 352.63		R273	-75 187.98	3	606 845.95	
L274	-79 612.90	3	607 343.20		R274	-75 225.85	3	606 854.11	
L275	-79 633.11	3	607 341.60		R275	-75 227.74	3	606 854.52	
L276	-79 895.25	3	607 320.80		R276	-75 284.08	3	606 869.87	
L277	-80 171.86	3	607 299.47		R277	-75 383.01	3	606 897.04	
L278	-80 452.40	3	607 277.62		R278	-75 437.24	3	606 910.95	
L279	-80 452.95	3	607 277.58		R279	-75 588.47	3	606 952.55	
L280	-80 856.58	3	607 245.60		R280	-75 813.94	3	607 014.58	
L281	-81 054.90	3	607 230.04		R281	-76 020.05	3	607 070.96	
L282	-81 262.64	3	607 212.06		R282	-76 146.96	3	607 105.68	
L283	-81 301.27	3	607 208.72		R283	-76 189.10	3	607 117.13	
L284	-81 389.02	3	607 196.85		R284	-76 510.45	3	607 204.48	
L285	-81 518.89	3	607 156.75		R285	-76 702.47	3	607 257.85	
L286	-81 591.80	3	607 122.31		R286	-76 806.43	3	607 285.96	
L287	-81 618.62	3	607 109.64		R287	-77 157.75	3	607 382.05	
L288	-81 710.10	3	607 056.42		R288	-77 296.77	3	607 419.94	
L289	-82 468.93	3	606 611.11		R289	-77 321.00	3	607 425.87	
L290	-82 720.85	3	606 464.55		R290	-77 461.00	3	607 456.13	
L291	-82 915.28	3	606 352.21		R291	-77 490.78	3	607 461.37	
L292	-82 931.44	3	606 344.28		R292	-77 549.39	3	607 470.65	
L293	-82 948.09	3	606 337.42		R293	-77 609.50	3	607 478.86	
L294	-83 024.88	3	606 313.81		R294	-77 654.27	3	607 483.78	
L295	-83 105.66	3	606 294.23		R295	-77 713.65	3	607 488.93	
L296	-84 694.43	3	606 159.61		R296	-77 794.31	3	607 493.42	
L297	-85 217.75	3	606 209.50		R297	-77 821.23	3	607 497.95	
L298	-85 260.96	3	606 213.59		R298	-77 857.55	3	607 495.06	
L299	-85 270.74	3	606 214.51		R299	-77 894.00	3	607 496.03	
L300	-85 281.07	3	606 216.02		R300	-77 939.18	3	607 495.64	
L301	-85 541.89	3	606 233.19		R301	-78 029.91	3	607 492.81	
L302	-86 014.09	3	606 263.17		R302	-78 080.70	3	607 489.53	
L303	-86 221.76	3	606 275.95		R303	-78 346.73	3	607 468.31	
L304	-86 595.36	3	606 298.90		R304	-79 472.57	3	607 379.36	
L305	-86 799.80	3	606 310.37		R305	-79 645.12	3	607 365.87	
L306	-86 853.69	3	606 312.97		R306	-79 821.17	3	607 352.11	
Vel					Van				
					PQ26/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	-86 896.05	3	606	311.09	R307	-79 872.00	3	607	348.14
L308	-86 926.29	3	606	306.04	R308	-80 249.68	3	607	318.84
L309	-86 995.21	3	606	285.43	R309	-80 536.65	3	607	296.13
L310	-87 078.10	3	606	261.70	R310	-80 631.43	3	607	288.63
L311	-87 116.68	3	606	250.66	R311	-81 063.88	3	607	255.19
L312	-87 211.26	3	606	223.58	R312	-81 217.28	3	607	243.01
L313	-87 278.48	3	606	204.78	R313	-81 251.86	3	607	240.27
L314	-87 340.34	3	606	194.12	R314	-81 287.12	3	607	236.67
L315	-87 354.45	3	606	192.28	R315	-81 349.26	3	607	227.88
L316	-87 418.38	3	606	188.04	R316	-81 394.28	3	607	218.88
L317	-87 478.18	3	606	193.18	R317	-81 409.11	3	607	215.23
L318	-87 509.15	3	606	197.41	R318	-81 468.51	3	607	198.52
L319	-87 551.47	3	606	205.09	R319	-81 557.03	3	607	165.33
L320	-87 601.08	3	606	217.99	R320	-81 605.06	3	607	146.25
L321	-87 647.21	3	606	234.45	R321	-81 642.13	3	607	126.36
L322	-87 694.65	3	606	252.41	R322	-81 798.70	3	607	035.39
L323	-87 814.69	3	606	296.38	R323	-82 137.03	3	606	838.74
L324	-87 858.18	3	606	310.88	R324	-82 458.90	3	606	651.78
L325	-87 961.24	3	606	329.68	R325	-82 787.39	3	606	460.20
L326	-88 022.28	3	606	333.13	R326	-82 931.70	3	606	376.97
L327	-88 065.70	3	606	331.06	R327	-83 014.36	3	606	347.22
L328	-88 102.77	3	606	326.68	R328	-83 112.40	3	606	323.47
L329	-88 148.61	3	606	318.64	R329	-84 677.88	3	606	188.95
L330	-88 272.86	3	606	291.02	R330	-85 010.07	3	606	217.21
L331	-88 363.22	3	606	271.59	R331	-85 248.71	3	606	238.79
L332	-88 405.21	3	606	264.67	R332	-85 271.83	3	606	240.88
L333	-88 441.60	3	606	259.41	R333	-85 467.65	3	606	254.18
L334	-88 483.56	3	606	255.25	R334	-85 860.43	3	606	277.89
L335	-88 494.55	3	606	254.62	R335	-86 053.76	3	606	290.20
L336	-88 557.41	3	606	254.34	R336	-86 439.26	3	606	313.51
L337	-89 081.80	3	606	257.60	R337	-86 795.46	3	606	335.96
L338	-89 206.12	3	606	249.03	R338	-86 853.62	3	606	338.68
L339	-89 329.31	3	606	256.62	R339	-86 884.93	3	606	337.55
L340	-89 356.94	3	606	259.30	R340	-86 944.72	3	606	332.19
L341	-89 400.04	3	606	263.49	R341	-86 953.18	3	606	330.01
L342	-89 465.73	3	606	276.34	R342	-87 061.17	3	606	302.19
L343	-89 549.73	3	606	304.65	R343	-87 091.99	3	606	294.24
L344	-89 651.34	3	606	346.20	R344	-87 102.64	3	606	291.50
					R345	-87 176.07	3	606	269.45
					R346	-87 226.89	3	606	254.40
					R347	-87 297.97	3	606	234.96
					R348	-87 311.98	3	606	232.63
					R349	-87 328.00	3	606	228.70
					R350	-87 352.76	3	606	224.79
					R351	-87 365.98	3	606	221.88
					R352	-87 401.27	3	606	215.18
					R353	-87 466.50	3	606	215.60
					R354	-87 498.86	3	606	220.92
					R355	-87 551.95	3	606	230.84
					R356	-87 621.47	3	606	251.30
					R357	-87 672.56	3	606	271.27
Vel					Van				
					D026/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE

Y

X

WG 27°

REGTERKANT/RIGHT HAND SIDE

Y

X

R358	-87	703.88	3	606	292.16
R359	-87	723.88	3	606	299.55
R360	-87	766.54	3	606	310.45
R361	-87	898.40	3	606	353.92
R362	-87	947.69	3	606	353.17
R363	-88	000.74	3	606	356.26
R364	-88	050.85	3	606	356.67
R365	-88	083.68	3	606	354.98
R366	-88	098.20	3	606	352.77
R367	-88	108.59	3	606	350.80
R368	-88	176.67	3	606	337.90
R369	-88	338.64	3	606	302.27
R370	-88	342.39	3	606	301.64
R371	-88	426.84	3	606	287.41
R372	-88	468.91	3	606	283.28
R373	-88	498.30	3	606	280.40
R374	-88	564.08	3	606	279.14
R375	-88	729.19	3	606	279.91
R376	-88	923.24	3	606	282.47
R377	-89	106.08	3	606	283.12
R378	-89	191.68	3	606	284.03
R379	-89	290.11	3	606	284.95
R380	-89	377.08	3	606	293.73
R381	-89	425.15	3	606	299.89
R382	-89	516.62	3	606	328.44
R383	-89	622.48	3	606	394.46

Vel

22

Van

22

DQ26/17