

DEPARTMENT OF TRANSPORT

NO. 271

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R62 SECTION 8

AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph C(III) of the Schedule, being the descriptive declaration of the route from Kareedouw up to its junction at the Trifolia Interchange with National Road N2 Section 10, with the accompanying sheets 1 to 13 of Plan No. P923/16.

In the town of Kareedouw the route enters the town along R62 Section 8 from the West and follows the street known as Van Riebeeck Street at the time of declaration.

(National Road R62 Section 8: Kareedouw – N2 Junction)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 271

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R62 SEKSIE 8


WYSIGING VAN VERKLARING No. 305 VAN 2012.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf C(III) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Kareedouw tot by die aansluiting by die Trifolia Interseksie met die Nasionale Pad N2 Seksie 10, met bygaande velle 1 tot 13 van Plan No. P923/16.


In die dorp van Kareedouw kom die pad die dorp binne vanuit die Weste langs die R62 Seksie 8 en volg die straat bekend as Van Riebeeckstraat tydens datum van verklaring.

(Nasionale Pad R62 Seksie 8: Kareedouw – N2 Aansluiting)**MINISTER VAN VERVOER**





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 Sektie of National Route 8 Section	Vel Sheet 2 of 13	Plan P923/16
---	---------------------------------------	--	----------------------	--------------




Vel
Sheet 3 of 13
Plan P923/16

steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R62 Seksie
of National Route 8 Section




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Podogenskop MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 of National Route	Vel Sheet 4 of 13 Plan P923/16
---	---------------------------------------	---	---	---



Die Suid Afrikaanse Nasionale Podagogenkap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steidie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 of National Route Section	Vel 5 van 13 Sheet of Plan P923/16
---	---------------------------------------	---	---	--



Die Suid Afrikaanse Nasionale Podogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 Sektie of National Route Section	Vel van Sheet 6 of 13 Plan P923/16
---	---------------------------------------	---	--	--



Vel Sheet 7 of 13 Plan P923/16	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 of National Route Section	Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
--------------------------------------	---	---------------------------------------	---

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L1	66 392.49	3	758 319.20		R1	66 414.16	3	758 354.34	
L2	66 329.98	3	758 357.74		R2	66 401.57	3	758 357.86	
L3	66 215.01	3	758 409.75		R3	66 389.00	3	758 351.24	
L4	66 165.21	3	758 425.52		R4	66 275.95	3	758 421.78	
L5	66 109.40	3	758 438.31		R5	66 264.25	3	758 424.95	
L6	65 007.69	3	758 624.76		R6	66 137.75	3	758 459.22	
L7	64 982.94	3	758 624.81		R7	66 112.26	3	758 466.12	
L8	64 923.88	3	758 618.06		R8	65 013.35	3	758 657.05	
L9	64 880.39	3	758 607.89		R9	64 980.57	3	758 657.24	
L10	64 838.63	3	758 593.55		R10	64 970.37	3	758 656.10	
L11	64 786.45	3	758 568.50		R11	64 953.48	3	758 654.20	
L12	64 747.49	3	758 544.36		R12	64 936.57	3	758 652.30	
L13	64 712.21	3	758 516.80		R13	64 917.79	3	758 650.19	
L14	64 668.76	3	758 473.02		R14	64 871.25	3	758 639.12	
L15	64 602.38	3	758 396.43		R15	64 855.03	3	758 633.55	
L16	64 477.08	3	758 249.87		R16	64 826.62	3	758 623.79	
L17	64 433.65	3	758 195.46		R17	64 791.32	3	758 607.21	
L18	64 390.66	3	758 126.72		R18	64 770.08	3	758 597.23	
L19	64 328.03	3	757 963.18		R19	64 728.46	3	758 570.74	
L20	64 289.39	3	757 865.99		R20	64 690.89	3	758 541.47	
L21	64 261.30	3	757 783.50		R21	64 640.28	3	758 491.46	
L22	64 230.88	3	757 723.73		R22	64 552.28	3	758 389.92	
L23	64 193.66	3	757 666.40		R23	64 541.94	3	758 377.72	
L24	64 139.77	3	757 604.92		R24	64 542.51	3	758 370.68	
L25	64 058.57	3	757 535.58		R25	64 409.20	3	758 205.69	
L26	63 995.28	3	757 505.20		R26	64 366.64	3	758 135.22	
L27	63 957.55	3	757 488.70		R27	64 334.97	3	758 074.59	
L28	63 839.77	3	757 467.40		R28	64 324.18	3	758 043.46	
L29	63 762.46	3	757 466.17		R29	64 267.29	3	757 879.23	
L30	63 730.48	3	757 470.07		R30	64 230.82	3	757 790.22	
L31	63 666.95	3	757 482.32		R31	64 202.65	3	757 727.91	
L32	63 631.73	3	757 491.67		R32	64 172.24	3	757 681.88	
L33	63 576.12	3	757 512.87		R33	64 117.66	3	757 618.48	
L34	63 556.38	3	757 520.93		R34	64 075.53	3	757 582.50	
L35	63 496.75	3	757 545.11		R35	64 040.33	3	757 559.89	
L36	63 377.65	3	757 605.16		R36	63 978.56	3	757 530.96	
L37	63 315.16	3	757 647.97		R37	63 913.75	3	757 506.32	
L38	63 279.07	3	757 688.13		R38	63 873.45	3	757 497.14	
L39	63 258.70	3	757 713.29		R39	63 804.45	3	757 490.46	
L40	63 228.55	3	757 745.94		R40	63 762.86	3	757 491.04	
L41	63 218.51	3	757 759.35		R41	63 694.23	3	757 500.29	
L42	63 209.42	3	757 771.45		R42	63 640.81	3	757 515.01	
L43	63 181.66	3	757 816.46		R43	63 568.88	3	757 543.35	
L44	63 150.16	3	757 865.82		R44	63 526.32	3	757 560.74	
L45	63 082.45	3	757 953.86		R45	63 476.08	3	757 581.62	
L46	63 030.21	3	757 997.88		R46	63 438.25	3	757 601.50	
L47	62 998.29	3	758 024.20		R47	63 403.23	3	757 621.57	
L48	62 963.81	3	758 053.16		R48	63 398.41	3	757 629.81	
L49	62 866.59	3	758 101.70		R49	63 386.65	3	757 641.06	
L50	62 842.65	3	758 111.96		R50	63 364.73	3	757 650.96	
L51	62 670.67	3	758 176.98		R51	63 295.77	3	757 707.32	
					Vel 8 Van 13 P923/16 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	62 523.58	3	758 233.00		R52	63 275.01	3	757 728.98	
L53	62 434.93	3	758 258.57		R53	63 242.16	3	757 769.67	
L54	62 353.82	3	758 269.19		R54	63 233.31	3	757 782.82	
L55	62 113.29	3	758 282.53		R55	63 162.75	3	757 892.06	
L56	62 087.12	3	758 282.47		R56	63 122.24	3	757 945.33	
L57	62 019.83	3	758 277.76		R57	63 074.48	3	757 996.69	
L58	61 928.67	3	758 267.97		R58	63 065.29	3	758 005.57	
L59	61 849.85	3	758 265.05		R59	63 028.90	3	758 038.83	
L60	61 711.23	3	758 271.18		R60	62 999.09	3	758 064.66	
L61	61 628.58	3	758 255.23		R61	62 979.26	3	758 075.63	
L62	61 527.76	3	758 220.01		R62	62 923.70	3	758 103.68	
L63	61 475.81	3	758 205.29		R63	62 864.62	3	758 131.72	
L64	61 420.97	3	758 205.21		R64	62 774.86	3	758 164.95	
L65	61 366.22	3	758 208.74		R65	62 637.58	3	758 216.54	
L66	61 313.58	3	758 217.71		R66	62 533.31	3	758 256.26	
L67	61 284.33	3	758 225.43		R67	62 494.86	3	758 269.40	
L68	61 165.21	3	758 257.59		R68	62 418.59	3	758 287.94	
L69	60 967.45	3	758 308.12		R69	62 390.54	3	758 292.21	
L70	60 937.48	3	758 315.78		R70	62 360.10	3	758 293.93	
L71	60 833.60	3	758 341.66		R71	62 290.63	3	758 298.47	
L72	60 769.66	3	758 354.76		R72	62 148.95	3	758 305.02	
L73	60 566.94	3	758 406.71		R73	62 063.82	3	758 307.19	
L74	60 517.41	3	758 427.44		R74	62 015.50	3	758 308.18	
L75	60 467.09	3	758 450.56		R75	61 932.69	3	758 296.16	
L76	60 431.88	3	758 471.34		R76	61 797.14	3	758 288.60	
L77	60 402.09	3	758 493.32		R77	61 732.83	3	758 291.91	
L78	60 397.19	3	758 496.94		R78	61 692.20	3	758 293.46	
L79	60 335.55	3	758 549.65		R79	61 675.67	3	758 291.19	
L80	60 318.18	3	758 560.28		R80	61 650.18	3	758 286.72	
L81	60 301.87	3	758 562.99		R81	61 611.95	3	758 275.18	
L82	60 246.99	3	758 607.80		R82	61 557.67	3	758 259.83	
L83	60 177.44	3	758 643.42		R83	61 524.68	3	758 247.25	
L84	60 107.56	3	758 668.82		R84	61 484.23	3	758 240.18	
L85	60 033.34	3	758 690.26		R85	61 444.31	3	758 235.24	
L86	59 614.84	3	758 761.94		R86	61 403.31	3	758 232.71	
L87	59 502.00	3	758 776.12		R87	61 377.00	3	758 233.19	
L88	59 461.41	3	758 784.59		R88	61 333.75	3	758 240.07	
L89	59 405.39	3	758 800.56		R89	61 306.56	3	758 246.00	
L90	59 351.66	3	758 801.54		R90	61 266.87	3	758 256.70	
L91	59 288.05	3	758 845.66		R91	60 949.24	3	758 336.76	
L92	59 258.21	3	758 860.69		R92	60 922.20	3	758 343.57	
L93	59 148.31	3	758 911.72		R93	60 893.36	3	758 350.84	
L94	59 035.09	3	758 952.50		R94	60 871.89	3	758 374.28	
L95	58 950.43	3	758 973.12		R95	60 854.27	3	758 380.76	
L96	58 802.61	3	759 024.84		R96	60 825.17	3	758 371.28	
L97	58 744.99	3	759 055.56		R97	60 710.27	3	758 400.66	
L98	58 683.95	3	759 098.09		R98	60 550.59	3	758 443.36	
L99	58 661.92	3	759 106.97		R99	60 532.93	3	758 453.09	
L100	58 644.75	3	759 114.88		R100	60 489.70	3	758 468.87	
L101	58 606.50	3	759 132.51		R101	60 450.20	3	758 495.67	
L102	58 536.62	3	759 167.41		R102	60 429.33	3	758 509.96	
					Vel 9 Van 13 P923/16 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L103	58 508.41	3	759 176.14		R103	60 404.62	3	758 526.87	
L104	58 442.77	3	759 194.46		R104	60 395.81	3	758 528.76	
L105	58 362.83	3	759 216.51		R105	60 392.38	3	758 535.25	
L106	58 199.88	3	759 269.59		R106	60 342.27	3	758 576.33	
L107	58 166.47	3	759 281.76		R107	60 313.55	3	758 615.77	
L108	58 087.51	3	759 306.01		R108	60 271.33	3	758 633.34	
L109	57 783.70	3	759 397.76		R109	60 245.64	3	758 644.30	
L110	57 613.06	3	759 444.84		R110	60 172.27	3	758 678.24	
L111	57 456.77	3	759 488.44		R111	60 094.02	3	758 703.75	
L112	57 381.30	3	759 512.45		R112	60 043.81	3	758 715.00	
L113	57 306.04	3	759 541.25		R113	59 789.95	3	758 758.24	
L114	57 278.64	3	759 543.92		R114	59 588.09	3	758 793.21	
L115	57 223.61	3	759 562.40		R115	59 480.15	3	758 812.37	
L116	57 174.13	3	759 579.02		R116	59 398.99	3	758 839.97	
L117	57 164.75	3	759 583.84		R117	59 344.70	3	758 856.76	
L118	57 125.91	3	759 595.94		R118	59 273.63	3	758 882.51	
L119	57 085.96	3	759 604.19		R119	59 202.04	3	758 923.52	
L120	56 964.44	3	759 608.11		R120	59 163.00	3	758 941.43	
L121	56 896.12	3	759 617.99		R121	59 109.30	3	758 958.84	
L122	56 799.91	3	759 616.43		R122	58 977.98	3	758 997.65	
L123	56 396.67	3	759 597.85		R123	58 874.97	3	759 024.97	
L124	56 328.78	3	759 589.55		R124	58 815.07	3	759 049.74	
L125	56 262.35	3	759 572.41		R125	58 684.73	3	759 127.75	
L126	56 199.33	3	759 548.94		R126	58 647.68	3	759 151.67	
L127	56 150.02	3	759 524.21		R127	58 578.86	3	759 177.78	
L128	56 105.27	3	759 496.89		R128	58 526.67	3	759 197.04	
L129	56 065.83	3	759 466.96		R129	58 461.41	3	759 221.11	
L130	56 025.00	3	759 430.67		R130	58 393.19	3	759 240.52	
L131	56 014.22	3	759 418.47		R131	58 262.52	3	759 279.31	
L132	55 993.25	3	759 394.72		R132	57 930.71	3	759 379.00	
L133	55 961.62	3	759 358.90		R133	57 789.93	3	759 421.65	
L134	55 888.75	3	759 277.02		R134	57 766.08	3	759 429.05	
L135	55 813.03	3	759 194.81		R135	57 743.00	3	759 435.75	
L136	55 771.86	3	759 159.94		R136	57 553.17	3	759 493.59	
L137	55 736.01	3	759 135.94		R137	57 405.43	3	759 536.76	
L138	55 701.22	3	759 121.27		R138	57 297.23	3	759 570.75	
L139	55 676.17	3	759 111.62		R139	57 237.42	3	759 588.60	
L140	55 635.90	3	759 098.81		R140	57 120.45	3	759 623.51	
L141	55 595.23	3	759 091.32		R141	57 080.99	3	759 633.68	
L142	55 526.73	3	759 087.47		R142	57 053.80	3	759 640.28	
L143	55 485.31	3	759 092.77		R143	56 970.17	3	759 646.08	
L144	55 187.68	3	759 143.40		R144	56 926.12	3	759 646.33	
L145	54 821.55	3	759 205.48		R145	56 791.21	3	759 640.64	
L146	54 419.96	3	759 271.09		R146	56 672.65	3	759 637.69	
L147	54 243.66	3	759 302.52		R147	56 399.21	3	759 626.13	
L148	54 104.49	3	759 326.00		R148	56 344.52	3	759 624.18	
L149	54 043.23	3	759 333.42		R149	56 304.39	3	759 613.77	
L150	53 871.98	3	759 366.28		R150	56 229.80	3	759 589.21	
L151	53 733.95	3	759 389.68		R151	56 176.55	3	759 566.52	
L152	53 440.46	3	759 438.76		R152	56 128.03	3	759 540.79	
L153	53 316.39	3	759 461.00		R153	56 079.09	3	759 509.12	
					Vel 10 Van 13 P923/16 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L154	53 186.04	3	759 488.75		R154	56 063.24	3	759 496.90	
L155	52 995.05	3	759 539.47		R155	56 050.96	3	759 487.36	
L156	52 882.12	3	759 572.44		R156	56 021.34	3	759 461.29	
L157	52 811.17	3	759 593.16		R157	56 010.17	3	759 451.46	
L158	51 763.12	3	759 897.92		R158	55 978.93	3	759 419.65	
L159	51 530.92	3	759 965.33		R159	55 830.32	3	759 252.59	
L160	49 883.38	3	760 445.03		R160	55 765.96	3	759 192.33	
L161	49 839.85	3	760 457.87		R161	55 710.95	3	759 156.71	
L162	49 507.98	3	760 554.47		R162	55 665.29	3	759 132.81	
L163	49 356.82	3	760 597.60		R163	55 599.50	3	759 118.11	
L164	49 298.17	3	760 613.03		R164	55 572.39	3	759 112.86	
L165	49 267.49	3	760 620.31		R165	55 544.63	3	759 112.59	
L166	49 177.93	3	760 640.05		R166	55 489.87	3	759 117.93	
L167	49 037.84	3	760 665.81		R167	55 327.41	3	759 145.23	
L168	48 918.89	3	760 688.09		R168	55 145.33	3	759 176.38	
L169	48 512.78	3	760 763.88		R169	54 108.24	3	759 351.68	
L170	47 822.87	3	760 891.96		R170	54 041.92	3	759 364.09	
L171	47 410.74	3	760 968.26		R171	53 884.74	3	759 390.23	
L172	47 190.12	3	761 033.73		R172	53 375.67	3	759 475.37	
L173	47 117.32	3	761 057.75		R173	53 292.40	3	759 491.16	
L174	47 049.61	3	761 081.92		R174	53 228.54	3	759 505.09	
L175	46 963.96	3	761 115.81		R175	53 131.69	3	759 527.58	
L176	46 892.40	3	761 145.62		R176	53 003.14	3	759 563.58	
L177	46 737.75	3	761 211.47		R177	52 639.39	3	759 669.34	
L178	46 591.15	3	761 273.99		R178	52 594.60	3	759 682.39	
L179	46 245.93	3	761 420.97		R179	51 769.96	3	759 922.56	
L180	44 833.39	3	762 022.71		R180	51 363.89	3	760 040.83	
L181	44 180.50	3	762 301.06		R181	50 048.24	3	760 423.83	
L182	43 832.79	3	762 450.00		R182	49 891.82	3	760 468.79	
L183	43 698.71	3	762 525.51		R183	49 390.91	3	760 614.48	
L184	43 611.10	3	762 587.41		R184	49 336.94	3	760 628.77	
L185	43 424.23	3	762 723.85		R185	49 296.24	3	760 639.04	
L186	43 331.98	3	762 791.78		R186	49 229.15	3	760 654.41	
L187	43 205.87	3	762 884.90		R187	49 187.07	3	760 663.54	
L188	42 619.87	3	763 314.75		R188	49 035.74	3	760 692.25	
L189	42 524.68	3	763 384.40		R189	48 928.97	3	760 711.87	
L190	42 408.08	3	763 468.21		R190	48 861.86	3	760 724.20	
L191	42 260.99	3	763 570.12		R191	48 627.99	3	760 767.88	
L192	42 228.10	3	763 595.77		R192	48 614.52	3	760 767.05	
L193	42 152.54	3	763 654.73		R193	48 600.64	3	760 772.97	
L194	41 788.45	3	763 921.46		R194	48 521.55	3	760 787.69	
L195	41 721.11	3	763 970.62		R195	47 833.88	3	760 915.37	
L196	41 655.79	3	764 020.19		R196	47 649.42	3	760 949.40	
L197	41 583.58	3	764 078.53		R197	47 581.33	3	760 961.95	
L198	41 481.75	3	764 162.06		R198	47 565.47	3	760 963.75	
L199	40 959.83	3	764 589.65		R199	47 556.01	3	760 966.81	
L200	40 825.04	3	764 703.04		R200	47 524.72	3	760 973.17	
L201	40 603.48	3	764 884.88		R201	47 456.15	3	760 987.58	
L202	40 475.60	3	764 989.90		R202	47 401.90	3	761 000.22	
L203	39 816.79	3	765 529.31		R203	47 275.43	3	761 033.86	
L204	39 721.42	3	765 600.36		R204	47 222.07	3	761 050.17	
Vel Sheet					11	Van of	13	P923/16	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L205	39 595.02	3	765 678.77		R211	46 313.20	3	761 419.61	
L206	39 540.80	3	765 706.67		R212	46 260.22	3	761 442.23	
L207	39 506.41	3	765 723.33		R213	46 250.38	3	761 446.43	
L208	39 456.48	3	765 745.49		R214	46 155.50	3	761 486.95	
L209	39 390.23	3	765 772.00		R215	46 051.16	3	761 531.29	
L210	39 316.01	3	765 797.58		R216	46 002.30	3	761 552.05	
L211	39 267.19	3	765 811.92		R217	44 844.25	3	762 045.60	
L212	38 928.57	3	765 904.69		R218	43 947.97	3	762 427.12	
L213	38 875.42	3	765 917.35		R219	43 871.55	3	762 462.01	
L214	38 782.62	3	765 927.14		R220	43 843.51	3	762 475.00	
L215	38 753.90	3	765 921.32		R221	43 713.98	3	762 547.97	
L216	38 737.00	3	765 921.82		R222	43 625.95	3	762 608.14	
L217	38 709.61	3	765 924.71		R223	43 504.44	3	762 697.01	
L218	38 575.61	3	765 909.63		R224	43 341.43	3	762 816.46	
L219	38 497.68	3	765 902.26		R225	42 628.97	3	763 339.15	
L220	38 429.10	3	765 902.37		R226	42 602.30	3	763 358.72	
L221	38 359.85	3	765 909.40		R227	42 420.03	3	763 494.58	
L222	38 333.12	3	765 914.24		R228	42 355.73	3	763 544.60	
L223	38 306.24	3	765 920.09		R229	42 338.43	3	763 559.72	
L224	38 230.65	3	765 938.89		R230	42 310.18	3	763 584.38	
L225	38 228.67	3	765 939.64		R231	42 182.84	3	763 670.54	
L226	38 145.99	3	765 970.74		R232	42 114.54	3	763 716.74	
L227	38 108.76	3	765 998.33		R233	41 832.85	3	763 923.10	
L228	38 034.73	3	766 053.05		R234	41 738.64	3	763 992.69	
L229	38 028.79	3	766 057.66		R235	41 627.20	3	764 078.76	
L230	37 990.72	3	766 087.23		R236	41 496.39	3	764 185.76	
L231	37 929.73	3	766 114.05		R237	40 960.11	3	764 624.91	
L232	37 884.76	3	766 161.90		R238	39 832.49	3	765 548.70	
L233	37 846.81	3	766 182.92		R239	39 789.54	3	765 582.34	
L234	37 820.08	3	766 213.01		R240	39 745.09	3	765 614.56	
L235	37 771.53	3	766 241.95		R241	39 699.53	3	765 645.12	
L236	37 737.28	3	766 257.77		R242	39 652.92	3	765 674.28	
L237	37 690.89	3	766 276.18		R243	39 605.18	3	765 701.60	
L238	37 611.18	3	766 307.84		R244	39 556.50	3	765 727.06	
L239	37 546.29	3	766 330.28		R245	39 519.31	3	765 745.20	
L240	37 474.21	3	766 366.24		R246	39 468.62	3	765 767.90	
L241	37 408.92	3	766 407.76		R247	39 389.34	3	765 799.11	
L242	37 348.67	3	766 460.43		R248	39 322.08	3	765 821.67	
L243	37 325.72	3	766 483.49		R249	38 922.75	3	765 931.99	
L244	37 172.69	3	766 636.82		R250	38 880.03	3	765 941.90	
L245	37 127.55	3	766 681.00		R251	38 825.39	3	765 949.57	
REGTERKANT/RIGHT HAND SIDE					R252	38 763.07	3	765 953.46	
	Y		X		R253	38 724.21	3	765 951.06	
R205	47 077.24	3	761 098.88		R254	38 537.74	3	765 930.86	
R206	47 039.08	3	761 113.03		R255	38 510.09	3	765 928.00	
R207	46 882.81	3	761 177.09		R256	38 471.42	3	765 926.48	
R208	46 741.14	3	761 237.41		R257	38 428.80	3	765 927.45	
R209	46 584.94	3	761 304.07		R258	38 388.39	3	765 931.84	
R210	46 557.82	3	761 315.91		R259	38 335.94	3	765 941.08	
					R260	38 275.45	3	765 953.82	
					R261	38 229.65	3	765 969.27	
					Vel	12	Van	13	P923/16
					Sheet		of		

This gazette is also available free online at www.gpwonline.co.za