

DEPARTMENT OF TRANSPORT

NO. 273

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R62 SECTION 6

AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph C(l) of the Schedule, being the descriptive declaration of the route from the Eastern / Western Cape Provincial Border, at time of declaration, up to Joubertina, with the accompanying sheets 1 to 19 of Plan No. P910/16.

(National Road R62 Section 6: Eastern / Western Cape Provincial Border (At time of declaration) – Joubertina)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 273

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R62 SEKSIE 6

WYSIGING VAN VERKLARING No. 305 VAN 2012.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf C(I) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die Oos / Weskaap Provinsiale Grens, tydens datum van verklaring, tot by Joubertina, met bygaande velle 1 tot 19 van Plan No. P910/16.

(Nasionale Pad R62 Seksie 6: Oos / WesKaap Provinsiale Grens (Tydens datum van verklaring) – Joubertina)



MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 Sektie of National Route of Section	Vel Sheet 1 of 19
Plan P910/16	6	Sektie Section	Plan P910/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 of National Route	Vel 2 of 19
			Plan P910/16







Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 4 of 19 Plan P910/16
---	---------------------------------------	--	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 of National Route	Vel Sheet 9 of 19
Plan P910/16	6	Sektie Section	Plan P910/16



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R62 of National Route R62	Vel Sheet 10 of 19 Plan P910/16
---	---------------------------------------	---	------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion of Nasionale Roete of National Route	Vel Sheet	11 of	19 of	Plan p910/16	6 Seksie Section
---	---------------------------------------	---	--------------	----------	----------	-----------------	------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L1	-40 310.13	3	734 944.75		R1	-40 305.60	3	734 969.47	
L2	-40 511.12	3	734 986.62		R2	-40 554.08	3	735 021.35	
L3	-40 583.61	3	735 002.63		R3	-40 617.76	3	735 038.79	
L4	-40 675.38	3	735 030.13		R4	-41 000.24	3	735 169.09	
L5	-40 948.09	3	735 125.71		R5	-41 089.80	3	735 193.36	
L6	-41 117.24	3	735 175.02		R6	-41 200.74	3	735 217.56	
L7	-41 233.04	3	735 197.07		R7	-41 793.99	3	735 297.37	
L8	-41 636.45	3	735 250.58		R8	-41 907.86	3	735 305.50	
L9	-41 785.93	3	735 270.89		R9	-41 999.65	3	735 305.33	
L10	-41 897.72	3	735 279.66		R10	-42 091.82	3	735 300.17	
L11	-42 000.28	3	735 281.03		R11	-42 178.32	3	735 291.11	
L12	-42 276.19	3	735 255.37		R12	-42 669.57	3	735 239.67	
L13	-42 597.87	3	735 220.82		R13	-42 734.40	3	735 239.65	
L14	-42 668.64	3	735 214.43		R14	-42 788.30	3	735 243.47	
L15	-42 734.92	3	735 214.52		R15	-42 854.58	3	735 252.40	
L16	-42 845.42	3	735 225.77		R16	-43 024.24	3	735 278.04	
L17	-42 834.23	3	735 224.29		R17	-43 228.18	3	735 308.88	
L18	-43 389.01	3	735 307.96		R18	-43 754.12	3	735 388.75	
L19	-43 970.12	3	735 396.70		R19	-44 149.23	3	735 449.97	
L20	-44 157.62	3	735 425.82		R20	-44 188.77	3	735 459.07	
L21	-44 194.79	3	735 434.22		R21	-44 218.24	3	735 467.75	
L22	-44 223.85	3	735 443.53		R22	-44 248.87	3	735 479.54	
L23	-44 259.56	3	735 456.35		R23	-44 275.28	3	735 491.83	
L24	-44 282.42	3	735 467.70		R24	-44 302.51	3	735 506.03	
L25	-44 313.71	3	735 484.03		R25	-44 328.41	3	735 522.30	
L26	-44 339.77	3	735 500.14		R26	-44 360.68	3	735 545.83	
L27	-44 376.67	3	735 527.38		R27	-44 382.01	3	735 565.08	
L28	-44 398.71	3	735 547.34		R28	-44 412.23	3	735 596.56	
L29	-44 421.47	3	735 570.55		R29	-44 433.78	3	735 622.87	
L30	-44 430.73	3	735 580.68		R30	-44 457.26	3	735 656.27	
L31	-44 466.44	3	735 625.73		R31	-44 474.30	3	735 686.08	
L32	-44 488.24	3	735 659.69		R32	-44 588.67	3	735 924.13	
L33	-44 516.00	3	735 711.34		R33	-44 617.67	3	735 976.95	
L34	-44 610.47	3	735 912.51		R34	-44 660.38	3	736 028.91	
L35	-44 631.83	3	735 950.28		R35	-44 715.44	3	736 079.40	
L36	-44 647.08	3	735 973.93		R36	-44 793.81	3	736 133.75	
L37	-44 655.30	3	735 985.02		R37	-44 926.11	3	736 228.36	
L38	-44 673.37	3	736 006.41		R38	-45 095.11	3	736 348.99	
L39	-44 717.28	3	736 049.67		R39	-45 134.94	3	736 374.52	
L40	-44 832.81	3	736 131.95		R40	-45 197.60	3	736 411.34	
L41	-45 192.24	3	736 377.24		R41	-45 199.49	3	736 419.48	
L42	-45 255.23	3	736 406.76		R42	-45 190.71	3	736 425.08	
L43	-45 294.79	3	736 425.23		R43	-45 200.96	3	736 441.25	
L44	-45 297.41	3	736 426.22		R44	-45 230.03	3	736 422.70	
L45	-45 360.42	3	736 448.31		R45	-45 241.02	3	736 427.30	
L46	-45 451.90	3	736 471.07		R46	-45 282.52	3	736 444.66	
L47	-45 461.66	3	736 471.73		R47	-45 350.63	3	736 469.75	
L48	-45 471.41	3	736 472.38		R48	-45 445.13	3	736 493.66	
L49	-45 534.31	3	736 499.19		R49	-45 455.24	3	736 495.40	
L50	-45 568.93	3	736 513.81		R50	-45 470.29	3	736 498.41	
L51	-45 641.84	3	736 566.73		R51	-45 521.58	3	736 521.15	
Vel Sheet 12					Van of 19		P910/16		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 23°			Y	X		
L52	-45 645.72	3 736 562.61		R52	-45 624.03	3 736 585.60			
L53	-45 866.00	3 736 873.85		R53	-45 629.02	3 736 591.11			
L54	-45 864.47	3 736 875.50		R54	-45 674.83	3 736 646.10			
L55	-45 931.17	3 736 969.42		R55	-45 782.65	3 736 799.39			
L56	-45 978.47	3 737 035.76		R56	-45 848.38	3 736 892.84			
L57	-46 032.58	3 737 106.85		R57	-45 888.87	3 736 950.83			
L58	-46 043.76	3 737 118.87		R58	-46 008.60	3 737 122.50			
L59	-46 047.74	3 737 122.93		R59	-46 034.94	3 737 148.81			
L60	-46 114.46	3 737 190.18		R60	-46 096.79	3 737 210.59			
L61	-46 154.38	3 737 223.90		R61	-46 197.00	3 737 294.34			
L62	-46 223.67	3 737 273.04		R62	-46 201.82	3 737 297.17			
L63	-46 305.48	3 737 320.47		R63	-46 271.55	3 737 333.78			
L64	-46 473.90	3 737 400.87		R64	-46 458.00	3 737 421.26			
L65	-46 545.24	3 737 434.95		R65	-46 542.20	3 737 461.71			
L66	-46 613.57	3 737 467.46		R66	-46 703.20	3 737 538.46			
L67	-46 650.80	3 737 485.44		R67	-46 907.15	3 737 606.25			
L68	-46 702.80	3 737 507.19		R68	-47 028.86	3 737 604.55			
L69	-46 753.31	3 737 528.57		R69	-47 252.14	3 737 581.83			
L70	-46 811.62	3 737 546.40		R70	-47 457.62	3 737 543.17			
L71	-46 887.53	3 737 562.49		R71	-47 881.56	3 737 489.65			
L72	-46 935.06	3 737 567.08		R72	-48 006.69	3 737 487.73			
L73	-47 032.15	3 737 570.67		R73	-48 216.17	3 737 489.01			
L74	-47 038.15	3 737 570.99		R74	-48 452.05	3 737 495.20			
L75	-47 084.14	3 737 567.24		R75	-48 810.86	3 737 506.29			
L76	-47 257.29	3 737 544.30		R76	-48 936.41	3 737 515.23			
L77	-47 455.62	3 737 518.25		R77	-49 096.16	3 737 537.16			
L78	-47 631.50	3 737 494.52		R78	-49 244.26	3 737 576.86			
L79	-47 776.18	3 737 475.92		R79	-49 435.31	3 737 626.17			
L80	-47 797.09	3 737 473.23		R80	-49 633.09	3 737 675.69			
L81	-47 886.83	3 737 463.83		R81	-49 977.53	3 737 762.62			
L82	-47 896.55	3 737 462.81		R82	-50 095.15	3 737 792.37			
L83	-48 004.10	3 737 457.04		R83	-50 163.32	3 737 808.18			
L84	-48 223.47	3 737 464.06		R84	-50 251.54	3 737 828.63			
L85	-48 459.09	3 737 471.20		R85	-50 264.07	3 737 831.54			
L86	-48 817.04	3 737 480.10		R86	-50 289.21	3 737 837.19			
L87	-48 861.97	3 737 481.49		R87	-50 388.87	3 737 855.65			
L88	-48 896.99	3 737 483.10		R88	-50 517.08	3 737 875.48			
L89	-48 948.44	3 737 487.35		R89	-50 882.05	3 737 919.83			
L90	-48 981.78	3 737 491.21		R90	-51 023.73	3 737 938.93			
L91	-49 049.35	3 737 501.54		R91	-51 039.64	3 737 943.40			
L92	-49 199.21	3 737 538.37		R92	-51 162.88	3 737 969.96			
L93	-49 615.87	3 737 643.25		R93	-51 324.69	3 738 005.86			
L94	-50 102.74	3 737 768.20		R94	-51 670.38	3 738 080.03			
L95	-50 197.20	3 737 791.06		R95	-52 646.39	3 738 290.58			
L96	-50 237.41	3 737 800.07		R96	-52 664.98	3 738 295.38			
L97	-50 285.70	3 737 810.21		R97	-52 726.40	3 738 311.22			
L98	-50 404.47	3 737 832.76		R98	-52 932.95	3 738 351.97			
L99	-50 556.90	3 737 855.12		R99	-53 184.99	3 738 406.27			
L100	-50 736.80	3 737 877.66		R100	-53 292.23	3 738 429.56			
L101	-50 782.74	3 737 883.50		R101	-53 498.60	3 738 474.60			
L102	-50 906.82	3 737 897.38		R102	-53 662.09	3 738 510.72			
Vel Sheet 13					Van of 19				
					P910/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L103	-51 010.58	3	737 912.28		R103	-53 735.83	3	738 536.52	
L104	-51 050.06	3	737 921.49		R104	-53 803.73	3	738 566.62	
L105	-51 428.83	3	738 002.94		R105	-54 101.54	3	738 753.96	
L106	-51 674.35	3	738 056.69		R106	-54 362.00	3	738 919.37	
L107	-52 674.41	3	738 272.15		R107	-54 471.73	3	738 988.57	
L108	-52 740.67	3	738 289.07		R108	-54 524.01	3	739 018.60	
L109	-52 940.19	3	738 327.76		R109	-54 700.66	3	739 129.38	
L110	-53 125.27	3	738 367.30		R110	-54 786.00	3	739 182.93	
L111	-53 194.48	3	738 382.44		R111	-55 001.68	3	739 317.85	
L112	-53 248.99	3	738 394.36		R112	-55 077.23	3	739 364.92	
L113	-53 544.93	3	738 460.01		R113	-55 139.47	3	739 397.99	
L114	-53 670.80	3	738 484.16		R114	-55 179.48	3	739 418.54	
L115	-53 753.22	3	738 516.73		R115	-55 584.30	3	739 578.80	
L116	-53 778.96	3	738 527.55		R116	-56 087.10	3	739 775.95	
L117	-53 805.22	3	738 539.17		R117	-56 389.94	3	739 897.21	
L118	-53 817.11	3	738 546.10		R118	-56 481.42	3	739 937.79	
L119	-54 111.23	3	738 730.10		R119	-56 663.82	3	740 004.80	
L120	-54 480.78	3	738 961.94		R120	-56 862.97	3	740 085.13	
L121	-54 708.30	3	739 104.52		R121	-57 275.20	3	740 249.00	
L122	-54 750.26	3	739 130.71		R122	-57 704.32	3	740 338.45	
L123	-54 913.54	3	739 233.01		R123	-58 024.75	3	740 405.24	
L124	-55 003.53	3	739 289.84		R124	-58 119.43	3	740 424.97	
L125	-55 085.64	3	739 341.69		R125	-58 238.07	3	740 449.70	
L126	-55 147.59	3	739 374.19		R126	-58 678.09	3	740 541.45	
L127	-55 409.08	3	739 481.20		R127	-58 754.33	3	740 564.58	
L128	-55 634.63	3	739 573.54		R128	-58 787.62	3	740 579.23	
L129	-55 717.74	3	739 603.41		R129	-58 835.08	3	740 606.25	
L130	-55 880.18	3	739 668.61		R130	-58 843.57	3	740 614.31	
L131	-56 093.52	3	739 751.53		R131	-58 898.93	3	740 659.05	
L132	-56 669.87	3	739 980.87		R132	-58 956.59	3	740 722.48	
L133	-56 847.11	3	740 051.25		R133	-59 056.86	3	740 820.32	
L134	-56 899.64	3	740 072.05		R134	-59 155.28	3	740 916.83	
L135	-57 182.57	3	740 183.77		R135	-59 282.22	3	741 046.42	
L136	-57 274.41	3	740 218.88		R136	-59 293.47	3	741 057.91	
L137	-58 182.37	3	740 412.26		R137	-59 357.48	3	741 122.89	
L138	-58 246.86	3	740 425.99		R138	-59 419.81	3	741 185.66	
L139	-58 446.53	3	740 467.21		R139	-59 442.19	3	741 206.19	
L140	-58 696.56	3	740 518.85		R140	-59 505.67	3	741 260.45	
L141	-58 739.44	3	740 531.73		R141	-59 542.31	3	741 289.78	
L142	-58 768.68	3	740 543.30		R142	-59 586.58	3	741 322.16	
L143	-58 795.25	3	740 555.24		R143	-59 656.88	3	741 370.67	
L144	-58 845.50	3	740 583.12		R144	-59 693.45	3	741 392.17	
L145	-58 870.52	3	740 599.44		R145	-59 728.16	3	741 411.27	
L146	-58 895.06	3	740 617.43		R146	-59 820.14	3	741 459.81	
L147	-58 918.35	3	740 637.71		R147	-59 871.11	3	741 483.37	
L148	-58 939.81	3	740 659.35		R148	-59 929.32	3	741 506.88	
L149	-59 381.00	3	741 111.99		R149	-59 972.52	3	741 523.02	
L150	-59 457.40	3	741 185.87		R150	-60 038.71	3	741 544.60	
L151	-59 463.58	3	741 192.02		R151	-60 112.24	3	741 565.00	
L152	-59 534.21	3	741 251.20		R152	-60 153.74	3	741 576.37	
L153	-59 576.90	3	741 284.74		R153	-60 201.32	3	741 582.52	
					Vel Sheet 14 of Van 19 P910/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L154	-59 613.32	3	741	310.56	R154	-60 280.01	3	741	592.68
L155	-59 635.92	3	741	324.38	R155	-60 309.40	3	741	596.90
L156	-59 692.12	3	741	364.47	R156	-60 470.11	3	741	618.92
L157	-59 767.10	3	741	407.05	R157	-60 587.14	3	741	635.03
L158	-59 878.41	3	741	460.19	R158	-60 774.25	3	741	660.27
L159	-59 954.47	3	741	491.12	R159	-60 777.22	3	741	662.07
L160	-60 014.47	3	741	511.36	R160	-60 784.70	3	741	666.35
L161	-60 106.78	3	741	538.69	R161	-60 882.13	3	741	681.97
L162	-60 176.99	3	741	553.06	R162	-60 948.78	3	741	699.51
L163	-60 251.89	3	741	564.37	R163	-60 979.11	3	741	709.45
L164	-60 281.61	3	741	568.60	R164	-61 042.65	3	741	730.89
L165	-60 312.20	3	741	573.48	R165	-61 105.87	3	741	753.11
L166	-60 320.05	3	741	574.67	R166	-61 116.67	3	741	756.92
L167	-60 590.33	3	741	611.00	R167	-61 169.97	3	741	782.26
L168	-60 782.84	3	741	636.76	R168	-61 174.44	3	741	783.93
L169	-60 783.52	3	741	633.71	R169	-61 192.52	3	741	790.70
L170	-60 912.67	3	741	660.78	R170	-61 249.30	3	741	811.94
L171	-60 911.50	3	741	663.96	R171	-61 259.91	3	741	815.91
L172	-60 982.96	3	741	684.45	R172	-61 308.55	3	741	834.55
L173	-61 017.83	3	741	695.51	R173	-61 333.58	3	741	846.04
L174	-61 035.17	3	741	700.96	R174	-61 449.45	3	741	892.76
L175	-61 070.36	3	741	713.73	R175	-61 599.67	3	741	955.68
L176	-61 111.38	3	741	728.52	R176	-61 612.85	3	741	961.20
L177	-61 113.66	3	741	729.35	R177	-61 640.52	3	741	977.72
L178	-61 159.68	3	741	749.66	R178	-61 647.52	3	741	983.16
L179	-61 173.91	3	741	755.81	R179	-61 710.32	3	742	053.02
L180	-61 234.46	3	741	779.49	R180	-61 759.17	3	742	091.04
L181	-61 253.02	3	741	787.09	R181	-61 790.64	3	742	111.78
L182	-61 337.35	3	741	821.04	R182	-61 800.39	3	742	115.86
L183	-61 600.73	3	741	927.07	R183	-61 861.89	3	742	139.00
L184	-61 652.84	3	741	953.08	R184	-61 863.62	3	742	139.36
L185	-61 675.44	3	741	978.34	R185	-61 945.01	3	742	155.47
L186	-61 722.12	3	742	029.19	R186	-62 087.20	3	742	181.72
L187	-61 749.77	3	742	053.88	R187	-62 119.32	3	742	187.72
L188	-61 822.92	3	742	100.08	R188	-62 137.38	3	742	191.32
L189	-61 949.40	3	742	133.15	R189	-62 326.91	3	742	226.48
L190	-62 104.69	3	742	158.94	R190	-62 519.65	3	742	259.41
L191	-62 123.70	3	742	162.37	R191	-62 525.49	3	742	260.82
L192	-62 197.42	3	742	175.89	R192	-62 712.98	3	742	306.44
L193	-62 332.36	3	742	202.17	R193	-62 900.29	3	742	352.54
L194	-62 432.94	3	742	222.02	R194	-63 042.20	3	742	387.93
L195	-62 532.27	3	742	239.88	R195	-63 085.03	3	742	397.16
L196	-62 720.64	3	742	285.67	R196	-63 097.94	3	742	399.88
L197	-62 842.88	3	742	310.75	R197	-63 213.62	3	742	418.36
L198	-62 911.68	3	742	328.11	R198	-63 621.10	3	742	469.16
L199	-63 041.22	3	742	358.52	R199	-63 817.14	3	742	494.09
L200	-63 088.87	3	742	371.74	R200	-64 011.28	3	742	534.80
L201	-63 215.39	3	742	394.11	R201	-64 249.88	3	742	584.10
L202	-63 432.70	3	742	420.03	R202	-64 426.90	3	742	624.09
L203	-63 630.24	3	742	444.45	R203	-64 923.82	3	742	724.06
L204	-63 794.47	3	742	464.74	R204	-65 113.17	3	742	763.52
Vel Sheet 15					Van of 19		P910/16		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L205	-63 830.56	3	742 471.17		R205	-65 332.48	3	742 809.39	
L206	-64 018.66	3	742 510.90		R206	-65 575.46	3	742 859.99	
L207	-64 160.94	3	742 539.46		R207	-65 705.69	3	742 887.06	
L208	-64 258.15	3	742 559.49		R208	-65 742.86	3	742 894.55	
L209	-64 432.96	3	742 598.83		R209	-65 758.43	3	742 897.18	
L210	-64 563.95	3	742 625.32		R210	-65 804.13	3	742 904.89	
L211	-64 888.89	3	742 691.04		R211	-65 904.20	3	742 922.02	
L212	-64 931.97	3	742 699.54		R212	-65 953.33	3	742 930.75	
L213	-65 123.79	3	742 740.18		R213	-66 063.45	3	742 950.22	
L214	-65 347.20	3	742 786.46		R214	-66 250.01	3	742 983.88	
L215	-65 582.73	3	742 835.68		R215	-66 444.49	3	743 018.15	
L216	-65 714.79	3	742 863.13		R216	-66 464.42	3	743 021.66	
L217	-65 903.35	3	742 898.19		R217	-66 679.62	3	743 059.03	
L218	-65 950.91	3	742 902.91		R218	-66 771.41	3	743 072.59	
L219	-66 066.88	3	742 925.47		R219	-67 077.61	3	743 064.84	
L220	-66 247.88	3	742 958.16		R220	-67 174.17	3	743 061.18	
L221	-66 460.97	3	742 996.11		R221	-67 244.86	3	743 054.91	
L222	-66 675.29	3	743 034.08		R222	-67 247.57	3	743 054.71	
L223	-66 709.81	3	743 040.55		R223	-67 404.46	3	743 027.72	
L224	-66 748.79	3	743 046.10		R224	-67 414.20	3	743 026.13	
L225	-66 770.38	3	743 047.57		R225	-67 451.19	3	743 020.14	
L226	-66 956.85	3	743 045.26		R226	-67 639.25	3	743 030.53	
L227	-67 075.16	3	743 040.13		R227	-67 849.31	3	743 044.44	
L228	-67 201.33	3	743 035.38		R228	-67 858.15	3	743 045.50	
L229	-67 231.65	3	743 032.61		R229	-67 980.90	3	743 060.35	
L230	-67 311.04	3	743 017.17		R230	-68 114.76	3	743 079.41	
L231	-67 348.14	3	743 008.26		R231	-68 114.85	3	743 076.10	
L232	-67 413.17	3	742 997.56		R232	-68 171.03	3	743 087.46	
L233	-67 476.02	3	742 997.12		R233	-68 419.53	3	743 132.10	
L234	-67 637.63	3	743 004.27		R234	-68 445.50	3	743 135.42	
L235	-67 852.53	3	743 020.50		R235	-68 482.30	3	743 136.54	
L236	-67 903.61	3	743 025.25		R236	-68 513.85	3	743 134.14	
L237	-67 985.06	3	743 036.84		R237	-68 531.13	3	743 130.98	
L238	-68 023.18	3	743 042.97		R238	-68 563.04	3	743 120.98	
L239	-68 097.69	3	743 054.94		R239	-68 590.66	3	743 106.98	
L240	-68 098.03	3	743 049.69		R240	-68 607.48	3	743 096.86	
L241	-68 166.54	3	743 060.73		R241	-68 676.85	3	743 044.51	
L242	-68 279.40	3	743 080.59		R242	-68 700.13	3	743 030.29	
L243	-68 452.67	3	743 111.22		R243	-68 727.16	3	743 017.32	
L244	-68 481.54	3	743 111.53		R244	-68 797.94	3	742 991.25	
L245	-68 510.62	3	743 109.32		R245	-68 978.01	3	742 928.77	
L246	-68 525.59	3	743 106.58		R246	-69 023.04	3	742 916.85	
L247	-68 554.21	3	743 097.48		R247	-69 070.93	3	742 912.89	
L248	-68 586.93	3	743 080.17		R248	-69 054.04	3	742 912.93	
L249	-68 643.84	3	743 038.07		R249	-69 095.51	3	742 912.82	
L250	-68 662.78	3	743 023.81		R250	-69 153.25	3	742 924.06	
L251	-68 687.92	3	743 008.46		R251	-69 202.80	3	742 945.78	
L252	-68 717.56	3	742 994.22		R252	-69 223.80	3	742 957.15	
L253	-68 782.23	3	742 970.38		R253	-69 260.54	3	742 978.10	
L254	-68 901.18	3	742 930.48		R254	-69 302.49	3	743 002.02	
L255	-68 970.40	3	742 904.95		R255	-69 333.03	3	743 017.10	
					Vel 16 Van 19 Sheet of P910/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 23°			Y	X		
L256	-68 991.16	3 742 898.94		R256	-69 373.45	3 743 034.23			
L257	-69 018.67	3 742 892.23		R257	-69 396.88	3 743 040.39			
L258	-69 051.94	3 742 888.01		R258	-69 422.60	3 743 045.14			
L259	-69 101.28	3 742 886.03		R259	-69 458.26	3 743 049.92			
L260	-69 112.26	3 742 890.36		R260	-69 509.63	3 743 054.98			
L261	-69 141.14	3 742 894.52		R261	-69 579.47	3 743 061.27			
L262	-69 179.54	3 742 907.33		R262	-69 860.95	3 743 086.37			
L263	-69 214.37	3 742 923.61		R263	-69 904.94	3 743 090.89			
L264	-69 260.51	3 742 947.97		R264	-69 957.17	3 743 099.99			
L265	-69 286.73	3 742 964.18		R265	-69 995.30	3 743 112.36			
L266	-69 343.59	3 742 994.44		R266	-70 030.95	3 743 128.96			
L267	-69 380.99	3 743 010.36		R267	-70 124.85	3 743 189.03			
L268	-69 384.93	3 743 011.40		R268	-70 162.44	3 743 209.59			
L269	-69 493.52	3 743 028.23		R269	-70 188.12	3 743 220.66			
L270	-69 594.60	3 743 038.06		R270	-70 212.03	3 743 229.00			
L271	-69 808.31	3 743 056.97		R271	-70 238.61	3 743 236.06			
L272	-69 864.82	3 743 061.66		R272	-70 261.89	3 743 241.00			
L273	-69 907.87	3 743 066.06		R273	-70 288.63	3 743 244.92			
L274	-69 963.62	3 743 075.82		R274	-70 302.33	3 743 245.81			
L275	-70 004.39	3 743 089.05		R275	-70 329.43	3 743 246.47			
L276	-70 020.29	3 743 095.99		R276	-70 361.21	3 743 245.27			
L277	-70 042.86	3 743 106.95		R277	-70 553.01	3 743 232.64			
L278	-70 064.04	3 743 119.63		R278	-70 622.95	3 743 231.79			
L279	-70 137.93	3 743 167.71		R279	-70 821.31	3 743 232.20			
L280	-70 141.92	3 743 169.90		R280	-70 934.22	3 743 232.33			
L281	-70 173.18	3 743 187.00		R281	-70 958.17	3 743 233.68			
L282	-70 219.36	3 743 205.08		R282	-71 008.03	3 743 239.94			
L283	-70 276.28	3 743 217.12		R283	-71 052.28	3 743 249.63			
L284	-70 342.66	3 743 223.85		R284	-71 089.45	3 743 256.60			
L285	-70 411.05	3 743 216.57		R285	-71 119.85	3 743 257.82			
L286	-70 537.83	3 743 208.56		R286	-71 146.04	3 743 257.93			
L287	-70 552.17	3 743 207.65		R287	-71 277.65	3 743 253.96			
L288	-70 625.42	3 743 207.03		R288	-71 320.05	3 743 252.43			
L289	-70 661.37	3 743 212.92		R289	-71 365.04	3 743 251.08			
L290	-70 733.27	3 743 207.02		R290	-71 386.32	3 743 251.49			
L291	-70 818.41	3 743 207.20		R291	-71 408.64	3 743 253.75			
L292	-70 934.96	3 743 207.33		R292	-71 431.00	3 743 257.56			
L293	-70 986.28	3 743 211.27		R293	-71 473.66	3 743 270.00			
L294	-70 999.91	3 743 213.38		R294	-71 579.76	3 743 314.07			
L295	-71 016.00	3 743 215.71		R295	-71 620.33	3 743 328.54			
L296	-71 051.68	3 743 223.20		R296	-71 644.92	3 743 335.96			
L297	-71 092.10	3 743 231.69		R297	-71 666.37	3 743 340.48			
L298	-71 145.63	3 743 232.93		R298	-71 690.62	3 743 343.26			
L299	-71 262.50	3 743 229.33		R299	-71 717.07	3 743 344.93			
L300	-71 364.97	3 743 226.07		R300	-71 743.86	3 743 343.69			
L301	-71 387.83	3 743 226.51		R301	-71 778.08	3 743 339.17			
L302	-71 412.00	3 743 228.96		R302	-71 805.26	3 743 334.09			
L303	-71 436.13	3 743 233.08		R303	-71 893.34	3 743 317.64			
L304	-71 447.97	3 743 236.30		R304	-71 915.07	3 743 313.58			
L305	-71 472.83	3 743 242.79		R305	-71 968.53	3 743 307.52			
L306	-71 510.20	3 743 257.65		R306	-72 018.60	3 743 306.88			
					Vel Sheet	17	Van of	19	P910/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L307	-71 581.33	3	743	287.61	R307	-72 132.23	3	743	307.82
L308	-71 628.15	3	743	304.79	R308	-72 428.82	3	743	309.98
L309	-71 670.38	3	743	315.77	R309	-72 505.47	3	743	313.99
L310	-71 717.38	3	743	319.90	R310	-72 585.01	3	743	323.51
L311	-71 741.79	3	743	318.77	R311	-72 609.86	3	743	326.43
L312	-71 800.58	3	743	309.53	R312	-72 930.08	3	743	359.84
L313	-71 896.29	3	743	291.56	R313	-73 145.96	3	743	382.74
L314	-71 934.53	3	743	285.40	R314	-73 273.42	3	743	400.68
L315	-71 955.40	3	743	283.32	R315	-73 610.08	3	743	451.19
L316	-71 983.67	3	743	282.21	R316	-73 978.42	3	743	506.02
L317	-72 018.52	3	743	281.88	R317	-74 137.43	3	743	530.91
L318	-72 136.44	3	743	282.78	R318	-74 191.42	3	743	537.26
L319	-72 221.53	3	743	284.16	R319	-74 285.79	3	743	546.19
L320	-72 332.07	3	743	285.84	R320	-74 474.68	3	743	565.74
L321	-72 430.84	3	743	284.95	R321	-74 858.39	3	743	602.48
L322	-72 507.68	3	743	289.08	R322	-74 952.42	3	743	611.53
L323	-72 588.18	3	743	297.75	R323	-75 245.78	3	743	639.75
L324	-72 929.75	3	743	334.52	R324	-75 431.21	3	743	659.76
L325	-73 197.29	3	743	363.65	R325	-75 621.32	3	743	681.51
L326	-74 229.07	3	743	516.96	R326	-75 702.37	3	743	688.80
L327	-74 855.59	3	743	577.51	R327	-75 977.82	3	743	723.45
L328	-74 956.81	3	743	586.48	R328	-76 266.24	3	743	760.78
L329	-75 266.36	3	743	616.16	R329	-76 362.19	3	743	768.11
L330	-75 683.08	3	743	663.62	R330	-76 856.72	3	743	826.22
L331	-75 978.40	3	743	698.12	R331	-76 936.75	3	743	836.80
L332	-76 372.21	3	743	743.90	R332	-77 071.49	3	743	855.75
L333	-76 834.33	3	743	797.25	R333	-77 216.06	3	743	875.85
L334	-76 963.58	3	743	816.10	R334	-77 247.49	3	743	878.74
L335	-77 204.15	3	743	849.83	R335	-77 294.14	3	743	879.18
L336	-77 251.56	3	743	854.72	R336	-77 344.44	3	743	876.88
L337	-77 290.46	3	743	855.49	R337	-77 359.09	3	743	874.82
L338	-77 366.36	3	743	848.26	R338	-77 412.70	3	743	864.95
L339	-77 404.07	3	743	841.98	R339	-77 532.73	3	743	839.78
L340	-77 645.10	3	743	790.47	R340	-77 730.08	3	743	798.69
L341	-77 810.54	3	743	752.86	R341	-77 826.32	3	743	781.39
L342	-77 842.66	3	743	747.26	R342	-77 834.68	3	743	783.88
L343	-77 888.76	3	743	768.25	R343	-77 863.02	3	743	792.32
L344	-77 925.39	3	743	784.93	R344	-77 880.00	3	743	798.39
L345	-77 955.81	3	743	798.78	R345	-77 911.28	3	743	809.58
L346	-77 987.97	3	743	813.43	R346	-77 943.46	3	743	821.10
L347	-78 045.56	3	743	839.70	R347	-77 947.64	3	743	822.58
L348	-78 071.85	3	743	849.13	R348	-77 967.33	3	743	830.95
L349	-78 196.15	3	743	889.15	R349	-78 043.43	3	743	863.21
L350	-78 216.47	3	743	895.17	R350	-78 070.80	3	743	874.43
L351	-78 441.34	3	743	959.28	R351	-78 137.54	3	743	898.73
L352	-78 623.70	3	744	010.62	R352	-78 320.03	3	743	950.49
L353	-78 819.69	3	744	069.35	R353	-78 654.88	3	744	046.86
L354	-78 963.40	3	744	109.34	R354	-78 804.15	3	744	090.65
L355	-79 059.78	3	744	136.02	R355	-78 892.75	3	744	117.42
L356	-79 109.65	3	744	146.66	R356	-78 895.65	3	744	111.47
L357	-79 270.91	3	744	194.98	R357	-78 920.35	3	744	119.04
					Vel Sheet 18 Van of 19 P910/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L358	-79 404.00	3	744	235.98	R358	-79 068.23	3	744	164.35
L359	-79 591.34	3	744	292.46	R359	-79 158.90	3	744	192.13
L360	-79 593.94	3	744	298.27	R360	-79 218.03	3	744	210.25
L361	-79 769.10	3	744	352.67	R361	-79 230.15	3	744	213.96
L362	-79 901.82	3	744	395.63	R362	-79 259.74	3	744	223.02
L363	-80 060.14	3	744	453.11	R363	-79 289.22	3	744	232.05
L364	-80 215.94	3	744	510.02	R364	-79 318.79	3	744	241.11
					R365	-79 348.36	3	744	250.17
					R366	-79 377.95	3	744	259.24
					R367	-79 407.48	3	744	268.28
					R368	-79 510.25	3	744	299.77
					R369	-79 539.88	3	744	308.84
					R370	-79 571.24	3	744	318.45
					R371	-79 583.28	3	744	322.14
					R372	-79 642.40	3	744	340.25
					R373	-79 701.57	3	744	358.38
					R374	-79 713.61	3	744	362.07
					R375	-79 760.58	3	744	376.46
					R376	-79 790.15	3	744	385.52
					R377	-79 802.18	3	744	389.20
					R378	-79 859.20	3	744	406.67
					R379	-79 907.08	3	744	424.14
					R380	-79 917.00	3	744	427.75
					R381	-79 945.86	3	744	438.28
					R382	-79 974.69	3	744	448.80
					R383	-80 007.78	3	744	460.87
					R384	-80 019.66	3	744	465.20
					R385	-80 192.75	3	744	528.34
					R386	-80 204.68	3	744	532.69