

DEPARTMENT OF TRANSPORT

NO. 285

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N10 SECTION 7

AMENDMENT OF DECLARATION No. 630 OF 2005.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 630 of 2005 by substituting a part of the Schedule, being the descriptive declaration of the route from De Aar up to Britstown, with the accompanying sheets 1 to 12 of Plan No. P944/17.

(National Road N10 Section 7: De Aar - Britstown)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 285

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N10 SEKSIE 7


WYSIGING VAN VERKLARING No. 630 VAN 2005.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 630 van 2005 deur 'n gedeelte die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf De Aar tot by Britstown, met bygaande velle 1 tot 12 van Plan No. P944/17.


(Nasionale Pad N10 Seksie 7: De Aar - Britstown)




MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentenskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	7	Plan P944/17	Sheet 1 of 12	Veil von 12
---	---------------------------------------	---	---	---	--------------	---------------	-------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route Section	Vel Sheet 2 of 12 Plan P944/17
---	---------------------------------------	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 Sektie of National Route of National Route	Vel Sheet 3 of 12 Plan P944/17
---	---------------------------------------	--	--------------------------------------





Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet 4 of 12
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	Plan. P944/17






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	7	Vel Sheet 6 of 12 Plan P944/17
---	---------------------------------------	--	--	---	---







Vel
Sheet 9 of 12

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10 Sektie
of National Route 7 Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Plan P944/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L1	-93 926.29	3	393 361.07	R1	-93 955.81	3	393 336.86		
L2	-93 826.44	3	393 239.36	R2	-91 686.97	3	390 564.74		
L3	-93 765.10	3	393 199.29	R3	-91 669.18	3	390 544.62		
L4	-93 728.28	3	393 151.78	R4	-91 497.53	3	390 346.09		
L5	-93 699.69	3	393 084.54	R5	-91 355.45	3	390 183.96		
L6	-91 916.31	3	390 911.79	R6	-91 247.32	3	390 080.86		
L7	-91 629.69	3	390 571.64	R7	-91 128.01	3	389 981.64		
L8	-91 613.79	3	390 551.29	R8	-91 004.19	3	389 891.87		
L9	-91 472.12	3	390 366.46	R9	-90 875.51	3	389 810.84		
L10	-91 332.33	3	390 214.20	R10	-90 824.29	3	389 782.13		
L11	-91 221.02	3	390 108.24	R11	-90 779.74	3	389 758.54		
L12	-91 106.81	3	390 013.10	R12	-90 654.69	3	389 697.74		
L13	-90 982.47	3	389 922.82	R13	-90 623.89	3	389 684.89		
L14	-90 856.13	3	389 843.43	R14	-90 541.28	3	389 650.44		
L15	-90 720.97	3	389 770.80	R15	-90 336.95	3	389 580.82		
L16	-90 602.52	3	389 716.87	R16	-89 396.87	3	389 402.83		
L17	-90 584.32	3	389 708.59	R17	-88 195.43	3	389 177.84		
L18	-90 415.40	3	389 646.17	R18	-87 584.35	3	389 061.87		
L19	-90 254.80	3	389 593.75	R19	-85 596.29	3	388 686.95		
L20	-87 591.43	3	389 091.60	R20	-84 279.56	3	388 438.53		
L21	-85 580.98	3	388 712.20	R21	-84 061.65	3	388 367.21		
L22	-85 522.65	3	388 699.26	R22	-83 896.33	3	388 287.83		
L23	-84 363.11	3	388 481.43	R23	-82 019.87	3	387 368.94		
L24	-84 205.19	3	388 444.25	R24	-79 927.29	3	386 342.22		
L25	-84 060.73	3	388 392.60	R25	-79 549.96	3	386 150.24		
L26	-84 043.79	3	388 385.65	R26	-77 668.75	3	385 126.54		
L27	-84 045.01	3	388 384.39	R27	-77 003.04	3	384 763.58		
L28	-83 895.78	3	388 314.32	R28	-76 884.24	3	384 718.37		
L29	-83 766.65	3	388 252.24	R29	-76 721.94	3	384 656.52		
L30	-83 182.70	3	387 965.27	R30	-76 461.53	3	384 560.30		
L31	-82 462.55	3	387 613.32	R31	-76 274.15	3	384 507.59		
L32	-82 019.60	3	387 396.54	R32	-75 971.38	3	384 441.62		
L33	-79 911.02	3	386 361.84	R33	-75 857.57	3	384 416.88		
L34	-79 531.71	3	386 175.00	R34	-75 452.31	3	384 364.81		
L35	-79 534.22	3	386 171.59	R35	-75 107.69	3	384 353.39		
L36	-78 878.26	3	385 813.81	R36	-73 713.43	3	384 379.76		
L37	-77 655.64	3	385 148.59	R37	-72 372.88	3	384 403.88		
L38	-77 215.50	3	384 908.60	R38	-72 213.66	3	384 410.52		
L39	-77 005.74	3	384 804.56	R39	-71 857.20	3	384 456.56		
L40	-76 904.75	3	384 759.63	R40	-71 771.24	3	384 471.99		
L41	-76 867.42	3	384 743.02	R41	-70 967.48	3	384 571.17		
L42	-76 687.37	3	384 670.98	R42	-70 638.49	3	384 613.36		
L43	-76 440.79	3	384 586.28	R43	-70 499.75	3	384 616.65		
L44	-76 295.34	3	384 543.47	R44	-70 294.71	3	384 611.19		
L45	-76 147.51	3	384 505.42	R45	-70 239.69	3	384 611.79		
L46	-75 998.15	3	384 472.11	R46	-69 406.90	3	384 595.31		
L47	-75 849.30	3	384 444.26	R47	-68 121.23	3	384 570.66		
L48	-75 699.03	3	384 421.41	R48	-67 407.96	3	384 555.29		
L49	-75 465.33	3	384 396.87	R49	-67 275.34	3	384 553.98		
L50	-75 395.49	3	384 390.94	R50	-67 153.17	3	384 544.15		
L51	-75 243.13	3	384 383.43	R51	-66 573.11	3	384 471.00		
					Vel 10 Van 12 Sheet of P944/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 23°			Y	X		
L52	-75 090.51	3 384 381.06		R52	-65 686.71	3 384 359.29			
L53	-74 999.12	3 384 381.77		R53	-65 605.28	3 384 348.38			
L54	-72 348.02	3 384 429.73		R54	-65 495.44	3 384 333.67			
L55	-72 202.85	3 384 438.30		R55	-64 078.72	3 384 362.15			
L56	-71 864.22	3 384 481.97		R56	-62 159.99	3 384 407.24			
L57	-71 864.73	3 384 487.59		R57	-61 791.12	3 384 417.85			
L58	-71 767.50	3 384 501.16		R58	-59 614.95	3 384 689.07			
L59	-71 766.92	3 384 494.49		R59	-59 334.71	3 384 727.31			
L60	-70 988.27	3 384 595.17		R60	-58 529.93	3 384 850.21			
L61	-70 608.43	3 384 643.44		R61	-57 307.75	3 385 036.03			
L62	-70 498.46	3 384 642.10		R62	-55 461.94	3 385 315.32			
L63	-68 949.80	3 384 611.60		R63	-53 964.65	3 385 542.89			
L64	-67 504.11	3 384 583.90		R64	-53 885.68	3 385 552.88			
L65	-67 251.42	3 384 577.79		R65	-53 804.79	3 385 554.46			
L66	-67 180.41	3 384 571.90		R66	-53 723.34	3 385 546.36			
L67	-66 592.12	3 384 502.39		R67	-53 643.59	3 385 535.83			
L68	-65 691.66	3 384 389.35		R68	-53 130.81	3 385 453.96			
L69	-65 570.17	3 384 376.82		R69	-52 951.89	3 385 439.78			
L70	-65 536.07	3 384 374.51		R70	-51 681.05	3 385 492.82			
L71	-65 487.88	3 384 371.24		R71	-50 316.40	3 385 549.83			
L72	-64 781.33	3 384 378.35		R72	-50 155.53	3 385 527.65			
L73	-64 088.82	3 384 393.32		R73	-50 017.26	3 385 480.67			
L74	-62 159.41	3 384 436.57		R74	-49 877.26	3 385 405.22			
L75	-61 787.87	3 384 443.38		R75	-49 758.45	3 385 310.37			
L76	-61 784.25	3 384 443.84		R76	-49 420.35	3 384 989.32			
L77	-60 712.47	3 384 577.87		R77	-49 278.99	3 384 746.29			
L78	-59 612.88	3 384 714.73		R78	-49 130.03	3 384 489.72			
L79	-59 317.37	3 384 755.42		R79	-48 981.42	3 384 400.32			
L80	-58 535.24	3 384 873.76							
L81	-56 734.52	3 385 147.49							
L82	-55 473.28	3 385 337.88							
L83	-54 279.02	3 385 519.12							
L84	-54 273.91	3 385 527.43							
L85	-54 064.54	3 385 558.70							
L86	-54 063.92	3 385 560.04							
L87	-54 062.35	3 385 625.98							
L88	-53 111.27	3 385 476.76							
L89	-52 950.22	3 385 464.60							
L90	-52 753.10	3 385 472.84							
L91	-52 674.88	3 385 481.22							
L92	-51 678.74	3 385 518.72							
L93	-51 304.91	3 385 532.80							
L94	-50 279.03	3 385 580.55							
L95	-50 148.75	3 385 559.61							
L96	-50 002.82	3 385 511.85							
L97	-49 856.53	3 385 430.76							
L98	-49 737.95	3 385 334.52							
L99	-49 395.52	3 385 010.16							
L100	-49 355.31	3 384 964.78							
L101	-49 296.77	3 384 864.92							
L102	-49 143.13	3 384 584.43							
					Vel Sheet 11 Van of 12 P944/17				

This gazette is also available free online at www.gpwonline.co.za