

DEPARTMENT OF TRANSPORT

NO. 287

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N10 SECTION 4

AMENDMENT OF DECLARATION No. 1322 OF 1989.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1322 of 1989 by substituting a part of paragraph 5 of the Schedule, being the descriptive declaration of the route from Cradock up to its junction with National Road N9 Section 6 at Middelburg, with the accompanying sheets 1 to 27 of Plan No. P974/17.

In the town of Cradock the N10 Section 4 enters the town from the South and follows the streets known as Stockensstroom Street and Albert Street at the time of declaration.

(National Road N10 Section 4: Cradock – Middelburg)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 287

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N10 SEKSIE 4

WYSIGING VAN VERKLARING No. 1322 VAN 1989.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 1322 van 1989 deur 'n gedeelte van paragraaf 5 van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Cradock tot by die aansluiting met Nasionale Pad N9 Seksie 6 by Middelburg, met bygaande velle 1 tot 27 van Plan No. P974/17.

In die dorp van Cradock kom die N10 Seksie 4 die dorp binne vanuit die Suide en volg die strate bekend as Stockensstroomstraat en Albertstraat tydens datum van verklaring.

(Nasionale Pad N10 Seksie 4: Cradock – Middelburg)
MINISTER VAN VERVOER



CRA DOCK


CRADOCK TOWNSHIP


Die figuur getoon

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


stel die podreserwe voor van 'n gedeelte
represents the rood reserve of a portion
van Nasionale Roete N10 Seksie
of National Route Section

Vel Sheet 1 of 27
Plan P974/17







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route
Vel Sheet	3 of	4	van of
Plan	P974/17		




Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 4 of 27	Plan P974/17
---	---------------------------------------	---	--	----------------------	-----------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	4	Vel Sheet 5 of 27 Plan P974/17
---	---------------------------------------	--	--	---	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	4
Vel Sheet	van of	27	Plan P974/17









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	4	Plan P974/17
Vel Sheet 9 of 27	4	27	27	27




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 10 of 27 Plan P974/17
---	---------------------------------------	---	--







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	4
Vel Sheet 12 of 27	Plan P974/17			




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet	13 4	van of	27	Plan P974/17
---	---------------------------------------	---	--------------	---------	-----------	----	-----------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 15 of 27 Plan P974/17
---	---------------------------------------	---	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route Section	Val Sheet Plan 16 27 4 P974/17
---	---------------------------------------	---	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	4
Vel Sheet 17 of 27	Plan P974/17	Section	4





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	4 N10 Seksie Section	Vel Sheet 19 of 27	Plan P974/17
---	---------------------------------------	---	--	-------------------------------	--------------------------	-----------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L1X	-59 756.72	3 569 005.81		R1X	-59 764.16	3 569 045.14			
L1	-57 618.63	3 560 450.27		R1	-57 621.40	3 560 415.58			
L2	-57 575.83	3 560 428.96		R2	-57 534.13	3 560 377.34			
L3	-57 525.29	3 560 406.92		R3	-57 439.07	3 560 336.52			
L4	-57 426.22	3 560 365.99		R4	-57 314.43	3 560 282.94			
L5	-57 264.69	3 560 295.97		R5	-57 284.80	3 560 270.04			
L6	-57 175.42	3 560 249.75		R6	-57 237.88	3 560 245.84			
L7	-57 171.79	3 560 252.55		R7	-57 168.21	3 560 209.94			
L8	-57 109.41	3 560 209.34		R8	-57 075.08	3 560 144.35			
L9	-57 045.00	3 560 160.32		R9	-56 990.15	3 560 059.48			
L10	-57 000.56	3 560 120.62		R10	-56 954.72	3 560 024.08			
L11	-56 981.67	3 560 100.65		R11	-56 876.25	3 559 910.41			
L12	-56 977.06	3 560 096.24		R12	-56 856.60	3 559 875.38			
L13	-56 943.20	3 560 058.85		R13	-56 836.81	3 559 838.07			
L14	-56 930.09	3 560 044.38		R14	-56 826.95	3 559 820.47			
L15	-56 882.12	3 559 978.43		R15	-56 773.93	3 559 725.79			
L16	-56 838.75	3 559 909.40		R16	-56 697.02	3 559 662.25			
L17	-56 803.41	3 559 843.93		R17	-56 664.46	3 559 641.04			
L18	-56 757.41	3 559 774.06		R18	-56 560.17	3 559 572.78			
L19	-56 706.00	3 559 717.84		R19	-56 500.53	3 559 557.40			
L20	-56 647.81	3 559 671.15		R20	-56 418.82	3 559 543.13			
L21	-56 619.80	3 559 655.75		R21	-56 358.00	3 559 542.87			
L22	-56 579.43	3 559 633.35		R22	-56 268.73	3 559 556.48			
L23	-56 507.88	3 559 606.00		R23	-56 189.46	3 559 560.53			
L24	-56 430.13	3 559 593.80		R24	-56 042.22	3 559 569.27			
L25	-56 353.30	3 559 593.72		R25	-55 950.33	3 559 572.28			
L26	-56 340.89	3 559 593.93		R26	-55 872.32	3 559 572.54			
L27	-56 192.56	3 559 596.49		R27	-55 814.96	3 559 565.70			
L28	-56 110.34	3 559 598.82		R28	-55 740.44	3 559 544.47			
L29	-56 033.59	3 559 603.09		R29	-55 678.46	3 559 517.12			
L30	-55 944.10	3 559 606.38		R30	-55 590.96	3 559 456.41			
L31	-55 871.70	3 559 607.00		R31	-55 468.96	3 559 284.98			
L32	-55 785.34	3 559 601.27		R32	-55 241.82	3 558 946.56			
L33	-55 733.27	3 559 592.42		R33	-55 029.85	3 558 631.80			
L34	-55 650.54	3 559 551.20		R34	-54 846.08	3 558 359.49			
L35	-55 629.45	3 559 529.48		R35	-54 348.34	3 557 625.25			
L36	-55 585.00	3 559 498.13		R36	-53 483.92	3 556 350.09			
L37	-55 552.73	3 559 470.85		R37	-52 996.23	3 555 632.61			
L38	-55 523.72	3 559 441.66		R38	-52 877.33	3 555 457.69			
L39	-55 496.88	3 559 410.32		R39	-52 409.65	3 554 769.66			
L40	-54 811.98	3 558 399.81		R40	-52 307.16	3 554 620.21			
L41	-54 698.21	3 558 274.46		R41	-52 280.07	3 554 577.73			
L42	-54 681.62	3 558 250.75		R42	-52 134.98	3 554 350.22			
L43	-54 632.21	3 558 134.56		R43	-52 084.14	3 554 264.19			
L44	-54 305.75	3 557 652.74		R44	-51 510.54	3 553 332.03			
L45	-52 938.91	3 555 635.36		R45	-50 891.74	3 552 328.25			
L46	-52 846.14	3 555 498.45		R46	-50 295.45	3 551 358.40			
L47	-52 262.65	3 554 637.26		R47	-49 604.73	3 550 238.92			
L48	-52 233.10	3 554 592.48		R48	-49 449.99	3 549 988.02			
L49	-52 198.86	3 554 540.59		R49	-47 681.20	3 547 117.80			
L50	-52 142.47	3 554 451.40		R50	-47 634.76	3 547 018.50			
					Vel Sheet 20 Van of 27 P974/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L51	-52 033.75	3	554 274.62		R51	-47 597.89	3	546 940.44	
L52	-50 246.89	3	551 373.39		R52	-47 581.26	3	546 886.95	
L53	-49 528.87	3	550 207.28		R53	-47 510.95	3	546 631.97	
L54	-47 721.54	3	547 272.67		R54	-47 282.87	3	545 736.75	
L55	-47 675.14	3	547 194.46		R55	-47 032.36	3	544 744.64	
L56	-47 643.55	3	547 134.55		R56	-46 618.87	3	543 115.25	
L57	-47 607.62	3	547 061.66		R57	-46 576.21	3	542 925.92	
L58	-47 580.16	3	546 999.60		R58	-46 557.31	3	542 730.59	
L59	-47 554.80	3	546 936.81		R59	-46 526.45	3	542 751.46	
L60	-47 532.32	3	546 873.71		R60	-46 475.53	3	542 551.55	
L61	-47 499.41	3	546 771.40		R61	-46 461.29	3	542 496.72	
L62	-47 485.91	3	546 722.36		R62	-46 359.37	3	542 095.61	
L63	-46 994.70	3	544 786.04		R63	-46 247.89	3	541 654.40	
L64	-46 485.59	3	542 779.10		R64	-46 154.98	3	541 287.89	
L65	-46 461.18	3	542 795.61		R65	-46 117.14	3	541 141.47	
L66	-46 461.22	3	542 682.83		R66	-45 913.76	3	540 497.81	
L67	-46 058.04	3	541 094.40		R67	-45 690.13	3	539 882.81	
L68	-46 025.51	3	540 977.55		R68	-45 288.10	3	538 785.19	
L69	-46 001.99	3	540 899.00		R69	-45 115.25	3	538 310.81	
L70	-45 964.49	3	540 782.54		R70	-45 058.44	3	538 119.57	
L71	-45 937.83	3	540 705.27		R71	-44 971.70	3	537 816.56	
L72	-45 238.26	3	538 788.88		R72	-44 928.74	3	537 696.79	
L73	-45 186.17	3	538 646.17		R73	-44 923.91	3	537 685.35	
L74	-45 158.34	3	538 566.04		R74	-44 899.85	3	537 638.73	
L75	-45 137.13	3	538 499.98		R75	-44 893.97	3	537 629.17	
L76	-45 104.05	3	538 384.77		R76	-44 859.18	3	537 572.54	
L77	-45 031.15	3	538 136.42		R77	-44 812.69	3	537 510.71	
L78	-44 991.94	3	537 998.23		R78	-44 760.34	3	537 447.37	
L79	-44 932.86	3	537 791.53		R79	-44 757.80	3	537 442.44	
L80	-44 923.57	3	537 768.46		R80	-44 699.82	3	537 329.66	
L81	-44 873.90	3	537 664.68		R81	-44 682.86	3	537 304.66	
L82	-44 871.84	3	537 661.95		R82	-44 570.52	3	537 167.10	
L83	-44 813.10	3	537 584.17		R83	-44 554.56	3	537 128.65	
L84	-44 728.85	3	537 486.86		R84	-44 538.32	3	537 056.02	
L85	-44 690.35	3	537 443.64		R85	-44 520.63	3	537 016.23	
L86	-44 640.23	3	537 387.38		R86	-44 511.75	3	536 969.96	
L87	-44 578.07	3	537 297.98		R87	-44 504.38	3	536 883.73	
L88	-44 544.87	3	537 228.46		R88	-44 501.39	3	536 829.99	
L89	-44 510.02	3	537 139.38		R89	-44 490.00	3	536 688.48	
L90	-44 483.31	3	537 034.44		R90	-44 467.73	3	536 321.68	
L91	-44 474.46	3	536 946.74		R91	-44 442.35	3	536 181.58	
L92	-44 465.35	3	536 887.08		R92	-44 417.10	3	536 096.67	
L93	-44 466.06	3	536 806.84		R93	-44 373.75	3	535 993.27	
L94	-44 455.21	3	536 623.16		R94	-44 310.89	3	535 884.66	
L95	-44 434.61	3	536 304.85		R95	-44 173.72	3	535 705.75	
L96	-44 400.37	3	536 142.73		R96	-43 829.63	3	535 256.75	
L97	-44 332.88	3	535 979.53		R97	-43 627.77	3	534 992.72	
L98	-44 317.18	3	535 950.59		R98	-43 525.83	3	534 865.42	
L99	-44 254.74	3	535 861.40		R99	-43 480.74	3	534 815.42	
L100	-44 002.06	3	535 534.11		R100	-43 438.63	3	534 770.25	
L101	-43 728.40	3	535 177.08		R101	-43 329.53	3	534 672.38	
					Vel	21	Van	27	P974/17
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L102	-43 506.14	3	534	890.92	R102	-43 274.43	3	534	629.58
L103	-43 449.47	3	534	826.79	R103	-43 211.82	3	534	585.14
L104	-43 411.10	3	534	788.30	R104	-43 128.31	3	534	531.94
L105	-43 302.01	3	534	690.95	R105	-43 059.95	3	534	494.75
L106	-43 206.29	3	534	619.55	R106	-42 999.80	3	534	465.69
L107	-43 077.56	3	534	540.33	R107	-42 889.27	3	534	414.00
L108	-43 030.07	3	534	515.05	R108	-42 596.15	3	534	277.48
L109	-42 993.16	3	534	497.29	R109	-42 245.91	3	534	114.91
L110	-42 218.81	3	534	138.02	R110	-42 097.48	3	534	046.17
L111	-42 090.64	3	534	078.39	R111	-41 663.00	3	533	844.94
L112	-41 887.67	3	533	983.33	R112	-41 666.58	3	533	821.55
L113	-41 421.19	3	533	767.28	R113	-41 587.23	3	533	800.97
L114	-41 171.34	3	533	649.73	R114	-41 538.24	3	533	781.34
L115	-41 049.62	3	533	588.85	R115	-41 236.41	3	533	613.61
L116	-40 954.91	3	533	540.38	R116	-40 538.26	3	533	225.63
L117	-40 849.68	3	533	482.35	R117	-40 471.19	3	533	178.46
L118	-40 595.71	3	533	333.09	R118	-39 828.39	3	532	707.82
L119	-40 450.12	3	533	237.94	R119	-39 790.45	3	532	675.75
L120	-40 359.02	3	533	176.71	R120	-39 578.46	3	532	490.50
L121	-40 172.55	3	533	042.42	R121	-39 534.55	3	532	452.13
L122	-39 992.83	3	532	902.41	R122	-39 525.16	3	532	443.33
L123	-39 909.39	3	532	833.28	R123	-39 238.86	3	532	174.80
L124	-39 818.88	3	532	756.29	R124	-39 219.11	3	532	157.59
L125	-39 624.24	3	532	583.81	R125	-39 180.91	3	532	119.16
L126	-39 545.68	3	532	508.25	R126	-39 142.45	3	532	077.96
L127	-39 506.46	3	532	470.53	R127	-39 115.31	3	532	048.07
L128	-39 480.45	3	532	445.53	R128	-39 084.11	3	532	011.58
L129	-39 226.36	3	532	208.98	R129	-39 036.93	3	531	953.49
L130	-39 188.17	3	532	171.17	R130	-38 885.71	3	531	736.79
L131	-39 153.00	3	532	135.53	R131	-38 879.43	3	531	727.78
L132	-39 126.90	3	532	107.49	R132	-38 702.44	3	531	459.73
L133	-39 106.15	3	532	084.63	R133	-38 447.54	3	531	073.71
L134	-39 078.82	3	532	054.32	R134	-38 188.66	3	530	681.68
L135	-39 041.16	3	532	009.35	R135	-37 992.87	3	530	385.44
L136	-38 969.96	3	531	918.17	R136	-38 021.79	3	530	356.86
L137	-38 910.76	3	531	832.49	R137	-37 027.64	3	528	933.63
L138	-38 849.27	3	531	739.83	R138	-36 996.42	3	528	881.91
L139	-37 970.16	3	530	407.90	R139	-36 967.96	3	528	818.19
L140	-37 798.83	3	530	148.54	R140	-36 592.21	3	528	054.42
L141	-37 614.56	3	529	869.73	R141	-36 572.23	3	528	007.70
L142	-37 158.21	3	529	179.76	R142	-36 554.92	3	527	949.07
L143	-36 924.65	3	528	828.11	R143	-36 247.61	3	526	848.69
L144	-36 826.55	3	528	669.97	R144	-36 185.15	3	526	625.17
L145	-36 762.87	3	528	556.22	R145	-36 136.35	3	526	450.56
L146	-36 723.60	3	528	478.78	R146	-36 041.79	3	526	185.93
L147	-36 682.31	3	528	397.64	R147	-36 025.45	3	526	146.71
L148	-36 647.93	3	528	312.75	R148	-35 973.23	3	526	027.00
L149	-36 596.53	3	528	181.93	R149	-35 873.37	3	525	834.07
L150	-36 570.65	3	528	109.69	R150	-35 764.54	3	525	658.27
L151	-36 525.62	3	527	966.70	R151	-35 699.06	3	525	563.50
L152	-36 352.77	3	527	342.40	R152	-35 619.60	3	525	461.52
Vel Sheet 22					Van of 27		P974/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L153	-36 216.65	3	526 854.47		R153	-35 549.65	3	525 371.76	
L154	-36 123.93	3	526 523.66		R154	-35 492.94	3	525 306.56	
L155	-36 088.21	3	526 401.64		R155	-35 442.09	3	525 250.10	
L156	-36 060.91	3	526 323.22		R156	-35 343.53	3	525 148.46	
L157	-36 011.53	3	526 194.65		R157	-35 149.11	3	524 971.37	
L158	-35 963.48	3	526 082.15		R158	-33 673.13	3	523 658.05	
L159	-35 949.78	3	526 051.94		R159	-32 187.46	3	522 332.98	
L160	-35 875.56	3	525 902.79		R160	-32 083.60	3	522 240.87	
L161	-35 821.68	3	525 807.80		R161	-32 010.16	3	522 179.91	
L162	-35 737.67	3	525 673.92		R162	-31 944.38	3	522 127.83	
L163	-35 672.42	3	525 579.36		R163	-31 854.03	3	522 061.77	
L164	-35 631.18	3	525 524.14		R164	-31 798.90	3	522 022.41	
L165	-35 503.59	3	525 365.43		R165	-31 718.59	3	521 969.79	
L166	-35 423.18	3	525 275.66		R166	-31 116.01	3	521 593.90	
L167	-35 339.43	3	525 188.81		R167	-29 866.57	3	520 814.79	
L168	-35 155.22	3	525 018.61		R168	-29 717.79	3	520 710.80	
L169	-33 894.86	3	523 897.87		R169	-29 643.48	3	520 653.47	
L170	-32 505.05	3	522 659.33		R170	-29 575.11	3	520 597.85	
L171	-32 450.95	3	522 620.74		R171	-29 505.87	3	520 537.62	
L172	-32 317.97	3	522 503.09		R172	-29 430.72	3	520 467.71	
L173	-32 258.27	3	522 439.40		R173	-29 389.60	3	520 427.62	
L174	-32 140.36	3	522 334.33		R174	-29 311.04	3	520 346.73	
L175	-32 089.37	3	522 287.23		R175	-29 240.55	3	520 268.78	
L176	-31 993.61	3	522 207.03		R176	-28 852.72	3	519 816.41	
L177	-31 924.33	3	522 152.45		R177	-28 200.96	3	519 056.04	
L178	-31 802.88	3	522 063.01		R178	-27 797.02	3	518 584.79	
L179	-31 703.01	3	521 997.66		R179	-27 770.43	3	518 553.79	
L180	-31 460.33	3	521 846.26		R180	-27 544.42	3	518 286.00	
L181	-31 126.49	3	521 638.55		R181	-27 383.42	3	518 102.60	
L182	-29 957.66	3	520 909.53		R182	-26 687.88	3	517 291.44	
L183	-29 699.70	3	520 736.86		R183	-26 526.87	3	517 104.14	
L184	-29 613.71	3	520 670.47		R184	-24 548.68	3	514 794.66	
L185	-29 554.09	3	520 621.58		R185	-24 287.83	3	514 490.19	
L186	-29 486.20	3	520 562.45		R186	-23 183.60	3	513 200.49	
L187	-29 448.32	3	520 527.71		R187	-23 121.14	3	513 130.30	
L188	-29 343.09	3	520 425.35		R188	-23 031.07	3	513 032.15	
L189	-29 288.01	3	520 368.62		R189	-22 982.07	3	512 980.87	
L190	-29 215.04	3	520 287.95		R190	-22 947.15	3	512 944.44	
L191	-28 851.24	3	519 863.34		R191	-22 883.03	3	512 879.84	
L192	-28 201.07	3	519 105.03		R192	-22 812.59	3	512 810.88	
L193	-27 786.42	3	518 621.40		R193	-22 671.68	3	512 678.25	
L194	-27 781.94	3	518 650.15		R194	-21 939.91	3	511 993.78	
L195	-27 763.12	3	518 647.31		R195	-20 783.02	3	510 913.50	
L196	-27 769.85	3	518 602.19		R196	-20 710.11	3	510 839.27	
L197	-27 755.68	3	518 585.70		R197	-20 669.89	3	510 794.41	
L198	-27 516.41	3	518 307.22		R198	-20 619.68	3	510 731.07	
L199	-26 689.12	3	517 341.57		R199	-20 575.70	3	510 667.25	
L200	-26 485.95	3	517 105.16		R200	-20 545.80	3	510 619.27	
L201	-24 517.55	3	514 808.24		R201	-20 505.52	3	510 545.47	
L202	-24 274.17	3	514 522.90		R202	-20 468.02	3	510 466.89	
L203	-23 789.89	3	513 957.19		R203	-20 435.67	3	510 385.08	
					Vel 23 Van of 27 P974/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L204	-23	125.22	3 513	182.00	R204	-20	405.26	3 510	289.83
L205	-23	018.64	3 513	065.39	R205	-20	385.08	3 510	207.76
L206	-22	950.66	3 512	993.86	R206	-20	369.10	3 510	118.08
L207	-22	925.14	3 512	967.29	R207	-20	359.46	3 510	028.22
L208	-22	795.36	3 512	838.34	R208	-20	356.77	3 509	937.40
L209	-21	920.89	3 512	019.38	R209	-20	358.23	3 509	847.01
L210	-20	920.87	3 511	084.99	R210	-20	360.11	3 509	745.18
L211	-20	770.01	3 510	943.09	R211	-20	356.67	3 509	649.95
L212	-20	687.89	3 510	861.85	R212	-20	343.79	3 509	561.43
L213	-20	647.63	3 510	816.98	R213	-20	342.05	3 509	549.37
L214	-20	591.73	3 510	746.51	R214	-20	340.53	3 509	541.00
L215	-20	567.65	3 510	712.72	R215	-20	328.22	3 509	489.96
L216	-20	520.66	3 510	638.12	R216	-20	314.49	3 509	440.06
L217	-20	516.11	3 510	635.71	R217	-20	306.79	3 509	419.78
L218	-20	483.26	3 510	577.02	R218	-20	294.04	3 509	381.50
L219	-20	431.62	3 510	468.71	R219	-20	266.73	3 509	317.69
L220	-20	402.69	3 510	394.28	R220	-20	246.75	3 509	278.96
L221	-20	376.46	3 510	318.30	R221	-20	204.63	3 509	208.08
L222	-20	347.06	3 510	202.04	R222	-20	194.72	3 509	193.83
L223	-20	335.09	3 510	123.36	R223	-20	182.02	3 509	175.75
L224	-20	326.30	3 510	043.59	R224	-20	152.34	3 509	136.58
L225	-20	320.97	3 509	963.92	R225	-20	136.67	3 509	115.42
L226	-20	321.90	3 509	844.28	R226	-20	074.32	3 509	047.45
L227	-20	322.61	3 509	723.74	R227	-20	006.30	3 508	986.44
L228	-20	316.84	3 509	646.10	R228	-19	930.35	3 508	929.42
L229	-20	313.46	3 509	606.23	R229	-19	851.10	3 508	881.08
L230	-20	305.02	3 509	607.96	R230	-19	767.00	3 508	838.25
L231	-20	294.31	3 509	589.31	R231	-19	767.28	3 508	838.00
L232	-20	309.95	3 509	587.28	R232	-18	918.27	3 508	402.58
L233	-20	298.58	3 509	528.06	R233	-18	853.28	3 508	358.55
L234	-20	290.73	3 509	488.76	R234	-18	799.81	3 508	329.95
L235	-20	277.86	3 509	451.28	R235	-18	695.48	3 508	280.60
L236	-20	251.74	3 509	375.65	R236	-18	493.55	3 508	182.90
L237	-20	215.72	3 509	304.00	R237	-18	456.58	3 508	159.40
L238	-20	197.66	3 509	268.51	R238	-18	414.67	3 508	143.87
L239	-20	176.84	3 509	236.66	R239	-18	381.72	3 508	140.98
L240	-20	131.40	3 509	168.74	R240	-18	278.37	3 508	140.35
L241	-20	105.48	3 509	138.40	R241	-18	200.60	3 508	133.16
L242	-20	053.57	3 509	077.93	R242	-18	104.70	3 508	107.80
L243	-19	994.14	3 509	025.63	R243	-17	948.52	3 508	047.21
L244	-19	963.63	3 508	998.83	R244	-17	908.67	3 508	034.19
L245	-19	930.93	3 508	976.62	R245	-17	864.61	3 508	015.16
L246	-19	897.95	3 508	954.23	R246	-17	845.93	3 508	013.82
L247	-19	864.68	3 508	931.57	R247	-17	819.39	3 508	005.24
L248	-19	829.97	3 508	912.70	R248	-17	787.61	3 508	001.50
L249	-19	759.35	3 508	874.60	R249	-17	732.20	3 507	993.38
L250	-19	739.18	3 508	864.33	R250	-17	678.89	3 507	977.32
L251	-19	617.20	3 508	802.42	R251	-17	450.00	3 507	885.99
L252	-19	546.12	3 508	766.33	R252	-17	326.32	3 507	820.00
L253	-19	474.70	3 508	729.95	R253	-17	279.12	3 507	797.41
L254	-19	332.50	3 508	657.43	R254	-17	223.25	3 507	773.74
					Vel Sheet 24 Van of 27 P974/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES										
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°			Y		X	
L255	-19	190.26	3 508	585.30		R255	-17	158.37	3 507	744.38
L256	-18	764.85	3 508	369.32		R256	-17	036.93	3 507	649.97
L257	-18	551.24	3 508	260.40		R257	-17	015.65	3 507	631.31
L258	-18	477.89	3 508	227.05		R258	-16	929.22	3 507	554.42
L259	-18	401.16	3 508	203.01		R259	-16	896.11	3 507	528.05
L260	-18	323.37	3 508	189.43		R260	-16	828.26	3 507	482.16
L261	-18	084.99	3 508	180.70		R261	-16	735.12	3 507	446.18
L262	-18	047.37	3 508	170.82		R262	-16	591.85	3 507	338.83
L263	-17	941.56	3 508	112.90		R263	-16	576.61	3 507	327.48
L264	-17	905.02	3 508	097.26		R264	-16	497.44	3 507	280.71
L265	-17	794.47	3 508	065.21		R265	-16	444.85	3 507	261.23
L266	-17	676.75	3 508	031.78		R266	-16	093.76	3 507	089.16
L267	-17	530.09	3 507	978.10		R267	-16	094.17	3 507	086.57
L268	-17	494.94	3 507	963.27		R268	-15	985.99	3 507	032.31
L269	-17	458.88	3 507	945.96		R269	-15	955.18	3 507	015.01
L270	-17	260.29	3 507	848.14		R270	-15	887.72	3 506	975.09
L271	-17	245.32	3 507	845.23		R271	-15	813.59	3 506	924.85
L272	-17	164.79	3 507	827.24		R272	-15	743.89	3 506	871.72
L273	-17	092.34	3 507	764.51		R273	-15	698.24	3 506	833.52
L274	-17	070.92	3 507	752.26		R274	-15	641.74	3 506	781.13
L275	-17	035.81	3 507	713.28		R275	-15	562.89	3 506	699.38
L276	-17	016.49	3 507	691.20		R276	-15	513.12	3 506	639.53
L277	-16	965.58	3 507	644.75		R277	-15	489.59	3 506	609.75
L278	-16	899.04	3 507	583.77		R278	-15	463.87	3 506	576.00
L279	-16	832.39	3 507	541.47		R279	-14	098.69	3 504	772.11
L280	-16	724.40	3 507	492.06		R280	-13	817.34	3 504	401.31
L281	-16	677.73	3 507	459.18		R281	-13	801.30	3 504	358.24
L282	-16	592.76	3 507	387.11		R282	-13	743.73	3 504	282.20
L283	-16	535.67	3 507	346.05		R283	-13	682.76	3 504	223.19
L284	-16	396.18	3 507	278.20		R284	-13	489.62	3 503	967.99
L285	-16	349.36	3 507	249.71		R285	-13	357.48	3 503	793.97
L286	-16	012.88	3 507	084.98		R286	-13	157.14	3 503	529.18
L287	-15	964.34	3 507	060.31		R287	-13	029.31	3 503	360.14
L288	-15	884.44	3 507	014.67		R288	-12	894.91	3 503	182.30
L289	-15	807.22	3 506	963.99		R289	-12	812.76	3 503	074.64
L290	-15	734.34	3 506	909.69		R290	-12	745.41	3 502	983.43
L291	-15	662.73	3 506	849.70		R291	-12	678.44	3 502	895.53
L292	-15	595.52	3 506	786.19		R292	-12	557.14	3 502	736.61
L293	-15	534.09	3 506	719.70		R293	-12	491.51	3 502	650.33
L294	-15	473.42	3 506	647.58		R294	-12	412.98	3 502	546.25
L295	-15	417.79	3 506	574.11		R295	-12	368.94	3 502	489.50
L296	-15	391.05	3 506	552.93		R296	-12	347.77	3 502	459.95
L297	-15	334.41	3 506	479.32		R297	-12	317.25	3 502	420.03
L298	-15	319.52	3 506	444.35		R298	-12	280.62	3 502	370.93
L299	-13	460.29	3 503	989.19		R299	-12	229.29	3 502	303.92
L300	-13	455.64	3 503	983.04		R300	-11	868.97	3 501	828.45
L301	-13	454.63	3 503	982.05		R301	-11	770.38	3 501	698.57
L302	-13	454.00	3 503	980.84		R302	-11	706.14	3 501	613.75
L303	-12	308.78	3 502	467.83		R303	-11	644.10	3 501	530.52
L304	-12	305.48	3 502	462.60		R304	-11	512.67	3 501	357.25
L305	-11	287.37	3 501	120.48		R305	-11	364.09	3 501	160.51
						Vel 25 Van of 27 P974/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L306	-11	232.54	3	501 047.08	R306	-11	331.96	3	501 119.05
L307	-11	178.75	3	500 972.52	R307	-11	272.36	3	501 040.51
L308	-11	126.28	3	500 898.07	R308	-11	212.99	3	500 959.34
L309	-11	074.70	3	500 822.41	R309	-11	150.55	3	500 870.16
L310	-11	023.95	3	500 746.22	R310	-11	096.18	3	500 789.89
L311	-10	909.49	3	500 565.09	R311	-10	978.24	3	500 609.49
L312	-10	220.59	3	499 450.85	R312	-10	945.84	3	500 555.78
L313	-10	217.67	3	499 456.75	R313	-10	630.07	3	500 021.07
L314	-10	213.98	3	499 447.50	R314	-10	254.89	3	499 384.18
L315	-10	210.68	3	499 445.82	R315	-10	050.99	3	499 038.68
L316	-10	212.58	3	499 444.01	R316	-10	044.69	3	499 028.14
L317	-10	138.14	3	499 257.53	R317	-10	023.12	3	498 992.03
L318	-9	519.36	3	498 208.86	R318	-10	012.70	3	498 974.39
L319	-9	375.94	3	497 980.13	R319	-9	876.64	3	498 743.46
L320	-9	317.52	3	497 892.95	R320	-9	769.53	3	498 562.86
L321	-9	238.53	3	497 784.35	R321	-9	739.05	3	498 511.27
L322	-9	083.61	3	497 571.38	R322	-9	580.94	3	498 244.51
L323	-9	057.87	3	497 549.39	R323	-9	479.00	3	498 072.46
L324	-9	002.10	3	497 471.98	R324	-9	429.26	3	497 996.36
L325	-8	993.05	3	497 446.88	R325	-9	361.35	3	497 893.43
L326	-8	674.96	3	497 009.60	R326	-9	308.84	3	497 819.68
L327	-7	709.22	3	495 687.26	R327	-8	592.15	3	496 835.40
L328	-7	678.89	3	495 645.45	R328	-8	053.86	3	496 098.52
L329	-7	663.18	3	495 654.34	R329	-7	953.25	3	495 960.94
L330	-7	656.12	3	495 646.34	R330	-7	947.87	3	495 953.59
L331	-7	668.61	3	495 631.01	R331	-7	940.51	3	495 943.53
L332	-7	603.08	3	495 537.31	R332	-7	786.74	3	495 732.77
L333	-7	451.11	3	495 304.49	R333	-7	715.80	3	495 635.38
L334	-6	779.93	3	494 201.72	R334	-7	662.39	3	495 560.24
L335	-6	756.15	3	494 178.21	R335	-7	639.43	3	495 503.59
L336	-6	708.99	3	494 102.85	R336	-7	594.59	3	495 436.82
L337	-6	693.21	3	494 059.24	R337	-7	551.40	3	495 394.64
L338	-6	292.44	3	493 400.77	R338	-7	477.44	3	495 279.53
L339	-5	388.58	3	491 916.24	R339	-7	391.22	3	495 137.21
L340	-4	765.22	3	490 892.19	R340	-7	357.92	3	495 082.48
L341	-4	568.07	3	490 568.32	R341	-6	240.40	3	493 246.04
L342	-4	464.61	3	490 407.85	R342	-6	069.32	3	492 964.71
L343	-4	330.95	3	490 229.98	R343	-5	911.89	3	492 706.93
L344	-4	206.40	3	490 084.36	R344	-5	899.68	3	492 687.06
L345	-4	118.59	3	489 995.03	R345	-5	726.75	3	492 402.80
L346	-3	960.84	3	489 849.84	R346	-5	485.79	3	492 006.84
L347	-3	933.33	3	489 826.58	R347	-5	463.78	3	491 970.61
L348	-3	714.59	3	489 657.28	R348	-5	383.45	3	491 839.25
L349	-3	642.80	3	489 610.64	R349	-5	245.84	3	491 612.26
L350	-3	401.05	3	489 458.23	R350	-5	194.76	3	491 529.95
L351	-3	067.88	3	489 249.30	R351	-5	172.23	3	491 491.81
L352	-3	031.65	3	489 265.54	R352	-5	088.01	3	491 353.26
L353	-3	009.51	3	489 251.66	R353	-5	055.87	3	491 300.38
L354	-3	007.59	3	489 211.49	R354	-5	024.29	3	491 248.60
L355	-3	003.87	3	489 209.22	R355	-4	993.44	3	491 197.82
L356	-2	718.51	3	489 029.82	R356	-4	983.36	3	491 179.89
Vel Sheet					Van of				
26					27				
					P974/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L357	-2 686.06	3 489	020.57		R357	-4 951.03	3 491	122.28	
L358	-2 608.70	3 488	972.03		R358	-4 954.83	3 491	097.61	
L359	-2 576.08	3 488	940.27		R359	-4 932.58	3 491	065.53	
L360	-2 288.23	3 488	759.31		R360	-4 909.33	3 491	055.67	
L361	-2 030.26	3 488	602.47		R361	-4 779.87	3 490	843.04	
L362	-1 924.52	3 488	534.49		R362	-4 584.21	3 490	523.00	
L363	-1 923.41	3 488	532.26		R363	-4 507.83	3 490	405.56	
					R364	-4 440.30	3 490	311.12	
					R365	-4 366.52	3 490	214.57	
					R366	-4 342.30	3 490	187.11	
					R367	-4 283.49	3 490	118.57	
					R368	-4 229.99	3 490	058.67	
					R369	-4 180.23	3 490	006.04	
					R370	-3 989.75	3 489	825.75	
					R371	-3 974.52	3 489	812.35	
					R372	-3 951.48	3 489	793.13	
					R373	-3 893.57	3 489	746.55	
					R374	-3 785.49	3 489	665.20	
					R375	-3 742.05	3 489	634.18	
					R376	-3 684.45	3 489	594.71	
					R377	-3 542.55	3 489	503.87	
					R378	-3 333.12	3 489	372.37	
					R379	-3 060.03	3 489	198.44	
					R380	-2 243.20	3 488	690.02	
					R381	-2 180.41	3 488	650.07	
					R382	-2 164.83	3 488	636.41	
					R383	-1 942.94	3 488	500.40	