

DEPARTMENT OF TRANSPORT

NO. 288

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N9 SECTION 5

AMENDMENT OF DECLARATION No. 544 OF 2003.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 544 of 2003 by substituting a part of the Schedule, being the descriptive declaration of the route from Aberdeen up to Graaff-Reinet, with the accompanying sheets 1 to 17 of Plan No. P976/17.

In the town of Graaff-Reinet the N9 Section 5 enters the town from the South and follows the streets known as College Road, Church Street and Caledon Street at the time of declaration.

(National Road N9 Section 5: Aberdeen – Graaff-Reinet)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 288

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N9 SEKSIE 5


WYSIGING VAN VERKLARING No. 544 VAN 2003.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 544 van 2003 deur 'n gedeelte van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Aberdeen tot by Graaff-Reinet, met bygaande velle 1 tot 17 van Plan No. P976/17.


In die dorp van Graaff-Reinet kom die N9 Seksie 5 die dorp binne vanuit die Suide en volg die strate bekend as College Weg, Kerkstraat en Caledonstraat tydens datum van verklaring.

(Nasionale Pad N9 Seksie 5: Aberdeen – Graaff-Reinet)


MINISTER VAN VERVOER









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 3 of 17 Plan P976/17
---	---------------------------------------	---	--------------------------------------




Die Suid Afrikaanse Nasionale Podagogskep MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	5	Plan P976/17	Vel Sheet 4 of 17
--	---------------------------------------	---	---	---	-----------------	----------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route	5	Vel Sheet 5 of 17 Plan p976/17
---	---------------------------------------	---	--	---	-----------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route	Vel Sheet	6 of	17
The South African National Roads Agency SOC Ltd	The figure shown			5	Plan	P976/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route	5	Vel Sheet	7 of	17
The South African National Roads Agency SOC Ltd	The figure shown				Plan	P976/17	




Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N9 Sektie Section	5	Vel Sheet of	8 of 17
						Plan P976/17	





Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	10 of	17
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete N9 of National Route	Plan	P976/17	



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L1	89 235.60	3 594 593.84		R1	89 029.76	3 594 649.46
L2	89 231.48	3 594 574.04		R2	89 026.13	3 594 634.25
L3	89 100.70	3 594 523.96		R3	89 024.29	3 594 520.79
L4	89 075.29	3 594 496.65		R4	89 023.60	3 594 486.01
L5	88 978.18	3 594 392.27		R5	88 781.45	3 594 356.49
L6	88 806.77	3 594 306.24		R6	88 441.71	3 594 305.31
L7	88 717.58	3 594 286.87		R7	88 205.90	3 594 269.87
L8	88 215.63	3 594 211.05		R8	87 737.42	3 594 199.55
L9	87 738.10	3 594 139.38		R9	87 255.93	3 594 127.06
L10	87 242.54	3 594 064.58		R10	87 275.63	3 594 319.53
L11	86 888.36	3 594 010.66		R11	87 282.43	3 594 384.47
L12	86 583.30	3 593 872.78		R12	87 344.13	3 594 430.32
L13	86 134.58	3 593 558.44		R13	87 316.10	3 594 447.59
L14	86 062.63	3 593 507.95		R14	87 018.75	3 594 227.60
L15	86 039.31	3 593 498.76		R15	86 559.29	3 593 905.81
L16	86 011.21	3 593 472.07		R16	86 115.57	3 593 594.93
L17	85 697.27	3 593 252.18		R17	85 988.50	3 593 506.12
L18	85 287.61	3 592 965.25		R18	85 680.69	3 593 291.15
L19	84 989.29	3 592 756.31		R19	85 639.78	3 593 262.58
L20	84 984.41	3 592 752.90		R20	85 625.78	3 593 274.78
L21	84 980.61	3 592 732.07		R21	85 617.15	3 593 268.90
L22	84 970.99	3 592 725.53		R22	85 627.35	3 593 253.69
L23	84 953.18	3 592 730.96		R23	85 267.61	3 593 001.39
L24	84 801.33	3 592 624.61		R24	84 961.76	3 592 787.20
L25	84 677.72	3 592 538.04		R25	84 940.96	3 592 772.64
L26	84 518.27	3 592 426.36		R26	84 774.43	3 592 656.19
L27	84 142.14	3 592 162.96		R27	84 649.98	3 592 569.16
L28	83 738.48	3 591 880.31		R28	84 492.20	3 592 458.83
L29	83 354.33	3 591 610.99		R29	84 120.89	3 592 199.25
L30	82 832.08	3 591 245.22		R30	83 718.03	3 591 917.12
L31	82 472.98	3 590 993.69		R31	83 328.61	3 591 644.62
L32	82 035.67	3 590 687.34		R32	82 818.58	3 591 287.67
L33	81 578.68	3 590 367.28		R33	82 450.90	3 591 030.62
L34	81 575.69	3 590 351.17		R34	82 017.14	3 590 724.73
L35	81 562.14	3 590 343.94		R35	81 557.08	3 590 402.16
L36	81 552.17	3 590 348.59		R36	81 446.01	3 590 324.19
L37	81 348.88	3 590 206.22		R37	81 173.49	3 590 132.91
L38	81 200.88	3 590 102.57		R38	80 834.23	3 589 896.15
L39	80 891.62	3 589 885.81		R39	80 724.50	3 589 844.80
L40	80 863.03	3 589 865.76		R40	80 705.75	3 589 832.08
L41	80 525.00	3 589 627.74		R41	80 626.85	3 589 750.04
L42	80 444.30	3 589 567.61		R42	80 573.27	3 589 712.72
L43	80 290.15	3 589 444.59		R43	80 502.24	3 589 661.91
L44	80 214.51	3 589 380.12		R44	80 237.77	3 589 456.78
L45	80 139.67	3 589 313.59		R45	80 141.66	3 589 374.25
L46	79 994.66	3 589 175.63		R46	80 058.78	3 589 299.57
L47	79 829.79	3 589 003.30		R47	79 904.99	3 589 149.81
L48	79 762.48	3 588 927.22		R48	79 787.12	3 589 025.07
L49	79 583.30	3 588 707.84		R49	79 662.22	3 588 882.34
L50	79 361.86	3 588 389.78		R50	79 526.75	3 588 712.91
L51	79 271.24	3 588 246.56		R51	79 309.84	3 588 402.54
				Vel Sheet	12 Van of	17 P976/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	79 251.84	3	588 205.53		R52	79 185.10	3	588 205.92	
L53	79 227.72	3	588 172.07		R53	79 165.84	3	588 174.74	
L54	79 213.88	3	588 152.86		R54	79 156.36	3	588 159.38	
L55	79 185.90	3	588 111.22		R55	78 974.55	3	587 896.06	
L56	79 189.23	3	588 089.65		R56	78 902.15	3	587 815.25	
L57	79 186.76	3	588 085.93		R57	78 823.20	3	587 740.38	
L58	79 166.74	3	588 080.78		R58	78 640.27	3	587 600.41	
L59	79 055.18	3	587 914.30		R59	78 547.18	3	587 544.79	
L60	79 003.98	3	587 850.71		R60	78 513.46	3	587 527.40	
L61	78 935.32	3	587 776.09		R61	78 022.04	3	587 289.71	
L62	78 877.32	3	587 720.33		R62	77 607.32	3	587 089.05	
L63	78 632.27	3	587 542.27		R63	76 961.74	3	586 776.72	
L64	78 542.74	3	587 495.05		R64	76 499.18	3	586 552.84	
L65	78 036.66	3	587 250.49		R65	76 169.34	3	586 393.46	
L66	77 758.50	3	587 115.92		R66	76 133.05	3	586 375.93	
L67	77 739.87	3	587 106.86		R67	76 047.08	3	586 334.39	
L68	77 721.31	3	587 097.63		R68	75 521.13	3	586 080.34	
L69	77 635.54	3	587 056.35		R69	75 215.18	3	585 932.25	
L70	77 609.39	3	587 043.70		R70	74 751.36	3	585 708.21	
L71	77 601.11	3	587 027.33		R71	74 252.79	3	585 467.38	
L72	77 597.13	3	587 025.30		R72	74 052.63	3	585 370.66	
L73	77 577.88	3	587 028.36		R73	73 807.80	3	585 252.35	
L74	76 974.83	3	586 737.14		R74	73 409.78	3	585 059.55	
L75	76 538.52	3	586 526.29		R75	73 056.69	3	584 896.40	
L76	76 358.73	3	586 439.06		R76	72 980.32	3	584 861.84	
L77	76 345.62	3	586 414.47		R77	72 716.13	3	584 747.20	
L78	76 334.42	3	586 416.08		R78	72 464.68	3	584 646.57	
L79	76 326.92	3	586 423.82		R79	72 119.70	3	584 508.54	
L80	76 169.12	3	586 347.57		R80	71 988.07	3	584 459.36	
L81	76 087.67	3	586 308.21		R81	71 718.68	3	584 360.18	
L82	75 571.70	3	586 059.07		R82	71 118.01	3	584 140.16	
L83	75 213.40	3	585 885.77		R83	70 707.18	3	583 989.69	
L84	74 766.39	3	585 669.56		R84	70 298.11	3	583 839.85	
L85	74 266.32	3	585 427.86		R85	70 288.98	3	583 836.51	
L86	74 061.75	3	585 329.19		R86	70 008.36	3	583 733.74	
L87	73 819.20	3	585 212.20		R87	69 842.69	3	583 672.88	
L88	73 500.45	3	585 057.90		R88	69 517.35	3	583 553.37	
L89	73 072.54	3	584 851.13		R89	69 414.32	3	583 516.64	
L90	72 870.59	3	584 754.45		R90	69 134.37	3	583 416.82	
L91	72 749.49	3	584 699.68		R91	68 974.57	3	583 355.69	
L92	72 739.08	3	584 678.35		R92	68 815.12	3	583 290.84	
L93	72 731.09	3	584 677.21		R93	68 715.11	3	583 248.26	
L94	72 713.65	3	584 684.20		R94	68 656.70	3	583 223.39	
L95	72 518.81	3	584 604.73		R95	68 499.83	3	583 152.70	
L96	72 474.71	3	584 585.25		R96	68 344.56	3	583 078.74	
L97	72 464.20	3	584 581.02		R97	68 158.94	3	582 984.74	
L98	72 445.05	3	584 576.67		R98	68 139.68	3	582 974.98	
L99	72 243.46	3	584 502.86		R99	67 924.59	3	582 856.48	
L100	72 210.19	3	584 490.78		R100	67 806.97	3	582 786.30	
L101	72 122.24	3	584 458.61		R101	67 791.02	3	582 776.78	
L102	71 702.51	3	584 305.06		R102	67 640.91	3	582 695.66	
Vel 13 Van 17 Sheet of					P976/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L103	71 420.22	3	584 201.78		R103	67 468.06	3	582 597.96	
L104	71 355.01	3	584 088.89		R104	67 310.62	3	582 508.68	
L105	71 233.89	3	584 133.85		R105	67 243.68	3	582 474.31	
L106	70 672.66	3	583 928.29		R106	67 209.10	3	582 455.38	
L107	70 642.01	3	583 916.96		R107	67 071.34	3	582 364.95	
L108	70 349.93	3	583 810.19		R108	67 037.52	3	582 337.57	
L109	69 937.30	3	583 659.06		R109	66 966.56	3	582 279.81	
L110	69 927.72	3	583 640.08		R110	66 876.92	3	582 190.22	
L111	69 920.25	3	583 638.28		R111	66 803.98	3	582 097.19	
L112	69 904.49	3	583 647.01		R112	66 675.71	3	581 919.01	
L113	69 887.32	3	583 640.73		R113	66 618.40	3	581 845.54	
L114	69 476.50	3	583 490.43		R114	66 558.59	3	581 777.84	
L115	69 453.15	3	583 481.76		R115	66 493.62	3	581 713.91	
L116	69 008.05	3	583 316.39		R116	66 425.81	3	581 653.67	
L117	68 825.08	3	583 240.00		R117	66 354.02	3	581 597.38	
L118	68 755.17	3	583 208.88		R118	66 283.40	3	581 548.19	
L119	68 734.01	3	583 199.46		R119	66 211.68	3	581 503.60	
L120	68 553.60	3	583 113.74		R120	66 133.56	3	581 461.54	
L121	68 301.45	3	582 991.89		R121	66 076.70	3	581 434.60	
L122	68 141.54	3	582 914.49		R122	66 046.64	3	581 420.91	
L123	68 079.01	3	582 884.22		R123	65 961.38	3	581 387.58	
L124	68 084.03	3	582 871.38		R124	65 873.74	3	581 359.59	
L125	68 077.19	3	582 868.00		R125	65 801.20	3	581 338.52	
L126	68 053.01	3	582 871.75		R126	65 750.96	3	581 328.28	
L127	67 848.57	3	582 772.39		R127	65 218.97	3	581 250.18	
L128	67 783.43	3	582 738.58		R128	64 718.22	3	581 175.98	
L129	67 694.55	3	582 692.46		R129	64 674.82	3	581 169.54	
L130	67 495.48	3	582 579.58		R130	64 283.65	3	581 111.80	
L131	67 452.36	3	582 548.43		R131	63 965.29	3	581 064.76	
L132	67 366.36	3	582 495.56		R132	63 301.62	3	580 966.98	
L133	67 299.02	3	582 460.86		R133	63 253.12	3	580 959.81	
L134	67 259.51	3	582 440.57		R134	62 919.98	3	580 910.56	
L135	67 206.92	3	582 413.95		R135	62 767.75	3	580 888.06	
L136	67 200.35	3	582 410.58		R136	62 420.59	3	580 836.93	
L137	67 165.39	3	582 388.52		R137	61 874.14	3	580 756.40	
L138	67 062.41	3	582 311.60		R138	61 412.70	3	580 688.63	
L139	66 921.18	3	582 173.05		R139	61 257.71	3	580 665.62	
L140	66 895.93	3	582 142.64		R140	61 223.91	3	580 660.76	
L141	66 718.04	3	581 901.87		R141	60 879.45	3	580 610.05	
L142	66 682.51	3	581 854.14		R142	60 400.35	3	580 539.11	
L143	66 618.25	3	581 775.07		R143	60 249.90	3	580 515.76	
L144	66 584.61	3	581 737.60		R144	60 143.90	3	580 493.00	
L145	66 513.05	3	581 666.70		R145	60 035.85	3	580 462.96	
L146	66 437.83	3	581 600.68		R146	59 943.05	3	580 430.47	
L147	66 354.63	3	581 537.61		R147	59 829.46	3	580 383.89	
L148	66 227.65	3	581 456.74		R148	59 737.30	3	580 340.03	
L149	66 103.99	3	581 361.45		R149	59 497.31	3	580 199.47	
L150	66 100.29	3	581 360.68		R150	59 467.29	3	580 180.97	
L151	66 121.66	3	581 236.80		R151	59 337.20	3	580 103.11	
L152	66 094.84	3	581 276.68		R152	59 244.46	3	580 057.60	
L153	66 080.69	3	581 357.29		R153	59 127.62	3	580 014.20	
Vel 14 Van 17 Sheet of					P976/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L154	65 952.57	3	581 334.05		R154	59 075.16	3	579 998.51	
L155	65 855.78	3	581 305.82		R155	59 026.24	3	579 986.82	
L156	65 805.66	3	581 293.56		R156	58 974.99	3	579 975.95	
L157	65 699.29	3	581 274.61		R157	58 854.97	3	579 961.02	
L158	65 249.73	3	581 208.31		R158	58 842.45	3	579 961.43	
L159	64 719.24	3	581 130.02		R159	58 778.74	3	579 957.75	
L160	64 702.46	3	581 127.53		R160	58 757.70	3	579 957.19	
L161	64 287.54	3	581 066.33		R161	58 283.29	3	579 967.85	
L162	63 869.31	3	581 004.67		R162	57 745.02	3	579 979.59	
L163	63 300.07	3	580 920.70		R163	57 349.42	3	579 988.32	
L164	63 292.19	3	580 919.56		R164	56 811.31	3	580 000.26	
L165	62 870.59	3	580 857.41		R165	56 260.51	3	580 013.14	
L166	62 781.19	3	580 844.24		R166	56 085.27	3	580 017.32	
L167	62 373.45	3	580 784.01		R167	55 836.39	3	580 017.56	
L168	61 904.31	3	580 714.68		R168	55 521.40	3	580 000.31	
L169	61 892.57	3	580 698.72		R169	55 499.06	3	579 999.09	
L170	61 885.20	3	580 697.24		R170	55 266.40	3	579 964.44	
L171	61 870.34	3	580 709.87		R171	55 176.25	3	579 948.72	
L172	61 397.80	3	580 640.16		R172	55 016.93	3	579 914.00	
L173	61 306.46	3	580 626.68		R173	54 857.67	3	579 874.38	
L174	61 206.44	3	580 611.90		R174	54 669.38	3	579 818.12	
L175	60 920.78	3	580 569.74		R175	54 502.05	3	579 761.07	
L176	60 327.42	3	580 480.92		R176	54 272.61	3	579 671.89	
L177	60 230.54	3	580 462.68		R177	54 030.20	3	579 560.57	
L178	60 105.68	3	580 431.59		R178	53 824.33	3	579 452.56	
L179	59 973.96	3	580 388.01		R179	53 803.34	3	579 440.83	
L180	59 846.34	3	580 333.58		R180	53 512.75	3	579 278.38	
L181	59 767.07	3	580 292.41		R181	53 090.06	3	579 041.81	
L182	59 714.18	3	580 264.70		R182	52 787.78	3	578 872.39	
L183	59 686.81	3	580 248.29		R183	52 471.01	3	578 695.10	
L184	59 656.73	3	580 230.24		R184	51 896.06	3	578 373.30	
L185	59 585.42	3	580 187.51		R185	51 582.70	3	578 197.09	
L186	59 555.13	3	580 169.46		R186	51 569.75	3	578 189.81	
L187	59 516.84	3	580 138.28		R187	51 311.70	3	578 046.52	
L188	59 472.00	3	580 119.12		R188	51 092.14	3	577 924.60	
L189	59 335.40	3	580 038.82		R189	51 042.52	3	577 896.59	
L190	59 230.50	3	579 994.40		R190	50 768.96	3	577 743.03	
L191	59 223.14	3	579 975.10		R191	50 268.28	3	577 463.24	
L192	59 216.16	3	579 972.40		R192	49 842.38	3	577 224.99	
L193	59 197.68	3	579 982.26		R193	49 647.23	3	577 116.15	
L194	59 098.72	3	579 951.30		R194	49 614.08	3	577 097.67	
L195	59 073.88	3	579 945.08		R195	47 248.71	3	575 774.54	
L196	58 999.82	3	579 929.14		R196	47 063.59	3	575 670.60	
L197	58 929.85	3	579 918.78		R197	46 788.57	3	575 516.78	
L198	58 877.46	3	579 913.89		R198	46 794.09	3	575 503.50	
L199	58 760.29	3	579 911.60		R199	46 567.93	3	575 386.36	
L200	58 521.00	3	579 916.86		R200	46 392.31	3	575 295.50	
L201	58 490.53	3	579 917.54		R201	46 178.44	3	575 204.18	
L202	58 146.72	3	579 925.38		R202	46 131.78	3	575 187.15	
L203	57 408.11	3	579 942.02		R203	45 990.82	3	575 143.73	
L204	57 373.40	3	579 942.80		R204	45 954.81	3	575 134.42	
					Vel 15 Van 17 P976/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L205	56 847.02	3	579 954.66		R205	45 862.95	3	575 114.14	
L206	56 347.14	3	579 965.96		R206	45 780.58	3	575 099.77	
L207	56 008.55	3	579 973.42		R207	45 675.64	3	575 086.39	
L208	55 907.36	3	579 973.98		R208	44 978.82	3	575 011.28	
L209	55 849.17	3	579 973.24		R209	44 913.04	3	575 023.15	
L210	55 710.01	3	579 967.02		R210	44 826.91	3	575 014.62	
L211	55 569.82	3	579 954.54		R211	44 710.30	3	574 996.45	
L212	55 567.24	3	579 954.23		R212	44 628.65	3	574 920.58	
L213	55 529.39	3	579 949.64		R213	44 561.56	3	574 879.42	
L214	55 494.86	3	579 945.13		R214	44 406.94	3	574 757.17	
L215	55 354.60	3	579 923.29		R215	44 324.61	3	574 695.03	
L216	55 256.98	3	579 903.55		R216	44 135.52	3	574 541.78	
L217	55 021.52	3	579 851.57		R217	44 021.67	3	574 438.14	
L218	54 807.97	3	579 804.42		R218	43 962.18	3	574 380.22	
L219	54 672.90	3	579 770.92		R219	43 870.25	3	574 235.26	
L220	54 577.37	3	579 742.83		R220	43 851.51	3	574 204.53	
L221	54 537.65	3	579 730.69		R221	43 765.10	3	573 972.32	
L222	54 389.89	3	579 676.55		R222	43 729.71	3	573 884.72	
L223	54 298.01	3	579 638.38		R223	43 619.90	3	573 717.84	
L224	54 117.43	3	579 551.94		R224	43 607.53	3	573 718.37	
L225	53 944.02	3	579 456.07		R225	43 600.25	3	573 714.02	
L226	53 860.67	3	579 409.43		R226	43 603.74	3	573 695.94	
L227	53 504.51	3	579 210.12		R227	43 283.73	3	573 263.32	
L228	53 307.70	3	579 100.08		R228	43 236.55	3	573 200.23	
L229	52 801.17	3	578 816.77		R229	43 123.61	3	573 047.65	
L230	52 620.89	3	578 715.73		R230	43 091.24	3	573 003.26	
L231	52 425.44	3	578 606.34		R231	42 989.49	3	572 865.58	
L232	52 394.85	3	578 589.27		R232	42 967.98	3	572 835.91	
L233	52 107.79	3	578 428.83		R233	42 923.07	3	572 773.62	
L234	51 607.77	3	578 149.03		R234	42 892.11	3	572 722.33	
L235	51 597.68	3	578 126.60		R235	42 864.79	3	572 668.20	
L236	51 589.72	3	578 123.65		R236	42 822.05	3	572 554.04	
L237	51 579.51	3	578 119.87		R237	42 809.99	3	572 507.61	
L238	51 565.70	3	578 125.44		R238	42 792.84	3	572 402.05	
L239	51 315.06	3	577 985.30		R239	42 789.66	3	572 299.22	
L240	51 239.15	3	577 942.86		R240	42 795.17	3	572 240.43	
L241	51 230.00	3	577 926.19		R241	42 781.32	3	572 226.16	
L242	51 224.41	3	577 923.27		R242	42 782.04	3	572 221.79	
L243	51 208.68	3	577 925.88		R243	42 798.38	3	572 207.70	
L244	51 146.00	3	577 890.70		R244	42 781.60	3	572 066.71	
L245	51 120.78	3	577 871.53		R245	42 735.62	3	572 086.21	
L246	51 072.96	3	577 847.02		R246	42 724.47	3	572 041.79	
L247	51 032.92	3	577 827.41		R247	42 785.02	3	572 022.03	
L248	50 811.85	3	577 703.67		R248	42 842.47	3	571 893.38	
L249	50 805.88	3	577 683.48		R249	42 859.06	3	571 801.21	
L250	50 799.30	3	577 679.86		R250	42 884.95	3	571 721.02	
L251	50 781.48	3	577 686.79		R251	42 917.78	3	571 659.16	
L252	50 576.26	3	577 572.00		R252	42 911.99	3	571 654.60	
L253	50 340.61	3	577 440.13		R253	42 917.21	3	571 646.13	
L254	50 304.44	3	577 361.30		R254	42 963.12	3	571 579.68	
L255	50 251.22	3	577 331.81		R255	42 965.43	3	571 576.33	
					Vel 16 Van 17 P976/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L256	50 165.93	3	577 342.34		R256	42 984.83	3	571 569.91	
L257	49 736.19	3	577 102.04						
L258	49 706.36	3	577 085.36						
L259	49 608.93	3	576 998.79						
L260	49 709.43	3	576 939.93						
L261	49 689.17	3	576 927.58						
L262	49 589.50	3	576 987.50						
L263	49 444.01	3	576 938.68						
L264	48 847.14	3	576 604.66						
L265	48 814.47	3	576 586.27						
L266	48 553.90	3	576 440.53						
L267	48 527.62	3	576 425.91						
L268	48 115.17	3	576 195.08						
L269	47 695.16	3	575 960.25						
L270	47 297.79	3	575 737.80						
L271	47 036.07	3	575 594.28						
L272	46 801.28	3	575 472.11						
L273	46 796.16	3	575 453.19						
L274	46 789.85	3	575 449.90						
L275	46 771.47	3	575 456.66						
L276	46 583.28	3	575 359.50						
L277	46 405.72	3	575 267.37						
L278	46 296.36	3	575 211.35						
L279	46 133.71	3	575 149.92						
L280	46 072.20	3	575 130.23						
L281	45 964.90	3	575 100.02						
L282	45 857.47	3	575 076.51						
L283	45 785.41	3	575 063.22						
L284	45 678.27	3	575 049.32						
L285	45 452.16	3	575 025.63						
L286	45 349.20	3	575 015.04						
L287	45 310.73	3	574 999.00						
L288	45 230.70	3	574 995.37						
L289	44 837.05	3	574 947.98						
L290	44 777.58	3	574 929.36						
L291	44 762.33	3	574 924.58						
L292	44 706.15	3	574 911.30						
L293	44 633.12	3	574 882.64						
L294	44 585.11	3	574 848.80						
L295	44 160.92	3	574 509.41						
L296	44 038.41	3	574 399.68						
L297	43 969.74	3	574 319.49						
L298	43 967.83	3	574 315.58						
L299	43 965.76	3	574 301.84						
L300	43 948.59	3	574 272.92						
L301	43 932.90	3	574 244.23						
L302	43 840.69	3	574 078.23						
L303	43 805.09	3	573 961.47						
L304	43 766.12	3	573 861.36						
L305	43 692.11	3	573 750.45						
L306	43 313.03	3	573 243.25						
					LINKERKANT/LEFT HAND SIDE				
						Y		X	
					L307	43 143.02	3	573 014.92	
					L308	43 125.38	3	572 990.66	
					L309	43 016.56	3	572 844.13	
					L310	42 996.71	3	572 817.14	
					L311	42 926.04	3	572 703.90	
					L312	42 900.18	3	572 652.32	
					L313	42 868.59	3	572 574.28	
					L314	42 827.63	3	572 398.85	
					L315	42 824.37	3	572 300.58	
					L316	42 833.53	3	572 202.66	
					L317	42 859.00	3	572 086.58	
					L318	42 867.71	3	572 046.47	
					L319	42 884.14	3	571 907.64	
					L320	42 895.17	3	571 808.45	
					L321	42 919.51	3	571 737.41	
					L322	42 950.39	3	571 679.32	
					L323	43 013.80	3	571 589.35	