

DEPARTMENT OF TRANSPORT

NO. 296

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R505 SECTION 5

AMENDMENT OF DECLARATION No. 784 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting a part of paragraph M(1) of the Schedule, being the descriptive declaration of the route from its junction with National Road N14 Section 11 up to its junction with National Road R503 Section 2, with the accompanying sheets 1 to 9 of Plan No. P913/16.

In the town of Lichtenburg the route enters the town along R505 Section 5 from the South and follows the street known as Ottosdal Street at the time of declaration, up to its junction with National Road R503 Section 2, also known as Dr Nelson Mandela Drive at the time of declaration, where it terminates as a National Road.

(National Road R505 Section 5: N14 Junction – Lichtenburg)
MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 296

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R505 SEKSIE 5


WYSIGING VAN VERKLARING No. 784 VAN 2012.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur 'n gedeelte van paragraaf M(I) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad N14 Seksie 11 tot by die aansluiting met Nasionale Pad R503 Seksie 2, met bygaande velle 1 tot 9 van Plan No. P913/16.


In die dorp van Lichtenburg kom die pad die dorp binne van uit die suide langs die R505 Seksie 5 en volg die straat bekend as Ottosdalstraat tydens datum van verklaring, tot by die aansluiting met Nasionale Pad R503 Seksie 2, ook bekend as Dr Nelson Mandela Rylaan tydens datum van verklaring, waar dit eindig as Nasionale Pad.

(Nasionale Pad R505 Seksie 5: N14 Aansluiting – Lichtenburg)
MINISTER VAN VERVOER







Die Suid Afrikaanse Nasionale Padagentskap M58 Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R505 of National Route	Vel Sheet 2 of 9
		Seksie R505 Section	Plan P913/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R505 of National Route	Vel Sheet 3 of 9
	Plan P913/16	5	



Die Suid Afrikaanse Nasionale Padogenitskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		Val Sheet 4 of 9 Plan pg13/16
steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R505 of National Route	5 Seksie Section		





PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L1	88 936.45	2 922 649.09	R1	88 898.73	2 922 650.15
L2	88 921.72	2 922 180.63	R2	88 831.32	2 920 409.39
L3	88 902.75	2 921 582.22	R3	88 829.42	2 920 112.94
L4	88 895.65	2 921 338.49	R4	88 828.98	2 920 059.73
L5	88 873.70	2 920 638.50	R5	88 824.92	2 919 971.71
L6	88 866.93	2 920 421.25	R6	88 814.20	2 919 699.00
L7	88 863.61	2 920 412.17	R7	88 808.44	2 919 515.70
L8	88 852.23	2 920 058.58	R8	88 807.61	2 919 489.29
L9	88 851.25	2 920 022.70	R9	88 793.23	2 919 232.70
L10	88 849.92	2 919 974.22	R10	88 789.82	2 919 171.24
L11	88 854.68	2 919 686.41	R11	88 764.86	2 918 953.68
L12	88 831.01	2 919 476.92	R12	88 726.18	2 918 618.03
L13	88 826.22	2 919 374.99	R13	88 712.23	2 918 496.95
L14	88 822.50	2 919 282.78	R14	88 698.48	2 918 378.05
L15	88 821.97	2 919 230.48	R15	88 681.58	2 918 327.52
L16	88 814.88	2 919 169.71	R16	88 643.53	2 918 234.43
L17	88 789.98	2 918 950.59	R17	88 397.45	2 917 631.91
L18	88 751.02	2 918 610.21	R18	88 287.46	2 917 359.49
L19	88 737.54	2 918 492.26	R19	88 280.96	2 917 346.95
L20	88 721.31	2 918 373.27	R20	88 184.15	2 917 154.65
L21	88 706.39	2 918 315.88	R21	87 957.51	2 916 711.60
L22	88 671.79	2 918 229.62	R22	87 849.36	2 916 501.03
L23	88 599.46	2 918 049.77	R23	87 815.79	2 916 430.98
L24	88 423.35	2 917 627.47	R24	87 803.38	2 916 404.84
L25	88 308.11	2 917 351.87	R25	87 686.60	2 916 154.77
L26	88 292.55	2 917 320.88	R26	87 469.94	2 915 692.34
L27	88 279.54	2 917 293.49	R27	87 369.62	2 915 475.94
L28	88 204.31	2 917 145.16	R28	87 224.25	2 915 160.34
L29	88 086.01	2 916 912.86	R29	87 220.71	2 915 152.65
L30	87 856.30	2 916 462.33	R30	86 909.29	2 914 177.78
L31	87 815.58	2 916 367.04	R31	86 762.26	2 913 716.56
L32	87 805.60	2 916 344.90	R32	86 705.47	2 913 537.09
L33	87 711.80	2 916 143.08	R33	86 680.77	2 913 509.60
L34	87 491.76	2 915 669.56	R34	86 679.85	2 913 508.82
L35	87 398.46	2 915 466.50	R35	86 673.89	2 913 484.42
L36	87 255.47	2 915 155.15	R36	86 683.90	2 913 469.60
L37	87 251.88	2 915 147.34	R37	86 494.83	2 912 757.92
L38	86 939.00	2 914 167.00	R38	86 405.01	2 912 417.46
L39	86 726.99	2 913 502.49	R39	86 400.89	2 912 409.40
L40	86 751.56	2 913 498.72	R40	86 349.38	2 912 223.15
L41	86 748.27	2 913 481.29	R41	86 296.01	2 912 031.77
L42	86 723.39	2 913 485.22	R42	86 222.17	2 911 823.40
L43	86 526.09	2 912 750.66	R43	86 162.38	2 911 656.51
L44	86 385.78	2 912 230.41	R44	86 134.92	2 911 578.19
L45	86 340.66	2 912 063.77	R45	86 134.67	2 911 577.68
L46	86 166.73	2 911 577.21	R46	86 124.88	2 911 563.84
L47	86 020.77	2 911 164.49	R47	85 935.71	2 911 023.92
L48	85 973.32	2 911 025.71	R48	85 840.28	2 910 742.15
L49	85 955.99	2 910 975.06	R49	85 746.06	2 910 478.71
L50	85 841.08	2 910 651.72	R50	85 702.82	2 910 345.15
L51	85 758.30	2 910 419.92	R51	85 679.81	2 910 254.48
			Vel 7	Van 9	P913/16
			Sheet	of	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L52	85 733.42	2 910 338.64			R52	85 674.31	2 910 231.76		
L53	85 687.22	2 910 127.67			R53	85 650.34	2 910 100.96		
L54	85 679.62	2 910 016.63			R54	85 637.22	2 910 053.82		
L55	85 668.83	2 909 858.45			R55	85 636.07	2 909 991.01		
L56	85 670.31	2 909 644.48			R56	85 635.46	2 909 842.90		
L57	85 672.97	2 909 382.83			R57	85 634.89	2 909 642.91		
L58	85 672.10	2 909 173.47			R58	85 637.90	2 909 171.95		
L59	85 672.84	2 908 833.22			R59	85 640.41	2 908 794.85		
L60	85 663.99	2 908 744.68			R60	85 467.57	2 907 565.95		
L61	85 650.32	2 908 641.93			R61	85 455.77	2 907 563.01		
L62	85 623.01	2 908 458.38			R62	85 454.01	2 907 549.80		
L63	85 588.58	2 908 216.00			R63	85 462.39	2 907 509.00		
L64	85 549.90	2 907 941.11			R64	85 434.26	2 907 295.60		
L65	85 499.78	2 907 573.98			R65	85 377.46	2 906 880.39		
L66	85 510.15	2 907 576.57			R66	85 321.66	2 906 473.12		
L67	85 503.57	2 907 527.44			R67	85 296.10	2 906 278.76		
L68	85 439.45	2 907 063.10			R68	85 293.30	2 905 845.39		
L69	85 413.93	2 906 878.79			R69	85 283.53	2 905 390.53		
L70	85 358.42	2 906 467.23			R70	85 277.57	2 905 327.25		
L71	85 356.52	2 906 449.92			R71	85 239.15	2 905 181.34		
L72	85 332.66	2 906 120.63			R72	85 173.59	2 904 969.90		
L73	85 331.05	2 905 849.41			R73	85 116.16	2 904 785.47		
L74	85 330.45	2 905 734.51			R74	85 051.50	2 904 577.18		
L75	85 328.68	2 905 466.15			R75	84 915.85	2 904 140.14		
L76	85 326.84	2 905 425.54			R76	84 915.40	2 904 123.18		
L77	85 324.89	2 905 383.61			R77	84 913.77	2 904 117.77		
L78	85 317.10	2 905 339.79			R78	84 892.62	2 904 043.42		
L79	85 205.96	2 904 960.60			R79	84 871.86	2 903 945.28		
L80	85 178.59	2 904 866.56			R80	84 859.62	2 903 869.49		
L81	85 084.30	2 904 562.01			R81	84 856.91	2 903 804.57		
L82	85 013.49	2 904 333.74			R82	84 851.73	2 903 692.77		
L83	84 948.96	2 904 127.03			R83	84 845.66	2 903 561.97		
L84	84 932.86	2 904 073.85			R84	84 839.14	2 903 158.92		
L85	84 930.09	2 904 064.14			R85	84 838.37	2 903 085.87		
L86	84 907.50	2 903 964.66			R86	84 837.28	2 902 991.44		
L87	84 889.14	2 903 862.24			R87	84 821.87	2 902 830.24		
L88	84 887.73	2 903 849.06			R88	84 802.67	2 902 719.90		
L89	84 882.44	2 903 801.83			R89	84 789.33	2 902 694.59		
L90	84 879.79	2 903 724.73			R90	84 748.98	2 902 536.26		
L91	84 876.83	2 903 555.92			R91	84 693.71	2 902 331.46		
L92	84 870.24	2 903 161.69			R92	84 626.15	2 901 902.44		
L93	84 867.59	2 903 001.70			R93	84 613.42	2 901 815.55		
L94	84 864.71	2 902 908.81			R94	84 602.23	2 901 745.43		
L95	84 839.66	2 902 744.32			R95	84 598.77	2 901 717.28		
L96	84 815.82	2 902 639.40			R96	84 594.27	2 901 715.88		
L97	84 808.50	2 902 610.62			R97	84 523.35	2 901 263.73		
L98	84 775.45	2 902 489.16			R98	84 338.15	2 899 864.78		
L99	84 737.83	2 902 350.48			R99	84 271.16	2 899 344.00		
L100	84 703.84	2 902 153.25			R100	84 216.86	2 899 096.19		
L101	84 664.60	2 901 923.49			R101	84 146.86	2 898 777.88		
L102	84 632.33	2 901 727.76			R102	84 143.75	2 898 776.67		
					Vel 8 Sheet Van 9 of P913/16				

This gazette is also available free online at www.gpwonline.co.za