

DEPARTMENT OF TRANSPORT

NO. 298

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30


DECLARATION AMENDMENT OF NATIONAL ROAD R27 SECTION 9

AMENDMENT OF DECLARATION No. 285 OF 2006.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 285 of 2006 by substituting a part of the Schedule, being the descriptive declaration of the route from Calvinia up to Brandvlei, with the accompanying sheets 1 to 36 of Plan No. P940/17.

In the town of Calvinia the route enters the town along R27 Section 9 from the South and follows the streets known as Pastorie Street, Hoop Street, Church Street, Hofmeyer Street, Stasie Street and Paul Kruger Street at the time of declaration.

In the town of Brandvlei the route enters the town along R27 Section 9 from the South and follows the street known as De Villiers Street at the time of declaration.

(National Road R27 Section 9: Calvinia – Brandvlei)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 298

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R27 SEKSIE 9

WYSIGING VAN VERKLARING No. 285 VAN 2006.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 285 van 2006 deur 'n gedeelte die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Calvinia tot by Brandvlei, met bygaande velle 1 tot 36 van Plan No. P940/17.

In die dorp van Calvinia kom die pad die dorp binne vanuit die Suide langs die R27 Seksie 9 en volg die strate bekend as Pastoriesstraat, Hoopstraat, Kerkstraat, Hofmeyerstraat, Stasiestraat en Paul Krugerstraat tydens datum van verklaring.


In die dorp van Calvinia kom die pad die dorp binne vanuit die Suide langs die R27 Seksie 9 en volg die straat bekend as De Villiersstraat tydens datum van verklaring.


(Nasionale Pad R27 Seksie 9: Calvinia – Brandvlei)

MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 1 of 36 Plan P940/17
---	---------------------------------------	--	--------------------------------------







Die Suid Afrikaanse Nasionale Podogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Sektie 9 of National Route	Vel Sheet 3 of 36 Plan P940/17
---	---------------------------------------	---	--	-----------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Saksie of National Route Section	Vel Sheet 4 of 36 Plan P940/17
---	---------------------------------------	---	--	--







Die Suid Afrikaanse Nasionale Padogenskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Sektie of National Route Section	Vel Sheet 6 of 36
		9	Plan P940/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Sektie of National Route Section	Vel Sheet	7 9	van of	36	Plan P940/17
---	---------------------------------------	--	--------------	--------	-----------	----	-----------------




Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route R27	Seksie Section	9	Plan P940/17	Vel Sheet	8 of 36	van	14




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 9 van of 36 Plan P940/17
---	---------------------------------------	--	---







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserve voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 11 of 36	Plan P940/17
---	---------------------------------------	---	---	--------------------------------	-----------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 12 of 36 Plan P940/17
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Podogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Seksie of National Route of Section	Vel Sheet 13 of 36 Plan p940/17
---	---------------------------------------	--	---------------------------------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Seksie of National Route Section	Vel Sheet 15 of 36 Plan P940/17
---	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Sektie 9 of National Route	Vel Sheet 16 of 36 Plan P940/17
---	---------------------------------------	--	--	--







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stei die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route	Vel Sheet 18 of 36 Plan P940/17
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion	van Nasionale Roete of National Route	R27	Seksie Section	9	Vel	19	36
The South African National Roads Agency SOC Ltd	The figure shown							Plan	P940/17	





Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Sektie of National Route Section	Vel van Sheet 20 of 36
		9	Plan P940/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	staldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Seksie 9 of National Route
Vel Sheet 21 of 36	Plan P940/17	9








Vel van Sheet 24 of 36 Plan P940/17	stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 Seksie 9 of National Route	Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd
		Die figuur getoon The figure shown



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route Section	Vel van 36 Sheet 25 of Plan P940/17
---	---------------------------------------	---	---



Die Suid Afrikaanse Nasionale Padagentskap NSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R27 of National Route Section
Vel van Sheet 26 of 36	Plan P940/17	9

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L1	-73 199.30	3	484 436.04		R1	-73 230.88	3	484 448.76	
L2	-73 202.08	3	484 424.84		R2	-73 240.28	3	484 411.10	
L3	-73 205.73	3	484 406.28		R3	-73 247.71	3	484 381.36	
L4	-73 212.65	3	484 382.35		R4	-73 245.71	3	484 363.26	
L5	-73 214.24	3	484 376.55		R5	-73 238.18	3	484 295.18	
L6	-73 215.27	3	484 371.82		R6	-74 646.07	3	482 876.36	
L7	-73 220.18	3	484 334.76		R7	-74 650.98	3	482 875.79	
L8	-73 221.12	3	484 318.71		R8	-74 851.03	3	482 857.35	
L9	-73 221.25	3	484 316.47		R9	-74 988.60	3	482 855.55	
L10	-73 219.55	3	484 296.15		R10	-75 245.82	3	482 887.77	
L11	-73 222.18	3	484 295.86		R11	-76 146.40	3	483 065.75	
L12	-74 631.10	3	482 852.62		R12	-76 472.78	3	483 130.20	
L13	-74 769.41	3	482 829.97		R13	-76 578.36	3	483 151.06	
L14	-74 798.07	3	482 825.33		R14	-76 956.97	3	483 225.53	
L15	-74 908.26	3	482 821.58		R15	-77 365.28	3	483 305.97	
L16	-75 058.69	3	482 826.35		R16	-77 829.99	3	483 397.87	
L17	-75 330.82	3	482 870.86		R17	-78 292.87	3	483 489.34	
L18	-75 836.62	3	482 963.66		R18	-78 937.54	3	483 617.28	
L19	-76 167.98	3	483 030.16		R19	-79 015.33	3	483 632.88	
L20	-76 314.61	3	483 059.45		R20	-79 508.72	3	483 730.27	
L21	-76 357.45	3	483 068.03		R21	-79 588.56	3	483 746.30	
L22	-76 367.17	3	483 069.98		R22	-80 037.86	3	483 851.33	
L23	-76 414.55	3	483 079.47		R23	-80 070.41	3	483 858.94	
L24	-79 616.82	3	483 719.90		R24	-80 264.41	3	483 902.03	
L25	-80 008.67	3	483 798.71		R25	-80 368.65	3	483 928.46	
L26	-80 062.80	3	483 810.67		R26	-80 554.83	3	484 012.71	
L27	-80 368.80	3	483 878.48		R27	-80 922.65	3	484 178.87	
L28	-80 846.74	3	484 094.86		R28	-80 930.94	3	484 165.75	
L29	-80 908.00	3	484 122.95		R29	-81 085.23	3	484 235.15	
L30	-81 118.55	3	484 217.84		R30	-81 530.63	3	484 436.90	
L31	-81 531.64	3	484 404.41		R31	-81 581.93	3	484 460.14	
L32	-81 607.29	3	484 438.57		R32	-82 075.28	3	484 682.59	
L33	-82 105.52	3	484 664.06		R33	-82 101.15	3	484 694.41	
L34	-82 109.89	3	484 666.03		R34	-82 191.24	3	484 735.56	
L35	-82 779.00	3	484 968.43		R35	-82 760.81	3	484 993.03	
L36	-83 166.44	3	485 143.55		R36	-82 880.32	3	485 047.03	
L37	-83 591.27	3	485 335.51		R37	-83 140.45	3	485 164.82	
L38	-83 999.26	3	485 520.09		R38	-83 148.62	3	485 168.38	
L39	-84 212.61	3	485 615.75		R39	-83 574.92	3	485 361.23	
L40	-84 366.01	3	485 684.98		R40	-83 993.10	3	485 549.57	
L41	-84 639.92	3	485 808.98		R41	-84 351.40	3	485 712.26	
L42	-84 845.20	3	485 901.74		R42	-84 624.11	3	485 834.69	
L43	-85 426.60	3	486 164.56		R43	-84 803.49	3	485 916.17	
L44	-86 092.34	3	486 466.05		R44	-85 016.79	3	486 013.06	
L45	-86 245.01	3	486 535.13		R45	-85 406.18	3	486 188.74	
L46	-86 332.23	3	486 567.27		R46	-85 669.62	3	486 307.43	
L47	-86 368.22	3	486 577.10		R47	-86 079.77	3	486 492.81	
L48	-86 386.39	3	486 581.56		R48	-86 231.50	3	486 561.31	
L49	-86 451.31	3	486 592.77		R49	-86 318.72	3	486 595.50	
L50	-86 612.47	3	486 593.90		R50	-86 373.36	3	486 608.78	
L51	-86 832.10	3	486 575.53		R51	-86 437.21	3	486 622.95	
					Vel 27 Van 36 P940/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L52	-87 234.30	3	486	541.09	R52	-86 548.89	3	486	627.43
L53	-87 678.60	3	486	503.37	R53	-86 657.13	3	486	620.05
L54	-88 010.49	3	486	475.36	R54	-86 821.97	3	486	606.58
L55	-88 195.27	3	486	459.87	R55	-87 235.59	3	486	570.93
L56	-88 606.23	3	486	424.97	R56	-88 017.46	3	486	504.73
L57	-89 108.72	3	486	382.11	R57	-88 195.36	3	486	490.06
L58	-89 286.01	3	486	366.43	R58	-88 275.55	3	486	483.18
L59	-89 292.18	3	486	366.43	R59	-88 610.57	3	486	454.66
L60	-89 380.95	3	486	357.86	R60	-89 125.61	3	486	410.66
L61	-89 640.30	3	486	335.26	R61	-89 348.50	3	486	391.55
L62	-89 749.42	3	486	325.55	R62	-89 383.46	3	486	389.05
L63	-89 853.56	3	486	308.54	R63	-89 643.15	3	486	366.63
L64	-89 950.73	3	486	284.99	R64	-89 690.18	3	486	362.51
L65	-90 009.20	3	486	267.63	R65	-89 749.89	3	486	355.91
L66	-90 074.31	3	486	245.58	R66	-89 793.58	3	486	349.81
L67	-90 123.49	3	486	226.53	R67	-89 807.26	3	486	347.77
L68	-90 176.27	3	486	204.21	R68	-89 863.58	3	486	337.52
L69	-90 237.89	3	486	174.78	R69	-89 886.30	3	486	332.90
L70	-90 286.22	3	486	149.12	R70	-89 899.71	3	486	329.72
L71	-90 382.08	3	486	092.09	R71	-89 965.93	3	486	313.02
L72	-90 698.41	3	485	898.90	R72	-90 018.77	3	486	297.51
L73	-90 835.24	3	485	815.12	R73	-90 083.97	3	486	275.36
L74	-90 840.35	3	485	812.01	R74	-90 135.42	3	486	255.57
L75	-91 026.29	3	485	698.75	R75	-90 185.97	3	486	234.07
L76	-91 050.01	3	485	684.76	R76	-90 247.95	3	486	204.74
L77	-91 088.92	3	485	662.21	R77	-90 296.87	3	486	178.97
L78	-91 148.96	3	485	630.00	R78	-90 361.03	3	486	142.68
L79	-91 186.00	3	485	611.47	R79	-90 712.29	3	485	927.24
L80	-91 210.66	3	485	599.62	R80	-90 771.08	3	485	891.37
L81	-91 260.22	3	485	577.65	R81	-90 858.09	3	485	838.29
L82	-91 274.32	3	485	571.59	R82	-91 042.77	3	485	725.61
L83	-91 298.40	3	485	561.90	R83	-91 113.89	3	485	684.00
L84	-91 323.80	3	485	551.86	R84	-91 162.55	3	485	658.05
L85	-91 343.11	3	485	544.39	R85	-91 224.35	3	485	628.09
L86	-91 381.77	3	485	530.22	R86	-91 274.39	3	485	605.70
L87	-91 394.62	3	485	525.80	R87	-91 356.69	3	485	572.58
L88	-92 216.56	3	485	253.01	R88	-91 401.01	3	485	557.06
L89	-92 644.31	3	485	111.33	R89	-91 776.93	3	485	432.10
L90	-92 689.50	3	485	096.35	R90	-91 826.31	3	485	415.92
L91	-92 910.97	3	485	022.88	R91	-91 986.42	3	485	362.70
L92	-93 360.46	3	484	874.04	R92	-92 235.14	3	485	280.14
L93	-94 207.54	3	484	593.20	R93	-92 661.66	3	485	138.45
L94	-94 280.35	3	484	568.90	R94	-92 685.88	3	485	130.48
L95	-94 296.31	3	484	530.84	R95	-92 818.14	3	485	087.01
L96	-94 319.98	3	484	420.10	R96	-93 382.00	3	484	899.88
L97	-94 331.57	3	484	384.09	R97	-93 811.29	3	484	757.63
L98	-94 353.69	3	484	315.29	R98	-94 167.16	3	484	639.66
L99	-94 401.97	3	484	213.26	R99	-94 218.50	3	484	622.64
L100	-94 498.36	3	484	071.81	R100	-94 335.78	3	484	583.84
L101	-94 794.33	3	483	715.11	R101	-94 334.68	3	484	577.02
L102	-95 092.54	3	483	355.85	R102	-94 330.69	3	484	552.28
					Vel 28 Van 36 P940/17 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L103	-95 541.50		3 482 815.01		R103	-94 326.99		3 484 537.47	
					R104	-94 350.62		3 484 428.18	
					R105	-94 363.87		3 484 386.69	
					R106	-94 383.19		3 484 326.18	
					R107	-94 429.92		3 484 227.42	
					R108	-94 487.24		3 484 136.31	
					R109	-94 522.66		3 484 091.66	
					R110	-94 819.95		3 483 733.33	
					R111	-95 117.54		3 483 374.95	
					R112	-95 423.11		3 483 006.83	
					R113	-95 559.72		3 482 842.32	
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L104	94 381.16		3 482 605.98		R114	94 357.76		3 482 627.08	
L105	94 089.48		3 482 241.21		R115	94 059.81		3 482 254.40	
L106	93 799.17		3 481 878.08		R116	93 778.16		3 481 902.16	
L107	93 523.07		3 481 532.92		R117	93 429.60		3 481 466.49	
L108	93 470.95		3 481 467.74		R118	93 220.86		3 481 205.65	
L109	93 251.51		3 481 193.32		R119	92 940.05		3 480 854.33	
L110	92 963.95		3 480 833.19		R120	92 824.84		3 480 710.32	
L111	92 895.91		3 480 748.01		R121	92 743.68		3 480 580.32	
L112	92 813.71		3 480 634.40		R122	92 677.60		3 480 443.94	
L113	92 744.85		3 480 514.03		R123	92 654.92		3 480 380.39	
L114	92 688.39		3 480 387.20		R124	92 628.34		3 480 305.09	
L115	92 657.19		3 480 279.75		R125	92 596.54		3 480 192.09	
L116	92 630.58		3 480 167.50		R126	92 589.63		3 480 148.41	
L117	92 622.21		3 480 137.30		R127	92 588.42		3 480 141.20	
L118	92 584.17		3 479 973.51		R128	92 581.08		3 480 111.63	
L119	92 536.60		3 479 831.65		R129	92 565.47		3 480 051.78	
L120	92 470.65		3 479 669.71		R130	92 551.78		3 479 984.97	
L121	92 392.18		3 479 517.38		R131	92 503.14		3 479 829.75	
L122	92 301.76		3 479 374.39		R132	92 440.74		3 479 678.98	
L123	92 013.12		3 478 986.87		R133	92 371.22		3 479 545.07	
L124	91 816.84		3 478 722.89		R134	92 357.40		3 479 520.78	
L125	91 546.10		3 478 360.99		R135	92 277.11		3 479 393.30	
L126	91 298.98		3 478 029.82		R136	91 988.22		3 479 006.35	
L127	91 053.32		3 477 700.71		R137	91 792.61		3 478 744.08	
L128	90 930.57		3 477 536.53		R138	91 525.52		3 478 386.17	
L129	90 814.65		3 477 380.72		R139	91 276.36		3 478 052.43	
L130	90 504.29		3 476 964.75		R140	91 029.73		3 477 721.80	
L131	90 357.64		3 476 768.15		R141	90 883.55		3 477 525.57	
L132	90 105.96		3 476 430.86		R142	90 791.17		3 477 401.81	
L133	89 832.75		3 476 064.92		R143	90 478.65		3 476 983.08	
L134	89 628.09		3 475 790.59		R144	90 323.08		3 476 774.54	
L135	89 433.88		3 475 530.46		R145	90 080.26		3 476 449.24	
L136	89 372.26		3 475 448.30		R146	89 802.73		3 476 076.95	
L137	89 352.89		3 475 421.51		R147	89 596.65		3 475 800.92	
L138	89 147.33		3 475 146.91		R148	89 409.38		3 475 550.18	
					Vel	29	Van	36	P940/17
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L139	88 867.32	3	474 771.58		R149	89 349.60	3	475 470.02	
L140	88 592.45	3	474 402.87		R150	89 123.26	3	475 166.76	
L141	88 304.53	3	474 017.39		R151	88 275.76	3	474 030.71	
L142	88 012.99	3	473 626.15		R152	87 990.18	3	473 648.15	
L143	87 898.24	3	473 472.40		R153	87 887.44	3	473 510.49	
L144	87 759.12	3	473 285.61		R154	87 729.18	3	473 298.23	
L145	87 512.49	3	472 955.03		R155	87 483.87	3	472 969.48	
L146	87 234.05	3	472 581.96		R156	87 206.21	3	472 597.17	
L147	86 972.42	3	472 231.12		R157	86 944.70	3	472 246.72	
L148	86 701.29	3	471 867.73		R158	86 674.77	3	471 884.77	
L149	86 462.70	3	471 548.13		R159	86 429.56	3	471 556.19	
L150	86 044.11	3	470 987.03		R160	86 276.64	3	471 351.15	
L151	85 752.46	3	470 596.14		R161	86 014.59	3	470 999.94	
L152	85 583.86	3	470 370.28		R162	85 728.29	3	470 616.34	
L153	85 344.26	3	470 049.02		R163	85 556.59	3	470 386.41	
L154	85 074.20	3	469 686.84		R164	85 320.38	3	470 069.62	
L155	84 876.56	3	469 422.13		R165	85 044.79	3	469 700.26	
L156	84 636.57	3	469 100.65		R166	84 847.72	3	469 435.96	
L157	84 510.13	3	468 930.87		R167	84 604.02	3	469 109.26	
L158	84 401.15	3	468 804.44		R168	84 485.20	3	468 950.27	
L159	84 279.65	3	468 688.84		R169	84 378.88	3	468 826.63	
L160	84 149.04	3	468 586.52		R170	84 260.23	3	468 713.68	
L161	83 906.78	3	468 422.12		R171	84 131.66	3	468 612.84	
L162	83 510.26	3	468 153.47		R172	83 883.92	3	468 444.61	
L163	83 111.28	3	467 883.05		R173	83 490.31	3	468 177.87	
L164	82 338.94	3	467 359.45		R174	82 727.65	3	467 661.09	
L165	81 958.06	3	467 101.40		R175	82 321.86	3	467 386.10	
L166	81 544.54	3	466 821.14		R176	81 936.62	3	467 124.92	
L167	81 446.08	3	466 750.07		R177	81 589.79	3	466 890.13	
L168	81 391.28	3	466 709.15		R178	81 512.49	3	466 836.86	
L169	81 301.12	3	466 639.57		R179	81 360.41	3	466 726.52	
L170	80 910.82	3	466 332.06		R180	81 279.31	3	466 662.30	
L171	80 610.66	3	466 095.93		R181	81 277.66	3	466 661.05	
L172	80 238.66	3	465 802.99		R182	80 887.40	3	466 353.82	
L173	80 164.44	3	465 744.49		R183	80 219.37	3	465 827.84	
L174	80 029.27	3	465 654.68		R184	80 144.32	3	465 768.77	
L175	79 920.59	3	465 596.29		R185	80 015.10	3	465 682.19	
L176	79 875.81	3	465 568.05		R186	79 868.97	3	465 604.37	
L177	79 806.21	3	465 541.31		R187	79 778.12	3	465 563.38	
L178	79 578.56	3	465 438.49		R188	79 552.66	3	465 461.20	
L179	79 145.71	3	465 242.62		R189	78 896.34	3	465 164.24	
L180	79 032.26	3	465 191.23		R190	78 891.62	3	465 160.05	
L181	78 995.06	3	465 174.35		R191	78 822.05	3	465 124.52	
L182	78 884.51	3	465 124.16		R192	78 697.62	3	465 036.58	
L183	78 780.16	3	465 057.46		R193	78 594.60	3	464 943.86	
L184	78 714.26	3	465 008.66		R194	78 512.40	3	464 850.61	
L185	78 616.87	3	464 921.54		R195	78 422.10	3	464 737.90	
L186	78 536.85	3	464 830.71		R196	78 319.51	3	464 610.34	
L187	78 525.48	3	464 816.65		R197	78 248.77	3	464 522.13	
L188	78 361.97	3	464 612.72		R198	77 782.13	3	463 940.62	
L189	78 332.97	3	464 576.77		R199	77 756.29	3	463 908.37	
					Vel 30 Van 36 P940/17 Sheet				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L190	78 027.40	3	464 196.15		R200	77 505.48	3	463 596.11	
L191	77 809.20	3	463 924.34		R201	77 225.25	3	463 246.86	
L192	77 807.80	3	463 922.36		R202	76 908.56	3	462 852.31	
L193	77 530.74	3	463 577.24		R203	76 613.21	3	462 484.47	
L194	77 247.31	3	463 224.09		R204	76 313.66	3	462 111.53	
L195	76 933.07	3	462 832.76		R205	75 986.60	3	461 703.59	
L196	76 637.65	3	462 464.41		R206	75 793.20	3	461 462.56	
L197	76 385.48	3	462 150.46		R207	75 673.22	3	461 329.77	
L198	76 291.04	3	462 032.77		R208	75 528.14	3	461 184.96	
L199	76 007.11	3	461 678.98		R209	75 182.71	3	460 872.08	
L200	75 818.77	3	461 444.14		R210	74 321.02	3	460 092.81	
L201	75 697.10	3	461 308.82		R211	73 985.05	3	459 788.63	
L202	75 548.78	3	461 160.78		R212	73 905.03	3	459 716.26	
L203	75 205.72	3	460 850.38		R213	73 856.04	3	459 667.26	
L204	74 860.94	3	460 538.63		R214	73 842.92	3	459 654.52	
L205	74 535.42	3	460 244.12		R215	73 753.77	3	459 549.92	
L206	74 343.39	3	460 070.63		R216	73 683.20	3	459 445.72	
L207	73 984.77	3	459 746.06		R217	73 620.52	3	459 323.89	
L208	73 926.87	3	459 693.77		R218	73 567.01	3	459 203.85	
L209	73 876.29	3	459 645.39		R219	73 497.85	3	459 078.58	
L210	73 865.51	3	459 634.93		R220	73 416.99	3	458 961.65	
L211	73 779.43	3	459 533.15		R221	73 300.92	3	458 828.87	
L212	73 708.81	3	459 428.02		R222	73 137.62	3	458 661.45	
L213	73 649.08	3	459 311.12		R223	73 093.25	3	458 616.13	
L214	73 596.27	3	459 191.85		R224	72 851.88	3	458 370.11	
L215	73 524.39	3	459 061.78		R225	72 616.01	3	458 129.23	
L216	73 440.57	3	458 940.65		R226	72 600.07	3	458 112.93	
L217	73 323.36	3	458 806.89		R227	72 489.88	3	458 000.20	
L218	73 162.37	3	458 642.23		R228	72 318.31	3	457 825.08	
L219	73 146.52	3	458 626.13		R229	72 002.28	3	457 502.13	
L220	72 877.31	3	458 351.01		R230	71 702.11	3	457 195.78	
L221	72 638.22	3	458 106.66		R231	71 371.93	3	456 858.72	
L222	72 424.52	3	457 888.48		R232	71 273.88	3	456 758.43	
L223	72 341.62	3	457 803.89		R233	71 165.88	3	456 637.00	
L224	71 728.23	3	457 177.38		R234	71 069.36	3	456 506.76	
L225	71 400.38	3	456 842.63		R235	70 907.88	3	456 247.90	
L226	71 296.52	3	456 736.41		R236	70 548.06	3	455 666.64	
L227	71 190.39	3	456 618.87		R237	70 520.34	3	455 618.55	
L228	71 095.40	3	456 490.95		R238	70 447.71	3	455 477.19	
L229	70 933.13	3	456 229.21		R239	70 389.94	3	455 325.00	
L230	70 713.83	3	455 874.85		R240	70 344.48	3	455 166.67	
L231	70 642.79	3	455 760.03		R241	70 261.99	3	454 820.14	
L232	70 547.80	3	455 604.99		R242	70 146.01	3	454 331.16	
L233	70 418.96	3	455 315.35		R243	70 041.44	3	453 890.98	
L234	70 476.78	3	455 463.01		R244	69 935.79	3	453 446.00	
L235	70 374.98	3	455 159.41		R245	69 826.69	3	452 986.67	
L236	70 293.52	3	454 816.64		R246	69 728.25	3	452 573.33	
L237	70 177.29	3	454 325.84		R247	69 528.51	3	451 731.55	
L238	69 966.63	3	453 439.67		R248	69 417.39	3	451 263.90	
L239	69 857.27	3	452 979.40		R249	69 294.39	3	450 745.64	
L240	69 758.70	3	452 563.92		R250	68 874.75	3	448 979.04	
					Vel 31 Van 36 Sheet of P940/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L241	69 659.41	3	452 146.23		R251	68 773.17	3	448 551.04	
L242	69 558.99	3	451 723.22		R252	68 430.29	3	447 107.67	
L243	69 448.53	3	451 258.61		R253	68 348.94	3	446 764.89	
L244	69 325.17	3	450 738.85		R254	68 237.38	3	446 295.32	
L245	69 216.46	3	450 281.06		R255	68 131.93	3	445 850.96	
L246	69 113.75	3	449 848.88		R256	68 019.58	3	445 377.98	
L247	69 008.08	3	449 404.05		R257	67 912.13	3	444 925.93	
L248	68 906.03	3	448 974.00		R258	67 806.34	3	444 479.60	
L249	68 483.09	3	447 193.51		R259	67 700.40	3	444 033.32	
L250	68 466.15	3	447 122.10		R260	67 623.28	3	443 708.72	
L251	68 269.51	3	446 293.77		R261	67 613.88	3	443 669.15	
L252	68 161.96	3	445 841.26		R262	67 508.46	3	443 224.34	
L253	68 051.19	3	445 374.86		R263	67 463.99	3	443 035.29	
L254	67 837.26	3	444 473.83		R264	67 419.23	3	442 818.68	
L255	67 729.76	3	444 020.89		R265	67 394.13	3	442 639.92	
L256	67 646.75	3	443 671.94		R266	67 338.75	3	442 180.37	
L257	67 646.07	3	443 668.93		R267	67 287.19	3	441 747.84	
L258	67 538.88	3	443 217.61		R268	67 237.94	3	441 334.10	
L259	67 494.12	3	443 029.36		R269	67 222.87	3	441 094.30	
L260	67 449.91	3	442 817.82		R270	67 213.52	3	440 736.42	
L261	67 424.31	3	442 635.79		R271	67 212.93	3	440 707.89	
L262	67 370.19	3	442 180.24		R272	67 201.63	3	440 236.64	
L263	67 316.70	3	441 728.50		R273	67 185.00	3	439 567.27	
L264	67 286.36	3	441 473.70		R274	67 178.53	3	439 307.52	
L265	67 264.07	3	441 248.09		R275	67 167.36	3	438 849.78	
L266	67 254.20	3	441 094.48		R276	67 144.28	3	437 928.11	
L267	67 244.53	3	440 701.37		R277	67 133.35	3	437 481.12	
L268	67 220.89	3	439 748.48		R278	67 123.14	3	437 066.00	
L269	67 198.79	3	438 851.85		R279	67 112.25	3	436 629.44	
L270	67 175.96	3	437 936.15		R280	67 110.63	3	436 561.35	
L271	67 165.24	3	437 495.16		R281	67 099.12	3	436 091.51	
L272	67 143.76	3	436 633.71		R282	67 081.27	3	435 375.05	
L273	67 130.56	3	436 092.51		R283	67 075.93	3	435 158.27	
L274	67 124.91	3	435 863.06		R284	67 062.41	3	434 939.96	
L275	67 112.69	3	435 372.35		R285	67 055.60	3	434 883.81	
L276	67 107.43	3	435 154.02		R286	67 029.08	3	434 727.10	
L277	67 099.57	3	434 998.53		R287	67 005.09	3	434 613.04	
L278	67 094.16	3	434 938.47		R288	66 983.65	3	434 532.13	
L279	67 085.98	3	434 880.69		R289	66 947.53	3	434 417.24	
L280	67 061.85	3	434 722.40		R290	66 931.62	3	434 365.86	
L281	67 033.95	3	434 602.50		R291	66 898.07	3	434 276.76	
L282	67 015.71	3	434 523.48		R292	66 861.71	3	434 180.15	
L283	66 968.05	3	434 367.58		R293	66 774.02	3	434 000.28	
L284	66 963.99	3	434 354.47		R294	66 552.29	3	433 581.25	
L285	66 944.54	3	434 303.90		R295	66 324.05	3	433 150.24	
L286	66 940.31	3	434 292.88		R296	66 093.78	3	432 715.56	
L287	66 934.75	3	434 278.55		R297	65 878.80	3	432 309.58	
L288	66 889.34	3	434 165.06		R298	65 859.63	3	432 273.32	
L289	66 825.40	3	434 030.16		R299	65 740.06	3	432 033.52	
L290	66 351.91	3	433 135.59		R300	65 728.12	3	432 007.26	
L291	66 119.51	3	432 697.07		R301	65 654.71	3	431 827.01	
					Vel	32	Van 36	P940/17	
					Sheet		of		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L292	65	907.53	3	432	296.57	R302	65	608.28	3 431 695.98
L293	65	868.35	3	432	222.43	R303	65	464.73	3 431 264.47
L294	65	764.68	3	432	013.82	R304	65	052.13	3 430 024.31
L295	65	679.53	3	431	805.72	R305	64	977.07	3 429 798.97
L296	65	638.30	3	431	686.31	R306	64	826.80	3 429 347.56
L297	65	496.04	3	431	259.63	R307	64	668.06	3 428 870.35
L298	65	152.98	3	430	228.05	R308	64	523.91	3 428 437.36
L299	64	699.56	3	428	865.46	R309	64	351.89	3 427 920.25
L300	64	378.94	3	427	902.37	R310	64	261.80	3 427 649.74
L301	64	295.05	3	427	650.17	R311	64	198.33	3 427 459.36
L302	64	229.27	3	427	452.38	R312	63	888.78	3 426 528.83
L303	64	068.52	3	426	969.54	R313	63	495.26	3 425 346.48
L304	63	919.52	3	426	521.52	R314	63	430.09	3 425 150.53
L305	63	605.35	3	425	577.31	R315	63	291.53	3 424 734.11
L306	63	170.40	3	424	270.73	R316	63	140.44	3 424 280.49
L307	63	110.59	3	424	080.20	R317	63	080.15	3 424 090.86
L308	63	062.05	3	423	906.10	R318	63	031.49	3 423 914.01
L309	63	053.07	3	423	871.06	R319	63	024.37	3 423 886.18
L310	63	025.50	3	423	764.43	R320	62	995.39	3 423 773.22
L311	62	944.26	3	423	449.63	R321	62	907.51	3 423 433.42
L312	62	861.44	3	423	128.25	R322	62	821.68	3 423 100.67
L313	62	741.88	3	422	665.99	R323	62	711.83	3 422 674.84
L314	62	661.03	3	422	353.19	R324	62	632.52	3 422 367.96
L315	62	627.60	3	422	223.88	R325	62	598.44	3 422 236.38
L316	62	506.32	3	421	753.37	R326	62	478.74	3 421 771.76
L317	62	484.90	3	421	670.72	R327	62	455.61	3 421 681.62
L318	62	401.65	3	421	349.99	R328	62	372.92	3 421 361.53
L319	62	393.41	3	421	314.97	R329	62	362.42	3 421 320.98
L320	62	314.38	3	421	008.88	R330	62	289.84	3 421 038.80
L321	62	274.26	3	420	853.08	R331	62	242.34	3 420 855.40
L322	62	152.87	3	420	382.90	R332	62	123.95	3 420 396.50
L323	61	905.00	3	419	421.83	R333	62	000.04	3 419 916.80
L324	61	615.60	3	418	301.00	R334	61	747.87	3 418 939.53
L325	61	584.76	3	418	181.62	R335	61	624.38	3 418 461.56
L326	61	574.11	3	418	140.47	R336	61	590.38	3 418 329.09
L327	61	452.35	3	417	667.78	R337	61	555.43	3 418 193.44
L328	61	337.60	3	417	223.22	R338	61	541.90	3 418 141.04
L329	61	289.41	3	417	004.07	R339	61	417.99	3 417 664.97
L330	61	274.95	3	416	929.93	R340	61	304.83	3 417 229.18
L331	61	255.01	3	416	781.82	R341	61	257.85	3 417 013.69
L332	61	239.61	3	416	646.36	R342	61	244.51	3 416 934.48
L333	61	154.97	3	415	642.35	R343	61	207.71	3 416 648.59
L334	61	102.92	3	415	024.21	R344	61	186.63	3 416 393.45
L335	61	019.61	3	414	031.95	R345	61	156.71	3 416 039.66
L336	60	897.78	3	412	585.97	R346	61	153.04	3 415 996.33
L337	60	863.41	3	412	177.29	R347	61	113.14	3 415 519.59
L338	60	856.07	3	412	090.04	R348	61	071.29	3 415 022.84
L339	60	811.46	3	411	560.91	R349	61	030.84	3 414 540.01
L340	60	798.46	3	411	406.25	R350	60	988.41	3 414 034.72
L341	60	785.29	3	411	271.08	R351	60	950.25	3 413 583.49
L342	60	775.95	3	411	190.75	R352	60	866.38	3 412 587.60
					Vel 33 Sheet Van 36 of P940/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L343	60	761.38	3	411	080.31	R353	60	829.72	3 412 148.74
L344	60	754.45	3	411	031.89	R354	60	824.99	3 412 096.45
L345	60	741.17	3	410	951.92	R355	60	781.07	3 411 575.38
L346	60	712.42	3	410	803.61	R356	60	767.06	3 411 408.40
L347	60	621.38	3	410	353.96	R357	60	754.27	3 411 276.09
L348	60	377.31	3	409	148.56	R358	60	741.85	3 411 170.02
L349	60	295.94	3	408	747.43	R359	60	730.62	3 411 086.20
L350	60	199.16	3	408	269.05	R360	60	723.27	3 411 036.25
L351	60	127.06	3	407	913.16	R361	60	710.14	3 410 957.49
L352	60	084.34	3	407	702.05	R362	60	681.58	3 410 809.78
L353	60	034.27	3	407	455.20	R363	60	590.24	3 410 359.72
L354	59	789.37	3	406	245.70	R364	60	586.18	3 410 339.40
L355	59	764.30	3	406	128.72	R365	60	264.91	3 408 752.27
L356	59	736.02	3	406	009.84	R366	59	807.45	3 406 494.00
L357	59	712.92	3	405	920.92	R367	59	758.46	3 406 251.87
L358	59	689.13	3	405	836.07	R368	59	731.87	3 406 128.15
L359	59	649.70	3	405	705.29	R369	59	706.35	3 406 020.99
L360	59	516.09	3	405	282.38	R370	59	682.96	3 405 930.58
L361	59	512.01	3	405	269.42	R371	59	657.97	3 405 841.62
L362	59	370.16	3	404	821.19	R372	59	619.72	3 405 714.73
L363	59	242.01	3	404	415.39	R373	59	539.45	3 405 457.29
L364	59	087.68	3	403	927.09	R374	59	484.89	3 405 287.86
L365	58	936.30	3	403	448.56	R375	59	480.84	3 405 274.72
L366	58	834.89	3	403	127.26	R376	59	058.52	3 403 939.30
L367	58	783.95	3	402	967.57	R377	58	906.16	3 403 457.18
L368	58	681.95	3	402	643.25	R378	58	810.59	3 403 155.12
L369	58	522.13	3	402	136.84	R379	58	756.13	3 402 982.56
L370	58	382.63	3	401	695.67	R380	58	649.95	3 402 646.36
L371	58	239.25	3	401	241.92	R381	58	352.68	3 401 705.33
L372	57	945.88	3	400	313.87	R382	58	207.92	3 401 247.27
L373	57	848.50	3	400	005.62	R383	58	071.41	3 400 815.13
L374	57	296.07	3	398	256.74	R384	57	916.94	3 400 326.81
L375	57	283.58	3	398	217.32	R385	57	533.61	3 399 113.06
L376	57	164.36	3	397	840.23	R386	57	383.53	3 398 638.35
L377	57	024.04	3	397	396.18	R387	57	266.48	3 398 267.53
L378	56	824.20	3	396	764.03	R388	57	253.48	3 398 226.45
L379	56	727.01	3	396	457.00	R389	57	130.77	3 397 838.40
L380	56	568.69	3	395	955.68	R390	56	942.29	3 397 241.89
L381	56	401.87	3	395	427.92	R391	56	688.79	3 396 440.10
L382	56	168.44	3	394	689.08	R392	56	370.72	3 395 433.40
L383	56	001.77	3	394	162.01	R393	56	132.55	3 394 679.99
L384	55	906.98	3	393	861.83	R394	56	075.99	3 394 500.89
L385	55	801.22	3	393	527.08	R395	55	877.93	3 393 875.04
L386	55	751.63	3	393	370.11	R396	55	765.56	3 393 519.77
L387	55	610.30	3	392	923.42	R397	55	720.78	3 393 378.17
L388	55	210.21	3	391	656.45	R398	55	179.41	3 391 663.80
L389	55	173.26	3	391	532.69	R399	55	142.33	3 391 540.03
L390	55	147.12	3	391	430.23	R400	55	116.88	3 391 438.96
L391	55	123.42	3	391	325.56	R401	55	102.97	3 391 377.84
L392	55	102.86	3	391	221.64	R402	55	095.48	3 391 346.16
L393	55	090.41	3	391	147.50	R403	55	092.79	3 391 332.78
					Vel 34 Sheet Van 36 of P940/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L394	55 073.81	3	391 027.01		R404	55 071.98	3	391 227.52	
L395	55 063.60	3	390 936.57		R405	55 059.72	3	391 153.56	
L396	55 056.88	3	390 848.12		R406	55 042.43	3	391 028.91	
L397	55 052.25	3	390 768.05		R407	55 032.30	3	390 940.10	
L398	55 048.77	3	390 645.03		R408	55 025.56	3	390 851.04	
L399	55 044.08	3	390 173.46		R409	55 020.95	3	390 770.44	
L400	55 039.49	3	389 723.97		R410	55 017.36	3	390 642.43	
L401	55 036.55	3	389 442.41		R411	55 012.64	3	390 170.73	
L402	55 025.70	3	388 336.88		R412	55 008.02	3	389 724.77	
L403	55 017.10	3	387 508.53		R413	55 005.25	3	389 439.97	
L404	55 016.61	3	387 453.57		R414	55 003.30	3	389 246.96	
L405	55 012.02	3	386 978.02		R415	54 998.38	3	388 743.08	
L406	55 007.36	3	386 515.50		R416	54 994.00	3	388 303.45	
L407	55 002.32	3	386 020.90		R417	54 985.98	3	387 509.46	
L408	54 997.84	3	385 569.88		R418	54 985.23	3	387 448.62	
L409	54 995.89	3	385 383.20		R419	54 980.63	3	386 976.40	
L410	54 993.02	3	385 082.41		R420	54 970.84	3	386 021.09	
L411	54 988.27	3	384 608.43		R421	54 966.18	3	385 558.92	
L412	54 983.54	3	384 129.38		R422	54 964.64	3	385 387.85	
L413	54 979.10	3	383 706.80		R423	54 961.48	3	385 087.10	
L414	54 969.55	3	382 739.79		R424	54 956.78	3	384 598.94	
L415	54 955.23	3	381 315.80		R425	54 951.85	3	384 125.48	
L416	54 951.72	3	380 972.66		R426	54 947.37	3	383 701.78	
L417	54 947.52	3	380 536.33		R427	54 937.78	3	382 735.28	
L418	54 943.93	3	380 185.59		R428	54 933.04	3	382 252.96	
L419	54 939.42	3	380 056.72		R429	54 928.04	3	381 779.74	
L420	54 931.97	3	379 962.04		R430	54 923.37	3	381 321.78	
L421	54 922.27	3	379 874.43		R431	54 920.05	3	380 983.03	
L422	54 908.76	3	379 782.35		R432	54 912.47	3	380 186.36	
L423	54 892.01	3	379 691.74		R433	54 908.11	3	380 059.42	
L424	54 875.69	3	379 617.76		R434	54 901.41	3	379 971.17	
L425	54 866.72	3	379 580.42		R435	54 891.32	3	379 878.64	
L426	54 853.64	3	379 527.66		R436	54 878.30	3	379 789.99	
L427	54 831.34	3	379 449.31		R437	54 861.92	3	379 700.23	
L428	54 806.75	3	379 372.25		R438	54 841.63	3	379 607.46	
L429	54 784.20	3	379 308.52		R439	54 823.27	3	379 534.12	
L430	54 751.20	3	379 222.45		R440	54 801.11	3	379 458.17	
L431	54 689.65	3	379 082.36		R441	54 776.70	3	379 381.75	
L432	54 648.73	3	378 999.92		R442	54 756.54	3	379 324.37	
L433	54 604.92	3	378 918.94		R443	54 750.42	3	379 306.70	
L434	54 558.34	3	378 839.50		R444	54 721.48	3	379 232.84	
L435	54 509.38	3	378 762.24		R445	54 661.36	3	379 096.00	
L436	54 457.30	3	378 686.40		R446	54 621.40	3	379 015.28	
L437	54 402.66	3	378 611.96		R447	54 577.78	3	378 934.70	
L438	54 345.63	3	378 539.96		R448	54 532.39	3	378 857.15	
L439	54 286.08	3	378 469.81		R449	54 482.60	3	378 778.63	
L440	54 216.69	3	378 394.10		R450	54 431.21	3	378 703.72	
L441	53 886.14	3	378 047.23		R451	54 377.34	3	378 630.42	
L442	53 560.64	3	377 705.83		R452	54 321.07	3	378 559.52	
L443	52 580.76	3	376 677.64		R453	54 261.10	3	378 488.96	
L444	52 289.00	3	376 371.15		R454	54 193.86	3	378 415.72	
					Vel	35	Van 36	P940/17	
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L445	52 013.88	3	376 082.83		R455	53 538.63	3	377 728.19	
L446	51 693.70	3	375 746.57		R456	53 295.09	3	377 472.77	
L447	51 375.25	3	375 412.04		R457	52 882.68	3	377 039.79	
L448	51 063.31	3	375 084.94		R458	52 561.52	3	376 702.80	
L449	50 165.74	3	374 143.29		R459	52 266.91	3	376 393.74	
L450	50 103.26	3	374 076.21		R460	51 674.74	3	375 772.28	
L451	50 046.85	3	374 005.99		R461	51 342.75	3	375 424.05	
L452	49 994.37	3	373 930.71		R462	51 041.47	3	375 107.83	
L453	49 948.52	3	373 854.07		R463	50 730.63	3	374 781.63	
L454	49 908.11	3	373 774.73		R464	50 121.54	3	374 142.09	
L455	49 872.96	3	373 691.45		R465	50 079.13	3	374 096.46	
L456	49 843.47	3	373 606.09		R466	50 021.91	3	374 025.33	
L457	49 820.11	3	373 518.81		R467	49 968.74	3	373 949.02	
L458	49 803.01	3	373 430.40		R468	49 921.37	3	373 870.13	
L459	49 791.94	3	373 340.26		R469	49 880.63	3	373 790.26	
L460	49 787.26	3	373 250.14		R470	49 844.85	3	373 705.74	
L461	49 788.91	3	373 159.85		R471	49 813.93	3	373 616.99	
L462	49 796.70	3	373 070.22		R472	49 789.26	3	373 524.18	
L463	49 815.05	3	372 960.22		R473	49 766.27	3	373 392.42	
L464	49 826.19	3	372 907.66		R474	49 760.62	3	373 342.18	
L465	49 821.54	3	372 906.79		R475	49 757.64	3	373 288.92	
L466	50 069.64	3	371 733.34		R476	49 755.85	3	373 250.67	
					R477	49 757.55	3	373 157.45	
					R478	49 766.10	3	373 062.93	
					R479	49 779.23	3	372 983.79	
					R480	49 795.35	3	372 901.26	
					R481	49 804.44	3	372 903.18	
					R482	50 052.78	3	371 729.77	