

DEPARTMENT OF TRANSPORT

NO. 303

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R21 SECTION 2.

AMENDMENT OF DECLARATION No. 352 OF 2016

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 352 of 2016 by substituting it in its entirety, with the subjoined sheets 1 to 12 of Plan No. P921/16.

(National Road R21 Section 2: Olifantsfontein I/C – Hans Strydom Drive)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 303

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R21 SEKSIE 2.

WYSIGING VAN VERKLARING No. 352 VAN 2016


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 352 van 2016 deur dit in sy geheel te vervang, met bygaande velle 1 tot 12 van Plan No. P921/16.

(Nasionale Pad R21 Seksie 2: Olifantsfontein wisselaar – Hans Strydomweg)


MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet	1 of	12
The South African National Roads Agency SOC Ltd	The figure shown			2	Plan	P921/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R21 of National Route	Vel Sheet 2 of 12 Plan P921/16
---	---------------------------------------	---	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R21 of National Route	Vel Sheet 3 of 12 Plan P921/16
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R21 of National Route	Vel Sheet 4 of 12
		Seksie Section 2	Plan P921/16




Die Suid Afrikaanse Nasionale Podogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R21 Seksie of National Route Section	Vel Sheet 5 of 12 Plan P921/16
---	---------------------------------------	---	--------------------------------------



Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet Plan van 6 of 12 2 P921/16
---	---------------------------------------	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R21 of National Route	Vel Sheet 7 of 12
		R21 Seksie Section 2	Plan P921/16



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R21 of National Route	Vel Sheet 8 of 12 Plan P921/16
---	---------------------------------------	--	--------------------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L1	74 983.96	2 874 341.63		R1	74 513.78	2 874 346.46
L2	75 096.23	2 874 345.35		R2	74 555.13	2 874 323.67
L3	75 098.49	2 874 294.45		R3	74 648.85	2 874 310.04
L4	74 995.57	2 874 303.21		R4	74 681.50	2 874 175.08
L5	74 977.55	2 874 303.67		R5	74 689.11	2 874 129.34
L6	74 964.13	2 874 258.30		R6	74 690.00	2 874 082.99
L7	74 832.74	2 874 040.03		R7	74 670.25	2 873 741.37
L8	74 799.82	2 873 970.21		R8	74 641.59	2 873 524.47
L9	74 775.74	2 873 895.57		R9	74 627.37	2 873 412.55
L10	74 760.49	2 873 817.72		R10	74 498.45	2 872 416.68
L11	74 747.70	2 873 725.67		R11	74 474.50	2 872 235.67
L12	74 716.01	2 873 514.72		R12	74 461.51	2 872 143.85
L13	74 701.76	2 873 402.79		R13	74 448.02	2 872 053.68
L14	74 572.86	2 872 406.87		R14	74 430.83	2 871 964.11
L15	74 548.87	2 872 225.28		R15	74 415.23	2 871 874.88
L16	74 535.80	2 872 132.73		R16	74 400.28	2 871 784.58
L17	74 522.20	2 872 042.12		R17	74 384.01	2 871 694.84
L18	74 507.94	2 871 951.51		R18	74 365.40	2 871 595.55
L19	74 492.99	2 871 860.90		R19	74 352.20	2 871 515.20
L20	74 477.30	2 871 770.52		R20	74 330.48	2 871 409.89
L21	74 460.85	2 871 680.29		R21	74 289.84	2 871 223.16
L22	74 453.00	2 871 639.34		R22	74 225.48	2 870 930.90
L23	74 443.59	2 871 590.30		R23	74 144.49	2 870 563.16
L24	74 425.87	2 871 500.08		R24	74 131.35	2 870 503.52
L25	74 403.87	2 871 393.98		R25	74 109.81	2 870 420.32
L26	74 364.87	2 871 214.98		R26	74 092.03	2 870 342.02
L27	74 337.24	2 871 089.57		R27	74 037.09	2 870 101.61
L28	74 314.92	2 870 988.31		R28	73 992.01	2 869 936.14
L29	74 204.56	2 870 487.41		R29	73 976.14	2 869 896.82
L30	74 074.32	2 869 895.98		R30	73 951.64	2 869 862.29
L31	74 037.36	2 869 721.21		R31	73 920.84	2 869 832.60
L32	74 024.91	2 869 654.70		R32	73 820.85	2 869 754.53
L33	74 034.52	2 869 630.42		R33	73 802.65	2 869 729.87
L34	74 267.19	2 869 656.96		R34	73 790.91	2 869 701.81
L35	74 269.44	2 869 637.27		R35	73 778.68	2 869 607.04
L36	74 290.53	2 869 640.38		R36	73 761.90	2 869 590.21
L37	74 324.13	2 869 646.68		R37	73 705.91	2 869 582.65
L38	74 327.15	2 869 628.20		R38	73 694.43	2 869 580.20
L39	74 332.14	2 869 596.74		R39	73 627.79	2 869 572.88
L40	74 250.04	2 869 583.58		R40	73 630.67	2 869 551.48
L41	74 178.25	2 869 551.31		R41	73 636.56	2 869 507.66
L42	74 162.58	2 869 457.85		R42	73 714.45	2 869 518.12
L43	74 151.71	2 869 431.00		R43	73 741.87	2 869 521.80
L44	74 133.34	2 869 405.31		R44	73 780.49	2 869 525.71
L45	74 049.16	2 869 328.83		R45	73 820.98	2 869 506.89
L46	74 017.46	2 869 292.21		R46	73 844.84	2 869 509.09
L47	73 998.05	2 869 248.17		R47	73 881.20	2 869 535.07
L48	73 985.69	2 869 201.90		R48	73 928.33	2 869 539.03
L49	73 976.37	2 869 134.43		R49	73 925.12	2 869 516.12
L50	73 971.36	2 869 067.11		R50	73 915.85	2 869 424.32
L51	73 968.55	2 869 046.94		R51	73 904.33	2 869 332.53
				Vel Sheet	9 Van of 12	P921/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L52	73 968.10	2	868 963.65		R52	73 897.12	2	869 240.49	
L53	73 969.56	2	868 873.21		R53	73 893.99	2	869 145.53	
L54	73 973.25	2	868 782.69		R54	73 889.42	2	869 055.87	
L55	73 979.02	2	868 692.46		R55	73 888.17	2	868 966.44	
L56	73 982.40	2	868 654.33		R56	73 888.07	2	868 958.91	
L57	73 986.94	2	868 602.53		R57	73 890.33	2	868 871.12	
L58	73 994.86	2	868 512.31		R58	73 894.12	2	868 778.81	
L59	73 996.93	2	868 512.63		R59	73 900.01	2	868 686.63	
L60	74 007.02	2	868 422.57		R60	73 902.39	2	868 659.73	
L61	74 011.46	2	868 394.73		R61	73 908.07	2	868 594.65	
L62	74 021.29	2	868 333.08		R62	73 918.35	2	868 502.84	
L63	74 037.61	2	868 244.05		R63	73 920.45	2	868 503.13	
L64	74 055.95	2	868 155.07		R64	73 932.87	2	868 411.62	
L65	74 076.63	2	868 067.54		R65	73 949.14	2	868 310.96	
L66	74 099.31	2	867 979.55		R66	73 964.11	2	868 229.48	
L67	74 109.22	2	867 944.40		R67	73 982.84	2	868 139.02	
L68	74 123.99	2	867 892.42		R68	74 003.75	2	868 049.20	
L69	74 135.97	2	867 851.71		R69	74 026.60	2	867 959.76	
L70	74 150.67	2	867 805.86		R70	74 052.12	2	867 871.18	
L71	74 179.30	2	867 719.73		R71	74 067.69	2	867 820.65	
L72	74 210.20	2	867 634.85		R72	74 079.39	2	867 783.02	
L73	74 252.59	2	867 526.66		R73	74 108.65	2	867 695.39	
L74	74 322.88	2	867 362.11		R74	74 140.08	2	867 608.63	
L75	74 346.74	2	867 307.46		R75	74 179.42	2	867 506.99	
L76	74 419.01	2	867 138.25		R76	74 253.17	2	867 334.45	
L77	74 457.84	2	867 040.00		R77	74 283.55	2	867 264.69	
L78	74 488.11	2	866 957.53		R78	74 311.40	2	867 200.76	
L79	74 517.62	2	866 870.25		R79	74 355.29	2	867 095.91	
L80	74 544.85	2	866 782.68		R80	74 384.81	2	867 020.82	
L81	74 570.31	2	866 692.98		R81	74 415.89	2	866 936.14	
L82	74 574.73	2	866 676.90		R82	74 445.78	2	866 848.41	
L83	74 592.98	2	866 607.45		R83	74 471.20	2	866 767.42	
L84	74 615.31	2	866 514.05		R84	74 498.09	2	866 674.45	
L85	74 625.85	2	866 471.44		R85	74 523.99	2	866 576.15	
L86	74 630.24	2	866 461.19		R86	74 542.23	2	866 497.59	
L87	74 640.71	2	866 436.74		R87	74 548.69	2	866 467.28	
L88	74 672.03	2	866 285.39		R88	74 554.05	2	866 442.68	
L89	74 680.59	2	866 244.00		R89	74 561.22	2	866 408.82	
L90	74 697.13	2	866 112.34		R90	74 577.76	2	866 319.76	
L91	74 703.68	2	866 060.17		R91	74 586.21	2	866 269.08	
L92	74 707.28	2	865 967.50		R92	74 592.50	2	866 230.44	
L93	74 706.14	2	865 929.18		R93	74 605.06	2	866 140.90	
L94	74 704.51	2	865 874.72		R94	74 609.84	2	866 099.19	
L95	74 709.53	2	865 747.53		R95	74 615.36	2	866 051.01	
L96	74 709.68	2	865 727.35		R96	74 623.64	2	865 960.91	
L97	74 710.91	2	865 563.04		R97	74 626.74	2	865 914.91	
L98	74 710.85	2	865 467.34		R98	74 629.65	2	865 870.66	
L99	74 713.59	2	865 373.07		R99	74 634.39	2	865 746.09	
L100	74 715.20	2	865 317.38		R100	74 634.65	2	865 715.48	
L101	74 723.13	2	865 211.27		R101	74 635.90	2	865 549.43	
L102	74 711.00	2	865 013.11		R102	74 635.90	2	865 356.30	
					Vel Sheet 10 Van of 12 P921/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG	29°		Y	X		
L103	74 710.99	2 864 988.59			R103	74 635.97	2 865 066.65		
L104	74 710.95	2 864 805.92			R104	74 635.91	2 865 012.91		
L105	74 711.69	2 864 751.43			R105	74 630.66	2 864 805.48		
L106	74 712.95	2 864 665.70			R106	74 624.43	2 864 794.16		
L107	74 712.91	2 864 597.11			R107	74 623.99	2 864 775.04		
L108	74 713.45	2 864 468.20			R108	74 624.06	2 864 756.83		
L109	74 708.24	2 864 204.29			R109	74 625.28	2 864 739.52		
L110	74 709.41	2 864 177.09			R110	74 626.87	2 864 701.57		
L111	74 713.34	2 864 086.07			R111	74 628.01	2 864 665.21		
L112	74 714.54	2 864 047.04			R112	74 626.46	2 864 653.10		
L113	74 714.98	2 863 987.06			R113	74 624.72	2 864 635.14		
L114	74 716.79	2 863 933.05			R114	74 622.01	2 864 622.49		
L115	74 719.67	2 863 894.38			R115	74 623.07	2 864 615.85		
L116	74 720.52	2 863 872.47			R116	74 629.70	2 864 529.04		
L117	74 724.18	2 863 777.72			R117	74 630.99	2 864 448.13		
L118	74 725.61	2 863 740.56			R118	74 636.19	2 863 916.83		
L119	74 728.56	2 863 676.76			R119	74 635.10	2 863 786.29		
L120	74 736.30	2 863 537.17			R120	74 645.44	2 863 740.92		
L121	74 741.15	2 863 491.73			R121	74 650.58	2 863 563.50		
L122	74 742.72	2 863 467.13			R122	74 654.13	2 863 463.38		
L123	74 733.60	2 863 436.32			R123	74 647.45	2 863 401.99		
L124	74 765.14	2 862 981.13			R124	74 644.94	2 863 279.78		
L125	74 771.85	2 862 768.09			R125	74 644.21	2 863 188.16		
L126	74 814.89	2 862 497.18			R126	74 659.96	2 862 974.18		
L127	74 826.22	2 862 467.73			R127	74 695.00	2 862 762.26		
L128	74 855.98	2 862 409.52			R128	74 698.29	2 862 645.16		
L129	74 875.91	2 862 381.07			R129	74 709.18	2 862 503.92		
L130	74 950.86	2 862 297.43			R130	74 689.94	2 862 375.26		
L131	74 984.46	2 862 179.66			R131	74 661.65	2 862 294.47		
L132	74 989.59	2 862 149.89			R132	74 640.57	2 862 231.59		
L133	74 998.16	2 862 083.28			R133	74 614.15	2 862 197.49		
L134	75 006.56	2 862 070.60			R134	74 569.74	2 862 207.18		
L135	75 066.11	2 862 042.83			R135	74 540.47	2 862 218.23		
L136	75 133.76	2 862 023.25			R136	74 482.64	2 862 248.03		
L137	75 124.06	2 861 991.06			R137	74 478.51	2 862 224.65		
L138	75 119.73	2 861 975.47			R138	74 475.26	2 862 206.78		
L139	74 984.22	2 862 012.57			R139	74 613.53	2 862 135.82		
L140	74 927.75	2 861 868.27			R140	74 616.02	2 862 015.34		
L141	74 904.57	2 861 773.46			R141	74 640.22	2 861 956.32		
L142	74 897.63	2 861 711.42			R142	74 659.59	2 861 927.73		
L143	74 910.96	2 861 559.69			R143	74 729.13	2 861 843.37		
L144	74 924.87	2 861 447.98			R144	74 748.68	2 861 815.03		
L145	74 957.48	2 861 233.28			R145	74 777.62	2 861 757.06		
L146	74 980.02	2 861 066.16			R146	74 796.14	2 861 697.83		
L147	74 992.95	2 860 987.57			R147	74 823.48	2 861 547.34		
L148	75 024.54	2 860 808.14			R148	74 845.69	2 861 427.17		
L149	75 057.48	2 860 628.25			R149	74 871.20	2 861 248.35		
L150	75 087.59	2 860 474.12			R150	74 884.06	2 861 189.65		
L151	75 092.42	2 860 449.05			R151	74 895.60	2 861 118.08		
L152	75 128.75	2 860 270.14			R152	74 919.24	2 860 974.89		
L153	75 166.80	2 860 091.62			R153	74 950.83	2 860 794.54		
Vel Sheet					11	Van of		12	P921/16

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES														
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE									
	Y		X	WG 29°		Y		X						
L155	75 247.70	2	859 735.52		R155	75 011.11	2	860 474.77						
L156	75 290.52	2	859 558.15		R156	75 018.92	2	860 434.44						
L157	75 330.37	2	859 399.42		R157	75 055.44	2	860 254.88						
L158	75 367.77	2	859 264.39		R158	75 093.60	2	860 075.68						
L159	75 394.98	2	859 177.67		R159	75 133.37	2	859 896.76						
L160	75 424.40	2	859 091.62		R160	75 168.96	2	859 717.30						
L161	75 456.13	2	859 006.38		R161	75 208.96	2	859 538.38						
L162	75 464.54	2	858 985.45		R162	75 229.25	2	859 462.86						
L163	75 489.99	2	858 922.03		R163	75 259.32	2	859 361.19						
L164	75 518.62	2	858 851.95		R164	75 289.97	2	859 274.41						
L165	75 576.15	2	858 749.47		R165	75 318.50	2	859 187.00						
L166	75 586.59	2	858 731.71		R166	75 346.35	2	859 104.92						
L167	75 719.85	2	858 505.34		R167	75 374.33	2	859 029.12						
L168	75 743.42	2	858 470.02		R168	75 394.38	2	858 978.06						
L169	76 057.14	2	857 822.61		R169	75 411.26	2	858 935.05						
L170	76 146.14	2	857 610.34		R170	75 451.38	2	858 842.37						
L171	76 180.78	2	857 527.70		R171	75 494.01	2	858 750.84						
L172	76 318.38	2	857 242.14		R172	75 501.13	2	858 735.98						
L173	76 338.17	2	857 196.73		R173	75 557.05	2	858 619.24						
L174	76 421.83	2	857 042.70		R174	75 579.28	2	858 572.84						
L175	76 516.25	2	856 892.95		R175	75 588.81	2	858 551.91						
L176	76 535.96	2	856 867.30		R176	75 631.66	2	858 415.63						
L177	76 549.82	2	856 849.95		R177	75 945.13	2	857 759.52						
L178	76 635.26	2	856 749.18		R178	76 046.02	2	857 600.64						
L179	76 668.18	2	856 710.46		R179	76 233.49	2	857 262.52						
L180	76 697.54	2	856 680.53		R180	76 319.42	2	857 082.07						
L181	76 794.58	2	856 610.65		R181	76 364.08	2	857 002.03						
L182	76 873.07	2	856 520.49		R182	76 487.65	2	856 823.32						
L183	76 886.55	2	856 517.92		R183	76 562.77	2	856 712.66						
L184	76 992.73	2	856 522.52		R184	76 596.55	2	856 653.85						
L185	76 996.06	2	856 475.49		R185	76 633.37	2	856 588.29						
L186	76 890.49	2	856 457.16		R186	76 676.45	2	856 505.31						
L187	76 931.08	2	856 345.43		R187	76 675.06	2	856 496.82						
L188	76 987.65	2	856 232.02		R188	76 671.49	2	856 491.09						
L189	76 995.90	2	856 220.37		R189	76 650.43	2	856 487.59						
L190	77 039.95	2	856 154.32		R190	76 638.60	2	856 498.76						
L191	77 051.61	2	856 136.83		R191	76 610.66	2	856 491.46						
L192	77 106.13	2	856 051.34		R192	76 547.45	2	856 491.69						
					R193	76 550.33	2	856 449.51						
					R194	76 624.11	2	856 454.51						
					R195	76 689.91	2	856 422.78						
					R196	76 714.77	2	856 406.46						
					R197	76 739.87	2	856 358.77						
					R198	76 728.29	2	856 351.84						
					R199	76 791.12	2	856 272.31						
					R200	76 830.69	2	856 295.16						
					R201	76 859.86	2	856 271.76						
					R202	76 908.77	2	856 215.26						
					R203	77 034.58	2	856 040.23						
					<table><tr><td>Vel Sheet</td><td>12</td><td>Van of</td><td>12</td><td>P921/16</td></tr></table>					Vel Sheet	12	Van of	12	P921/16
Vel Sheet	12	Van of	12	P921/16										