

DEPARTMENT OF TRANSPORT

NO. 322

23 MARCH 2018


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 1

AMENDMENT OF DECLARATION No's. 91 OF 1981 AND 217 OF 1982.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend (I) Declaration No.91 of 1981 by substituting it in its entirety, (II) Declaration No. 217 of 1982 by substituting the section of the route from points L1 and R1 on sheet 1 of Plan No. P331/82 up to points L101 and R116 on sheet 3 of Plan No. P331/82, also known as the common boundary between the farms Zwartkoppies 364-JR and Mooiplaats 367-JR, with the accompanying sheets 1 to 15 of Plan No. P897/16.

(National Road N4 Section 1: Koedoespoort - Zwartkoppies)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 322

23 MAART 2018


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N4 SEKSIE 1


WYSIGING VAN VERKLARING No's. 91 VAN 1981 EN 217 VAN 1982.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee (I) Verklaring No. 91 van 1981 deur dit in sy geheel te vervang, (II) Verklaring No. 217 van 1982 deur die gedeelte van die roete te vervang vanaf punte L1 en R1 op vel 1 van Plan No. P331/82 tot by punte L101 en R116 op vel 3 van Plan No. P331/82, ook bekend as die algeneme grens tussen plase Zwartkoppies 364-JR en Mooiplaats 367-JR, met bygaande velle 1 tot 15 van Plan No. P897/16.


(Nasionale Pad N4 Seksie 1: Koedoespoort - Zwartkoppies)
MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet	1 of	15
The South African National Roads Agency SOC Ltd	The figure shown			1	Plan	P897/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet	van 2 of	15
The South African National Roads Agency SOC Ltd	The figure shown			1	Plan	P897/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel 3 van 15 Sheet 3 of 15 Plan P897/16
---	---------------------------------------	--	---




Die Suid Afrikaanse Nasionale Podagogenenskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 Seksie of National Route Section	Vel Sheet 4 of 15
			1	Plan P897/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel 5 van 15 Sheet 5 of 15
		1 Seksie Section	Plan P897/16




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel 6 of 15 Sheet 6 of 15 Plan P897/16
---	---------------------------------------	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 7 of 15 Plan P897/16
---	---------------------------------------	--	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 8 of 15 Plan P897/16
---	---------------------------------------	---	--------------------------------------





Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet	van of	15
Plan P897/16	1	Sektie Section	Plan	10	15



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 11 of 15 Plan P897/16
---	---------------------------------------	---	--	---------------------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L1	75 283.19	2	848 555.19		R1	75 255.46	2	848 601.40	
L2	75 271.55	2	848 548.23		R2	75 177.82	2	848 554.01	
L3	75 261.77	2	848 540.10		R3	75 104.67	2	848 517.75	
L4	75 287.78	2	848 513.62		R4	74 928.51	2	848 470.65	
L5	75 251.63	2	848 483.93		R5	74 911.83	2	848 461.69	
L6	75 213.34	2	848 461.82		R6	74 831.45	2	848 452.81	
L7	75 143.25	2	848 439.92		R7	74 688.74	2	848 439.94	
L8	74 986.23	2	848 418.40		R8	74 588.93	2	848 430.93	
L9	74 891.48	2	848 408.90		R9	74 436.79	2	848 417.21	
L10	74 848.79	2	848 404.61		R10	74 377.24	2	848 403.12	
L11	74 803.05	2	848 403.27		R11	74 270.55	2	848 384.84	
L12	74 723.67	2	848 395.06		R12	74 169.74	2	848 367.90	
L13	74 608.15	2	848 382.01		R13	73 273.43	2	848 307.71	
L14	74 483.71	2	848 353.16		R14	73 110.35	2	848 311.74	
L15	74 345.76	2	848 310.10		R15	72 980.27	2	848 314.90	
L16	73 473.66	2	848 184.90		R16	72 623.67	2	848 342.08	
L17	73 338.03	2	848 198.47		R17	72 586.01	2	848 344.59	
L18	72 256.61	2	848 296.51		R18	72 370.98	2	848 359.20	
L19	71 975.26	2	848 321.95		R19	71 982.42	2	848 391.07	
L20	71 870.99	2	848 331.50		R20	71 981.83	2	848 385.70	
L21	71 843.59	2	848 338.09		R21	71 955.01	2	848 387.83	
L22	71 831.26	2	848 339.23		R22	71 887.59	2	848 393.18	
L23	71 729.59	2	848 348.62		R23	71 850.91	2	848 396.08	
L24	71 646.46	2	848 368.85		R24	71 838.08	2	848 397.33	
L25	71 623.76	2	848 374.37		R25	71 735.47	2	848 411.17	
L26	71 534.27	2	848 404.98		R26	71 657.65	2	848 431.25	
L27	71 467.34	2	848 436.53		R27	71 641.67	2	848 435.38	
L28	71 433.87	2	848 452.49		R28	71 609.26	2	848 452.48	
L29	71 385.87	2	848 480.73		R29	71 558.22	2	848 464.13	
L30	71 340.64	2	848 510.15		R30	71 522.33	2	848 480.97	
L31	71 266.12	2	848 568.40		R31	71 463.92	2	848 508.44	
L32	71 254.04	2	848 578.50		R32	71 414.89	2	848 538.74	
L33	71 225.11	2	848 602.72		R33	71 376.33	2	848 563.41	
L34	71 201.63	2	848 622.36		R34	71 335.55	2	848 594.57	
L35	71 202.18	2	848 623.56		R35	71 296.84	2	848 629.32	
L36	71 176.94	2	848 642.72		R36	71 284.95	2	848 643.07	
L37	71 167.72	2	848 649.57		R37	71 262.89	2	848 668.73	
L38	71 102.55	2	848 697.98		R38	71 238.60	2	848 702.50	
L39	71 064.71	2	848 707.86		R39	71 228.13	2	848 717.01	
L40	71 041.88	2	848 713.83		R40	71 135.30	2	848 825.37	
L41	70 983.13	2	848 728.67		R41	71 137.67	2	848 848.29	
L42	70 901.78	2	848 737.95		R42	71 121.90	2	848 862.33	
L43	70 870.04	2	848 748.55		R43	71 116.23	2	848 881.44	
L44	70 802.59	2	848 777.82		R44	71 133.76	2	848 910.13	
L45	70 872.17	2	848 797.66		R45	71 207.17	2	848 985.80	
L46	70 862.10	2	848 809.23		R46	71 240.08	2	849 011.32	
L47	70 881.76	2	848 845.73		R47	71 211.26	2	849 024.91	
L48	70 896.59	2	848 872.95		R48	71 203.09	2	849 017.86	
L49	70 901.98	2	848 882.96		R49	71 194.59	2	849 027.62	
L50	70 873.18	2	848 939.12		R50	71 154.76	2	848 998.51	
L51	70 866.18	2	848 952.54		R51	71 138.18	2	848 985.75	
					Vel 12 Van 15 Sheet of P897/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L52	70 859.59	2 848	963.15		R52	71 120.94	2 848	976.65	
L53	70 842.78	2 848	991.03		R53	71 112.54	2 848	974.20	
L54	70 827.64	2 849	029.31		R54	71 101.41	2 848	974.27	
L55	70 804.53	2 849	051.06		R55	71 074.19	2 848	985.87	
L56	70 802.29	2 849	053.77		R56	71 019.58	2 849	008.34	
L57	70 783.86	2 849	076.13		R57	70 979.60	2 849	029.93	
L58	70 763.28	2 849	101.08		R58	70 916.21	2 849	066.95	
L59	70 742.72	2 849	126.01		R59	70 903.06	2 849	076.57	
L60	70 720.05	2 849	151.84		R60	70 899.83	2 849	079.49	
L61	70 697.37	2 849	177.68		R61	70 876.32	2 849	100.76	
L62	70 670.43	2 849	208.40		R62	70 777.57	2 849	190.04	
L63	70 559.09	2 849	335.28		R63	70 752.89	2 849	212.37	
L64	70 514.49	2 849	379.40		R64	70 728.17	2 849	234.75	
L65	70 487.11	2 849	406.48		R65	70 705.85	2 849	259.26	
L66	70 487.21	2 849	406.59		R66	70 675.06	2 849	292.97	
L67	70 486.06	2 849	407.52		R67	70 640.03	2 849	331.34	
L68	70 454.97	2 849	430.97		R68	70 614.22	2 849	359.60	
L69	70 397.77	2 849	464.09		R69	70 594.27	2 849	379.64	
L70	70 322.40	2 849	501.81		R70	70 596.67	2 849	382.00	
L71	70 242.87	2 849	524.69		R71	70 555.91	2 849	427.48	
L72	70 159.51	2 849	540.35		R72	70 540.14	2 849	438.78	
L73	69 938.08	2 849	572.74		R73	70 532.03	2 849	444.80	
L74	69 809.85	2 849	568.56		R74	70 463.98	2 849	494.05	
L75	69 805.22	2 849	540.19		R75	70 398.39	2 849	530.81	
L76	69 764.97	2 849	541.46		R76	70 362.30	2 849	551.10	
L77	69 658.46	2 849	618.35		R77	70 316.99	2 849	569.64	
L78	69 628.82	2 849	634.95		R78	70 284.86	2 849	582.78	
L79	69 580.77	2 849	649.71		R79	70 255.66	2 849	594.73	
L80	69 352.92	2 849	655.67		R80	70 232.29	2 849	604.29	
L81	69 315.36	2 849	656.67		R81	70 201.56	2 849	611.16	
L82	69 288.18	2 849	657.40		R82	70 170.83	2 849	618.03	
L83	69 284.36	2 849	657.50		R83	70 140.09	2 849	624.90	
L84	69 264.64	2 849	655.99		R84	70 109.36	2 849	631.77	
L85	69 243.45	2 849	654.37		R85	70 078.63	2 849	638.64	
L86	69 223.87	2 849	652.87		R86	70 057.56	2 849	643.35	
L87	69 201.15	2 849	651.23		R87	70 039.92	2 849	650.11	
L88	69 139.42	2 849	646.58		R88	70 010.52	2 849	661.37	
L89	69 126.95	2 849	643.00		R89	69 981.06	2 849	672.65	
L90	69 010.00	2 849	634.15		R90	69 949.07	2 849	689.67	
L91	68 956.36	2 849	630.16		R91	69 921.25	2 849	704.47	
L92	68 905.46	2 849	626.36		R92	69 893.43	2 849	719.27	
L93	68 905.04	2 849	628.77		R93	69 865.61	2 849	734.07	
L94	68 886.31	2 849	626.88		R94	69 834.31	2 849	750.72	
L95	68 832.18	2 849	622.83		R95	69 806.09	2 849	753.24	
L96	68 768.85	2 849	618.08		R96	69 791.12	2 849	754.43	
L97	68 705.53	2 849	613.34		R97	69 777.58	2 849	763.33	
L98	68 642.21	2 849	608.60		R98	69 768.03	2 849	777.64	
L99	68 578.89	2 849	603.86		R99	69 764.38	2 849	796.45	
L100	68 515.57	2 849	599.12		R100	69 757.19	2 849	833.54	
L101	68 452.25	2 849	594.38		R101	69 749.33	2 849	874.15	
L102	68 388.92	2 849	589.64		R102	69 717.56	2 849	870.59	
					Vel 13 Sheet of Van 15 P897/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L103	68 325.60	2	849 584.89		R103	69 732.95	2	849 759.76	
L104	68 262.28	2	849 580.15		R104	69 657.72	2	849 766.47	
L105	68 238.15	2	849 578.35		R105	69 538.36	2	849 763.64	
L106	68 165.67	2	849 572.57		R106	69 493.47	2	849 756.89	
L107	68 067.27	2	849 564.74		R107	69 457.39	2	849 751.46	
L108	67 906.82	2	849 552.22		R108	69 414.42	2	849 744.99	
L109	67 690.57	2	849 536.37		R109	69 347.48	2	849 734.93	
L110	67 664.26	2	849 485.10		R110	69 277.43	2	849 724.39	
L111	67 664.11	2	849 484.80		R111	69 212.04	2	849 714.55	
L112	67 641.07	2	849 435.97		R112	69 195.12	2	849 712.01	
L113	67 566.90	2	849 277.71		R113	69 155.39	2	849 708.93	
L114	67 558.09	2	849 259.29		R114	69 065.50	2	849 701.98	
L115	67 540.72	2	849 222.94		R115	69 011.24	2	849 697.59	
L116	67 515.48	2	849 235.81		R116	68 953.43	2	849 692.87	
L117	67 511.14	2	849 238.08		R117	68 874.72	2	849 686.46	
L118	67 555.31	2	849 344.09		R118	68 745.75	2	849 675.33	
L119	67 551.94	2	849 361.15		R119	68 618.79	2	849 666.96	
L120	67 406.29	2	849 430.74		R120	68 408.87	2	849 654.22	
L121	67 319.99	2	849 451.14		R121	68 251.47	2	849 649.93	
L122	67 039.59	2	849 478.49		R122	68 154.53	2	849 646.95	
L123	66 890.27	2	849 492.56		R123	68 061.74	2	849 664.24	
L124	66 833.20	2	849 507.89		R124	68 050.77	2	849 666.46	
L125	66 778.11	2	849 522.56		R125	68 017.85	2	849 678.53	
L126	66 750.99	2	849 529.84		R126	67 988.71	2	849 689.22	
L127	66 732.48	2	849 534.81		R127	67 950.85	2	849 703.11	
L128	66 704.36	2	849 548.46		R128	67 903.04	2	849 725.41	
L129	66 655.33	2	849 572.26		R129	67 865.43	2	849 742.96	
L130	66 604.66	2	849 596.86		R130	67 844.62	2	849 752.67	
L131	66 590.37	2	849 603.85		R131	67 802.10	2	849 772.50	
L132	66 396.58	2	849 698.07		R132	67 799.10	2	849 789.50	
L133	66 382.39	2	849 704.97		R133	67 812.44	2	849 855.24	
L134	66 203.32	2	849 792.04		R134	67 758.63	2	849 804.34	
L135	66 024.21	2	849 879.13		R135	67 719.36	2	849 711.47	
L136	66 007.21	2	849 887.44		R136	67 688.30	2	849 650.45	
L137	65 897.99	2	849 934.10		R137	67 561.31	2	849 696.99	
L138	65 822.14	2	849 959.13		R138	67 519.37	2	849 583.02	
L139	65 745.60	2	849 977.40		R139	67 454.75	2	849 578.16	
L140	65 614.30	2	850 005.80		R140	67 416.09	2	849 575.33	
L141	65 540.85	2	850 021.57		R141	67 143.09	2	849 554.79	
L142	64 535.52	2	850 236.65		R142	67 110.23	2	849 552.32	
L143	64 532.80	2	850 237.24		R143	66 946.51	2	849 555.20	
L144	64 428.24	2	850 246.85		R144	66 853.24	2	849 573.53	
L145	64 345.35	2	850 254.48		R145	66 798.15	2	849 584.40	
L146	64 209.76	2	850 217.64		R146	66 639.20	2	849 646.03	
L147	64 189.41	2	850 203.21		R147	66 630.62	2	849 650.19	
L148	64 107.83	2	850 145.38		R148	66 616.47	2	849 657.16	
L149	64 040.97	2	850 097.97		R149	66 420.16	2	849 752.78	
L150	63 969.19	2	850 047.08		R150	66 405.98	2	849 759.69	
L151	63 874.71	2	850 036.73		R151	66 227.98	2	849 846.40	
L152	63 806.75	2	850 060.24		R152	66 049.94	2	849 933.13	
L153	63 777.71	2	850 053.29		R153	66 032.93	2	849 941.43	
					Vel 14 Sheet Van 15 of P897/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L154	63	749.78	2 850	011.81	R154	65	919.33	2 849	992.91
L155	63	705.20	2 849	945.29	R155	65	875.68	2 850	007.70
L156	63	673.55	2 849	966.39	R156	65	838.57	2 850	020.27
L157	63	718.32	2 850	033.00	R157	65	744.11	2 850	042.91
L158	63	744.48	2 850	071.91	R158	65	716.21	2 850	048.85
L159	63	736.55	2 850	095.79	R159	65	604.94	2 850	072.82
L160	63	682.95	2 850	132.69	R160	64	971.72	2 850	208.34
L161	63	670.02	2 850	162.05	R161	64	681.20	2 850	270.48
L162	63	637.05	2 850	236.97	R162	64	505.56	2 850	313.23
L163	63	607.67	2 850	303.69	R163	64	393.00	2 850	364.51
L164	63	559.68	2 850	358.28	R164	64	302.55	2 850	443.16
L165	63	527.58	2 850	394.79	R165	64	256.78	2 850	493.25
L166	63	471.98	2 850	430.56	R166	64	214.72	2 850	539.16
L167	63	427.62	2 850	459.09	R167	64	156.50	2 850	579.40
L168	63	349.84	2 850	480.38	R168	64	149.92	2 850	607.14
L169	63	292.63	2 850	496.03	R169	64	216.94	2 850	706.86
L170	63	233.61	2 850	512.20	R170	64	185.94	2 850	727.75
L171	63	184.96	2 850	525.53	R171	64	115.24	2 850	622.70
L172	63	131.40	2 850	537.02	R172	64	090.71	2 850	610.45
L173	63	055.10	2 850	553.38	R173	64	051.67	2 850	623.74
L174	62	997.73	2 850	565.68	R174	64	025.95	2 850	632.49
L175	62	942.98	2 850	577.43	R175	63	971.01	2 850	633.88
L176	62	908.88	2 850	584.74	R176	63	917.40	2 850	622.05
L177	62	872.14	2 850	592.62	R177	63	802.56	2 850	557.77
L178	61	817.51	2 850	818.31	R178	63	706.54	2 850	525.14
L179	61	495.60	2 850	887.20	R179	63	697.00	2 850	521.90
L180	60	885.02	2 851	017.88	R180	63	627.02	2 850	517.02
L181	60	092.00	2 851	187.62	R181	63	613.96	2 850	516.59
L182	59	873.49	2 851	234.39	R182	63	452.75	2 850	533.35
L183	59	842.10	2 851	241.10	R183	62	160.60	2 850	809.90
L184	59	788.39	2 851	252.58	R184	61	497.07	2 850	951.91
L185	59	571.38	2 851	299.04	R185	60	302.16	2 851	207.74
L186	58	982.65	2 851	424.93	R186	59	848.33	2 851	304.87
L187	58	944.09	2 851	433.31	R187	59	650.23	2 851	347.16
L188	58	900.79	2 851	442.56	R188	58	996.02	2 851	487.18
					R189	58	924.89	2 851	502.40