

DEPARTMENT OF TRANSPORT

NO. 323

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N3 SECTION 12

AMENDMENT OF DECLARATION No's. 22 OF 1980, 336 OF 1992, 856 OF 1993, 1736 OF 1994 AND 1987 OF 1994.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend (I) Declaration No. 22 of 1980 by substituting the section from the common boundary between the farms Tamboekiesfontein 173-IR and Vlakplaats 138-IR on sheet 3 of Plan No. P303/1979 up to its end, (II) Declaration No. 336 of 1992 by substituting it in its entirety, (III) Declaration No. 856 of 1993 by substituting it in its entirety, (IV) Declaration No. 1736 of 1994 by substituting it in its entirety, (V) Declaration No. 1987 of 1994 by substituting it in its entirety, with the accompanying sheets 1 to 43 of Plan No. P888/15.

(National Road N3 Section 12: Tamboekiesfontein – Buccleuch Interchange)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 323

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N3 SEKSIE 12

WYSIGING VAN VERKLARING No's. 22 VAN 1980, 336 VAN 1992, 856 VAN 1993, 1736 VAN 1994 EN 1987 VAN 1994.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee (I) Verklaring No. 22 van 1980 deur die gedeelte te vervang vanaf die algemene grens tussen die plase Tamboekiesfontein 173-IR en Vlakplaats 138-IR op vel 3 van Plan No. P303/1979 tot op die einde, (II) Verklaring No. 336 van 1992 deur dit in sy geheel te vervang, (III) Verklaring No. 856 van 1993 deur dit in sy geheel te vervang, (IV) Verklaring No. 1736 van 1994 deur dit in sy geheel te vervang, (V) Verklaring No. 1987 van 1994 deur dit in sy geheel te vervang, met bygaande velle 1 tot 43 van Plan No. P888/15.


(Nasional Pad N3 Seksie 12: Tamboekiesfontein – Buccleuch Wisselaar)


MINISTER VAN VERVOER





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route
Vel Sheet 1 of 4.3	12	Plan P888/15	Section







Die Suid Afrikaanse Nasionale Podogentskop MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet	3 of	43
The South African National Roads Agency SOC Ltd	The figure shown			12	Plan	P888/15







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die pad-reserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet	5 of	4.3
The South African National Roads Agency SOC Ltd	The figure shown			Plan	p888/15	








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 7 of 4.3 Plan P888/15
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap USB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	12	Vel 8 of 43 Sheet 8 of 43 Plan P888/15
---	---------------------------------------	---	---	----	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route
Vel Sheet	van of	9 of	43 of
Plan	P888/15	12	Section





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steilte padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 10 of 43	Plan P888/15
			12	Section





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 Sektie of National Route Section	Vel Sheet 11 of 43 Plan P888/15
---	---------------------------------------	---	---





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Val Sheet 12 of 43
Plan P888/15	12	N3	Sektie Section	12





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	12	13 or 43	Vel Sheet Plan P888/15
---	---------------------------------------	---	--	----	----------	------------------------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vei Sheet 15 of 43 Plan P888/15




Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route Section	Vel Sheet 16 of 43 Plan P888/15
---	---------------------------------------	---	---------------------------------------





Die Suid Afrikaanse Nasionale Podogentskap MSB-Bpk	Die figuur getoon		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 17 of 43
The South African National Roads Agency SOC Ltd	The figure shown			12







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 19 of 43 Plan P888/15
---	---------------------------------------	---	---	---





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route N3	Vel Sheet 20 of 43 Plan P888/15
---	---------------------------------------	---	---------------------------------------




Die Suid Afrikaanse Nasionale Padogenieskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 21 of 43 Plan P888/15
--	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 22 of 43 Plan P888/15
		N3 Seksie Section 12	





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 Sektie of National Route Section	Vei van Sheet 23 of 43 Plan P888/15
---	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	
steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel van Sheet 24 of 43 Plan P888/15	12 Seksie Section




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet 25 of 43	Plan P888/15
---	---------------------------------------	---	---	-----------------------	-----------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vei Sheet 26 of 43 Plan P888/15
---	---------------------------------------	--	---------------------------------------



Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk	Die figuur getoon		stede padreserwe voor van 'n gedeelte represents the road reserve of a portion	Seksie van Nasionale Roete N3 of National Route	12	Vel van Sheet 27 of 43
The South African National Roads Agency SOC Ltd	The figure shown					Plan P888/15



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	12	28 of 43	Vel Sheet Plan P888/15
---	---------------------------------------	---	--	----	----------	---------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N3 of National Route	Vel Sheet	29 of	43
The South African National Roads Agency SOC Ltd	The figure shown			12	Plan	P888/15

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND				
	Y		X	WG 29°		Y		X	
L1	75 428.95	2	918 776.26		R1	75 375.18	2	918 742.17	
L2	75 674.07	2	918 351.65		R2	75 649.83	2	918 266.47	
L3	75 704.95	2	918 297.81		R3	75 660.54	2	918 247.92	
L4	75 735.98	2	918 244.49		R4	75 737.54	2	918 114.55	
L5	75 870.95	2	918 010.71		R5	75 872.56	2	917 880.71	
L6	76 012.97	2	917 764.75		R6	75 950.82	2	917 745.16	
L7	76 022.82	2	917 747.70		R7	75 962.62	2	917 724.72	
L8	76 430.24	2	917 042.37		R8	75 989.85	2	917 675.80	
L9	76 451.22	2	917 005.62		R9	76 431.99	2	916 912.40	
L10	76 473.65	2	916 966.78		R10	76 699.24	2	916 453.40	
L11	76 496.07	2	916 927.75		R11	76 708.11	2	916 437.88	
L12	76 518.73	2	916 888.73		R12	76 933.16	2	916 043.78	
L13	76 541.18	2	916 849.87		R13	77 118.43	2	915 722.89	
L14	76 563.71	2	916 810.86		R14	77 267.33	2	915 464.99	
L15	76 593.69	2	916 758.97		R15	77 382.58	2	915 265.35	
L16	76 616.20	2	916 720.00		R16	77 573.78	2	915 045.91	
L17	76 638.73	2	916 680.99		R17	77 669.29	2	914 968.16	
L18	76 661.24	2	916 642.02		R18	77 754.32	2	914 890.83	
L19	76 683.75	2	916 603.05		R19	77 631.46	2	914 834.01	
L20	76 713.71	2	916 551.37		R20	77 580.38	2	914 810.37	
L21	76 736.22	2	916 512.11		R21	77 574.42	2	914 807.21	
L22	76 758.38	2	916 473.77		R22	77 608.20	2	914 753.79	
L23	76 781.25	2	916 434.19		R23	77 640.71	2	914 748.31	
L24	76 803.76	2	916 395.22		R24	77 697.70	2	914 692.74	
L25	76 818.77	2	916 369.26		R25	77 736.06	2	914 667.98	
L26	76 841.28	2	916 330.29		R26	77 778.58	2	914 651.32	
L27	76 893.61	2	916 239.82		R27	77 823.54	2	914 643.42	
L28	76 946.14	2	916 148.63		R28	77 977.30	2	914 647.36	
L29	77 137.31	2	915 817.41		R29	78 017.48	2	914 644.16	
L30	77 162.84	2	915 773.11		R30	78 056.11	2	914 632.64	
L31	77 188.07	2	915 729.41		R31	78 091.48	2	914 613.30	
L32	77 223.42	2	915 668.16		R32	78 273.57	2	914 487.06	
L33	77 239.00	2	915 641.17		R33	78 506.76	2	914 301.89	
L34	77 291.57	2	915 550.23		R34	78 513.83	2	914 296.24	
L35	77 298.33	2	915 538.51		R35	78 787.99	2	914 078.08	
L36	77 348.25	2	915 453.01		R36	79 047.09	2	913 872.04	
L37	77 363.03	2	915 426.45		R37	79 087.01	2	913 840.29	
L38	77 380.87	2	915 402.38		R38	79 156.47	2	913 785.05	
L39	77 401.54	2	915 373.74		R39	79 198.15	2	913 751.91	
L40	77 433.15	2	915 329.94		R40	79 239.83	2	913 718.77	
L41	77 454.16	2	915 300.83		R41	79 286.20	2	913 681.89	
L42	77 484.93	2	915 258.21		R42	79 327.88	2	913 648.74	
L43	77 526.47	2	915 199.18		R43	79 369.56	2	913 615.60	
L44	77 534.07	2	915 192.01		R44	79 411.24	2	913 582.46	
L45	77 731.70	2	915 006.70		R45	79 442.12	2	913 557.90	
L46	77 838.89	2	914 923.69		R46	79 594.55	2	913 436.98	
L47	77 903.55	2	914 949.39		R47	79 795.80	2	913 276.92	
L48	77 969.28	2	914 971.13		R48	80 044.30	2	913 079.22	
L49	77 999.26	2	914 981.05		R49	80 244.99	2	912 912.72	
L50	78 059.19	2	915 000.87		R50	80 311.04	2	912 858.29	
L51	78 081.58	2	914 942.66		R51	80 392.80	2	912 775.17	
					Vel 30 Van 43 Sheet of P888/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND				
	Y		X	WG 29°		Y		X	
L52	78 063.41	2	914 936.62		R52	80 432.36	2	912 650.10	
L53	78 069.94	2	914 917.14		R53	80 419.72	2	912 524.06	
L54	78 089.03	2	914 898.96		R54	80 437.43	2	912 467.77	
L55	78 096.17	2	914 891.19		R55	80 326.28	2	912 376.77	
L56	78 105.68	2	914 880.84		R56	80 357.56	2	912 318.64	
L57	78 128.17	2	914 856.65		R57	80 369.45	2	912 296.58	
L58	78 144.26	2	914 836.34		R58	80 393.37	2	912 268.59	
L59	78 162.76	2	914 813.21		R59	80 452.37	2	912 227.47	
L60	78 184.13	2	914 697.69		R60	80 480.13	2	912 244.22	
L61	78 225.66	2	914 626.42		R61	80 522.50	2	912 269.77	
L62	78 254.97	2	914 583.42		R62	80 550.23	2	912 286.50	
L63	78 630.53	2	914 284.91		R63	80 596.07	2	912 314.21	
L64	78 679.16	2	914 246.19		R64	80 635.98	2	912 308.16	
L65	78 721.00	2	914 212.91		R65	80 671.39	2	912 302.78	
L66	78 751.88	2	914 188.35		R66	80 697.43	2	912 312.97	
L67	78 793.03	2	914 155.62		R67	80 732.35	2	912 326.63	
L68	78 844.47	2	914 114.69		R68	80 768.50	2	912 340.78	
L69	78 875.34	2	914 090.14		R69	80 801.49	2	912 353.68	
L70	78 906.21	2	914 065.59		R70	80 843.01	2	912 358.61	
L71	78 947.36	2	914 032.85		R71	80 883.85	2	912 363.45	
L72	78 988.52	2	914 000.11		R72	80 932.41	2	912 340.16	
L73	79 019.39	2	913 975.56		R73	80 958.62	2	912 327.59	
L74	79 060.54	2	913 942.82		R74	80 986.37	2	912 309.56	
L75	79 091.41	2	913 918.27		R75	81 038.56	2	912 275.65	
L76	79 132.57	2	913 885.53		R76	81 080.65	2	912 248.30	
L77	79 173.72	2	913 852.80		R77	81 124.87	2	912 219.58	
L78	79 214.88	2	913 820.06		R78	81 155.13	2	912 195.49	
L79	79 256.04	2	913 787.32		R79	81 194.93	2	912 163.81	
L80	79 292.16	2	913 758.58		R80	81 237.51	2	912 129.91	
L81	79 322.80	2	913 734.21		R81	81 276.63	2	912 098.77	
L82	79 353.44	2	913 709.85		R82	81 326.31	2	912 059.22	
L83	79 394.28	2	913 677.36		R83	81 375.41	2	912 020.13	
L84	79 424.91	2	913 652.99		R84	81 397.65	2	912 002.41	
L85	79 455.54	2	913 628.63		R85	81 449.63	2	911 961.08	
L86	79 486.18	2	913 604.26		R86	81 495.84	2	911 924.33	
L87	79 516.81	2	913 579.89		R87	81 542.06	2	911 887.59	
L88	79 547.44	2	913 555.53		R88	81 604.96	2	911 837.58	
L89	79 578.07	2	913 531.16		R89	81 660.09	2	911 793.74	
L90	79 608.71	2	913 506.79		R90	81 708.15	2	911 755.53	
L91	79 629.13	2	913 490.55		R91	81 756.21	2	911 717.32	
L92	79 649.56	2	913 474.30		R92	81 842.57	2	911 648.65	
L93	79 686.44	2	913 445.32		R93	81 913.89	2	911 591.94	
L94	79 778.00	2	913 372.02		R94	81 962.01	2	911 553.79	
L95	80 033.20	2	913 169.55		R95	82 020.68	2	911 507.34	
L96	80 069.52	2	913 140.62		R96	82 070.45	2	911 467.48	
L97	80 106.99	2	913 110.77		R97	82 179.40	2	911 380.75	
L98	80 144.59	2	913 080.82		R98	82 307.47	2	911 278.87	
L99	80 196.24	2	913 039.66		R99	82 638.82	2	911 015.30	
L100	80 222.87	2	913 018.45		R100	82 618.75	2	911 011.12	
L101	80 262.71	2	912 986.71		R101	82 745.31	2	910 910.11	
L102	80 323.19	2	912 938.52		R102	82 749.52	2	910 927.25	
					Vel 31 Van 43 Sheet of P888/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 29°			Y		X		
L103	80 513.97	2	912 804.04			R103	82 939.94	2	910 775.77		
L104	80 598.35	2	912 770.06			R104	82 935.64	2	910 758.21		
L105	80 680.30	2	912 783.81			R105	83 181.21	2	910 562.22		
L106	80 779.74	2	912 827.09			R106	83 197.00	2	910 569.71		
L107	80 806.09	2	912 838.56			R107	83 422.61	2	910 387.95		
L108	80 881.90	2	912 832.15			R108	83 432.93	2	910 380.57		
L109	81 012.62	2	912 943.01			R109	83 453.76	2	910 362.85		
L110	81 102.78	2	912 865.16			R110	83 670.93	2	910 187.89		
L111	81 144.16	2	912 789.12			R111	83 681.91	2	910 178.72		
L112	81 030.84	2	912 694.95			R112	83 744.61	2	910 126.34		
L113	81 047.37	2	912 642.24			R113	83 768.42	2	910 106.89		
L114	81 045.52	2	912 614.28			R114	83 889.24	2	910 020.70		
L115	81 040.22	2	912 534.19			R115	83 970.77	2	909 954.86		
L116	81 037.13	2	912 487.55			R116	84 035.11	2	909 895.30		
L117	81 076.03	2	912 366.38			R117	84 130.42	2	909 806.86		
L118	81 158.46	2	912 282.70			R118	84 176.81	2	909 745.79		
L119	81 219.21	2	912 232.63			R119	84 244.90	2	909 656.15		
L120	81 279.13	2	912 183.24			R120	84 323.86	2	909 483.07		
L121	81 305.02	2	912 161.90			R121	84 337.89	2	909 452.18		
L122	81 394.37	2	912 088.26			R122	84 243.90	2	909 428.95		
L123	81 457.46	2	912 036.28			R123	84 107.20	2	909 387.86		
L124	81 519.61	2	911 986.72			R124	84 031.38	2	909 344.32		
L125	81 566.53	2	911 949.32			R125	83 969.25	2	909 309.71		
L126	81 629.09	2	911 899.46			R126	83 919.24	2	909 280.88		
L127	81 676.01	2	911 862.06			R127	84 172.76	2	909 247.44		
L128	81 737.41	2	911 813.12			R128	84 219.46	2	909 166.44		
L129	81 777.64	2	911 781.05			R129	84 303.16	2	909 021.25		
L130	81 831.28	2	911 738.29			R130	84 350.70	2	908 967.00		
L131	81 871.52	2	911 706.22			R131	84 414.71	2	908 932.86		
L132	81 911.75	2	911 674.15			R132	84 473.23	2	908 917.01		
L133	81 951.98	2	911 642.08			R133	84 537.82	2	908 880.79		
L134	82 016.63	2	911 590.49			R134	84 571.07	2	908 833.50		
L135	82 121.40	2	911 508.15			R135	84 632.49	2	908 706.00		
L136	82 175.20	2	911 465.31			R136	84 667.14	2	908 633.21		
L137	82 229.48	2	911 422.19			R137	84 705.04	2	908 537.22		
L138	82 278.25	2	911 383.40			R138	84 775.22	2	908 359.43		
L139	82 367.41	2	911 312.48			R139	84 849.18	2	908 171.83		
L140	82 410.42	2	911 278.20			R140	84 860.33	2	908 145.26		
L141	82 719.68	2	911 032.14			R141	84 874.73	2	908 108.80		
L142	82 739.75	2	911 036.32			R142	84 891.74	2	908 059.40		
L143	82 770.32	2	911 011.99			R143	84 898.05	2	908 041.07		
L144	82 766.18	2	910 995.14			R144	84 906.04	2	908 008.84		
L145	82 956.60	2	910 843.63			R145	84 915.27	2	907 971.54		
L146	82 960.74	2	910 860.49			R146	84 921.30	2	907 932.63		
L147	83 277.96	2	910 608.11			R147	84 926.24	2	907 900.76		
L148	83 262.17	2	910 600.62			R148	84 930.88	2	907 829.31		
L149	83 465.35	2	910 439.08			R149	84 931.91	2	907 778.06		
L150	83 473.21	2	910 432.83			R150	84 933.93	2	907 677.33		
L151	83 496.66	2	910 414.19			R151	84 934.94	2	907 626.96		
L152	83 657.44	2	910 286.35			R152	84 937.01	2	907 523.74		
L153	83 668.27	2	910 278.17			R153	84 938.20	2	907 463.93		
						Vel 32 Van 43 P888/15 Sheet of					

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L154	83	676.86	2	910	271.43	R154	84	939.92	2 907 397.92
L155	83	780.33	2	910	204.24	R155	84	938.62	2 907 342.34
L156	83	810.47	2	910	184.67	R156	84	931.38	2 907 295.10
L157	83	859.18	2	910	135.28	R157	84	923.74	2 907 245.28
L158	83	857.32	2	910	130.81	R158	84	912.29	2 907 170.55
L159	83	918.14	2	910	078.61	R159	84	900.79	2 907 095.48
L160	83	929.16	2	910	069.15	R160	84	881.11	2 906 967.03
L161	84	002.74	2	910	010.94	R161	84	861.51	2 906 849.52
L162	84	032.97	2	909	986.75	R162	84	856.29	2 906 830.54
L163	84	119.02	2	909	918.41	R163	84	846.24	2 906 794.05
L164	84	270.48	2	909	798.15	R164	84	834.12	2 906 764.53
L165	84	380.74	2	909	529.43	R165	84	821.83	2 906 734.60
L166	84	388.41	2	909	510.75	R166	84	785.78	2 906 664.23
L167	84	392.61	2	909	500.57	R167	84	744.86	2 906 584.39
L168	84	405.77	2	909	468.66	R168	84	716.67	2 906 568.67
L169	84	718.44	2	909	547.06	R169	84	690.08	2 906 572.92
L170	84	738.72	2	909	551.75	R170	84	513.06	2 906 591.76
L171	84	900.49	2	909	589.84	R171	84	507.35	2 906 548.46
L172	84	955.00	2	909	586.55	R172	84	683.90	2 906 526.58
L173	85	080.27	2	909	578.68	R173	84	710.59	2 906 522.15
L174	85	079.84	2	909	540.84	R174	84	733.71	2 906 499.75
L175	84	931.21	2	909	535.93	R175	84	755.68	2 906 423.94
L176	84	865.30	2	909	517.77	R176	84	769.92	2 906 374.81
L177	84	832.35	2	909	508.00	R177	84	777.54	2 906 341.26
L178	84	779.04	2	909	482.23	R178	84	781.17	2 906 325.29
L179	84	808.75	2	909	374.26	R179	84	781.73	2 906 274.42
L180	84	817.04	2	909	332.15	R180	84	780.16	2 906 247.17
L181	84	817.04	2	909	284.29	R181	84	777.77	2 906 190.05
L182	84	800.28	2	909	224.25	R182	84	776.64	2 906 152.31
L183	84	666.88	2	909	074.96	R183	84	778.82	2 906 085.68
L184	84	637.52	2	908	999.24	R184	84	785.02	2 905 995.92
L185	84	631.21	2	908	911.56	R185	84	794.04	2 905 917.98
L186	84	698.08	2	908	731.81	R186	84	805.73	2 905 836.41
L187	84	714.35	2	908	690.51	R187	84	825.73	2 905 686.46
L188	84	807.66	2	908	442.80	R188	84	841.72	2 905 552.26
L189	84	827.17	2	908	391.01	R189	84	843.56	2 905 536.53
L190	84	891.85	2	908	225.90	R190	84	867.63	2 905 386.60
L191	84	896.63	2	908	213.93	R191	84	868.38	2 905 381.27
L192	84	906.74	2	908	189.11	R192	84	875.18	2 905 324.77
L193	84	928.24	2	908	134.12	R193	84	880.01	2 905 284.35
L194	84	957.69	2	908	059.50	R194	84	884.75	2 905 243.95
L195	84	987.14	2	907	984.89	R195	84	890.83	2 905 190.12
L196	85	016.59	2	907	910.27	R196	84	890.93	2 905 183.90
L197	85	036.27	2	907	860.54	R197	84	890.58	2 905 179.18
L198	85	060.76	2	907	798.76	R198	84	890.49	2 905 158.13
L199	85	049.52	2	907	714.36	R199	84	880.54	2 905 125.31
L200	85	038.95	2	907	634.85	R200	84	870.73	2 905 098.49
L201	85	028.44	2	907	555.22	R201	84	860.62	2 905 071.35
L202	85	017.92	2	907	475.79	R202	84	850.84	2 905 044.92
L203	85	014.28	2	907	449.13	R203	84	831.02	2 905 016.31
L204	84	983.78	2	907	218.80	R204	84	794.13	2 904 999.90
					Vel 33 Van 43 P888/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L205	84 972.42	2	907 133.18		R205	84 796.04	2	904 983.59	
L206	84 959.00	2	907 031.88		R206	84 787.93	2	904 982.85	
L207	84 955.46	2	906 976.00		R207	84 791.41	2	904 956.81	
L208	84 950.27	2	906 896.09		R208	84 758.23	2	904 904.42	
L209	84 945.24	2	906 815.94		R209	84 736.03	2	904 869.47	
L210	84 944.24	2	906 799.98		R210	84 624.22	2	904 797.40	
L211	84 944.80	2	906 760.87		R211	84 515.13	2	904 767.34	
L212	84 950.27	2	906 721.32		R212	84 519.26	2	904 747.11	
L213	84 959.50	2	906 679.32		R213	84 540.72	2	904 643.51	
L214	84 974.87	2	906 608.60		R214	84 631.94	2	904 660.29	
L215	84 987.06	2	906 552.22		R215	84 751.75	2	904 690.80	
L216	85 009.49	2	906 530.11		R216	84 814.69	2	904 694.98	
L217	85 122.56	2	906 512.45		R217	84 882.61	2	904 681.13	
L218	85 116.81	2	906 471.05		R218	85 012.95	2	904 607.26	
L219	85 090.73	2	906 473.89		R219	85 094.43	2	904 572.02	
L220	85 029.02	2	906 480.62		R220	85 150.07	2	904 579.32	
L221	85 003.13	2	906 483.44		R221	85 303.71	2	904 597.58	
L222	84 976.17	2	906 467.69		R222	85 360.77	2	904 600.62	
L223	84 948.26	2	906 416.18		R223	85 481.28	2	904 615.46	
L224	84 913.08	2	906 350.05		R224	85 543.76	2	904 622.95	
L225	84 886.53	2	906 292.65		R225	85 548.72	2	904 622.90	
L226	84 869.77	2	906 239.95		R226	85 633.67	2	904 622.02	
L227	84 859.28	2	906 182.05		R227	85 714.50	2	904 608.50	
L228	84 854.49	2	906 126.17		R228	85 793.90	2	904 584.08	
L229	84 853.47	2	906 114.30		R229	85 871.55	2	904 550.81	
L230	84 851.85	2	906 060.32		R230	85 948.54	2	904 506.38	
L231	84 851.44	2	906 046.48		R231	86 026.14	2	904 457.79	
L232	84 855.03	2	906 002.88		R232	86 151.11	2	904 370.56	
L233	84 857.20	2	905 976.29		R233	86 172.33	2	904 356.75	
L234	84 861.67	2	905 947.64		R234	86 274.27	2	904 279.41	
L235	84 868.13	2	905 906.14		R235	86 299.04	2	904 260.61	
L236	84 876.99	2	905 849.12		R236	86 331.99	2	904 235.60	
L237	84 882.83	2	905 811.65		R237	86 366.45	2	904 208.16	
L238	84 891.98	2	905 736.44		R238	86 433.74	2	904 157.53	
L239	84 901.74	2	905 656.29		R239	86 469.66	2	904 130.44	
L240	84 905.43	2	905 654.66		R240	86 512.91	2	904 098.63	
L241	84 906.62	2	905 641.65		R241	86 590.71	2	904 069.39	
L242	84 925.35	2	905 543.79		R242	86 669.48	2	904 019.60	
L243	84 937.60	2	905 533.46		R243	86 764.12	2	903 953.32	
L244	84 957.45	2	905 384.42		R244	86 801.06	2	903 917.07	
L245	84 972.94	2	905 268.10		R245	86 826.24	2	903 892.24	
L246	84 979.34	2	905 220.03		R246	86 967.88	2	903 746.77	
L247	84 985.01	2	905 207.06		R247	87 004.44	2	903 712.16	
L248	84 989.50	2	905 198.63		R248	87 012.33	2	903 704.70	
L249	85 006.49	2	905 166.36		R249	87 061.05	2	903 675.59	
L250	85 036.86	2	905 134.20		R250	87 072.98	2	903 668.48	
L251	85 055.55	2	905 124.66		R251	87 007.13	2	903 665.02	
L252	85 077.42	2	905 113.50		R252	87 029.23	2	903 651.63	
L253	85 089.87	2	905 111.06		R253	87 045.94	2	903 608.41	
L254	85 106.58	2	905 104.77		R254	87 073.28	2	903 578.02	
L255	85 157.52	2	905 085.63		R255	87 167.09	2	903 492.83	
					Vel 34 Van 43 Sheet of P888/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 29°			Y		X		
L256	85	171.06	2	905	080.50	R256	87	182.26	2	903	478.71
L257	85	208.23	2	905	067.72	R257	87	211.33	2	903	444.99
L258	85	235.27	2	905	058.46	R258	87	233.53	2	903	402.82
L259	85	268.77	2	905	047.00	R259	87	245.80	2	903	355.02
L260	85	368.64	2	905	012.82	R260	87	247.60	2	903	308.62
L261	85	392.94	2	905	009.28	R261	87	240.75	2	903	247.10
L262	85	412.02	2	905	007.05	R262	87	243.61	2	903	186.89
L263	85	451.85	2	905	016.15	R263	87	257.60	2	903	138.46
L264	85	516.28	2	905	030.88	R264	87	311.19	2	903	030.14
L265	85	554.30	2	905	037.89	R265	87	323.44	2	902	995.73
L266	85	578.95	2	905	042.37	R266	87	331.92	2	902	960.71
L267	85	711.34	2	905	042.14	R267	87	333.58	2	902	923.47
L268	85	732.34	2	905	060.20	R268	87	328.81	2	902	760.15
L269	85	832.34	2	905	061.20	R269	87	314.52	2	902	614.34
L270	85	968.34	2	905	001.70	R270	87	308.17	2	902	555.37
L271	86	058.31	2	904	910.51	R271	87	279.70	2	902	277.24
L272	86	057.78	2	904	899.53	R272	87	269.30	2	902	189.87
L273	86	053.33	2	904	804.52	R273	87	252.52	2	902	101.15
L274	86	052.91	2	904	797.60	R274	87	234.13	2	902	021.50
L275	86	049.94	2	904	799.67	R275	87	226.72	2	901	990.09
L276	85	990.65	2	904	840.71	R276	87	223.73	2	901	977.88
L277	85	947.05	2	904	868.18	R277	87	211.70	2	901	929.43
L278	85	872.09	2	904	901.46	R278	87	179.29	2	901	844.59
L279	85	819.72	2	904	914.97	R279	87	144.47	2	901	762.05
L280	85	791.08	2	904	916.70	R280	87	115.13	2	901	695.64
L281	85	736.86	2	904	918.93	R281	87	062.07	2	901	631.53
L282	85	684.46	2	904	921.07	R282	86	868.46	2	901	422.47
L283	85	647.92	2	904	921.29	R283	86	876.61	2	901	321.58
L284	85	607.06	2	904	916.27	R284	86	824.96	2	901	249.59
L285	85	537.60	2	904	914.45	R285	86	744.00	2	901	136.54
L286	85	516.06	2	904	905.51	R286	86	699.26	2	901	067.05
L287	85	482.66	2	904	862.84	R287	86	642.60	2	900	979.05
L288	85	477.03	2	904	807.47	R288	86	609.95	2	900	966.42
L289	85	497.38	2	904	767.44	R289	86	453.27	2	900	926.99
L290	85	536.71	2	904	746.67	R290	86	322.88	2	900	925.35
L291	85	626.78	2	904	729.35	R291	86	293.61	2	900	929.22
L292	85	738.78	2	904	707.81	R292	86	243.72	2	901	013.28
L293	85	841.56	2	904	672.79	R293	86	225.69	2	901	042.54
L294	85	907.17	2	904	634.36	R294	86	185.74	2	901	107.34
L295	85	930.61	2	904	618.36	R295	86	133.09	2	901	184.73
L296	86	106.00	2	904	491.26	R296	86	123.65	2	901	193.97
L297	86	210.98	2	904	424.05	R297	86	028.78	2	901	180.19
L298	86	319.97	2	904	352.38	R298	86	076.44	2	901	130.20
L299	86	347.29	2	904	334.39	R299	86	116.67	2	901	074.64
L300	86	428.61	2	904	281.06	R300	86	154.94	2	901	005.52
L301	86	520.13	2	904	220.66	R301	86	168.15	2	900	984.30
L302	86	529.37	2	904	213.99	R302	86	199.22	2	900	930.19
L303	86	544.00	2	904	204.47	R303	86	226.09	2	900	867.41
L304	86	558.76	2	904	193.74	R304	86	261.41	2	900	770.81
L305	86	604.87	2	904	159.84	R305	86	255.20	2	900	576.98
L306	86	661.20	2	904	114.85	R306	86	258.88	2	900	560.82
						Vel 35 Van 43 Sheet of			P888/15		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L307	86 709.15	2	904 076.55		R307	86 259.99	2	900 484.67	
L308	86 800.49	2	904 003.61		R308	86 257.27	2	900 441.36	
L309	86 822.02	2	903 986.41		R309	86 238.81	2	900 311.57	
L310	86 856.23	2	903 965.08		R310	86 228.80	2	900 253.71	
L311	86 863.67	2	903 960.42		R311	86 233.23	2	900 249.33	
L312	86 908.16	2	903 939.35		R312	86 231.98	2	900 174.77	
L313	86 954.68	2	903 923.44		R313	86 247.90	2	900 107.32	
L314	87 002.54	2	903 912.81		R314	86 283.14	2	899 942.62	
L315	87 060.39	2	903 908.44		R315	86 292.64	2	899 897.06	
L316	87 117.52	2	903 915.15		R316	86 297.71	2	899 873.59	
L317	87 172.90	2	903 931.76		R317	86 304.38	2	899 841.02	
L318	87 224.36	2	903 958.48		R318	86 316.26	2	899 788.32	
L319	87 283.75	2	904 002.43		R319	86 327.12	2	899 747.91	
L320	87 334.88	2	904 055.93		R320	86 352.30	2	899 687.90	
L321	87 377.21	2	904 115.76		R321	86 368.05	2	899 662.90	
L322	87 411.15	2	904 182.67		R322	86 391.35	2	899 625.92	
L323	87 418.89	2	904 206.46		R323	86 400.71	2	899 610.98	
L324	87 460.25	2	904 317.18		R324	86 412.02	2	899 587.49	
L325	87 469.39	2	904 341.68		R325	86 415.92	2	899 577.90	
L326	87 482.75	2	904 371.93		R326	86 456.97	2	899 521.64	
L327	87 518.52	2	904 449.59		R327	86 502.37	2	899 459.46	
L328	87 531.00	2	904 476.60		R328	86 536.27	2	899 401.53	
L329	87 566.76	2	904 553.94		R329	86 580.85	2	899 282.81	
L330	87 559.77	2	904 572.52		R330	86 591.95	2	899 252.94	
L331	87 641.42	2	904 598.06		R331	86 606.41	2	899 224.51	
L332	87 619.83	2	904 485.16		R332	86 627.31	2	899 178.85	
L333	87 614.72	2	904 434.39		R333	86 633.81	2	899 157.60	
L334	87 595.51	2	904 308.48		R334	86 642.28	2	899 132.54	
L335	87 584.99	2	904 263.53		R335	86 647.31	2	899 116.42	
L336	87 578.47	2	904 265.26		R336	86 654.51	2	899 093.07	
L337	87 562.30	2	904 187.33		R337	86 662.55	2	899 066.84	
L338	87 593.39	2	904 179.04		R338	86 667.88	2	899 046.60	
L339	87 618.52	2	904 172.37		R339	86 677.40	2	899 010.59	
L340	87 652.40	2	904 160.42		R340	86 690.51	2	898 971.67	
L341	87 684.73	2	904 147.64		R341	86 697.15	2	898 953.92	
L342	87 707.70	2	904 134.51		R342	86 704.48	2	898 926.21	
L343	87 717.79	2	904 129.94		R343	86 710.47	2	898 903.46	
L344	87 721.18	2	904 100.01		R344	86 717.30	2	898 879.15	
L345	87 717.74	2	904 077.33		R345	86 719.64	2	898 867.35	
L346	87 710.21	2	904 057.83		R346	86 723.42	2	898 812.13	
L347	87 699.34	2	904 040.94		R347	86 724.49	2	898 796.64	
L348	87 674.41	2	904 018.62		R348	86 722.35	2	898 723.65	
L349	87 678.39	2	903 985.19		R349	86 725.40	2	898 683.11	
L350	87 531.27	2	904 014.80		R350	86 721.62	2	898 668.20	
L351	87 512.49	2	903 910.39		R351	86 716.77	2	898 649.06	
L352	87 567.82	2	903 950.31		R352	86 707.75	2	898 614.36	
L353	87 618.41	2	903 970.93		R353	86 686.58	2	898 564.66	
L354	87 672.44	2	903 979.04		R354	86 651.61	2	898 482.61	
L355	87 679.20	2	903 978.43		R355	86 618.01	2	898 457.41	
L356	87 726.86	2	903 974.17		R356	86 466.09	2	898 319.16	
L357	87 779.83	2	903 956.02		R357	86 436.56	2	898 275.04	
					Vel 36 Van 43 P888/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 29°			Y		X		
L358	87	826.43	2	903	947.88	R358	86	393.65	2	898	071.59
L359	87	781.74	2	903	894.76	R359	86	419.45	2	898	066.57
L360	87	752.95	2	903	923.80	R360	86	484.71	2	898	055.96
L361	87	753.52	2	903	926.32	R361	86	490.15	2	898	005.08
L362	87	748.99	2	903	925.60	R362	86	497.14	2	897	928.90
L363	87	718.59	2	903	935.04	R363	86	499.90	2	897	898.81
L364	87	684.00	2	903	938.13	R364	86	504.72	2	897	853.09
L365	87	673.64	2	903	939.06	R365	86	509.76	2	897	811.35
L366	87	629.01	2	903	932.36	R366	86	516.20	2	897	772.27
L367	87	587.21	2	903	915.32	R367	86	524.41	2	897	727.96
L368	87	550.62	2	903	888.91	R368	86	534.37	2	897	613.23
L369	87	521.28	2	903	854.61	R369	86	542.04	2	897	606.66
L370	87	492.11	2	903	797.12	R370	86	543.93	2	897	591.41
L371	87	479.73	2	903	728.28	R371	86	540.19	2	897	583.64
L372	87	474.35	2	903	698.42	R372	86	549.81	2	897	507.12
L373	87	472.94	2	903	690.63	R373	86	553.57	2	897	477.13
L374	87	465.17	2	903	659.71	R374	86	557.75	2	897	428.48
L375	87	463.21	2	903	652.11	R375	86	561.68	2	897	382.53
L376	87	471.72	2	903	651.17	R376	86	565.03	2	897	343.37
L377	87	503.35	2	903	533.63	R377	86	572.73	2	897	253.35
L378	87	517.34	2	903	481.63	R378	86	574.54	2	897	232.20
L379	87	501.99	2	903	386.61	R379	86	575.22	2	897	224.17
L380	87	478.19	2	903	239.27	R380	86	575.02	2	897	217.53
L381	87	411.65	2	902	903.60	R381	86	574.02	2	897	187.98
L382	87	404.87	2	902	836.32	R382	86	573.16	2	897	171.70
L383	87	390.44	2	902	680.23	R383	86	597.74	2	897	056.61
L384	87	376.38	2	902	553.80	R384	86	597.88	2	897	042.43
L385	87	371.48	2	902	504.82	R385	86	603.85	2	897	026.96
L386	87	362.24	2	902	413.09	R386	86	600.08	2	897	015.78
L387	87	340.40	2	902	196.20	R387	86	624.44	2	896	971.52
L388	87	327.07	2	902	107.82	R388	86	644.52	2	896	935.75
L389	87	304.14	2	902	015.59	R389	86	665.53	2	896	900.06
L390	87	294.67	2	901	983.52	R390	86	685.51	2	896	866.11
L391	87	286.22	2	901	955.61	R391	86	709.42	2	896	825.50
L392	87	277.92	2	901	927.62	R392	86	733.10	2	896	785.27
L393	87	252.25	2	901	812.25	R393	86	739.88	2	896	786.04
L394	87	211.51	2	901	733.63	R394	86	760.03	2	896	750.73
L395	87	189.29	2	901	700.02	R395	86	753.84	2	896	750.04
L396	87	138.41	2	901	588.71	R396	86	796.42	2	896	638.81
L397	87	103.16	2	901	526.40	R397	86	801.89	2	896	599.34
L398	87	014.73	2	901	388.77	R398	86	813.57	2	896	518.33
L399	87	005.23	2	901	367.64	R399	86	810.81	2	896	476.66
L400	86	992.36	2	901	342.89	R400	86	792.82	2	896	403.96
L401	86	918.17	2	901	205.80	R401	86	787.91	2	896	382.50
L402	86	917.33	2	901	204.24	R402	86	752.67	2	896	306.02
L403	86	875.34	2	901	126.64	R403	86	709.89	2	896	245.03
L404	86	836.63	2	901	054.12	R404	86	700.78	2	896	231.76
L405	86	788.89	2	900	957.78	R405	86	664.06	2	896	180.08
L406	86	772.54	2	900	880.13	R406	86	549.45	2	896	049.61
L407	86	799.51	2	900	761.23	R407	86	541.25	2	896	040.17
L408	86	902.72	2	900	664.41	R408	86	526.12	2	896	023.12
						Vel 37 Sheet Van 43 of P888/15					

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES										
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X		
L409	87	211.79	2	900	516.94	R409	86	355.20	2	895 829.27
L410	87	625.43	2	900	454.88	R410	86	341.17	2	895 819.02
L411	87	638.43	2	900	397.85	R411	86	302.25	2	895 790.58
L412	87	641.18	2	900	398.17	R412	86	276.10	2	895 774.68
L413	87	642.60	2	900	391.93	R413	86	263.49	2	895 767.95
L414	87	490.64	2	900	395.07	R414	86	271.99	2	895 737.74
L415	87	341.86	2	900	413.58	R415	86	343.06	2	895 725.08
L416	87	301.96	2	900	415.86	R416	86	343.71	2	895 700.99
L417	87	025.12	2	900	431.43	R417	86	364.71	2	895 706.52
L418	86	883.03	2	900	435.18	R418	86	425.79	2	895 717.54
L419	86	740.63	2	900	427.95	R419	86	456.20	2	895 719.78
L420	86	648.48	2	900	418.67	R420	86	485.37	2	895 719.07
L421	86	543.41	2	900	402.07	R421	86	516.35	2	895 713.13
L422	86	483.86	2	900	389.67	R422	86	543.33	2	895 701.73
L423	86	423.33	2	900	364.75	R423	86	569.81	2	895 684.57
L424	86	377.63	2	900	326.29	R424	86	591.05	2	895 662.76
L425	86	349.07	2	900	284.63	R425	86	607.65	2	895 637.33
L426	86	346.69	2	900	239.74	R426	86	619.25	2	895 608.96
L427	86	336.45	2	900	177.38	R427	86	625.16	2	895 579.79
L428	86	334.32	2	900	164.50	R428	86	625.09	2	895 535.16
L429	86	333.17	2	900	157.48	R429	86	621.42	2	895 498.99
L430	86	331.51	2	900	089.22	R430	86	610.46	2	895 337.12
L431	86	338.77	2	900	087.58	R431	86	603.67	2	895 272.21
L432	86	368.29	2	899	902.26	R432	86	601.91	2	895 255.38
L433	86	376.85	2	899	851.68	R433	86	599.57	2	895 243.81
L434	86	389.86	2	899	774.60	R434	86	594.55	2	895 218.70
L435	86	392.36	2	899	766.90	R435	86	614.45	2	895 208.15
L436	86	401.62	2	899	738.31	R436	86	613.89	2	895 179.71
L437	86	423.17	2	899	695.59	R437	86	612.88	2	895 138.33
L438	86	430.44	2	899	681.09	R438	86	612.17	2	895 103.77
L439	86	443.68	2	899	661.18	R439	86	612.60	2	895 054.64
L440	86	464.02	2	899	630.67	R440	86	612.73	2	895 029.13
L441	86	475.19	2	899	624.10	R441	86	616.10	2	894 904.37
L442	86	486.94	2	899	602.33	R442	86	619.84	2	894 851.03
L443	86	500.13	2	899	594.37	R443	86	624.28	2	894 792.84
L444	86	537.63	2	899	542.75	R444	86	629.87	2	894 721.68
L445	86	565.78	2	899	503.51	R445	86	643.02	2	894 612.36
L446	86	597.83	2	899	449.76	R446	86	652.84	2	894 530.77
L447	86	643.92	2	899	337.20	R447	86	683.97	2	894 303.60
L448	86	663.85	2	899	259.04	R448	86	695.44	2	894 219.79
L449	86	674.72	2	899	216.44	R449	86	707.31	2	894 131.74
L450	86	691.07	2	899	170.38	R450	86	807.46	2	893 835.74
L451	86	701.00	2	899	140.51	R451	86	822.37	2	893 762.31
L452	86	718.98	2	899	084.81	R452	86	840.35	2	893 673.78
L453	86	746.42	2	899	021.14	R453	86	810.11	2	893 674.79
L454	86	759.91	2	898	997.62	R454	86	808.15	2	893 683.38
L455	86	764.50	2	898	993.12	R455	86	765.12	2	893 687.28
L456	86	772.62	2	898	975.36	R456	86	702.12	2	893 697.10
L457	86	804.07	2	898	910.03	R457	86	624.94	2	893 708.96
L458	86	811.41	2	898	894.70	R458	86	597.80	2	893 709.85
L459	86	821.93	2	898	872.81	R459	86	573.14	2	893 713.53
						Vel	38	Van 43	P888/15	
						Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L460	86 833.42	2	898 848.99		R460	86 572.59	2	893 667.89	
L461	86 847.07	2	898 816.44		R461	86 629.78	2	893 656.21	
L462	86 851.83	2	898 804.81		R462	86 673.03	2	893 646.98	
L463	86 859.06	2	898 801.60		R463	86 704.15	2	893 645.07	
L464	86 898.21	2	898 743.01		R464	86 707.29	2	893 526.42	
L465	86 930.08	2	898 691.15		R465	86 790.86	2	893 405.58	
L466	86 946.93	2	898 663.76		R466	86 806.54	2	893 350.59	
L467	86 908.47	2	898 634.90		R467	86 790.25	2	893 039.32	
L468	86 791.83	2	898 547.65		R468	86 762.56	2	892 838.41	
L469	86 780.01	2	898 538.81		R469	86 746.58	2	892 717.46	
L470	86 741.98	2	898 510.40		R470	86 743.43	2	892 687.61	
L471	86 703.22	2	898 425.28		R471	86 748.99	2	892 686.42	
L472	86 681.80	2	898 378.65		R472	86 714.16	2	892 401.43	
L473	86 658.91	2	898 328.76		R473	86 711.74	2	892 381.57	
L474	86 629.27	2	898 264.51		R474	86 710.53	2	892 371.44	
L475	86 621.99	2	898 241.09		R475	86 695.08	2	892 292.98	
L476	86 612.39	2	898 209.15		R476	86 672.71	2	892 107.76	
L477	86 603.13	2	898 171.70		R477	86 664.29	2	891 985.79	
L478	86 592.26	2	898 114.25		R478	86 650.36	2	891 903.58	
L479	86 584.46	2	898 075.16		R479	86 628.85	2	891 823.13	
L480	86 572.43	2	898 015.09		R480	86 403.55	2	891 125.68	
L481	86 571.28	2	897 984.33		R481	86 336.27	2	890 931.72	
L482	86 570.18	2	897 955.71		R482	86 325.25	2	890 899.89	
L483	86 571.77	2	897 939.61		R483	86 233.00	2	890 719.77	
L484	86 591.40	2	897 740.88		R484	86 226.80	2	890 667.96	
L485	86 596.96	2	897 658.54		R485	86 252.29	2	890 614.79	
L486	86 599.31	2	897 623.43		R486	86 286.62	2	890 566.34	
L487	86 594.31	2	897 619.30		R487	86 297.83	2	890 527.45	
L488	86 595.85	2	897 598.81		R488	86 288.39	2	890 488.41	
L489	86 598.12	2	897 588.45		R489	86 375.06	2	890 457.34	
L490	86 627.71	2	897 239.24		R490	86 437.15	2	890 556.41	
L491	86 630.05	2	897 216.09		R491	86 460.87	2	890 503.10	
L492	86 635.10	2	897 189.18		R492	86 769.26	2	889 811.14	
L493	86 667.38	2	897 057.16		R493	86 822.52	2	889 691.19	
L494	86 677.69	2	897 045.68		R494	86 857.61	2	889 612.17	
L495	86 684.32	2	897 030.31		R495	86 872.24	2	889 581.03	
L496	86 692.52	2	897 004.54		R496	86 907.96	2	889 504.96	
L497	86 704.97	2	896 977.34		R497	86 945.93	2	889 432.34	
L498	86 723.97	2	896 935.26		R498	86 955.56	2	889 413.92	
L499	86 739.23	2	896 908.41		R499	86 992.91	2	889 357.87	
L500	86 758.64	2	896 874.28		R500	87 025.64	2	889 308.75	
L501	86 781.81	2	896 833.53		R501	87 055.72	2	889 269.56	
L502	86 804.61	2	896 793.43		R502	87 100.98	2	889 210.53	
L503	86 814.71	2	896 775.66		R503	87 122.93	2	889 182.00	
L504	86 824.76	2	896 757.95		R504	87 164.39	2	889 127.88	
L505	86 858.33	2	896 698.87		R505	87 203.68	2	889 076.74	
L506	86 872.65	2	896 647.34		R506	87 273.81	2	888 982.49	
L507	86 883.44	2	896 608.47		R507	87 284.15	2	888 967.56	
L508	86 893.18	2	896 572.89		R508	87 367.48	2	888 847.32	
L509	86 903.97	2	896 534.01		R509	87 484.00	2	888 673.15	
L510	86 907.38	2	896 528.95		R510	87 473.58	2	888 664.93	
					Vel 39 Van 43 P888/15 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L511	86 908.86	2	896 524.18		R511	87 401.51	2	888 608.07	
L512	86 930.74	2	896 490.08		R512	87 431.71	2	888 575.60	
L513	86 955.63	2	896 450.98		R513	87 438.72	2	888 571.35	
L514	86 961.04	2	896 442.59		R514	87 477.15	2	888 481.75	
L515	86 974.50	2	896 432.43		R515	87 548.85	2	888 412.90	
L516	86 978.10	2	896 424.82		R516	87 683.96	2	888 361.38	
L517	86 979.95	2	896 403.26		R517	87 765.00	2	888 311.12	
L518	86 976.23	2	896 387.12		R518	87 957.23	2	888 113.41	
L519	86 972.11	2	896 339.85		R519	88 024.64	2	888 013.72	
L520	86 971.92	2	896 324.73		R520	88 086.82	2	887 910.61	
L521	86 968.10	2	896 292.75		R521	88 143.78	2	887 804.51	
L522	86 971.76	2	896 293.44		R522	88 195.38	2	887 695.73	
L523	86 980.61	2	896 251.77		R523	88 241.47	2	887 584.48	
L524	86 988.72	2	896 213.59		R524	88 281.92	2	887 471.06	
L525	87 177.27	2	896 299.36		R525	88 316.66	2	887 355.79	
L526	87 183.47	2	896 302.05		R526	88 343.99	2	887 246.14	
L527	87 189.35	2	896 270.26		R527	88 428.47	2	886 869.93	
L528	87 221.85	2	896 243.32		R528	88 452.48	2	886 762.99	
L529	87 175.60	2	896 203.10		R529	88 499.33	2	886 496.54	
L530	87 129.67	2	896 164.26		R530	88 502.22	2	886 414.21	
L531	87 108.75	2	896 142.52		R531	88 502.38	2	886 409.64	
L532	87 042.53	2	896 078.72		R532	88 472.81	2	886 313.51	
L533	86 999.02	2	896 030.61		R533	88 451.89	2	886 245.51	
L534	86 950.99	2	895 977.80		R534	88 437.72	2	886 225.04	
L535	86 837.81	2	895 835.24		R535	88 332.91	2	886 200.94	
L536	86 810.03	2	895 796.78		R536	88 339.83	2	886 170.13	
L537	86 779.61	2	895 746.55		R537	88 316.79	2	886 164.98	
L538	86 760.49	2	895 706.66		R538	88 323.15	2	886 136.78	
L539	86 743.50	2	895 665.82		R539	88 364.52	2	886 146.09	
L540	86 729.48	2	895 623.62		R540	88 415.88	2	886 155.63	
L541	86 705.17	2	895 526.24		R541	88 468.02	2	886 165.32	
L542	86 684.45	2	895 400.88		R542	88 478.74	2	886 154.66	
L543	86 678.92	2	895 366.51		R543	88 506.17	2	886 121.33	
L544	86 676.58	2	895 349.70		R544	88 512.80	2	886 110.01	
L545	86 673.46	2	895 321.70		R545	88 564.49	2	886 021.63	
L546	86 671.64	2	895 298.98		R546	88 603.56	2	885 954.89	
L547	86 670.43	2	895 257.74		R547	88 617.36	2	885 919.86	
L548	86 673.10	2	895 223.60		R548	88 629.21	2	885 885.34	
L549	86 675.16	2	895 219.54		R549	88 637.24	2	885 859.02	
L550	86 674.17	2	895 174.33		R550	88 665.14	2	885 767.51	
L551	86 671.80	2	895 156.51		R551	88 696.54	2	885 664.56	
L552	86 669.58	2	895 140.58		R552	88 716.15	2	885 581.99	
L553	86 669.15	2	895 137.04		R553	88 736.98	2	885 494.30	
L554	86 667.50	2	895 124.47		R554	88 754.36	2	885 421.10	
L555	86 667.37	2	895 104.61		R555	88 773.88	2	885 338.90	
L556	86 667.14	2	895 070.02		R556	88 779.62	2	885 316.69	
L557	86 667.01	2	895 049.82		R557	88 794.24	2	885 260.01	
L558	86 667.05	2	894 990.66		R558	88 824.62	2	885 149.98	
L559	86 669.02	2	894 920.27		R559	88 841.44	2	885 089.49	
L560	86 671.68	2	894 857.98		R560	88 846.35	2	885 071.78	
L561	86 674.03	2	894 822.87		R561	88 859.60	2	885 029.41	
					Vel 40 Van 43 Sheet of P888/15				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
	Y		X	WG 29°		Y		X			
L562	86	675.45	2	894	801.31	R562	88	878.33	2	884	969.52
L563	86	678.16	2	894	760.10	R563	88	925.62	2	884	825.28
L564	86	685.17	2	894	660.92	R564	88	974.65	2	884	686.28
L565	86	686.45	2	894	650.97	R565	89	025.60	2	884	551.96
L566	86	701.31	2	894	535.24	R566	89	067.15	2	884	445.53
L567	86	726.54	2	894	370.06	R567	89	116.32	2	884	336.08
L568	86	731.73	2	894	357.80	R568	89	149.28	2	884	262.75
L569	86	731.36	2	894	352.76	R569	89	167.99	2	884	221.10
L570	86	740.88	2	894	328.16	R570	89	186.53	2	884	183.07
L571	86	745.65	2	894	296.86	R571	89	247.02	2	884	058.54
L572	86	751.05	2	894	276.68	R572	89	262.68	2	884	026.51
L573	86	750.41	2	894	268.75	R573	89	328.03	2	883	894.79
L574	86	750.41	2	894	265.55	R574	89	382.06	2	883	787.94
L575	86	753.51	2	894	243.14	R575	89	437.50	2	883	679.66
L576	86	759.65	2	894	230.42	R576	89	480.10	2	883	595.41
L577	86	768.84	2	894	187.03	R577	89	505.46	2	883	545.07
L578	86	775.57	2	894	164.33	R578	89	539.53	2	883	477.82
L579	86	797.43	2	894	088.21	R579	89	562.03	2	883	433.36
L580	86	815.14	2	894	027.54	R580	89	564.55	2	883	395.86
L581	86	833.39	2	893	964.05	R581	89	614.67	2	883	291.16
L582	86	867.37	2	893	845.85	R582	89	626.32	2	883	267.95
L583	86	877.64	2	893	823.03	R583	89	657.67	2	883	202.90
L584	86	929.79	2	893	710.95	R584	89	703.15	2	883	120.84
L585	86	941.55	2	893	708.55	R585	89	733.46	2	883	066.92
L586	87	002.04	2	893	696.15	R586	89	762.62	2	883	014.51
L587	87	076.01	2	893	680.98	R587	89	779.71	2	882	979.92
L588	87	075.16	2	893	666.00	R588	89	802.63	2	882	934.87
L589	87	210.78	2	893	661.50	R589	89	879.75	2	882	782.67
L590	87	208.60	2	893	623.43	R590	89	916.62	2	882	722.20
L591	87	139.56	2	893	625.69	R591	89	945.99	2	882	674.01
L592	87	073.22	2	893	627.86	R592	89	959.91	2	882	651.69
L593	87	066.15	2	893	511.38	R593	89	977.75	2	882	623.56
L594	87	055.77	2	893	505.26	R594	89	983.41	2	882	614.65
L595	86	921.47	2	893	288.63						
L596	86	883.25	2	893	225.87						
L597	86	839.97	2	892	962.08						
L598	86	817.96	2	892	763.93						
L599	86	772.27	2	892	401.58						
L600	86	768.30	2	892	365.33						
L601	86	763.73	2	892	224.32						
L602	86	752.09	2	892	168.67						
L603	86	698.49	2	891	896.21						
L604	86	671.30	2	891	782.39						
L605	86	647.55	2	891	694.75						
L606	86	639.34	2	891	664.45						
L607	86	617.04	2	891	593.60						
L608	86	616.79	2	891	592.80						
L609	86	566.19	2	891	432.03						
L610	86	498.77	2	891	199.96						
L611	86	482.61	2	891	126.78						
L612	86	454.05	2	890	999.00						

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						LINKERKANT/LEFT HAND SIDE					
	Y		X	WG 29°			Y		X		
L613	86	452.55	2	890	941.43	L664	88	438.06	2	887	100.03
L614	86	482.25	2	890	887.57	L665	88	454.15	2	887	028.31
L615	86	521.75	2	890	855.81	L666	88	470.24	2	886	956.59
L616	86	541.75	2	890	853.71	L667	88	486.18	2	886	885.54
L617	86	615.65	2	890	969.75	L668	88	497.71	2	886	834.26
L618	86	639.89	2	891	020.02	L669	88	507.08	2	886	792.84
L619	86	682.23	2	890	977.59	L670	88	537.53	2	886	657.12
L620	86	652.42	2	890	882.68	L671	88	602.96	2	886	456.91
L621	86	471.91	2	890	626.35	L672	88	624.24	2	886	421.87
L622	86	516.16	2	890	526.76	L673	88	628.92	2	886	414.15
L623	86	777.33	2	889	939.01	L674	88	692.86	2	886	359.35
L624	86	959.81	2	889	528.30	L675	88	723.04	2	886	301.04
L625	86	960.94	2	889	528.86	L676	88	859.31	2	886	319.10
L626	87	026.44	2	889	395.83	L677	88	866.17	2	886	288.42
L627	87	030.57	2	889	390.56	L678	88	885.90	2	886	291.27
L628	87	070.35	2	889	339.71	L679	88	891.06	2	886	268.39
L629	87	195.88	2	889	179.49	L680	88	742.57	2	886	232.14
L630	87	282.13	2	889	085.13	L681	88	735.13	2	886	176.87
L631	87	363.15	2	888	996.49	L682	88	733.45	2	886	170.73
L632	87	376.00	2	888	990.36	L683	88	711.22	2	886	011.87
L633	87	403.45	2	888	976.74	L684	88	715.53	2	885	960.36
L634	87	481.05	2	888	935.22	L685	88	705.47	2	885	955.19
L635	87	536.02	2	888	903.72	L686	88	778.01	2	885	587.58
L636	87	597.20	2	888	852.07	L687	88	831.85	2	885	352.31
L637	87	625.05	2	888	819.75	L688	88	854.01	2	885	264.51
L638	87	656.82	2	888	806.83	L689	88	903.49	2	885	087.10
L639	87	681.63	2	888	821.01	L690	88	985.78	2	884	822.62
L640	87	726.04	2	888	846.39	L691	89	115.00	2	884	483.89
L641	87	771.96	2	888	872.63	L692	89	128.07	2	884	452.53
L642	87	801.72	2	888	882.79	L693	89	256.69	2	884	169.74
L643	87	819.69	2	888	814.73	L694	89	309.77	2	884	064.98
L644	87	773.22	2	888	752.41	L695	89	342.57	2	883	999.81
L645	87	750.60	2	888	665.67	L696	89	383.27	2	883	919.10
L646	87	755.10	2	888	610.44	L697	89	437.09	2	883	812.38
L647	87	758.37	2	888	570.06	L698	89	492.25	2	883	703.00
L648	87	805.99	2	888	480.29	L699	89	541.35	2	883	606.51
L649	87	952.45	2	888	264.71	L700	89	548.72	2	883	592.03
L650	87	965.86	2	888	235.88	L701	89	599.25	2	883	491.81
L651	88	006.14	2	888	148.10	L702	89	611.24	2	883	468.02
L652	88	044.75	2	888	090.57	L703	89	643.55	2	883	440.47
L653	88	074.99	2	888	045.51	L704	89	661.75	2	883	401.97
L654	88	138.78	2	887	939.99	L705	89	678.79	2	883	365.63
L655	88	197.10	2	887	831.31	L706	89	694.67	2	883	332.66
L656	88	249.91	2	887	719.82	L707	89	739.14	2	883	239.09
L657	88	297.23	2	887	605.85	L708	89	762.23	2	883	193.92
L658	88	338.75	2	887	489.53	L709	89	817.68	2	883	086.27
L659	88	374.30	2	887	371.42	L710	89	825.62	2	883	068.40
L660	88	385.17	2	887	327.94	L711	89	842.70	2	883	037.77
L661	88	402.82	2	887	257.13	L712	89	881.57	2	882	960.97
L662	88	415.08	2	887	202.48	L713	89	923.80	2	882	878.71
L663	88	427.34	2	887	147.84	L714	89	928.87	2	882	868.27
						Vel 42 Van 43 P888/15 Sheet of					

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					LINKERKANT/LEFT HAND SIDE				
	Y		X	WG 29°		Y		X	
L715	89	956.98	2	882	813.65				
L716	89	986.12	2	882	776.49				
L717	90	031.96	2	882	718.34				
L718	90	038.37	2	882	710.38				