

DEPARTMENT OF TRANSPORT

NO. 333

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N1 SECTION 19

AMENDMENT OF DECLARATION No.'s 178 OF 1975 AND 186 OF 1985.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No.'s 178 of 1975 and 186 of 1985 by substituting it with the subjoined sheets 1 to 29 of Plan No. P967/17.

(National Road N1 Section 19: Vaal River – Elandsfontein)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 333

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N1 SEKSIE 19


WYSIGING VAN VERKLARING No.'s 178 VAN 1975 EN 186 VAN 1985.

Kragtens Artikel 40(1)(b) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No.7 van 1998), wysig ek hiermee Verklaring No.'s 178 van 1975 en 186 van 1985 deur dit te vervang met meegaande velle 1 tot 29 van Plan No. P967/17.


(Nasionale Pad N1 Seksie 19: Vaal Rivier – Elandsfontein)


MINISTER VAN VERVOER







Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk	Die figuur getoon  The figure shown	stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	2 of 29
The South African National Roads Agency SOC Ltd		van Nasionale Roete N1 of National Route	Plan	19 p967/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel Sheet 3 of 29	19 Seksie Section
---	---------------------------------------	--	---	----------------------	-------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel Sheet 4 of 29
The South African National Roads Agency SOC Ltd	The figure shown			19




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	19	Plan P967/17
Vel 5 van 29	Sheet 5 of 29	Section	19	Plan P967/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route
Vel Sheet	6 of	29	Plan P967/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel Sheet 7 of 29
The South African National Roads Agency SOC Ltd	The figure shown			19 Plan P967/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	19	Plan P967/17	Sheet 8 of 29	Val von
---	---------------------------------------	---	---	----	--------------	---------------	---------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vei Sheet 9 of 29 Plan P967/17
---	---------------------------------------	---	--	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel Sheet	10 of	29
The South African National Roads Agency SOC Ltd	The figure shown			19	Plan	P967/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steidie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route
Vel Sheet 11 of 29	Plan P967/17	19	19




Die Suid Afrikaanse Nasionale Podogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel Sheet 12 of 29	Plan p967/17
---	---------------------------------------	--	--	-----------------------	-----------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel van Sheet 13 of 29 Plan P967/17
---	---------------------------------------	---	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel van Sheet 14 of 29	Plan P967/17
		19 Seksie Section		




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel Sheet 15 of 29	19	Plan P967/17
---	---------------------------------------	--	-----------------------	----	--------------




Die Suid Afrikaanse Nasionale Padagentskop MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel	van
The South African National Roads Agency SOC Ltd	The figure shown			Sheet	16 of
			19	Plan	P967/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel van Sheet 17 of 29	Plan p967/17
---	---------------------------------------	---	---	---------------------------	-----------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 Seksie of National Route N1 Section	Vel	18	29
The South African National Roads Agency SOC Ltd	The figure shown			19	Plan	P967/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Val Sheet 19 of 29 Plan P967/17
---	---------------------------------------	---	---	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route
Vel van Sheet 20 of 29	19	N1	Plan P967/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel van Sheet 21 of 29 Plan P967/17
---	---------------------------------------	---	---	---

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L1	-66 215.98	2 962 827.21		R1	-66 310.47	2 962 815.07			
L2	-66 270.31	2 962 646.96		R2	-66 378.28	2 962 620.16			
L3	-66 278.18	2 962 627.33		R3	-66 383.40	2 962 605.74			
L4	-66 285.23	2 962 606.94		R4	-66 761.41	2 961 514.26			
L5	-66 383.36	2 962 361.72		R5	-66 794.67	2 961 418.24			
L6	-66 775.66	2 961 224.83		R6	-66 841.75	2 961 282.32			
L7	-66 901.73	2 960 839.57		R7	-67 018.93	2 960 790.63			
L8	-66 954.41	2 960 686.03		R8	-67 035.88	2 960 743.59			
L9	-66 971.18	2 960 637.78		R9	-67 136.66	2 960 463.90			
L10	-67 090.73	2 960 092.73		R10	-67 180.14	2 960 366.45			
L11	-67 139.40	2 959 906.75		R11	-67 286.03	2 960 129.09			
L12	-67 025.67	2 959 946.36		R12	-67 403.40	2 959 983.62			
L13	-67 008.60	2 959 886.08		R13	-67 449.25	2 959 933.72			
L14	-66 990.36	2 959 807.84		R14	-67 555.45	2 959 879.21			
L15	-66 976.48	2 959 760.26		R15	-67 604.15	2 959 854.20			
L16	-67 275.79	2 959 657.21		R16	-67 608.38	2 959 852.03			
L17	-67 289.69	2 959 524.10		R17	-67 616.68	2 959 731.37			
L18	-67 303.61	2 959 514.97		R18	-67 905.72	2 959 633.66			
L19	-67 566.49	2 959 342.64		R19	-67 892.29	2 959 596.36			
L20	-67 853.64	2 958 929.67		R20	-67 862.84	2 959 514.62			
L21	-67 872.30	2 958 899.02		R21	-67 837.21	2 959 443.47			
L22	-67 914.53	2 958 829.65		R22	-67 658.26	2 959 504.02			
L23	-68 495.11	2 957 876.12		R23	-67 679.32	2 959 411.23			
L24	-68 815.93	2 957 349.20		R24	-67 951.98	2 958 921.15			
L25	-69 256.76	2 956 625.19		R25	-67 999.44	2 958 843.17			
L26	-69 315.65	2 956 528.46		R26	-68 521.66	2 957 985.12			
L27	-69 360.87	2 956 454.19		R27	-68 929.94	2 957 315.74			
L28	-69 457.14	2 956 291.31		R28	-69 369.17	2 956 593.89			
L29	-69 533.28	2 956 152.35		R29	-69 383.30	2 956 570.65			
L30	-69 590.13	2 956 041.80		R30	-69 449.44	2 956 461.87			
L31	-69 601.87	2 956 019.51		R31	-69 527.64	2 956 328.77			
L32	-69 623.90	2 955 976.20		R32	-69 603.75	2 956 189.89			
L33	-69 666.85	2 955 885.51		R33	-69 672.85	2 956 055.98			
L34	-69 723.77	2 955 760.42		R34	-69 679.85	2 956 041.64			
L35	-69 728.61	2 955 749.78		R35	-69 686.45	2 956 027.21			
L36	-69 775.41	2 955 641.01		R36	-69 798.49	2 955 789.80			
L37	-69 799.85	2 955 580.59		R37	-69 853.58	2 955 660.53			
L38	-69 819.89	2 955 531.05		R38	-69 874.19	2 955 609.85			
L39	-69 871.74	2 955 399.06		R39	-69 953.41	2 955 410.24			
L40	-69 875.89	2 955 388.50		R40	-70 019.61	2 955 242.94			
L41	-69 942.63	2 955 219.18		R41	-70 034.32	2 955 205.74			
L42	-69 988.82	2 955 101.97		R42	-70 085.79	2 955 075.64			
L43	-70 007.84	2 955 045.05		R43	-70 145.06	2 954 948.33			
L44	-70 052.88	2 954 910.18		R44	-70 245.65	2 954 774.17			
L45	-70 066.03	2 954 868.15		R45	-70 349.09	2 954 595.81			
L46	-70 082.27	2 954 816.23		R46	-70 550.55	2 954 571.18			
L47	-70 104.10	2 954 680.70		R47	-70 564.44	2 954 619.25			
L48	-69 859.29	2 954 591.19		R48	-70 743.53	2 954 522.04			
L49	-69 853.21	2 954 541.08		R49	-70 748.31	2 954 505.11			
L50	-70 080.95	2 954 452.56		R50	-70 698.65	2 954 412.72			
L51	-70 159.11	2 954 422.22		R51	-70 383.39	2 954 456.54			
					Vel Sheet	22	Van of	29	P967/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	-70 201.82	2 954 416.85		R52	-70 388.17	2 954 423.95
L53	-70 346.44	2 954 167.97		R53	-70 409.17	2 954 299.90
L54	-70 355.77	2 954 145.49		R54	-70 423.99	2 954 241.30
L55	-70 361.88	2 954 130.76		R55	-70 465.32	2 954 106.60
L56	-70 428.20	2 953 971.05		R56	-70 516.98	2 953 975.24
L57	-70 538.20	2 953 706.13		R57	-70 688.74	2 953 538.46
L58	-70 605.69	2 953 534.54		R58	-70 862.91	2 953 095.35
L59	-70 780.16	2 953 091.55		R59	-70 905.64	2 952 990.77
L60	-70 867.90	2 952 868.77		R60	-71 056.59	2 952 620.48
L61	-70 880.02	2 952 836.21		R61	-71 092.38	2 952 522.99
L62	-70 964.58	2 952 610.47		R62	-71 121.21	2 952 485.54
L63	-71 035.38	2 952 429.34		R63	-71 111.51	2 952 470.62
L64	-71 050.91	2 952 388.36		R64	-71 118.88	2 952 454.43
L65	-71 056.66	2 952 373.19		R65	-71 130.90	2 952 446.96
L66	-71 073.59	2 952 331.43		R66	-71 146.88	2 952 448.59
L67	-71 271.19	2 951 844.53		R67	-71 148.12	2 952 370.65
L68	-71 403.95	2 951 570.44		R68	-71 285.11	2 952 024.31
L69	-71 486.38	2 951 424.41		R69	-71 326.78	2 951 922.97
L70	-71 557.12	2 951 308.52		R70	-71 388.42	2 951 786.99
L71	-71 584.24	2 951 268.12		R71	-71 437.92	2 951 687.17
L72	-71 640.50	2 951 183.19		R72	-71 453.72	2 951 655.32
L73	-71 729.45	2 951 058.87		R73	-71 524.64	2 951 523.83
L74	-71 822.24	2 950 938.54		R74	-71 600.36	2 951 396.11
L75	-71 919.04	2 950 822.48		R75	-71 680.71	2 951 270.96
L76	-71 922.71	2 950 818.35		R76	-71 766.26	2 951 148.21
L77	-72 019.85	2 950 709.04		R77	-71 856.72	2 951 028.39
L78	-72 124.73	2 950 599.57		R78	-71 950.24	2 950 913.77
L79	-72 166.58	2 950 562.29		R79	-72 002.79	2 950 854.09
L80	-72 268.68	2 950 471.37		R80	-72 046.60	2 950 804.35
L81	-72 564.73	2 950 205.02		R81	-72 142.12	2 950 703.32
L82	-72 711.57	2 950 054.18		R82	-72 226.60	2 950 619.72
L83	-72 812.56	2 949 963.27		R83	-72 248.47	2 950 599.39
L84	-72 977.58	2 949 833.88		R84	-72 316.52	2 950 535.98
L85	-73 012.77	2 949 802.04		R85	-72 455.79	2 950 410.40
L86	-73 197.11	2 949 636.42		R86	-72 618.19	2 950 283.35
L87	-73 253.63	2 949 585.59		R87	-72 720.52	2 950 190.81
L88	-74 808.84	2 948 186.28		R88	-72 867.34	2 950 039.97
L89	-76 426.65	2 946 731.27		R89	-73 065.53	2 949 861.72
L90	-76 420.97	2 946 711.85		R90	-73 248.91	2 949 697.15
L91	-76 418.05	2 946 651.35		R91	-73 302.81	2 949 648.69
L92	-76 421.36	2 946 571.17		R92	-75 531.75	2 947 644.06
L93	-76 436.46	2 946 492.25		R93	-76 446.43	2 946 821.21
L94	-76 462.75	2 946 416.65		R94	-76 536.30	2 946 980.20
L95	-76 527.03	2 946 309.02		R95	-76 596.94	2 947 037.62
L96	-76 604.28	2 946 223.21		R96	-76 743.56	2 947 163.31
L97	-76 668.99	2 946 174.72		R97	-76 803.99	2 947 222.63
L98	-76 739.65	2 946 136.40		R98	-76 863.28	2 947 288.23
L99	-76 780.69	2 946 121.30		R99	-76 917.39	2 947 362.73
L100	-76 915.18	2 946 085.82		R100	-76 979.19	2 947 462.86
L101	-77 012.85	2 946 050.43		R101	-77 050.68	2 947 620.94
L102	-77 104.15	2 946 002.09		R102	-77 100.13	2 947 743.26
				Vel Sheet	23 of	Van 29 P967/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-77 187.88	2 945 941.02		R103	-77 151.73	2 947 869.87
L104	-77 264.12	2 945 870.38		R104	-77 142.24	2 947 728.02
L105	-77 297.34	2 945 822.20		R105	-77 049.74	2 947 419.86
L106	-77 325.98	2 945 780.60		R106	-77 022.61	2 947 352.48
L107	-77 350.66	2 945 739.53		R107	-77 016.22	2 947 325.38
L108	-77 387.59	2 945 678.10		R108	-76 983.34	2 947 185.90
L109	-77 409.54	2 945 641.59		R109	-76 942.51	2 947 032.81
L110	-77 467.94	2 945 531.14		R110	-76 936.67	2 947 010.91
L111	-77 529.71	2 945 392.31		R111	-76 930.57	2 946 975.45
L112	-77 618.97	2 945 166.86		R112	-76 911.74	2 946 870.08
L113	-78 059.96	2 944 051.33		R113	-76 922.98	2 946 676.38
L114	-78 132.80	2 943 860.00		R114	-76 952.77	2 946 541.47
L115	-78 139.92	2 943 841.31		R115	-77 015.88	2 946 386.41
L116	-78 309.17	2 943 396.86		R116	-77 102.60	2 946 238.69
L117	-78 538.06	2 942 842.26		R117	-77 217.06	2 946 084.99
L118	-78 628.60	2 942 613.49		R118	-77 342.28	2 945 924.18
L119	-78 675.01	2 942 496.21		R119	-77 387.30	2 945 849.67
L120	-78 681.82	2 942 479.55		R120	-77 434.03	2 945 772.33
L121	-78 723.63	2 942 377.31		R121	-77 446.75	2 945 751.26
L122	-78 804.76	2 942 192.51		R122	-77 498.52	2 945 657.39
L123	-78 892.17	2 942 010.41		R123	-77 505.63	2 945 644.49
L124	-78 984.90	2 941 833.17		R124	-77 531.11	2 945 590.99
L125	-79 090.52	2 941 646.63		R125	-77 604.05	2 945 421.69
L126	-79 128.61	2 941 580.73		R126	-78 134.43	2 944 080.88
L127	-79 130.88	2 941 576.80		R127	-78 218.75	2 943 876.27
L128	-79 145.10	2 941 552.20		R128	-78 226.37	2 943 857.78
L129	-79 305.64	2 941 275.26		R129	-78 387.36	2 943 467.08
L130	-79 428.40	2 941 050.92		R130	-78 575.66	2 942 964.63
L131	-79 519.10	2 940 864.17		R131	-78 693.78	2 942 666.12
L132	-79 601.37	2 940 693.24		R132	-78 747.07	2 942 531.47
L133	-79 628.10	2 940 622.55		R133	-78 749.36	2 942 525.67
L134	-79 741.82	2 940 321.58		R134	-78 797.23	2 942 407.79
L135	-79 831.79	2 940 038.57		R135	-78 836.53	2 942 316.65
L136	-79 980.03	2 939 462.52		R136	-78 877.58	2 942 225.79
L137	-80 041.40	2 939 189.27		R137	-78 919.73	2 942 135.64
L138	-80 112.82	2 938 723.75		R138	-78 963.68	2 942 046.49
L139	-80 157.59	2 938 431.97		R139	-79 008.63	2 941 958.70
L140	-80 189.49	2 938 224.12		R140	-79 055.25	2 941 871.15
L141	-80 195.30	2 938 186.20		R141	-79 142.85	2 941 715.73
L142	-80 303.66	2 937 480.18		R142	-79 188.58	2 941 636.77
L143	-80 393.00	2 936 898.05		R143	-79 264.29	2 941 506.35
L144	-80 407.49	2 936 507.74		R144	-79 374.92	2 941 315.73
L145	-80 280.37	2 936 236.33		R145	-79 500.62	2 941 087.49
L146	-80 292.58	2 936 116.96		R146	-79 590.84	2 940 908.93
L147	-80 313.67	2 936 086.32		R147	-79 674.97	2 940 725.73
L148	-80 151.44	2 935 885.85		R148	-79 681.45	2 940 710.81
L149	-80 196.28	2 935 831.92		R149	-79 835.76	2 940 355.80
L150	-80 210.63	2 935 761.72		R150	-79 906.52	2 940 156.10
L151	-80 254.87	2 935 724.09		R151	-79 996.06	2 939 877.43
L152	-80 474.60	2 935 923.93		R152	-80 092.50	2 939 382.43
L153	-80 537.62	2 935 804.61		R153	-80 120.27	2 939 201.23
				Vel Sheet	24 of	29 P967/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-80 618.26	2	935 341.25		R154	-80 182.48	2	938 803.43	
L155	-80 734.76	2	934 672.34		R155	-80 242.83	2	938 414.94	
L156	-80 739.31	2	934 642.69		R156	-80 274.09	2	938 214.62	
L157	-81 076.80	2	932 444.47		R157	-80 277.49	2	938 192.88	
L158	-81 207.22	2	931 594.07		R158	-80 390.09	2	937 467.84	
L159	-81 246.94	2	931 359.59		R159	-80 415.31	2	937 306.17	
L160	-81 329.46	2	931 111.81		R160	-80 459.37	2	937 009.46	
L161	-81 343.30	2	931 070.29		R161	-80 589.49	2	936 438.57	
L162	-81 442.46	2	930 843.57		R162	-80 606.02	2	936 434.81	
L163	-81 495.16	2	930 749.70		R163	-80 817.86	2	936 645.79	
L164	-81 599.66	2	930 563.55		R164	-80 846.18	2	936 603.97	
L165	-81 631.21	2	930 530.72		R165	-80 897.73	2	936 527.84	
L166	-81 693.82	2	930 444.46		R166	-80 931.37	2	936 499.48	
L167	-81 709.87	2	930 423.23		R167	-80 775.34	2	936 286.45	
L168	-81 922.65	2	930 141.63		R168	-80 801.78	2	936 202.06	
L169	-82 090.31	2	929 920.57		R169	-80 790.95	2	936 085.14	
L170	-82 119.81	2	929 881.67		R170	-80 755.10	2	936 002.18	
L171	-82 299.32	2	929 644.88		R171	-80 750.97	2	935 992.64	
L172	-82 309.13	2	929 632.02		R172	-80 675.99	2	935 818.58	
L173	-82 471.49	2	929 417.95		R173	-80 679.61	2	935 693.15	
L174	-82 661.28	2	929 167.68		R174	-80 680.04	2	935 677.98	
L175	-83 138.40	2	928 538.53		R175	-80 684.40	2	935 526.79	
L176	-83 284.82	2	928 345.47		R176	-80 716.47	2	935 317.93	
L177	-83 437.16	2	928 144.59		R177	-80 803.50	2	934 751.08	
L178	-83 594.02	2	927 937.76		R178	-80 818.79	2	934 651.52	
L179	-83 864.08	2	927 581.64		R179	-80 887.04	2	934 207.05	
L180	-84 047.82	2	927 343.00		R180	-81 161.09	2	932 422.41	
L181	-84 245.92	2	927 116.40		R181	-81 285.75	2	931 609.82	
L182	-84 346.44	2	927 005.20		R182	-81 287.54	2	931 600.07	
L183	-84 464.68	2	926 880.66		R183	-81 289.30	2	931 590.46	
L184	-84 536.43	2	926 805.10		R184	-81 309.74	2	931 476.71	
L185	-84 590.83	2	926 747.80		R185	-81 331.79	2	931 380.74	
L186	-84 744.76	2	926 585.67		R186	-81 368.17	2	931 268.88	
L187	-84 758.60	2	926 572.27		R187	-81 423.27	2	931 099.31	
L188	-84 759.09	2	926 571.79		R188	-81 430.08	2	931 083.52	
L189	-84 916.90	2	926 434.53		R189	-81 520.32	2	930 873.48	
L190	-85 085.63	2	926 287.75		R190	-81 578.33	2	930 762.64	
L191	-85 152.94	2	926 229.21		R191	-81 588.22	2	930 743.82	
L192	-85 234.55	2	926 158.09		R192	-81 719.09	2	930 548.59	
L193	-85 281.16	2	926 117.45		R193	-81 805.97	2	930 429.59	
L194	-85 327.77	2	926 076.81		R194	-81 907.72	2	930 294.88	
L195	-85 332.85	2	926 072.38		R195	-81 916.73	2	930 283.16	
L196	-85 347.48	2	926 059.62		R196	-82 009.68	2	930 160.47	
L197	-85 374.38	2	926 036.17		R197	-82 174.58	2	929 942.95	
L198	-85 394.63	2	926 018.51		R198	-82 199.82	2	929 909.65	
L199	-85 441.24	2	925 977.87		R199	-82 375.20	2	929 678.31	
L200	-85 448.49	2	925 971.55		R200	-82 380.80	2	929 670.91	
L201	-85 483.70	2	925 940.86		R201	-82 390.48	2	929 658.15	
L202	-85 487.88	2	925 937.23		R202	-82 543.12	2	929 456.80	
L203	-85 549.50	2	925 883.71		R203	-82 750.53	2	929 183.20	
L204	-85 564.13	2	925 871.00		R204	-82 888.76	2	929 000.85	
					Vel Sheet 25 Van of 29 P967/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L205	-85 628.31	2 925 815.25		R205	-82 899.72	2 928 986.51
L206	-85 675.12	2 925 774.59		R206	-83 051.92	2 928 785.75
L207	-85 721.94	2 925 733.92		R207	-83 204.19	2 928 584.91
L208	-85 737.34	2 925 720.55		R208	-83 356.42	2 928 384.11
L209	-85 766.00	2 925 694.48		R209	-83 508.74	2 928 183.20
L210	-85 780.58	2 925 681.22		R210	-83 660.45	2 927 983.09
L211	-85 811.63	2 925 652.97		R211	-83 674.55	2 927 964.51
L212	-85 856.08	2 925 612.54		R212	-83 922.43	2 927 637.64
L213	-85 861.60	2 925 607.52		R213	-84 113.02	2 927 396.08
L214	-85 875.71	2 925 594.94		R214	-84 180.23	2 927 313.17
L215	-85 921.17	2 925 554.41		R215	-84 307.18	2 927 168.23
L216	-85 966.63	2 925 513.88		R216	-84 365.10	2 927 105.27
L217	-85 982.09	2 925 500.09		R217	-84 488.43	2 926 971.16
L218	-85 986.98	2 925 495.73		R218	-84 493.41	2 926 966.19
L219	-85 996.73	2 925 487.48		R219	-84 682.24	2 926 777.98
L220	-86 013.53	2 925 473.27		R220	-84 785.96	2 926 674.60
L221	-86 061.70	2 925 432.50		R221	-84 796.57	2 926 664.09
L222	-86 097.94	2 925 401.83		R222	-84 936.17	2 926 538.16
L223	-86 109.86	2 925 391.74		R223	-85 099.07	2 926 391.20
L224	-86 197.32	2 925 317.73		R224	-85 162.46	2 926 334.01
L225	-86 199.15	2 925 316.14		R225	-85 253.39	2 926 253.95
L226	-86 213.78	2 925 303.44		R226	-85 316.09	2 926 198.93
L227	-86 252.76	2 925 269.60		R227	-85 342.38	2 926 175.81
L228	-86 291.22	2 925 236.22		R228	-85 356.96	2 926 162.92
L229	-86 297.91	2 925 229.12		R229	-85 377.37	2 926 144.98
L230	-86 314.44	2 925 211.57		R230	-85 469.72	2 926 063.79
L231	-86 335.36	2 925 189.36		R231	-85 515.91	2 926 023.18
L232	-86 351.65	2 925 172.07		R232	-85 535.98	2 926 005.54
L233	-86 387.89	2 925 133.59		R233	-85 558.78	2 925 985.54
L234	-86 389.17	2 925 132.27		R234	-85 573.45	2 925 972.59
L235	-86 396.04	2 925 125.16		R235	-85 582.16	2 925 964.93
L236	-86 413.90	2 925 106.74		R236	-85 674.52	2 925 883.73
L237	-86 421.31	2 925 098.81		R237	-85 766.89	2 925 802.53
L238	-86 428.37	2 925 092.46		R238	-85 775.24	2 925 795.19
L239	-86 466.33	2 925 052.61		R239	-85 789.86	2 925 782.34
L240	-86 504.92	2 925 012.56		R240	-85 813.12	2 925 761.91
L241	-86 527.95	2 924 988.74		R241	-85 859.26	2 925 721.34
L242	-86 543.51	2 924 972.65		R242	-85 890.78	2 925 693.62
L243	-86 581.38	2 924 933.49		R243	-85 951.59	2 925 640.15
L244	-86 581.79	2 924 932.93		R244	-85 991.69	2 925 604.89
L245	-86 596.13	2 924 915.67		R245	-86 017.83	2 925 581.91
L246	-86 626.95	2 924 878.45		R246	-86 063.99	2 925 541.34
L247	-86 641.14	2 924 861.31		R247	-86 110.14	2 925 500.76
L248	-86 647.21	2 924 853.98		R248	-86 156.30	2 925 460.17
L249	-86 685.83	2 924 807.33		R249	-86 202.43	2 925 419.62
L250	-86 707.03	2 924 781.72		R250	-86 208.17	2 925 414.57
L251	-86 739.01	2 924 738.61		R251	-86 222.79	2 925 401.72
L252	-86 811.08	2 924 641.53		R252	-86 248.60	2 925 379.02
L253	-86 836.08	2 924 607.71		R253	-86 261.96	2 925 367.28
L254	-86 850.15	2 924 587.80		R254	-86 293.06	2 925 338.61
L255	-87 004.42	2 924 369.18		R255	-86 323.51	2 925 310.55
				Vel Sheet	26 of	29 P967/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L256	-87 016.28	2 924 352.29		R256	-86 336.86	2 925 298.24			
L257	-87 039.85	2 924 318.34		R257	-86 380.65	2 925 257.88			
L258	-87 043.09	2 924 313.68		R258	-86 424.06	2 925 217.76			
L259	-87 057.07	2 924 293.66		R259	-86 427.36	2 925 214.26			
L260	-87 070.20	2 924 274.68		R260	-86 438.72	2 925 205.23			
L261	-87 097.17	2 924 235.85		R261	-86 457.06	2 925 182.75			
L262	-87 124.13	2 924 196.98		R262	-86 461.76	2 925 177.76			
L263	-87 151.10	2 924 158.16		R263	-86 478.08	2 925 160.46			
L264	-87 153.43	2 924 154.83		R264	-86 515.62	2 925 120.64			
L265	-87 360.90	2 923 856.03		R265	-86 537.90	2 925 097.01			
L266	-87 419.92	2 923 763.22		R266	-86 590.65	2 925 041.13			
L267	-87 471.64	2 923 679.11		R267	-86 628.21	2 925 001.22			
L268	-87 513.85	2 923 609.69		R268	-86 637.32	2 924 991.56			
L269	-87 523.72	2 923 593.45		R269	-86 642.99	2 924 985.55			
L270	-87 533.59	2 923 577.21		R270	-86 651.62	2 924 975.33			
L271	-87 534.97	2 923 574.95		R271	-86 696.40	2 924 922.31			
L272	-87 547.60	2 923 554.17		R272	-86 696.39	2 924 922.21			
L273	-87 569.33	2 923 518.42		R273	-86 773.02	2 924 831.57			
L274	-87 573.22	2 923 512.03		R274	-86 782.66	2 924 818.24			
L275	-87 578.81	2 923 500.61		R275	-86 820.88	2 924 765.36			
L276	-87 587.69	2 923 482.62		R276	-86 833.11	2 924 748.43			
L277	-87 590.64	2 923 476.65		R277	-86 847.22	2 924 728.92			
L278	-87 596.59	2 923 464.71		R278	-86 861.28	2 924 709.46			
L279	-87 611.19	2 923 435.16		R279	-86 901.50	2 924 653.82			
L280	-87 619.71	2 923 417.90		R280	-87 054.34	2 924 436.21			
L281	-87 633.81	2 923 389.37		R281	-87 068.32	2 924 416.30			
L282	-87 643.77	2 923 369.20		R282	-87 080.78	2 924 398.60			
L283	-87 658.60	2 923 339.18		R283	-87 108.06	2 924 359.74			
L284	-87 705.81	2 923 243.61		R284	-87 119.91	2 924 342.82			
L285	-87 752.91	2 923 148.21		R285	-87 134.84	2 924 321.61			
L286	-87 766.38	2 923 119.73		R286	-87 164.89	2 924 279.76			
L287	-87 768.68	2 923 075.27		R287	-87 337.70	2 924 039.81			
L288	-87 750.49	2 923 053.27		R288	-87 478.64	2 923 842.69			
L289	-87 674.26	2 922 961.06		R289	-87 521.21	2 923 783.81			
L290	-87 645.44	2 922 926.20		R290	-87 584.65	2 923 696.92			
L291	-87 602.38	2 922 878.19		R291	-87 589.24	2 923 690.64			
L292	-87 594.06	2 922 868.70		R292	-87 731.21	2 923 531.16			
L293	-87 620.49	2 922 783.24		R293	-87 751.03	2 923 508.26			
L294	-87 681.40	2 922 866.00		R294	-87 789.79	2 923 464.93			
L295	-87 798.50	2 922 862.58		R295	-87 827.67	2 923 428.64			
L296	-87 801.36	2 922 957.03		R296	-87 929.21	2 923 331.21			
L297	-87 927.77	2 922 953.22		R297	-87 938.03	2 923 330.94			
L298	-88 013.44	2 922 856.14		R298	-88 041.51	2 923 385.69			
L299	-88 024.80	2 922 843.32		R299	-88 060.79	2 923 395.98			
L300	-88 043.11	2 922 822.46		R300	-88 061.32	2 923 407.67			
L301	-88 090.36	2 922 768.92		R301	-88 064.18	2 923 500.21			
L302	-88 090.63	2 922 768.57		R302	-88 067.05	2 923 605.87			
L303	-88 166.18	2 922 670.38		R303	-88 067.63	2 923 625.48			
L304	-88 248.06	2 922 563.97		R304	-88 085.39	2 923 614.21			
L305	-88 250.46	2 922 563.94		R305	-88 206.31	2 923 537.47			
L306	-88 255.45	2 922 557.54		R306	-88 328.83	2 923 437.74			
Vel Sheet 27					Van of 29		P967/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L307	-88 267.99	2 922	541.35	R307	-88 364.42	2 923 407.55
L308	-88 327.49	2 922	460.88	R308	-88 358.42	2 923 397.67
L309	-88 394.46	2 922	373.85	R309	-88 315.37	2 923 326.88
L310	-88 433.04	2 922	323.58	R310	-88 133.50	2 923 332.23
L311	-88 454.75	2 922	295.36	R311	-88 059.92	2 923 249.04
L312	-88 491.13	2 922	248.07	R312	-88 056.07	2 923 244.69
L313	-88 582.65	2 922	117.98	R313	-88 054.29	2 923 186.53
L314	-88 574.74	2 922	092.11	R314	-88 074.18	2 923 147.16
L315	-88 575.20	2 922	091.45	R315	-88 122.68	2 923 051.19
L316	-88 709.37	2 921	900.05	R316	-88 171.02	2 922 955.56
L317	-88 749.31	2 921	843.09	R317	-88 219.69	2 922 859.27
L318	-88 859.16	2 921	656.57	R318	-88 268.09	2 922 763.31
L319	-88 898.07	2 921	590.55	R319	-88 317.87	2 922 665.16
L320	-89 020.08	2 921	323.43	R320	-88 338.17	2 922 633.70
L321	-89 114.88	2 921	037.30	R321	-88 359.52	2 922 600.59
L322	-89 119.53	2 921	018.66	R322	-88 385.76	2 922 559.91
L323	-89 154.66	2 920	854.52	R323	-88 389.89	2 922 553.49
L324	-89 176.01	2 920	757.87	R324	-88 400.18	2 922 537.39
L325	-89 183.42	2 920	691.19	R325	-88 451.04	2 922 459.73
L326	-89 199.42	2 920	547.22	R326	-88 471.96	2 922 425.96
L327	-89 208.43	2 920	466.25	R327	-88 472.20	2 922 426.76
L328	-89 209.67	2 920	171.16	R328	-88 670.46	2 922 131.15
L329	-89 209.90	2 920	116.93	R329	-88 707.71	2 922 118.39
L330	-89 202.80	2 919	716.86	R330	-88 708.09	2 922 117.84
L331	-89 225.33	2 919	571.86	R331	-88 808.08	2 921 975.35
L332	-89 256.82	2 919	369.16	R332	-88 853.14	2 921 911.14
L333	-89 258.70	2 919	357.06	R333	-89 008.77	2 921 646.94
L334	-89 275.60	2 919	268.01	R334	-89 135.74	2 921 367.90
L335	-89 315.09	2 919	096.59	R335	-89 200.91	2 921 172.10
L336	-89 347.46	2 918	966.51	R336	-89 208.23	2 921 150.35
L337	-89 446.49	2 918	677.80	R337	-89 232.04	2 921 077.61
L338	-89 550.69	2 918	443.73	R338	-89 245.01	2 921 018.64
L339	-89 570.63	2 918	398.95	R339	-89 286.55	2 920 829.75
L340	-89 669.53	2 918	220.24	R340	-89 297.90	2 920 778.17
L341	-89 718.38	2 918	131.96	R341	-89 310.24	2 920 669.76
L342	-89 888.90	2 917	878.90	R342	-89 326.64	2 920 525.73
L343	-89 918.59	2 917	842.20	R343	-89 332.59	2 920 473.49
L344	-90 080.86	2 917	641.71	R344	-89 331.59	2 920 168.72
L345	-90 292.80	2 917	422.17	R345	-89 331.22	2 920 116.65
L346	-90 299.92	2 917	416.04	R346	-89 330.32	2 919 990.10
L347	-90 412.75	2 917	316.38	R347	-89 330.37	2 919 868.49
L348	-90 521.46	2 917	220.35	R348	-89 333.97	2 919 807.80
L349	-90 540.26	2 917	204.74	R349	-89 338.02	2 919 747.13
L350	-90 659.67	2 917	105.46	R350	-89 341.46	2 919 695.24
L351	-90 763.70	2 917	018.84	R351	-89 344.93	2 919 649.30
L352	-90 827.55	2 916	964.93	R352	-89 348.07	2 919 588.53
				R353	-89 355.26	2 919 538.06
				R354	-89 360.24	2 919 504.96
				R355	-89 391.31	2 919 309.79
				R356	-89 395.04	2 919 286.34
				R357	-89 397.57	2 919 276.16
				Vel Sheet 28	Van of 29	P967/17

This gazette is also available free online at www.gpwonline.co.za