

DEPARTMENT OF TRANSPORT

NO. 340

23 MARCH 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N5 SECTION 1

AMENDMENT OF DECLARATION No. 568 OF 2009.

By virtue of Section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 568 of 2009 by substituting it in its entirety, with the accompanying sheets 1 to 17 of Plan No. P924/16.

(National Road N5 Section 1: Winburg – Senekal)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 340

23 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N5 SEKSIE 1


WYSIGING VAN VERKLARING No. 568 VAN 2009.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 568 van 2009 deur dit in sy geheel te vervang, met bygaande velle 1 tot 17 van Plan No. P924/16.


(Nasionale Pad N5 Seksie 1: Winburg – Senekal)



MINISTER VAN VERVOER






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N5 of National Route
Val Sheet 2 of 17 Plan P924/16	1	1







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N5 of National Route	Vel Sheet 4 of 17 Plan P924/16
---	---------------------------------------	--	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	5 of	17
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	Plan	P924/16	



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	1 N5 1 Section	Plan P924/16
			Vel Sheet 6 of 17	



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 8 of 17 Plan P924/16
---	---------------------------------------	--	--------------------------------------



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND				
	Y		X	WG 27°		Y		X	
L1	-182.37	3	153	667.09	R1	-188.80	3	153	705.88
L2	-335.81	3	153	641.37	R2	-256.35	3	153	694.86
L3	-440.14	3	153	627.75	R3	-302.26	3	153	696.65
L4	-797.22	3	153	568.44	R4	-298.34	3	153	714.44
L5	-1 163.42	3	153	507.39	R5	-333.88	3	153	701.57
L6	-1 331.48	3	153	479.68	R6	-335.79	3	153	693.02
L7	-1 369.10	3	153	469.37	R7	-336.24	3	153	691.27
L8	-1 399.10	3	153	466.90	R8	-382.52	3	153	672.05
L9	-1 411.88	3	153	466.42	R9	-445.41	3	153	659.40
L10	-1 457.36	3	153	458.92	R10	-802.72	3	153	599.87
L11	-1 760.71	3	153	408.40	R11	-1 144.78	3	153	543.21
L12	-1 820.11	3	153	398.55	R12	-1 346.95	3	153	509.52
L13	-1 838.37	3	153	392.36	R13	-1 375.77	3	153	507.60
L14	-2 021.21	3	153	356.28	R14	-1 395.84	3	153	501.37
L15	-2 045.75	3	153	361.15	R15	-1 455.51	3	153	491.43
L16	-2 118.13	3	153	349.15	R16	-1 759.69	3	153	440.69
L17	-2 153.34	3	153	343.30	R17	-2 133.74	3	153	378.69
L18	-2 203.53	3	153	328.22	R18	-2 243.63	3	153	360.47
L19	-2 240.45	3	153	320.79	R19	-2 283.59	3	153	358.43
L20	-2 332.91	3	153	306.89	R20	-2 322.26	3	153	347.43
L21	-2 649.09	3	153	255.82	R21	-2 380.74	3	153	337.74
L22	-2 788.08	3	153	235.96	R22	-2 420.45	3	153	334.45
L23	-2 816.79	3	153	233.08	R23	-2 578.53	3	153	309.54
L24	-3 285.18	3	153	157.37	R24	-2 657.34	3	153	295.53
L25	-3 390.03	3	153	147.29	R25	-2 686.06	3	153	287.17
L26	-3 410.24	3	153	130.21	R26	-2 827.16	3	153	263.81
L27	-3 412.33	3	153	123.69	R27	-3 150.44	3	153	211.51
L28	-3 414.56	3	153	116.71	R28	-3 336.06	3	153	207.69
L29	-3 443.67	3	153	137.21	R29	-3 376.19	3	153	222.47
L30	-3 442.92	3	153	140.25	R30	-3 406.50	3	153	231.92
L31	-3 441.22	3	153	149.03	R31	-3 441.15	3	153	220.41
L32	-3 526.96	3	153	161.12	R32	-3 486.62	3	153	221.26
L33	-3 625.28	3	153	179.58	R33	-3 616.24	3	153	242.91
L34	-3 724.25	3	153	208.52	R34	-3 660.64	3	153	252.46
L35	-3 795.72	3	153	238.04	R35	-3 757.40	3	153	278.16
L36	-3 817.89	3	153	247.20	R36	-3 814.15	3	153	298.22
L37	-3 899.40	3	153	291.13	R37	-3 869.60	3	153	320.24
L38	-3 940.39	3	153	314.49	R38	-3 879.93	3	153	325.04
L39	-4 350.09	3	153	551.28	R39	-3 889.60	3	153	329.57
L40	-4 389.84	3	153	572.64	R40	-3 924.40	3	153	345.84
L41	-4 425.89	3	153	590.30	R41	-3 978.59	3	153	373.68
L42	-4 474.14	3	153	612.44	R42	-4 314.54	3	153	565.45
L43	-4 525.12	3	153	633.82	R43	-4 374.38	3	153	598.31
L44	-4 584.54	3	153	656.05	R44	-4 412.73	3	153	617.95
L45	-4 656.37	3	153	679.02	R45	-4 459.50	3	153	639.52
L46	-4 716.22	3	153	694.90	R46	-4 502.23	3	153	657.27
L47	-4 790.98	3	153	711.88	R47	-4 538.57	3	153	671.73
L48	-4 873.11	3	153	725.44	R48	-4 581.69	3	153	687.21
L49	-5 406.26	3	153	783.19	R49	-4 622.88	3	153	700.83
L50	-5 939.39	3	153	840.94	R50	-4 660.69	3	153	711.93
L51	-6 366.15	3	153	887.37	R51	-4 710.80	3	153	724.91
					Vel 10 Van 17 Sheet of P924/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-6 819.67	3	153	936.51	R52	-4 746.72	3	153	733.63
L53	-7 142.30	3	153	971.46	R53	-4 796.95	3	153	744.14
L54	-7 179.73	3	153	969.88	R54	-4 863.97	3	153	756.10
L55	-7 216.97	3	153	979.54	R55	-5 243.81	3	153	797.24
L56	-7 599.54	3	154	020.23	R56	-5 581.87	3	153	833.86
L57	-7 676.04	3	154	019.02	R57	-5 871.98	3	153	865.28
L58	-7 755.73	3	154	009.28	R58	-5 887.14	3	153	868.50
L59	-7 876.04	3	154	004.81	R59	-5 930.08	3	153	873.26
L60	-7 975.61	3	153	993.03	R60	-6 046.16	3	153	886.14
L61	-8 034.66	3	153	981.50	R61	-6 063.05	3	153	885.80
L62	-8 092.83	3	153	965.79	R62	-6 356.83	3	153	917.26
L63	-8 164.76	3	153	944.94	R63	-6 783.34	3	153	963.29
L64	-8 300.12	3	153	894.53	R64	-6 801.81	3	153	967.70
L65	-8 395.02	3	153	859.24	R65	-6 861.45	3	153	974.30
L66	-8 399.99	3	153	856.39	R66	-6 879.42	3	153	973.86
L67	-8 410.78	3	153	850.23	R67	-6 925.53	3	153	978.97
L68	-8 495.16	3	153	818.93	R68	-6 941.36	3	153	982.49
L69	-8 509.37	3	153	816.72	R69	-7 039.84	3	153	994.54
L70	-8 728.27	3	153	735.33	R70	-7 056.31	3	153	996.56
L71	-9 171.78	3	153	570.35	R71	-7 062.51	3	154	010.32
L72	-9 171.96	3	153	570.29	R72	-7 080.66	3	154	014.20
L73	-9 452.65	3	153	466.89	R73	-7 097.91	3	153	998.18
L74	-9 796.54	3	153	339.91	R74	-7 179.34	3	154	013.18
L75	-9 814.45	3	153	330.70	R75	-7 220.98	3	154	016.97
L76	-9 964.52	3	153	275.16	R76	-7 359.14	3	154	029.57
L77	-10 002.60	3	153	261.57	R77	-7 438.69	3	154	038.18
L78	-10 015.30	3	153	259.03	R78	-7 459.32	3	154	037.38
L79	-10 482.55	3	153	085.13	R79	-7 661.63	3	154	059.20
L80	-10 774.55	3	152	976.89	R80	-7 715.90	3	154	070.54
L81	-10 786.67	3	152	969.56	R81	-7 745.65	3	154	073.59
L82	-10 842.93	3	152	948.69	R82	-7 778.95	3	154	073.18
L83	-10 937.53	3	152	913.00	R83	-7 811.69	3	154	070.00
L84	-10 964.73	3	152	907.13	R84	-7 931.29	3	154	049.91
L85	-11 036.23	3	152	883.07	R85	-7 948.82	3	154	046.62
L86	-11 129.53	3	152	856.21	R86	-8 020.20	3	154	030.43
L87	-11 453.32	3	152	772.61	R87	-8 074.49	3	154	011.53
L88	-11 697.36	3	152	710.97	R88	-8 154.80	3	153	981.59
L89	-11 985.52	3	152	637.83	R89	-8 179.76	3	153	975.58
L90	-12 161.98	3	152	593.04	R90	-8 236.84	3	153	955.74
L91	-12 542.72	3	152	496.47	R91	-8 311.14	3	153	926.25
L92	-12 559.87	3	152	488.69	R92	-8 346.18	3	153	910.42
L93	-12 655.47	3	152	459.30	R93	-8 385.80	3	153	895.81
L94	-12 750.46	3	152	427.90	R94	-8 403.92	3	153	891.83
L95	-12 863.32	3	152	386.97	R95	-8 442.04	3	153	879.55
L96	-12 975.52	3	152	342.47	R96	-8 611.37	3	153	817.57
L97	-13 008.25	3	152	333.41	R97	-8 662.43	3	153	793.76
L98	-13 056.18	3	152	315.45	R98	-8 732.66	3	153	767.85
L99	-13 105.73	3	152	298.16	R99	-9 122.49	3	153	623.79
L100	-13 105.97	3	152	298.08	R100	-9 170.86	3	153	620.28
L101	-13 155.33	3	152	282.86	R101	-9 182.17	3	153	623.99
L102	-13 165.34	3	152	276.71	R102	-9 188.38	3	153	627.10
					Vel 11 Sheet of Van 17 P924/16				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 27°		Y		X			
L103	-13	242.57	3	152	247.19	R103	-9	195.49	3	153	631.40
L104	-13	282.82	3	152	242.75	R104	-9	224.33	3	153	614.24
L105	-13	591.13	3	152	156.92	R105	-9	209.99	3	153	602.33
L106	-13	727.52	3	152	120.03	R106	-9	212.94	3	153	590.40
L107	-13	756.25	3	152	116.31	R107	-9	468.24	3	153	495.48
L108	-13	768.87	3	152	112.85	R108	-9	998.96	3	153	298.12
L109	-14	245.34	3	151	979.47	R109	-10	482.73	3	153	118.01
L110	-14	635.33	3	151	871.92	R110	-10	952.77	3	152	943.27
L111	-15	159.58	3	151	728.33	R111	-11	044.26	3	152	912.06
L112	-15	592.43	3	151	609.67	R112	-11	150.36	3	152	882.08
L113	-15	699.86	3	151	580.07	R113	-11	464.57	3	152	802.00
L114	-16	063.79	3	151	479.78	R114	-11	712.02	3	152	739.42
L115	-16	067.27	3	151	478.82	R115	-11	979.01	3	152	671.70
L116	-16	522.76	3	151	352.02	R116	-12	168.00	3	152	623.77
L117	-16	948.10	3	151	229.31	R117	-12	666.18	3	152	497.28
L118	-17	457.55	3	151	081.95	R118	-12	771.56	3	152	457.04
L119	-17	901.70	3	150	953.34	R119	-12	818.38	3	152	444.25
L120	-18	308.25	3	150	835.51	R120	-12	911.77	3	152	408.28
L121	-18	840.49	3	150	681.33	R121	-12	948.65	3	152	392.41
L122	-18	841.33	3	150	681.08	R122	-12	968.15	3	152	381.98
L123	-19	212.16	3	150	574.13	R123	-13	065.78	3	152	344.70
L124	-19	733.22	3	150	427.82	R124	-13	104.36	3	152	334.03
L125	-19	817.75	3	150	404.78	R125	-13	196.31	3	152	304.68
L126	-20	079.03	3	150	333.56	R126	-13	219.79	3	152	297.15
L127	-20	574.54	3	150	198.77	R127	-13	237.41	3	152	288.65
L128	-21	098.08	3	150	055.55	R128	-13	273.52	3	152	278.71
L129	-21	570.94	3	149	925.47	R129	-13	294.01	3	152	279.34
L130	-22	105.65	3	149	778.85	R130	-13	448.05	3	152	234.25
L131	-22	361.29	3	149	711.12	R131	-13	476.30	3	152	223.25
L132	-22	393.53	3	149	688.81	R132	-13	778.63	3	152	140.64
L133	-22	424.96	3	149	678.79	R133	-14	254.79	3	152	010.82
L134	-22	466.43	3	149	682.48	R134	-14	644.86	3	151	904.28
L135	-22	820.87	3	149	585.26	R135	-15	169.26	3	151	760.68
L136	-22	877.49	3	149	565.42	R136	-15	598.97	3	151	641.47
L137	-22	915.40	3	149	552.26	R137	-15	781.37	3	151	590.61
L138	-22	974.04	3	149	537.09	R138	-16	066.20	3	151	511.21
L139	-23	032.43	3	149	521.33	R139	-16	073.01	3	151	509.31
L140	-23	083.67	3	149	507.06	R140	-16	349.46	3	151	432.13
L141	-23	140.17	3	149	486.04	R141	-16	401.94	3	151	433.09
L142	-23	153.99	3	149	479.13	R142	-16	417.90	3	151	428.68
L143	-23	202.12	3	149	460.54	R143	-16	455.15	3	151	402.62
L144	-23	220.88	3	149	453.60	R144	-16	535.31	3	151	380.24
L145	-23	237.95	3	149	449.68	R145	-16	961.44	3	151	257.09
L146	-23	310.82	3	149	422.57	R146	-17	470.25	3	151	109.53
L147	-23	695.55	3	149	277.71	R147	-17	915.50	3	150	980.67
L148	-23	977.97	3	149	168.17	R148	-18	307.75	3	150	867.40
L149	-23	978.19	3	149	168.01	R149	-18	826.98	3	150	717.26
L150	-24	294.28	3	148	948.31	R150	-19	745.88	3	150	456.07
L151	-24	497.40	3	148	803.54	R151	-20	082.73	3	150	364.09
L152	-24	858.98	3	148	544.03	R152	-20	577.63	3	150	229.23
L153	-24	860.64	3	148	542.69	R153	-20	622.82	3	150	232.19
						Vel 12 Van 17 Sheet of P924/16					

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-24	950.15	3	148 470.37	R154	-20	651.40	3	150 224.39
L155	-25	058.29	3	148 383.00	R155	-20	688.51	3	150 198.91
L156	-25	438.56	3	148 073.82	R156	-21	101.91	3	150 085.88
L157	-25	586.99	3	147 949.90	R157	-21	576.65	3	149 956.40
L158	-25	587.02	3	147 949.88	R158	-22	103.87	3	149 812.35
L159	-25	671.29	3	147 879.46	R159	-22	211.81	3	149 782.91
L160	-25	676.94	3	147 874.27	R160	-22	230.18	3	149 779.29
L161	-25	938.47	3	147 612.24	R161	-22	307.62	3	149 759.20
L162	-26	242.70	3	147 306.62	R162	-22	346.27	3	149 748.91
L163	-26	260.85	3	147 271.12	R163	-22	385.14	3	149 738.25
L164	-26	264.58	3	147 263.74	R164	-22	422.67	3	149 739.08
L165	-26	274.80	3	147 253.38	R165	-22	429.53	3	149 739.22
L166	-26	315.82	3	147 233.17	R166	-22	454.50	3	149 732.41
L167	-26	650.49	3	146 898.59	R167	-22	491.94	3	149 706.51
L168	-27	079.31	3	146 534.65	R168	-22	837.58	3	149 612.26
L169	-27	165.78	3	146 473.05	R169	-22	869.89	3	149 606.34
L170	-27	255.35	3	146 415.70	R170	-22	929.11	3	149 595.39
L171	-27	393.60	3	146 340.81	R171	-22	967.73	3	149 584.74
L172	-27	450.96	3	146 313.97	R172	-23	005.71	3	149 571.95
L173	-27	579.16	3	146 261.68	R173	-23	084.01	3	149 539.68
L174	-27	579.37	3	146 261.62	R174	-23	313.89	3	149 453.96
L175	-27	681.49	3	146 228.59	R175	-23	722.42	3	149 302.16
L176	-28	060.36	3	146 120.68	R176	-23	944.66	3	149 219.23
L177	-28	431.44	3	146 015.11	R177	-23	996.81	3	149 194.67
L178	-28	792.58	3	145 912.08	R178	-23	996.89	3	149 194.63
L179	-28	831.37	3	145 883.92	R179	-24	270.05	3	149 003.23
L180	-28	819.53	3	145 848.25	R180	-24	510.14	3	148 831.90
L181	-28	840.14	3	145 841.93	R181	-24	874.58	3	148 571.50
L182	-28	849.04	3	145 856.21	R182	-24	876.32	3	148 570.09
L183	-28	855.48	3	145 876.01	R183	-24	959.41	3	148 502.70
L184	-28	902.91	3	145 876.43	R184	-25	075.14	3	148 408.86
L185	-28	997.17	3	145 845.80	R185	-25	456.02	3	148 098.67
L186	-29	006.06	3	145 844.93	R186	-25	605.23	3	147 977.49
L187	-29	008.04	3	145 844.29	R187	-25	605.45	3	147 977.32
L188	-29	053.94	3	145 829.45	R188	-25	691.76	3	147 901.46
L189	-29	198.72	3	145 782.68	R189	-25	701.81	3	147 891.71
L190	-29	310.03	3	145 740.81	R190	-25	960.59	3	147 632.99
L191	-29	406.17	3	145 707.43	R191	-26	303.72	3	147 288.89
L192	-29	481.33	3	145 683.80	R192	-26	304.13	3	147 288.48
L193	-29	548.96	3	145 666.99	R193	-26	359.45	3	147 233.27
L194	-29	654.69	3	145 630.52	R194	-26	373.05	3	147 222.36
L195	-29	971.76	3	145 527.20	R195	-26	402.72	3	147 195.33
L196	-30	006.52	3	145 521.74	R196	-26	457.34	3	147 136.77
L197	-30	191.07	3	145 462.21	R197	-26	464.15	3	147 128.80
L198	-30	211.53	3	145 455.25	R198	-26	695.92	3	146 897.52
L199	-30	210.59	3	145 441.80	R199	-27	094.79	3	146 563.53
L200	-30	219.61	3	145 450.37	R200	-27	167.58	3	146 510.17
L201	-30	377.92	3	145 397.20	R201	-27	269.45	3	146 443.89
L202	-30	519.18	3	145 346.67	R202	-27	327.59	3	146 411.60
L203	-30	642.87	3	145 311.88	R203	-27	359.56	3	146 396.46
L204	-30	721.90	3	145 279.33	R204	-27	431.06	3	146 360.59
					Vel 13 Van 17 P924/16 Sheet				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
	Y		X	WG 27°		Y		X			
L205	-30	722.86	3	145	278.99	R205	-27	447.19	3	146	350.74
L206	-30	778.43	3	145	259.02	R206	-27	466.98	3	146	341.29
L207	-30	851.55	3	145	235.37	R207	-27	586.98	3	146	292.80
L208	-31	011.30	3	145	187.89	R208	-27	587.21	3	146	292.73
L209	-31	149.09	3	145	149.16	R209	-27	687.35	3	146	259.40
L210	-31	458.79	3	145	050.46	R210	-28	068.58	3	146	150.95
L211	-31	459.34	3	145	052.13	R211	-28	442.49	3	146	044.61
L212	-31	644.16	3	144	999.79	R212	-28	791.39	3	145	945.29
L213	-32	035.75	3	144	890.71	R213	-28	830.68	3	145	935.82
L214	-32	092.33	3	144	875.05	R214	-28	887.76	3	145	917.35
L215	-32	497.52	3	144	762.61	R215	-28	904.52	3	145	910.47
L216	-32	541.29	3	144	750.59	R216	-28	961.06	3	145	893.07
L217	-32	585.44	3	144	739.95	R217	-28	962.37	3	145	892.66
L218	-32	637.66	3	144	729.44	R218	-29	058.42	3	145	861.43
L219	-32	674.22	3	144	722.59	R219	-29	302.36	3	145	782.46
L220	-32	720.63	3	144	715.70	R220	-29	399.97	3	145	753.03
L221	-32	766.99	3	144	709.08	R221	-29	423.97	3	145	746.25
L222	-32	825.71	3	144	702.19	R222	-29	468.79	3	145	731.85
L223	-32	932.14	3	144	693.50	R223	-29	525.47	3	145	711.75
L224	-32	932.59	3	144	693.46	R224	-29	551.38	3	145	701.92
L225	-32	955.91	3	144	691.60	R225	-29	858.24	3	145	602.73
L226	-33	249.55	3	144	668.14	R226	-29	870.15	3	145	598.35
L227	-33	726.63	3	144	629.70	R227	-29	878.27	3	145	595.36
L228	-34	237.08	3	144	588.31	R228	-30	194.67	3	145	493.92
L229	-34	450.52	3	144	570.24	R229	-30	447.91	3	145	411.87
L230	-34	553.94	3	144	560.12	R230	-30	455.86	3	145	409.30
L231	-34	604.53	3	144	549.41	R231	-30	494.11	3	145	399.63
L232	-34	673.47	3	144	537.23	R232	-30	531.11	3	145	388.36
L233	-34	725.25	3	144	531.90	R233	-30	581.33	3	145	368.77
L234	-34	763.05	3	144	530.07	R234	-30	653.41	3	145	345.49
L235	-34	765.29	3	144	529.96	R235	-30	697.55	3	145	331.23
L236	-34	864.54	3	144	525.50	R236	-30	765.77	3	145	312.41
L237	-34	888.99	3	144	526.44	R237	-30	818.26	3	145	295.93
L238	-35	134.55	3	144	501.12	R238	-30	868.90	3	145	278.64
L239	-35	563.60	3	144	456.75	R239	-30	937.57	3	145	253.71
L240	-35	592.32	3	144	453.77	R240	-31	469.09	3	145	081.97
L241	-36	055.68	3	144	405.82	R241	-31	476.58	3	145	079.56
L242	-36	551.48	3	144	354.36	R242	-31	634.37	3	145	035.37
L243	-37	005.95	3	144	307.23	R243	-32	038.99	3	144	922.20
L244	-37	430.15	3	144	264.38	R244	-32	505.42	3	144	792.69
L245	-37	561.35	3	144	252.77	R245	-32	562.02	3	144	777.77
L246	-37	973.75	3	144	216.28	R246	-32	619.73	3	144	764.92
L247	-38	363.70	3	144	181.87	R247	-32	677.09	3	144	753.51
L248	-38	427.22	3	144	176.27	R248	-32	736.46	3	144	744.15
L249	-38	941.09	3	144	130.70	R249	-32	794.52	3	144	736.92
L250	-39	231.31	3	144	105.33	R250	-32	853.43	3	144	731.35
L251	-39	255.85	3	144	103.98	R251	-32	886.73	3	144	729.06
L252	-39	256.09	3	144	103.96	R252	-32	886.99	3	144	729.04
L253	-39	401.47	3	144	087.95	R253	-32	899.35	3	144	728.03
L254	-39	496.10	3	144	072.44	R254	-33	168.00	3	144	706.03
L255	-39	622.58	3	144	046.96	R255	-33	349.41	3	144	691.46
					Vel 14 Van 17 Sheet of P924/16						

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
	Y		X	WG 27°		Y		X			
L256	-39	631.79	3	144	045.15	R256	-33	722.71	3	144	661.33
L257	-39	832.42	3	144	005.73	R257	-33	933.29	3	144	644.50
L258	-40	010.94	3	143	970.67	R258	-33	969.21	3	144	641.78
L259	-40	306.97	3	143	912.54	R259	-34	240.12	3	144	619.68
L260	-40	788.31	3	143	816.26	R260	-34	461.34	3	144	601.26
L261	-40	795.91	3	143	814.44	R261	-34	566.57	3	144	590.83
L262	-41	126.35	3	143	735.13	R262	-34	608.44	3	144	593.40
L263	-41	536.47	3	143	636.65	R263	-34	669.63	3	144	590.62
L264	-41	649.21	3	143	609.61	R264	-34	726.20	3	144	584.97
L265	-42	017.34	3	143	521.31	R265	-34	750.14	3	144	582.57
L266	-42	203.22	3	143	476.92	R266	-34	789.67	3	144	575.87
L267	-42	450.22	3	143	417.26	R267	-34	866.27	3	144	560.41
L268	-42	691.09	3	143	359.84	R268	-35	129.67	3	144	533.27
L269	-42	938.79	3	143	307.30	R269	-35	552.88	3	144	489.40
L270	-43	425.70	3	143	205.42	R270	-35	590.60	3	144	485.49
L271	-43	510.21	3	143	187.72	R271	-36	059.36	3	144	436.74
L272	-43	886.62	3	143	108.91	R272	-36	549.96	3	144	385.92
L273	-44	426.50	3	142	995.08	R273	-37	007.05	3	144	338.49
L274	-44	667.49	3	142	944.84	R274	-37	433.31	3	144	295.44
L275	-44	816.49	3	142	913.39	R275	-37	555.61	3	144	285.24
L276	-44	973.49	3	142	877.84	R276	-37	978.00	3	144	247.47
L277	-44	979.47	3	142	875.44	R277	-38	430.24	3	144	207.77
L278	-45	058.04	3	142	858.01	R278	-38	438.64	3	144	207.02
L279	-45	087.49	3	142	852.13	R279	-38	943.71	3	144	162.41
L280	-45	094.67	3	142	851.31	R280	-39	369.85	3	144	123.83
L281	-45	145.72	3	142	840.13	R281	-39	466.32	3	144	109.39
L282	-45	238.00	3	142	814.21	R282	-39	617.57	3	144	080.07
L283	-45	959.42	3	142	610.14	R283	-39	620.02	3	144	079.59
L284	-46	291.77	3	142	515.54	R284	-39	638.10	3	144	076.06
L285	-46	723.35	3	142	377.03	R285	-39	644.54	3	144	074.81
L286	-47	149.39	3	142	238.35	R286	-39	834.24	3	144	037.31
L287	-47	151.66	3	142	237.61	R287	-40	017.19	3	144	001.21
L288	-47	191.04	3	142	223.66	R288	-40	310.34	3	143	943.36
L289	-47	551.24	3	142	070.65	R289	-40	806.71	3	143	844.15
L290	-47	995.20	3	141	880.03	R290	-40	806.97	3	143	844.09
L291	-48	501.40	3	141	661.97	R291	-41	104.37	3	143	772.81
L292	-48	909.26	3	141	487.74	R292	-41	541.44	3	143	667.81
L293	-49	055.78	3	141	426.24	R293	-41	555.32	3	143	664.48
L294	-49	063.29	3	141	423.40	R294	-41	555.46	3	143	664.44
L295	-49	169.87	3	141	389.12	R295	-42	022.13	3	143	552.21
L296	-49	658.86	3	141	239.00	R296	-42	220.11	3	143	504.67
L297	-49	659.18	3	141	238.90	R297	-42	429.15	3	143	454.47
L298	-49	941.90	3	141	152.39	R298	-42	693.98	3	143	391.35
L299	-50	282.58	3	141	048.24	R299	-42	946.40	3	143	337.99
L300	-50	381.59	3	141	013.43	R300	-42	990.52	3	143	328.48
L301	-51	883.04	3	140	410.04	R301	-43	031.70	3	143	322.94
L302	-52	106.56	3	140	320.58	R302	-43	093.65	3	143	311.75
L303	-52	110.59	3	140	318.97	R303	-43	166.15	3	143	291.95
L304	-52	125.50	3	140	313.00	R304	-43	429.05	3	143	236.91
L305	-52	248.51	3	140	266.75	R305	-43	517.16	3	143	218.29
L306	-52	361.03	3	140	221.38	R306	-43	818.00	3	143	155.28

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	-52 897.37	3	139 978.82		R307	-43 883.59	3	143 141.54	
L308	-53 077.47	3	139 892.19		R308	-44 380.55	3	143 037.30	
L309	-53 316.99	3	139 789.38		R309	-44 381.98	3	143 045.30	
L310	-53 404.49	3	139 742.49		R310	-44 453.82	3	143 032.53	
L311	-53 478.55	3	139 710.74		R311	-44 452.14	3	143 022.01	
L312	-53 534.70	3	139 689.41		R312	-44 676.43	3	142 975.14	
L313	-53 715.69	3	139 608.03		R313	-44 824.03	3	142 943.90	
L314	-53 870.90	3	139 534.82		R314	-45 110.40	3	142 883.29	
L315	-54 289.55	3	139 327.32		R315	-45 242.17	3	142 845.91	
L316	-54 716.32	3	139 115.72		R316	-45 613.94	3	142 740.74	
L317	-55 185.08	3	138 883.34		R317	-45 642.80	3	142 732.66	
L318	-55 525.53	3	138 712.05		R318	-45 729.29	3	142 708.06	
L319	-55 753.48	3	138 573.65		R319	-45 965.47	3	142 641.09	
L320	-56 033.09	3	138 402.66		R320	-46 320.67	3	142 539.88	
L321	-56 157.32	3	138 326.69		R321	-46 731.25	3	142 407.44	
L322	-56 590.49	3	138 060.88		R322	-47 164.04	3	142 266.92	
L323	-56 591.12	3	138 060.50		R323	-47 219.70	3	142 246.53	
L324	-56 751.31	3	137 953.75		R324	-47 221.48	3	142 245.88	
L325	-56 810.03	3	137 914.61		R325	-47 564.96	3	142 099.46	
L326	-56 935.79	3	137 819.61		R326	-48 000.98	3	141 911.38	
L327	-57 204.73	3	137 608.27		R327	-48 518.44	3	141 688.71	
L328	-57 275.77	3	137 552.44		R328	-48 927.44	3	141 513.02	
L329	-57 344.59	3	137 497.25		R329	-49 067.56	3	141 455.41	
L330	-57 344.68	3	137 497.18		R330	-49 171.76	3	141 422.38	
					R331	-49 660.31	3	141 271.91	
					R332	-49 661.19	3	141 271.64	
					R333	-49 941.04	3	141 185.96	
					R334	-50 271.85	3	141 085.00	
					R335	-50 385.83	3	141 046.04	
					R336	-50 394.69	3	141 042.48	
					R337	-50 725.19	3	140 909.54	
					R338	-51 152.43	3	140 737.59	
					R339	-51 640.23	3	140 541.26	
					R340	-51 968.46	3	140 409.17	
					R341	-52 109.38	3	140 352.47	
					R342	-52 273.74	3	140 291.04	
					R343	-52 277.93	3	140 291.98	
					R344	-52 282.32	3	140 294.43	
					R345	-52 350.83	3	140 269.42	
					R346	-52 348.86	3	140 263.30	
					R347	-52 835.89	3	140 080.21	
					R348	-52 987.14	3	140 023.46	
					R349	-53 051.95	3	139 997.08	
					R350	-53 061.65	3	139 993.13	
					R351	-53 097.48	3	139 978.55	
					R352	-53 150.70	3	139 951.39	
					R353	-53 371.67	3	139 832.79	
					R354	-53 433.95	3	139 793.55	
					R355	-53 541.68	3	139 733.74	
					R356	-53 881.35	3	139 564.88	
					R357	-54 002.91	3	139 504.62	
					Vel	16	Van	17	P924/16
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
REGTERKANT/RIGHT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
R358	-54	055.92	3	139	481.70				
R359	-54	121.04	3	139	446.11				
R360	-54	300.48	3	139	357.24				
R361	-54	717.56	3	139	150.25				
R362	-55	191.68	3	138	915.14				
R363	-55	519.07	3	138	752.03				
R364	-55	539.10	3	138	739.99				
R365	-55	577.72	3	138	716.79				
R366	-55	769.78	3	138	601.38				
R367	-56	168.10	3	138	357.08				
R368	-56	629.14	3	138	074.49				
R369	-56	631.58	3	138	073.00				
R370	-56	828.96	3	137	940.34				
R371	-56	959.90	3	137	841.67				
R372	-57	292.53	3	137	580.09				
R373	-57	359.66	3	137	526.13				