

DEPARTMENT OF TRANSPORT

NO. 371

27 MARCH 2018


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R61 SECTION 3**AMENDMENT OF DECLARATION No. 546 OF 2003.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 546 of 2003 by substituting a part of paragraph (II) of the Schedule, being the descriptive declaration of the route from its junction with National Road N10 Section 3, at Cradock, up to Tarkastad, with the accompanying sheets 1 to 28 of Plan No. P987/17.

In the town of Tarkastad the R61 Section 3 enters the town from the North West and follows the street known as Grey Street at the time of declaration.

(National Road R61 Section 3: Cradock – Tarkastad)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 371

27 MAART 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R61 SEKSIE 3**WYSIGING VAN VERKLARING No. 546 VAN 2003.**


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 546 van 2003 deur 'n gedeelte van paragraaf (II) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad N10 Seksie 3, by Cradock, tot by Tarkastad, met bygaande velle 1 tot 28 van Plan No. P987/17.


In die dorp van Tarkastad kom die R61 Seksie 3 die dorp binne vanuit die Noordweste en volg die straat bekend as Greystraat tydens datum van verklaring.

(Nasionale Pad R61 Seksie 3: Cradock – Tarkastad)
MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 1 of 28 Plan P987/17
---	---------------------------------------	--	--------------------------------------





Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route Section	3
Vel Sheet Plan	van 4 of 28	P987/17	3



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R61
of National Route


3


Vel
Sheet 5 of 28
Plan P987/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 6 van 28 Plan P987/17
---	---------------------------------------	--	------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 7 of 28 Plan P987/17
---	---------------------------------------	---	--	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 8 of 28 Plan P987/17
---	---------------------------------------	---	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	3	Vel Sheet 9 of 28	Plan P987/17
---	---------------------------------------	---	---	-------------------------	-----------------



Vol
Sheet 10 of 28


Plan
P987/17

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R61 Sektie
of National Route R61 Section




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentenskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	3	R61	Sektie Section	Plan P987/17	Vel Sheet 11 of 28
---	---------------------------------------	--	---	-----	-------------------	-----------------	--------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 12 of 28 Plan P987/17
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 13 of 28 Plan P987/17
---	---------------------------------------	--	---





Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route	Vel Sheet 14 of 28 Plan P987/17
---	---------------------------------------	--	---






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	3	Vel Sheet 16 of 28	Plan P987/17
---	---------------------------------------	--	---	--------------------------	-----------------







Vel
Sheet 19 of 28
Plan P987/17

3

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R61
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L1	-59 715.70	3	561 400.32		R1	-59 799.41	3	561 433.55	
L2	-59 778.44	3	561 272.93		R2	-59 781.44	3	561 339.41	
L3	-59 836.96	3	561 199.06		R3	-59 798.23	3	561 305.08	
L4	-59 911.66	3	561 145.53		R4	-59 861.14	3	561 220.25	
L5	-59 928.78	3	561 139.79		R5	-59 940.01	3	561 167.67	
L6	-59 963.71	3	561 128.00		R6	-60 009.09	3	561 146.71	
L7	-60 003.18	3	561 115.77		R7	-60 717.91	3	561 011.41	
L8	-60 712.00	3	560 980.45		R8	-61 910.45	3	560 783.34	
L9	-61 346.75	3	560 865.93		R9	-62 702.60	3	560 631.79	
L10	-61 905.91	3	560 759.29		R10	-62 893.06	3	560 596.38	
L11	-66 511.68	3	559 879.88		R11	-66 437.55	3	559 918.62	
L12	-66 756.49	3	559 831.78		R12	-66 514.49	3	559 905.05	
L13	-66 943.98	3	559 781.97		R13	-66 773.43	3	559 854.13	
L14	-67 210.11	3	559 709.83		R14	-66 949.81	3	559 806.73	
L15	-68 082.56	3	559 470.88		R15	-69 305.69	3	559 162.98	
L16	-69 261.71	3	559 148.96		R16	-69 417.50	3	559 136.06	
L17	-69 413.96	3	559 110.83		R17	-69 439.29	3	559 132.44	
L18	-69 435.24	3	559 106.84		R18	-69 537.28	3	559 116.70	
L19	-69 509.54	3	559 094.97		R19	-69 822.87	3	559 088.60	
L20	-69 875.19	3	559 058.46		R20	-70 452.66	3	559 030.55	
L21	-70 654.05	3	558 984.94		R21	-70 650.78	3	559 011.41	
L22	-70 742.72	3	558 965.30		R22	-70 720.48	3	558 995.84	
L23	-70 793.04	3	558 940.45		R23	-70 754.20	3	558 987.90	
L24	-70 816.81	3	558 923.92		R24	-70 807.61	3	558 960.97	
L25	-70 937.22	3	558 791.48		R25	-70 834.66	3	558 941.92	
L26	-70 962.03	3	558 770.29		R26	-70 878.18	3	558 900.11	
L27	-70 989.67	3	558 752.20		R27	-70 944.58	3	558 819.55	
L28	-71 095.35	3	558 695.88		R28	-71 055.84	3	558 748.14	
L29	-71 143.91	3	558 660.58		R29	-71 077.47	3	558 735.64	
L30	-71 186.20	3	558 619.46		R30	-71 134.22	3	558 700.16	
L31	-71 194.01	3	558 610.82		R31	-71 225.10	3	558 614.03	
L32	-71 205.09	3	558 597.93		R32	-71 289.92	3	558 508.46	
L33	-71 224.28	3	558 572.75		R33	-71 306.59	3	558 463.01	
L34	-71 255.23	3	558 521.50		R34	-71 312.84	3	558 439.85	
L35	-71 277.14	3	558 471.06		R35	-71 355.47	3	558 230.38	
L36	-71 297.80	3	558 395.46		R36	-71 360.32	3	558 208.92	
L37	-71 319.59	3	558 253.05		R37	-71 362.23	3	558 200.46	
L38	-71 337.25	3	558 196.08		R38	-71 386.50	3	558 123.17	
L39	-71 362.57	3	558 114.39		R39	-71 420.38	3	558 042.72	
L40	-71 396.89	3	558 031.64		R40	-71 587.30	3	557 716.21	
L41	-71 437.78	3	557 951.52		R41	-71 639.28	3	557 642.95	
L42	-71 562.93	3	557 706.63		R42	-71 693.34	3	557 587.10	
L43	-71 619.26	3	557 626.70		R43	-71 722.15	3	557 563.24	
L44	-71 675.25	3	557 569.41		R44	-71 746.51	3	557 545.10	
L45	-71 732.99	3	557 524.09		R45	-72 616.57	3	557 003.70	
L46	-72 145.05	3	557 266.95		R46	-72 676.20	3	556 963.63	
L47	-72 600.35	3	556 984.58		R47	-72 723.05	3	556 926.90	
L48	-72 660.93	3	556 943.39		R48	-72 834.43	3	556 815.35	
L49	-72 705.83	3	556 908.20		R49	-72 871.43	3	556 768.56	
L50	-72 735.11	3	556 882.61		R50	-72 907.05	3	556 716.86	
L51	-72 774.17	3	556 845.30		R51	-72 939.13	3	556 662.44	
Vel 20 Sheet					Van 28 of		P987/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	-72 815.14	3	556 799.68		R52	-72 965.58	3	556 609.66	
L53	-72 851.00	3	556 753.88		R53	-73 009.99	3	556 494.76	
L54	-72 886.78	3	556 703.65		R54	-73 028.51	3	556 426.97	
L55	-72 907.38	3	556 666.63		R55	-73 038.92	3	556 372.76	
L56	-72 929.57	3	556 626.10		R56	-73 046.87	3	556 311.82	
L57	-72 942.37	3	556 599.75		R57	-73 053.50	3	556 204.33	
L58	-72 955.27	3	556 570.64		R58	-73 061.39	3	555 922.15	
L59	-72 967.30	3	556 540.64		R59	-73 070.11	3	555 888.25	
L60	-72 976.87	3	556 514.42		R60	-73 088.24	3	555 840.80	
L61	-72 994.87	3	556 456.65		R61	-73 123.43	3	555 777.96	
L62	-73 002.62	3	556 425.68		R62	-73 149.55	3	555 726.38	
L63	-73 013.53	3	556 372.21		R63	-73 209.19	3	555 533.79	
L64	-73 018.24	3	556 340.68		R64	-73 258.36	3	555 293.04	
L65	-73 021.88	3	556 309.43		R65	-73 305.88	3	555 149.23	
L66	-73 024.64	3	556 280.61		R66	-73 313.78	3	555 113.41	
L67	-73 026.74	3	556 250.35		R67	-73 324.78	3	555 036.90	
L68	-73 028.33	3	556 203.15		R68	-73 298.74	3	554 968.42	
L69	-73 030.03	3	555 979.06		R69	-73 286.61	3	554 936.51	
L70	-73 032.50	3	555 945.43		R70	-73 274.76	3	554 883.72	
L71	-73 045.49	3	555 881.40		R71	-73 274.02	3	554 824.87	
L72	-73 066.07	3	555 827.10		R72	-73 284.12	3	554 766.46	
L73	-73 091.49	3	555 772.96		R73	-73 311.66	3	554 707.91	
L74	-73 129.69	3	555 692.46		R74	-73 334.84	3	554 660.91	
L75	-73 154.31	3	555 632.10		R75	-73 368.56	3	554 569.47	
L76	-73 172.82	3	555 566.93		R76	-73 381.23	3	554 501.17	
L77	-73 209.53	3	555 396.64		R77	-73 398.80	3	554 452.98	
L78	-73 223.31	3	555 338.85		R78	-73 420.39	3	554 373.96	
L79	-73 236.12	3	555 280.66		R79	-73 451.65	3	554 268.42	
L80	-73 248.63	3	555 236.10		R80	-73 480.09	3	554 219.42	
L81	-73 277.56	3	555 153.48		R81	-73 517.85	3	554 176.77	
L82	-73 289.41	3	555 105.41		R82	-73 579.26	3	554 133.03	
L83	-73 292.51	3	555 071.88		R83	-74 033.10	3	553 891.40	
L84	-73 281.89	3	554 995.00		R84	-74 103.02	3	553 859.64	
L85	-73 277.84	3	554 984.30		R85	-74 160.67	3	553 841.00	
L86	-73 267.61	3	554 957.25		R86	-74 213.39	3	553 830.26	
L87	-73 252.35	3	554 903.77		R87	-74 231.76	3	553 826.33	
L88	-73 247.54	3	554 841.71		R88	-74 364.87	3	553 799.97	
L89	-73 255.96	3	554 780.83		R89	-74 456.26	3	553 777.09	
L90	-73 273.73	3	554 728.89		R90	-74 515.12	3	553 751.85	
L91	-73 326.46	3	554 625.15		R91	-74 565.65	3	553 721.46	
L92	-73 364.23	3	554 489.30		R92	-74 608.79	3	553 693.13	
L93	-73 405.18	3	554 328.01		R93	-74 719.44	3	553 655.33	
L94	-73 443.14	3	554 231.98		R94	-74 729.72	3	553 653.93	
L95	-73 457.36	3	554 208.52		R95	-74 845.48	3	553 662.95	
L96	-73 484.13	3	554 175.03		R96	-74 923.96	3	553 700.03	
L97	-73 526.79	3	554 136.72		R97	-74 984.66	3	553 740.06	
L98	-73 566.49	3	554 111.11		R98	-75 044.70	3	553 777.81	
L99	-74 021.58	3	553 868.53		R99	-75 066.46	3	553 791.49	
L100	-74 065.41	3	553 847.65		R100	-75 129.10	3	553 821.52	
L101	-74 094.19	3	553 835.95		R101	-75 184.47	3	553 838.35	
L102	-74 153.20	3	553 817.04		R102	-75 263.30	3	553 839.23	
Vel Sheet 21					Van of 28 P987/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L103	-74 213.49	3	553	803.38	R103	-75 717.61	3	553	800.28
L104	-74 387.22	3	553	769.01	R104	-75 776.53	3	553	785.80
L105	-74 448.04	3	553	752.85	R105	-75 836.97	3	553	764.57
L106	-74 504.00	3	553	729.63	R106	-75 928.82	3	553	721.86
L107	-74 530.31	3	553	714.87	R107	-76 143.14	3	553	557.40
L108	-74 584.94	3	553	678.67	R108	-76 835.23	3	553	026.21
L109	-74 634.79	3	553	649.71	R109	-76 855.96	3	553	011.30
L110	-74 688.62	3	553	628.23	R110	-76 994.91	3	552	904.62
L111	-74 725.12	3	553	621.29	R111	-77 037.55	3	552	874.29
L112	-74 771.69	3	553	621.45	R112	-77 088.24	3	552	842.09
L113	-74 821.59	3	553	627.38	R113	-77 113.19	3	552	827.65
L114	-74 852.43	3	553	638.23	R114	-77 195.25	3	552	789.12
L115	-74 900.95	3	553	657.58	R115	-77 255.75	3	552	765.78
L116	-74 939.16	3	553	679.43	R116	-77 655.44	3	552	629.89
L117	-75 074.97	3	553	764.40	R117	-78 897.90	3	552	209.86
L118	-75 087.96	3	553	769.13	R118	-78 952.74	3	552	188.83
L119	-75 156.20	3	553	793.97	R119	-79 008.11	3	552	161.09
L120	-75 175.58	3	553	799.25	R120	-79 061.17	3	552	127.41
L121	-75 232.68	3	553	810.22	R121	-79 109.77	3	552	089.05
L122	-75 320.67	3	553	806.68	R122	-79 153.84	3	552	046.66
L123	-75 714.68	3	553	775.33	R123	-79 194.47	3	551	998.97
L124	-75 772.89	3	553	761.03	R124	-79 230.08	3	551	947.52
L125	-75 828.06	3	553	741.41	R125	-79 266.61	3	551	879.28
L126	-75 881.35	3	553	716.34	R126	-79 307.53	3	551	779.93
L127	-75 963.99	3	553	663.14	R127	-79 331.32	3	551	726.22
L128	-76 087.36	3	553	568.60	R128	-79 372.78	3	551	646.64
L129	-76 980.53	3	552	884.12	R129	-79 420.19	3	551	584.23
L130	-77 022.67	3	552	853.48	R130	-79 514.51	3	551	487.55
L131	-77 101.98	3	552	805.41	R131	-79 537.31	3	551	466.07
L132	-77 184.58	3	552	766.17	R132	-79 612.29	3	551	386.58
L133	-77 246.41	3	552	741.77	R133	-79 655.03	3	551	360.89
L134	-78 364.78	3	552	363.50	R134	-79 665.91	3	551	341.83
L135	-78 887.83	3	552	184.67	R135	-79 719.02	3	551	284.35
L136	-78 940.56	3	552	164.61	R136	-79 808.79	3	551	205.74
L137	-78 992.43	3	552	139.08	R137	-79 868.98	3	551	149.89
L138	-79 042.32	3	552	107.48	R138	-79 947.94	3	551	065.31
L139	-79 088.70	3	552	071.71	R139	-79 999.84	3	551	005.31
L140	-79 129.89	3	552	033.88	R140	-80 025.01	3	550	968.57
L141	-79 169.86	3	551	987.02	R141	-80 225.09	3	550	738.67
L142	-79 204.16	3	551	939.37	R142	-80 593.50	3	550	311.91
L143	-79 252.18	3	551	844.48	R143	-80 735.98	3	550	146.70
L144	-79 299.51	3	551	736.63	R144	-80 748.08	3	550	136.86
L145	-79 350.90	3	551	633.88	R145	-80 804.36	3	550	079.79
L146	-79 401.53	3	551	566.76	R146	-80 957.62	3	549	894.95
L147	-79 463.56	3	551	500.10	R147	-80 964.34	3	549	881.90
L148	-79 473.45	3	551	487.88	R148	-81 766.43	3	548	951.81
L149	-79 525.30	3	551	423.85	R149	-81 827.83	3	548	886.65
L150	-79 536.94	3	551	407.21	R150	-81 907.42	3	548	818.53
L151	-79 601.83	3	551	333.85	R151	-81 945.46	3	548	803.98
L152	-79 668.64	3	551	279.54	R152	-82 000.64	3	548	758.06
L153	-79 742.63	3	551	210.49	R153	-82 338.12	3	548	539.17
					Vel Sheet 22 Van of 28 P987/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L154	-79	864.01	3	551 093.98	R154	-82	502.71	3	548 432.42
L155	-79	887.96	3	551 070.94	R155	-82	675.99	3	548 320.08
L156	-80	018.19	3	550 931.33	R156	-82	782.60	3	548 272.69
L157	-80	579.55	3	550 281.66	R157	-82	897.32	3	548 178.82
L158	-80	629.13	3	550 224.27	R158	-82	918.27	3	548 163.61
L159	-80	736.21	3	550 099.46	R159	-83	796.74	3	547 600.09
L160	-80	763.09	3	550 064.69	R160	-84	346.38	3	547 244.90
L161	-81	738.91	3	548 936.04	R161	-84	779.10	3	546 964.55
L162	-81	802.92	3	548 861.25	R162	-84	932.01	3	546 868.13
L163	-81	924.65	3	548 762.09	R163	-85	011.78	3	546 821.11
L164	-82	326.04	3	548 503.53	R164	-85	043.45	3	546 802.44
L165	-82	494.45	3	548 394.30	R165	-85	046.01	3	546 801.13
L166	-84	875.07	3	546 861.88	R166	-85	193.59	3	546 725.79
L167	-85	108.68	3	546 727.84	R167	-85	247.03	3	546 698.51
L168	-85	373.52	3	546 603.32	R168	-85	336.30	3	546 658.43
L169	-85	414.85	3	546 584.36	R169	-86	091.26	3	546 339.09
L170	-85	452.53	3	546 556.73	R170	-86	153.39	3	546 315.05
L171	-85	487.32	3	546 542.05	R171	-86	196.88	3	546 311.37
L172	-85	550.32	3	546 528.91	R172	-86	377.15	3	546 235.04
L173	-87	623.67	3	545 652.43	R173	-86	404.90	3	546 206.32
L174	-89	944.46	3	544 671.40	R174	-87	650.50	3	545 679.81
L175	-90	029.97	3	544 618.78	R175	-88	732.43	3	545 222.31
L176	-90	058.59	3	544 598.05	R176	-89	405.90	3	544 938.24
L177	-90	111.05	3	544 560.31	R177	-89	968.60	3	544 699.76
L178	-90	995.88	3	543 742.86	R178	-90	025.47	3	544 670.78
L179	-91	031.28	3	543 705.86	R179	-90	038.18	3	544 664.25
L180	-91	084.34	3	543 625.18	R180	-90	088.50	3	544 634.30
L181	-91	111.73	3	543 530.33	R181	-90	121.48	3	544 609.28
L182	-91	113.76	3	543 480.81	R182	-90	360.23	3	544 395.82
L183	-91	056.76	3	543 240.71	R183	-90	444.43	3	544 309.40
L184	-91	052.95	3	543 210.08	R184	-90	568.81	3	544 198.11
L185	-91	069.72	3	543 139.08	R185	-90	606.16	3	544 159.79
L186	-91	089.00	3	543 091.75	R186	-90	618.35	3	544 139.64
L187	-91	147.19	3	542 953.30	R187	-90	903.87	3	543 875.49
L188	-91	169.82	3	542 909.09	R188	-90	922.65	3	543 870.83
L189	-91	187.08	3	542 883.86	R189	-91	058.51	3	543 745.15
L190	-91	197.55	3	542 868.55	R190	-91	104.11	3	543 676.35
L191	-91	290.01	3	542 740.74	R191	-91	125.89	3	543 632.39
L192	-91	322.51	3	542 700.19	R192	-91	140.39	3	543 603.70
L193	-91	358.66	3	542 663.23	R193	-91	149.48	3	543 570.56
L194	-91	379.32	3	542 647.92	R194	-91	155.98	3	543 464.48
L195	-91	400.42	3	542 632.27	R195	-91	152.91	3	543 442.62
L196	-91	444.00	3	542 608.71	R196	-91	136.45	3	543 369.67
L197	-91	491.81	3	542 590.77	R197	-91	107.33	3	543 281.66
L198	-91	539.84	3	542 582.21	R198	-91	123.03	3	543 122.56
L199	-91	592.18	3	542 575.57	R199	-91	174.81	3	542 993.19
L200	-91	642.76	3	542 573.16	R200	-91	180.41	3	542 969.13
L201	-92	180.38	3	542 544.30	R201	-91	222.88	3	542 895.23
L202	-92	293.22	3	542 527.91	R202	-91	353.49	3	542 723.08
L203	-92	382.06	3	542 488.40	R203	-91	397.20	3	542 683.23
L204	-92	421.55	3	542 460.09	R204	-91	432.66	3	542 659.39
Vel Sheet					23	Van of		28	P987/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L205	-92 532.09	3	542 358.00		R205	-91 467.55	3	542 641.38	
L206	-92 629.65	3	542 312.86		R206	-91 505.07	3	542 627.66	
L207	-92 804.83	3	542 255.22		R207	-91 544.57	3	542 617.89	
L208	-92 902.19	3	542 214.27		R208	-91 585.95	3	542 612.37	
L209	-93 105.84	3	542 157.11		R209	-91 784.03	3	542 601.74	
L210	-93 128.01	3	542 121.39		R210	-91 989.42	3	542 590.28	
					R211	-91 997.84	3	542 594.44	
					R212	-92 265.30	3	542 579.62	
					R213	-92 313.92	3	542 572.70	
					R214	-92 367.81	3	542 542.98	
					R215	-92 420.06	3	542 515.33	
					R216	-92 475.91	3	542 472.09	
					R217	-92 550.01	3	542 404.13	
					R218	-92 547.34	3	542 400.56	
					R219	-92 688.75	3	542 322.76	
					R220	-92 730.24	3	542 314.29	
					R221	-92 794.06	3	542 300.13	
					R222	-92 833.49	3	542 286.04	
					R223	-92 886.97	3	542 258.27	
					R224	-92 918.16	3	542 247.43	
					R225	-92 955.11	3	542 239.35	
					R226	-93 023.39	3	542 231.45	
					R227	-93 061.33	3	542 225.61	
					R228	-93 098.80	3	542 211.98	
					R229	-93 130.19	3	542 197.95	
					R230	-93 150.72	3	542 187.62	
					R231	-93 168.59	3	542 172.67	
					R232	-93 187.08	3	542 154.95	
WG 27°									
L211	95 835.34	3	542 096.16		R233	95 789.38	3	542 096.73	
L212	95 791.45	3	541 773.76		R234	95 787.86	3	542 089.05	
L213	95 798.97	3	541 726.49		R235	95 720.95	3	541 751.30	
L214	95 812.79	3	541 680.63		R236	95 734.51	3	541 733.35	
L215	96 093.77	3	540 982.12		R237	95 747.73	3	541 716.50	
L216	96 103.98	3	540 933.41		R238	95 875.86	3	541 401.38	
L217	96 108.42	3	540 876.08		R239	96 018.11	3	541 051.56	
L218	96 111.46	3	540 836.75		R240	96 033.57	3	541 025.10	
L219	96 108.37	3	540 814.97		R241	96 056.89	3	540 966.88	
L220	96 093.37	3	540 709.68		R242	96 068.49	3	540 915.40	
L221	96 046.26	3	540 621.33		R243	96 068.58	3	540 877.53	
L222	95 977.80	3	540 538.69		R244	96 064.33	3	540 837.85	
L223	95 553.94	3	539 883.29		R245	96 059.32	3	540 769.17	
L224	95 197.78	3	539 322.48		R246	96 038.41	3	540 716.55	
L225	95 034.89	3	539 065.73		R247	95 975.68	3	540 628.32	
L226	94 985.50	3	538 986.70		R248	95 938.69	3	540 553.27	
L227	94 915.38	3	538 880.29		R249	95 671.40	3	540 138.22	
L228	94 744.25	3	538 620.57		R250	95 623.53	3	540 101.81	
L229	94 665.24	3	538 512.09		R251	95 579.94	3	540 032.29	
L230	94 536.64	3	538 380.21		R252	95 564.24	3	539 957.14	
L231	94 319.28	3	538 170.09		R253	95 190.01	3	539 372.95	
					Vel Sheet 24 Van of 28 P987/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L232	94 246.74	3	538	100.79	R254	94 848.54	3	538	839.94
L233	94 156.23	3	538	016.56	R255	94 760.92	3	538	703.15
L234	94 114.23	3	537	976.93	R256	94 708.94	3	538	626.62
L235	94 041.45	3	537	911.45	R257	94 653.14	3	538	554.66
L236	93 960.87	3	537	824.16	R258	94 593.57	3	538	486.90
L237	93 937.79	3	537	794.32	R259	94 531.68	3	538	424.03
L238	93 796.51	3	537	543.09	R260	94 178.79	3	538	087.03
L239	93 764.06	3	537	491.19	R261	94 089.13	3	538	001.55
L240	93 693.50	3	537	411.01	R262	93 999.08	3	537	915.70
L241	93 641.32	3	537	366.39	R263	93 977.69	3	537	893.44
L242	93 610.01	3	537	345.62	R264	93 957.27	3	537	869.90
L243	93 548.86	3	537	310.80	R265	93 937.79	3	537	845.47
L244	92 797.60	3	536	960.63	R266	93 919.12	3	537	819.15
L245	92 281.03	3	536	719.94	R267	93 853.72	3	537	708.88
L246	92 155.73	3	536	663.06	R268	93 772.27	3	537	567.78
L247	92 115.74	3	536	632.03	R269	93 750.07	3	537	532.15
L248	92 092.22	3	536	620.29	R270	93 713.96	3	537	484.19
L249	92 059.03	3	536	613.14	R271	93 678.72	3	537	445.17
L250	91 460.86	3	536	339.21	R272	93 629.27	3	537	400.83
L251	89 494.25	3	535	423.88	R273	93 580.93	3	537	365.78
L252	89 425.23	3	535	388.00	R274	93 546.73	3	537	345.51
L253	89 359.59	3	535	360.90	R275	93 508.21	3	537	325.45
L254	88 563.85	3	534	990.33	R276	93 335.53	3	537	245.10
L255	88 308.51	3	534	868.13	R277	92 761.48	3	536	977.99
L256	88 108.33	3	534	792.40	R278	92 242.29	3	536	736.40
L257	88 107.10	3	534	791.94	R279	91 425.29	3	536	356.24
L258	88 005.27	3	534	759.11	R280	89 151.80	3	535	298.35
L259	87 730.25	3	534	703.57	R281	89 083.87	3	535	295.98
L260	87 406.17	3	534	688.42	R282	89 024.49	3	535	268.15
L261	86 986.74	3	534	668.87	R283	88 980.52	3	535	218.64
L262	86 519.58	3	534	645.45	R284	88 568.62	3	535	026.98
L263	86 457.99	3	534	637.36	R285	88 310.14	3	534	906.71
L264	86 439.97	3	534	634.73	R286	88 226.20	3	534	871.92
L265	86 371.92	3	534	621.88	R287	88 140.64	3	534	840.56
L266	85 918.03	3	534	499.71	R288	88 054.28	3	534	813.06
L267	84 220.75	3	534	038.63	R289	87 966.08	3	534	789.24
L268	83 940.05	3	533	961.76	R290	87 877.44	3	534	769.39
L269	83 880.01	3	533	950.88	R291	87 816.46	3	534	758.30
L270	83 834.83	3	533	944.76	R292	87 700.84	3	534	759.68
L271	83 752.22	3	533	938.93	R293	87 608.59	3	534	742.88
L272	83 677.44	3	533	940.51	R294	87 503.00	3	534	732.16
L273	83 628.29	3	533	944.34	R295	87 431.99	3	534	723.21
L274	83 548.69	3	533	955.31	R296	86 619.43	3	534	683.86
L275	83 515.77	3	533	961.30	R297	86 571.13	3	534	680.67
L276	83 438.48	3	533	985.17	R298	86 509.77	3	534	674.59
L277	83 404.08	3	533	996.84	R299	86 448.87	3	534	665.92
L278	83 367.15	3	534	011.72	R300	86 388.60	3	534	654.95
L279	83 327.67	3	534	030.31	R301	86 328.65	3	534	641.45
L280	83 281.81	3	534	035.32	R302	84 195.97	3	534	062.97
L281	83 268.26	3	533	995.85	R303	84 131.04	3	534	077.71
L282	83 261.57	3	533	965.13	R304	83 987.74	3	534	038.82
					Vel Sheet 25 Van of 28 P987/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L283	83 261.04	3	533	928.06	R305	83 919.09	3	533	989.11
L284	83 267.48	3	533	893.74	R306	83 889.50	3	533	983.28
L285	83 238.44	3	533	885.84	R307	83 859.77	3	533	978.49
L286	83 231.00	3	533	925.49	R308	83 830.05	3	533	974.64
L287	83 231.62	3	533	968.57	R309	83 800.26	3	533	971.72
L288	83 234.98	3	533	983.99	R310	83 769.69	3	533	969.94
L289	83 239.32	3	534	003.94	R311	83 739.87	3	533	969.22
L290	83 254.48	3	534	048.09	R312	83 710.05	3	533	969.26
L291	83 219.06	3	534	083.50	R313	83 679.93	3	533	970.50
L292	83 124.50	3	534	133.23	R314	83 649.89	3	533	972.63
L293	83 122.74	3	534	140.56	R315	83 620.24	3	533	975.81
L294	83 096.16	3	534	154.48	R316	83 590.31	3	533	979.76
L295	83 089.07	3	534	151.78	R317	83 561.15	3	533	984.84
L296	83 021.94	3	534	186.94	R318	83 531.31	3	533	990.89
L297	82 940.29	3	534	215.44	R319	83 501.68	3	533	998.00
L298	82 815.22	3	534	229.30	R320	83 444.52	3	534	015.09
L299	82 766.28	3	534	233.96	R321	83 415.85	3	534	025.11
L300	82 735.43	3	534	236.89	R322	83 387.54	3	534	036.17
L301	82 595.73	3	534	256.78	R323	83 359.87	3	534	047.87
L302	82 502.71	3	534	250.05	R324	83 332.80	3	534	060.78
L303	82 295.06	3	534	204.83	R325	83 299.37	3	534	086.55
L304	82 092.04	3	534	164.23	R326	83 077.50	3	534	201.35
L305	81 833.33	3	534	115.21	R327	82 970.02	3	534	247.30
L306	81 706.12	3	534	086.09	R328	82 892.40	3	534	263.16
L307	81 675.31	3	534	085.89	R329	82 768.93	3	534	275.77
L308	81 613.22	3	534	089.33	R330	82 589.63	3	534	294.71
L309	81 553.32	3	534	096.31	R331	82 506.88	3	534	294.15
L310	81 493.24	3	534	109.09	R332	82 448.73	3	534	288.05
L311	81 456.38	3	534	119.98	R333	81 787.80	3	534	150.87
L312	81 420.89	3	534	134.89	R334	81 713.61	3	534	138.58
L313	81 369.45	3	534	156.87	R335	81 657.17	3	534	138.24
L314	81 319.28	3	534	184.90	R336	81 600.34	3	534	137.23
L315	81 269.33	3	534	217.02	R337	81 533.65	3	534	137.29
L316	80 660.94	3	534	718.53	R338	81 504.22	3	534	143.50
L317	80 600.13	3	534	751.34	R339	81 447.28	3	534	160.78
L318	80 508.30	3	534	798.68	R340	81 419.32	3	534	171.69
L319	80 406.46	3	534	827.89	R341	81 414.62	3	534	174.33
L320	79 960.74	3	534	884.01	R342	81 381.37	3	534	193.04
L321	79 899.20	3	534	895.13	R343	81 282.67	3	534	250.32
L322	79 821.73	3	534	914.49	R344	80 722.60	3	534	711.18
L323	79 773.76	3	534	931.06	R345	80 678.37	3	534	750.81
L324	79 710.40	3	534	961.78	R346	80 616.92	3	534	793.21
L325	79 623.22	3	535	006.79	R347	80 578.92	3	534	814.46
L326	79 591.51	3	535	026.88	R348	80 537.82	3	534	832.15
L327	79 336.66	3	535	187.37	R349	80 508.98	3	534	841.12
L328	78 853.14	3	535	470.45	R350	80 484.31	3	534	845.28
L329	78 604.65	3	535	619.96	R351	80 454.09	3	534	853.73
L330	78 315.06	3	535	798.14	R352	80 424.24	3	534	860.46
L331	77 415.60	3	536	339.83	R353	80 384.19	3	534	866.91
L332	76 737.88	3	536	751.86	R354	80 100.23	3	534	904.17
L333	76 668.74	3	536	792.60	R355	80 060.16	3	534	914.63
					Vel Sheet 26 Van of 28 P987/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L334	75 118.85	3	537	724.54	R356	79 946.45	3	534	929.06
L335	74 998.82	3	537	792.11	R357	79 910.73	3	534	929.04
L336	74 962.08	3	537	820.16	R358	79 880.95	3	534	934.53
L337	74 904.60	3	537	861.60	R359	79 852.45	3	534	941.16
L338	74 833.59	3	537	922.19	R360	79 823.66	3	534	949.58
L339	74 800.92	3	537	954.23	R361	79 795.36	3	534	959.28
L340	74 770.55	3	537	987.63	R362	79 767.66	3	534	970.38
L341	74 755.34	3	538	005.28	R363	79 740.53	3	534	982.86
L342	74 729.42	3	538	037.97	R364	79 714.17	3	534	996.63
L343	74 712.80	3	538	060.78	R365	79 696.03	3	535	006.93
L344	74 696.89	3	538	083.91	R366	79 630.17	3	535	046.55
L345	74 683.18	3	538	104.88	R367	79 140.16	3	535	341.72
L346	74 664.55	3	538	136.41	R368	79 106.38	3	535	362.07
L347	74 650.76	3	538	161.37	R369	79 065.57	3	535	386.65
L348	74 628.06	3	538	205.55	R370	79 037.86	3	535	410.38
L349	74 606.59	3	538	253.33	R371	78 257.51	3	535	878.92
L350	74 584.01	3	538	314.85	R372	78 236.51	3	535	885.75
L351	74 568.05	3	538	369.25	R373	77 660.83	3	536	232.18
L352	74 547.41	3	538	463.54	R374	76 749.54	3	536	780.88
L353	74 480.79	3	538	734.42	R375	76 545.73	3	536	903.56
L354	74 474.79	3	538	771.12	R376	75 149.93	3	537	743.71
L355	74 154.27	3	540	145.15	R377	75 014.44	3	537	825.14
L356	74 105.42	3	540	298.85	R378	74 983.39	3	537	844.36
L357	74 059.93	3	540	420.22	R379	74 941.15	3	537	873.31
L358	74 036.01	3	540	469.77	R380	74 917.09	3	537	891.47
L359	73 950.96	3	540	605.56	R381	74 893.94	3	537	910.09
L360	73 906.71	3	540	667.34	R382	74 871.24	3	537	929.76
L361	73 856.59	3	540	722.01	R383	74 827.64	3	537	971.11
L362	73 830.05	3	540	748.53	R384	74 806.68	3	537	993.13
L363	73 765.77	3	540	804.66	R385	74 786.79	3	538	015.59
L364	73 681.17	3	540	871.51	R386	74 767.65	3	538	038.59
L365	73 636.81	3	540	903.27	R387	74 731.51	3	538	086.80
L366	73 557.76	3	540	956.65	R388	74 714.58	3	538	111.98
L367	73 455.01	3	541	008.68	R389	74 698.82	3	538	137.37
L368	72 320.13	3	541	447.19	R390	74 683.57	3	538	163.28
L369	72 240.61	3	541	471.79	R391	74 669.49	3	538	189.82
L370	72 208.94	3	541	483.92	R392	74 655.83	3	538	216.94
L371	72 108.50	3	541	528.99	R393	74 643.51	3	538	244.31
L372	71 348.85	3	541	826.38	R394	74 621.41	3	538	300.15
L373	71 158.07	3	541	901.20	R395	74 611.81	3	538	328.85
L374	71 103.54	3	541	927.33	R396	74 602.91	3	538	357.96
L375	71 060.17	3	541	951.86	R397	74 595.31	3	538	386.54
L376	71 016.94	3	541	979.32	R398	74 255.35	3	539	844.33
L377	70 971.70	3	542	013.25	R399	74 252.43	3	539	879.24
L378	70 913.61	3	542	059.04	R400	74 181.56	3	540	183.98
L379	70 672.60	3	542	230.89	R401	74 161.68	3	540	284.32
L380	70 601.31	3	542	247.08	R402	74 143.93	3	540	335.36
L381	70 533.27	3	542	295.67	R403	74 129.78	3	540	353.67
L382	70 498.66	3	542	354.92	R404	74 097.12	3	540	428.32
L383	70 307.13	3	542	491.49	R405	73 978.28	3	540	638.16
					R406	73 788.67	3	540	856.75
					Vel 27 Van 28 Sheet of P987/17				

This gazette is also available free online at www.gpwnonline.co.za