

DEPARTMENT OF TRANSPORT

NO. 828

08 AUGUST 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N1 SECTION 7

AMENDMENT OF DECLARATION No. 731 OF 2006.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 731 of 2006 by substituting it in its entirety, with the accompanying sheets 1 to 19 of Plan No. P1041/18.

(National Road N1 Section 7: Leeu Gamka – Beaufort West)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 828

08 AUGUSTUS 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N1 SEKSIE 7

WYSIGING VAN VERKLARING No. 731 VAN 2006.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 731 van 2006 deur dit in sy geheel te vervang, met bygaande velle 1 tot 19 van Plan No. P1041/18.

(Nasional Pad N1 Seksie 7: Leeu Gamka – Beaufort Wes)**MINISTER VAN VERVOER**




Die Suid Afrikaanse Nasionale Podagieskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route

Vel
Sheet 1 of 19
Plan P1041/18





Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route

7

Vel
Sheet 3 of 19
Plan P1041/18






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route

Vel Sheet 5 of 19
Plan P1041/18








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1 Sektie
of National Route Section

Vel
Sheet 8 van 19

Plan P1041/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route N1

Vel
Sheet 9 of 19

Plan
P1041/18




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1 Seksie
of National Route N1 Section

Vel 10 of 19
Plan P1041/18





Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route

Vel 12 of 19
Sheet
Plan P1041/18

7

Seksie
Section

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 21°			Y	X		
L1	-91 374.49	3 627 995.27		R1	-91 416.44	3 628 009.38			
L2	-91 389.65	3 627 964.55		R2	-91 555.65	3 627 781.39			
L3	-91 484.19	3 627 819.39		R3	-91 664.17	3 627 668.17			
L4	-91 524.66	3 627 762.15		R4	-91 702.67	3 627 625.69			
L5	-91 571.93	3 627 696.00		R5	-91 748.75	3 627 575.10			
L6	-91 635.63	3 627 636.30		R6	-91 760.13	3 627 563.92			
L7	-91 738.62	3 627 533.59		R7	-91 929.73	3 627 397.32			
L8	-91 907.90	3 627 371.41		R8	-92 101.74	3 627 231.29			
L9	-92 075.74	3 627 208.25		R9	-92 175.04	3 627 154.77			
L10	-92 175.88	3 627 102.28		R10	-92 290.40	3 627 023.22			
L11	-92 266.71	3 626 995.41		R11	-92 293.05	3 627 026.34			
L12	-92 271.14	3 626 990.19		R12	-92 295.49	3 627 029.20			
L13	-92 349.34	3 626 885.72		R13	-92 728.50	3 626 416.92			
L14	-92 535.30	3 626 625.06		R14	-92 996.57	3 626 032.57			
L15	-92 611.15	3 626 512.24		R15	-93 051.07	3 625 954.03			
L16	-92 685.91	3 626 401.26		R16	-93 217.46	3 625 716.77			
L17	-92 964.60	3 626 011.42		R17	-93 269.63	3 625 641.30			
L18	-93 437.67	3 625 331.44		R18	-93 442.05	3 625 390.26			
L19	-93 509.22	3 625 229.07		R19	-93 469.01	3 625 359.97			
L20	-93 694.92	3 624 962.47		R20	-93 726.72	3 624 991.97			
L21	-93 896.78	3 624 672.65		R21	-93 925.03	3 624 708.79			
L22	-94 088.20	3 624 428.91		R22	-93 981.66	3 624 631.40			
L23	-94 180.12	3 624 326.13		R23	-94 023.74	3 624 576.85			
L24	-94 307.98	3 624 196.23		R24	-94 071.54	3 624 517.03			
L25	-94 442.83	3 624 070.65		R25	-94 118.91	3 624 460.57			
L26	-94 473.95	3 624 044.23		R26	-94 182.22	3 624 388.14			
L27	-94 550.02	3 623 979.67		R27	-94 228.70	3 624 337.85			
L28	-94 673.58	3 623 881.03		R28	-94 333.22	3 624 230.08			
L29	-94 991.28	3 623 638.21		R29	-94 413.44	3 624 153.88			
L30	-95 382.29	3 623 340.62		R30	-94 463.84	3 624 108.03			
L31	-96 237.49	3 622 685.24		R31	-94 545.90	3 624 036.99			
L32	-96 382.68	3 622 573.57		R32	-94 598.75	3 623 993.49			
L33	-96 399.34	3 622 556.06		R33	-94 675.02	3 623 933.39			
L34	-96 590.90	3 622 409.13		R34	-95 023.88	3 623 666.48			
L35	-96 651.32	3 622 363.83		R35	-95 405.85	3 623 374.36			
L36	-96 672.28	3 622 352.47		R36	-95 832.77	3 623 048.17			
L37	-97 140.10	3 621 995.16		R37	-96 257.40	3 622 722.98			
L38	-97 182.91	3 621 962.27		R38	-96 703.92	3 622 381.17			
L39	-97 208.25	3 621 942.81		R39	-97 165.14	3 622 028.63			
L40	-97 256.74	3 621 902.92		R40	-97 284.67	3 621 937.18			
L41	-97 559.38	3 621 671.30		R41	-97 587.43	3 621 705.55			
L42	-97 973.18	3 621 354.79		R42	-97 997.93	3 621 391.34			
L43	-98 416.51	3 621 015.67		R43	-98 443.27	3 621 050.59			
L44	-98 855.79	3 620 679.72		R44	-98 880.60	3 620 715.85			
L45	-99 252.30	3 620 376.52		R45	-99 275.35	3 620 413.96			
L46	-99 531.38	3 620 162.88		R46	-99 698.57	3 620 090.34			
L47	-99 546.68	3 620 152.66		R47	-99 763.29	3 620 039.51			
L48	-99 546.76	3 620 150.88		R48	-99 827.33	3 619 987.77			
L49	-99 855.21	3 619 915.03		R49	-99 900.49	3 619 926.04			
L50	-100 152.23	3 619 640.21		R50	-99 952.07	3 619 880.75			
L51	-100 168.46	3 619 624.05		R51	-100 013.01	3 619 825.74			
					Vel Sheet 13 Van of 19 P1041/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L52	-100	209.91	3 619	582.34	R52	-100	176.13	3 619	667.83
L53	-100	247.06	3 619	543.44	R53	-100	261.96	3 619	579.03
L54	-100	723.85	3 619	055.38	R54	-100	362.49	3 619	469.80
L55	-101	062.24	3 618	708.37	R55	-100	404.79	3 619	426.08
L56	-101	428.89	3 618	332.30	R56	-100	442.30	3 619	387.83
L57	-101	859.40	3 617	892.00	R57	-100	750.15	3 619	072.65
L58	-102	181.63	3 617	561.59	R58	-101	082.51	3 618	732.11
L59	-102	364.47	3 617	374.29	R59	-101	455.02	3 618	350.81
L60	-102	505.28	3 617	224.15	R60	-101	547.54	3 618	364.62
L61	-102	809.40	3 616	879.38	R61	-101	616.52	3 618	286.97
L62	-102	871.71	3 616	808.52	R62	-101	594.99	3 618	206.98
L63	-103	178.05	3 616	460.36	R63	-101	877.94	3 617	917.25
L64	-103	492.12	3 616	102.70	R64	-102	210.03	3 617	575.22
L65	-103	837.45	3 615	710.96	R65	-102	491.21	3 617	285.61
L66	-104	201.83	3 615	297.46	R66	-102	841.29	3 616	889.76
L67	-104	573.88	3 614	874.45	R67	-102	901.96	3 616	821.30
L68	-104	903.04	3 614	500.33	R68	-103	201.38	3 616	483.43
L69	-105	286.73	3 614	064.80	R69	-103	518.97	3 616	125.11
L70	-105	511.55	3 613	808.87	R70	-103	864.78	3 615	730.36
L71	-105	822.19	3 613	456.07	R71	-104	229.98	3 615	311.98
L72	-106	135.99	3 613	099.76	R72	-104	594.26	3 614	898.84
L73	-106	220.64	3 613	003.54	R73	-104	920.49	3 614	528.13
					R74	-105	304.28	3 614	092.33
					R75	-105	537.28	3 613	827.44
					R76	-105	843.92	3 613	479.36
					R77	-106	155.39	3 613	124.97
					R78	-106	242.62	3 613	025.79
WG 23°									
L74	81	202.40	3 612	475.04	R79	81	174.08	3 612	489.75
L75	80	899.54	3 612	117.39	R80	80	872.67	3 612	133.85
L76	80	710.82	3 611	894.29	R81	80	685.94	3 611	913.20
L77	80	510.71	3 611	657.56	R82	80	480.95	3 611	670.86
L78	80	481.57	3 611	624.67	R83	80	451.30	3 611	638.29
L79	80	408.32	3 611	542.24	R84	80	431.25	3 611	617.01
L80	80	244.09	3 611	407.72	R85	80	389.96	3 611	574.85
L81	77	063.08	3 609	477.73	R86	80	312.88	3 611	502.75
L82	76	482.67	3 609	126.31	R87	80	243.38	3 611	449.21
L83	76	355.62	3 609	049.49	R88	80	184.34	3 611	406.45
L84	76	185.32	3 608	946.63	R89	80	134.47	3 611	376.41
L85	75	978.32	3 608	820.93	R90	79	936.11	3 611	257.14
L86	75	857.54	3 608	742.36	R91	79	912.22	3 611	239.53
L87	75	756.86	3 608	672.82	R92	79	775.70	3 611	156.82
L88	75	707.42	3 608	636.58	R93	79	291.68	3 610	863.18
L89	75	565.76	3 608	521.24	R94	78	864.08	3 610	603.76
L90	75	404.51	3 608	381.03	R95	78	459.94	3 610	358.79
L91	74	985.67	3 607	999.99	R96	78	019.45	3 610	092.04
L92	74	624.39	3 607	672.30	R97	77	603.36	3 609	840.41
L93	74	505.72	3 607	565.03	R98	77	175.66	3 609	582.05
L94	74	268.47	3 607	349.97	R99	77	030.37	3 609	494.20
					Vel Sheet 14		Van of 19		P1041/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L95	73 903.63	3	607	019.76	R100	76 757.36	3	609	328.75
L96	73 620.99	3	606	764.25	R101	76 333.05	3	609	071.81
L97	73 556.06	3	606	705.18	R102	76 192.02	3	608	986.51
L98	73 181.76	3	606	365.90	R103	75 921.58	3	608	822.77
L99	72 931.99	3	606	139.60	R104	75 807.89	3	608	748.04
L100	72 811.63	3	606	025.71	R105	75 731.53	3	608	694.28
L101	72 728.13	3	605	943.21	R106	75 631.39	3	608	619.22
L102	72 623.52	3	605	833.98	R107	75 531.12	3	608	539.67
L103	72 295.24	3	605	480.26	R108	75 382.49	3	608	404.54
L104	71 956.10	3	605	113.27	R109	74 965.35	3	608	025.90
L105	71 602.77	3	604	731.40	R110	74 596.75	3	607	691.34
L106	71 233.03	3	604	331.24	R111	74 487.90	3	607	592.72
L107	70 894.43	3	603	965.06	R112	74 243.41	3	607	371.01
L108	70 530.32	3	603	571.18	R113	73 876.89	3	607	038.54
L109	70 155.76	3	603	166.22	R114	73 609.66	3	606	796.34
L110	69 833.45	3	602	818.21	R115	73 538.77	3	606	732.08
L111	69 544.95	3	602	506.82	R116	72 924.18	3	606	174.87
L112	69 493.25	3	602	450.23	R117	72 828.25	3	606	085.17
L113	69 114.72	3	602	040.77	R118	72 742.60	3	606	001.97
L114	68 820.64	3	601	723.07	R119	72 638.36	3	605	895.71
L115	68 463.18	3	601	336.70	R120	72 265.03	3	605	493.58
L116	68 115.26	3	600	960.61	R121	71 925.69	3	605	126.71
L117	67 849.85	3	600	673.67	R122	71 583.23	3	604	756.42
L118	67 450.89	3	600	242.06	R123	71 204.23	3	604	346.46
L119	67 076.05	3	599	836.81	R124	70 864.86	3	603	979.68
L120	66 880.49	3	599	625.73	R125	70 506.29	3	603	592.05
L121	66 736.27	3	599	469.69	R126	70 132.65	3	603	188.01
L122	66 416.41	3	599	123.89	R127	69 810.59	3	602	839.33
L123	66 247.95	3	598	944.75	R128	69 544.93	3	602	551.90
L124	66 199.92	3	598	895.07	R129	69 472.19	3	602	473.23
L125	66 123.60	3	598	820.17	R130	69 091.27	3	602	062.00
L126	66 111.47	3	598	795.66	R131	68 786.25	3	601	732.29
L127	66 043.98	3	598	743.88	R132	68 443.94	3	601	362.18
L128	65 980.24	3	598	687.14	R133	68 095.98	3	600	986.12
L129	65 796.74	3	598	528.82	R134	67 830.69	3	600	699.47
L130	65 764.81	3	598	502.63	R135	67 758.43	3	600	629.66
L131	65 702.13	3	598	452.85	R136	67 670.71	3	600	526.16
L132	65 644.90	3	598	409.26	R137	67 423.74	3	600	258.98
L133	65 556.37	3	598	342.84	R138	67 029.80	3	599	833.00
L134	65 478.59	3	598	286.64	R139	66 926.60	3	599	725.98
L135	65 419.53	3	598	245.89	R140	66 835.89	3	599	630.96
L136	65 343.70	3	598	194.62	R141	66 796.66	3	599	581.35
L137	64 941.75	3	597	930.27	R142	66 713.99	3	599	491.68
L138	64 516.63	3	597	651.70	R143	66 391.11	3	599	142.61
L139	64 351.79	3	597	544.01	R144	66 265.49	3	599	007.62
L140	64 131.08	3	597	399.11	R145	66 185.30	3	598	925.04
L141	63 727.60	3	597	134.59	R146	66 116.18	3	598	856.87
L142	63 310.39	3	596	861.02	R147	66 091.37	3	598	845.01
L143	62 882.68	3	596	580.72	R148	66 052.70	3	598	795.84
L144	62 488.49	3	596	322.30	R149	66 002.87	3	598	749.88
L145	62 116.61	3	596	078.69	R150	65 912.21	3	598	668.63
					Vel Sheet 15 Van of 19 P1041/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L146	62 085.71	3	596	058.21	R151	65 854.21	3	598	618.34
L147	61 758.64	3	595	843.87	R152	65 782.52	3	598	558.15
L148	61 602.17	3	595	740.90	R153	65 677.31	3	598	473.75
L149	61 447.34	3	595	638.47	R154	65 553.96	3	598	379.69
L150	61 321.32	3	595	550.24	R155	65 494.59	3	598	336.56
L151	61 247.44	3	595	496.26	R156	65 432.52	3	598	292.47
L152	61 132.99	3	595	408.96	R157	65 332.36	3	598	224.21
L153	61 016.32	3	595	315.72	R158	64 924.59	3	597	957.00
L154	60 586.67	3	594	965.02	R159	64 498.81	3	597	677.79
L155	60 210.48	3	594	657.97	R160	64 357.63	3	597	585.30
L156	59 719.46	3	594	256.90	R161	64 109.88	3	597	422.63
L157	59 356.02	3	593	960.33	R162	63 705.62	3	597	157.73
L158	59 003.63	3	593	672.62	R163	63 291.61	3	596	886.43
L159	58 628.71	3	593	366.62	R164	62 874.98	3	596	613.16
L160	58 231.13	3	593	041.97	R165	62 470.45	3	596	348.24
L161	57 845.75	3	592	727.84	R166	62 064.01	3	596	081.62
L162	57 823.49	3	592	709.51	R167	61 758.18	3	595	880.96
L163	57 362.39	3	592	332.99	R168	61 568.39	3	595	757.46
L164	56 841.19	3	591	906.21	R169	61 554.19	3	595	748.26
L165	56 666.27	3	591	763.80	R170	61 506.78	3	595	717.22
L166	56 653.50	3	591	754.30	R171	61 386.01	3	595	635.47
L167	56 476.62	3	591	609.96	R172	61 317.28	3	595	586.32
L168	56 368.97	3	591	525.27	R173	61 231.55	3	595	524.65
L169	56 319.24	3	591	488.11	R174	61 147.80	3	595	461.86
L170	56 220.81	3	591	417.57	R175	60 992.90	3	595	337.08
L171	56 157.18	3	591	374.43	R176	60 562.38	3	594	985.71
L172	56 119.29	3	591	349.38	R177	60 188.62	3	594	680.09
L173	56 080.73	3	591	324.42	R178	59 707.11	3	594	287.44
L174	56 041.79	3	591	299.86	R179	59 331.19	3	593	980.62
L175	55 976.85	3	591	260.31	R180	58 979.03	3	593	692.98
L176	55 924.78	3	591	229.59	R181	58 207.84	3	593	063.77
L177	55 790.96	3	591	154.76	R182	57 801.10	3	592	731.71
L178	55 553.38	3	591	025.12	R183	57 773.66	3	592	709.29
L179	55 383.18	3	590	931.92	R184	57 341.24	3	592	356.27
L180	55 010.00	3	590	727.67	R185	56 814.21	3	591	925.46
L181	54 850.11	3	590	639.46	R186	56 767.30	3	591	886.67
L182	54 824.41	3	590	624.00	R187	56 720.57	3	591	848.38
L183	54 797.80	3	590	607.25	R188	56 685.16	3	591	819.98
L184	54 747.43	3	590	573.72	R189	56 448.74	3	591	627.83
L185	54 722.79	3	590	556.33	R190	56 317.26	3	591	525.88
L186	54 686.02	3	590	528.98	R191	56 218.80	3	591	454.73
L187	54 662.08	3	590	509.98	R192	56 080.10	3	591	361.54
L188	54 395.33	3	590	293.33	R193	55 937.94	3	591	274.14
L189	54 345.73	3	590	259.56	R194	55 767.20	3	591	177.33
L190	54 268.49	3	590	212.58	R195	55 526.60	3	591	046.53
L191	54 241.82	3	590	197.81	R196	55 371.08	3	590	961.11
L192	54 214.94	3	590	183.51	R197	54 995.33	3	590	755.51
L193	54 092.24	3	590	123.86	R198	54 849.38	3	590	675.15
L194	53 875.79	3	590	016.52	R199	54 809.56	3	590	652.06
L195	53 819.42	3	589	992.38	R200	54 758.07	3	590	619.28
L196	53 528.72	3	589	852.55	R201	54 637.35	3	590	533.85
Vel Sheet					16	Van of		19	P1041/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L197	53 479.92	3	589 827.78		R202	54 451.50	3	590 399.56	
L198	53 445.91	3	589 808.92		R203	54 260.98	3	590 265.31	
L199	53 413.57	3	589 789.91		R204	54 101.38	3	590 171.86	
L200	53 361.93	3	589 757.56		R205	53 788.04	3	590 014.83	
L201	52 945.56	3	589 474.05		R206	53 735.54	3	589 986.85	
L202	52 579.01	3	589 224.13		R207	53 500.76	3	589 873.62	
L203	52 140.92	3	588 925.62		R208	53 460.40	3	589 852.91	
L204	51 325.19	3	588 371.04		R209	53 407.46	3	589 823.21	
L205	50 944.48	3	588 111.55		R210	53 355.72	3	589 791.30	
L206	50 522.23	3	587 823.72		R211	53 317.82	3	589 766.00	
L207	50 265.38	3	587 648.93		R212	52 928.16	3	589 500.25	
L208	50 118.51	3	587 548.52		R213	52 551.68	3	589 243.66	
L209	49 696.22	3	587 260.40		R214	52 125.15	3	588 952.91	
L210	49 319.74	3	587 003.39		R215	51 708.34	3	588 670.00	
L211	48 869.07	3	586 696.14		R216	51 306.79	3	588 396.39	
L212	48 444.74	3	586 407.10		R217	50 928.51	3	588 138.42	
L213	48 042.35	3	586 132.76		R218	50 497.72	3	587 844.77	
L214	47 624.35	3	585 848.00		R219	50 252.92	3	587 678.00	
L215	47 434.30	3	585 719.22		R220	50 104.24	3	587 576.65	
L216	44 902.59	3	583 985.57		R221	49 693.94	3	587 297.05	
L217	44 552.98	3	583 694.55		R222	49 299.76	3	587 028.39	
L218	44 462.72	3	583 607.55		R223	48 851.76	3	586 723.00	
L219	44 173.49	3	583 314.05		R224	48 425.99	3	586 432.83	
L220	44 090.72	3	583 233.87		R225	48 024.09	3	586 158.93	
L221	44 076.13	3	583 234.73		R226	47 601.28	3	585 870.56	
L222	43 583.83	3	582 758.78		R227	47 422.29	3	585 748.67	
L223	43 281.04	3	582 465.08		R228	47 191.35	3	585 591.31	
L224	43 062.51	3	582 253.03		R229	46 794.71	3	585 320.88	
L225	43 028.09	3	582 219.02		R230	46 361.20	3	585 025.58	
L226	42 929.77	3	582 130.50		R231	45 920.32	3	584 725.02	
L227	42 877.24	3	582 092.56		R232	45 542.91	3	584 468.02	
L228	42 840.87	3	582 068.77		R233	45 163.59	3	584 208.86	
L229	42 802.48	3	582 045.86		R234	45 108.24	3	584 170.85	
L230	42 777.93	3	582 032.77		R235	44 990.90	3	584 094.00	
L231	42 715.21	3	582 003.53		R236	44 909.92	3	584 033.76	
L232	42 688.33	3	581 992.19		R237	44 716.82	3	583 883.46	
L233	42 647.48	3	581 976.46		R238	44 536.43	3	583 722.48	
L234	42 633.74	3	581 971.79		R239	44 517.85	3	583 736.92	
L235	42 605.89	3	581 963.03		R240	44 490.76	3	583 717.36	
L236	42 577.68	3	581 955.65		R241	44 496.24	3	583 697.87	
L237	42 549.20	3	581 949.68		R242	44 492.42	3	583 682.58	
L238	42 520.54	3	581 943.39		R243	44 157.58	3	583 358.00	
L239	42 492.22	3	581 938.61		R244	43 975.04	3	583 181.05	
L240	42 463.48	3	581 934.50		R245	43 252.56	3	582 481.08	
L241	42 434.37	3	581 931.50		R246	43 022.76	3	582 258.52	
L242	42 390.84	3	581 928.37		R247	42 947.27	3	582 186.27	
L243	42 361.60	3	581 927.32		R248	42 849.18	3	582 112.31	
L244	42 346.87	3	581 927.12		R249	42 824.50	3	582 095.91	
L245	42 303.13	3	581 927.52		R250	42 774.15	3	582 066.58	
L246	42 259.73	3	581 930.79		R251	42 748.09	3	582 053.29	
L247	42 230.53	3	581 934.09		R252	42 721.80	3	582 040.98	
					Vel Sheet 17 Van of 19 P1041/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L248	42	201.83	3	581 938.19	R253	42	681.55	3	582 023.35
L249	42	173.28	3	581 943.04	R254	42	654.35	3	582 013.01
L250	42	130.02	3	581 951.40	R255	42	584.87	3	581 990.88
L251	42	101.83	3	581 959.36	R256	42	542.47	3	581 980.33
L252	42	074.03	3	581 967.50	R257	42	470.41	3	581 967.34
L253	42	032.38	3	581 981.21	R258	42	441.47	3	581 963.73
L254	41	729.89	3	582 090.06	R259	42	397.91	3	581 960.25
L255	41	734.88	3	582 098.51	R260	42	339.48	3	581 958.55
L256	41	549.35	3	582 162.58	R261	42	310.30	3	581 959.44
L257	41	480.77	3	582 190.33	R262	42	281.16	3	581 960.98
L258	41	252.29	3	582 272.37	R263	42	237.55	3	581 965.26
L259	41	247.53	3	582 269.35	R264	42	207.76	3	581 969.45
L260	41	242.67	3	582 265.14	R265	42	179.17	3	581 974.27
L261	41	201.56	3	582 279.52	R266	42	150.69	3	581 980.16
L262	41	212.42	3	582 286.89	R267	42	122.46	3	581 987.03
L263	41	047.07	3	582 345.93	R268	42	080.21	3	581 998.78
L264	41	005.68	3	582 356.99	R269	42	052.50	3	582 008.09
L265	40	985.31	3	582 360.67	R270	42	022.30	3	582 018.57
L266	40	961.83	3	582 364.09	R271	41	955.41	3	582 042.65
L267	40	940.71	3	582 365.66	R272	41	935.24	3	582 062.17
L268	40	919.21	3	582 367.11	R273	41	917.42	3	582 067.37
L269	40	881.36	3	582 367.95	R274	41	887.67	3	582 066.89
L270	40	849.39	3	582 366.96	R275	41	746.08	3	582 117.90
L271	40	817.14	3	582 364.11	R276	41	739.63	3	582 110.10
L272	40	783.72	3	582 359.18	R277	41	671.58	3	582 137.31
L273	40	752.67	3	582 353.00	R278	41	554.87	3	582 179.09
L274	40	733.47	3	582 348.27	R279	41	504.52	3	582 194.00
L275	40	719.68	3	582 344.26	R280	41	264.18	3	582 279.94
L276	40	701.43	3	582 338.56	R281	41	276.00	3	582 287.46
L277	40	683.68	3	582 332.33	R282	41	233.12	3	582 300.64
L278	40	643.50	3	582 316.96	R283	41	223.96	3	582 294.71
L279	40	303.31	3	582 185.42	R284	41	050.65	3	582 356.83
L280	39	859.74	3	582 013.35	R285	41	030.48	3	582 362.85
L281	39	387.45	3	581 830.10	R286	41	008.15	3	582 368.35
L282	39	356.42	3	581 816.20	R287	40	984.39	3	582 372.73
L283	39	338.42	3	581 806.46	R288	40	962.86	3	582 375.81
L284	39	320.19	3	581 794.44	R289	40	942.20	3	582 377.87
L285	39	301.59	3	581 779.13	R290	40	920.63	3	582 379.53
L286	39	285.76	3	581 762.99	R291	40	882.37	3	582 380.30
L287	39	258.03	3	581 727.34	R292	40	847.39	3	582 379.19
L288	39	250.11	3	581 712.86	R293	40	815.47	3	582 376.36
L289	39	238.79	3	581 690.02	R294	40	782.67	3	582 371.60
L290	39	247.75	3	581 689.04	R295	40	750.56	3	582 365.22
L291	39	227.75	3	581 650.89	R296	40	733.65	3	582 361.01
L292	39	220.79	3	581 637.55	R297	40	716.37	3	582 356.08
L293	39	214.85	3	581 640.39	R298	40	698.54	3	582 350.62
L294	39	196.90	3	581 602.71	R299	40	679.43	3	582 343.87
L295	39	192.35	3	581 590.07	R300	40	644.80	3	582 330.89
L296	39	189.42	3	581 578.52	R301	40	296.03	3	582 196.06
L297	39	187.89	3	581 570.60	R302	39	854.65	3	582 024.83
L298	39	186.70	3	581 560.58	R303	39	383.06	3	581 841.57
Vel Sheet 18					Van of 19		P1041/18		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L299	39 186.94	3 581	537.04		R304	39 351.56	3 581	826.62	
L300	39 226.97	3 581	201.97		R305	39 334.07	3 581	819.25	
					R306	39 311.89	3 581	804.85	
					R307	39 292.22	3 581	786.54	
					R308	39 274.30	3 581	770.15	
					R309	39 261.22	3 581	753.87	
					R310	39 249.29	3 581	736.09	
					R311	39 239.71	3 581	719.09	
					R312	39 226.89	3 581	697.06	
					R313	39 220.92	3 581	702.31	
					R314	39 205.30	3 581	664.11	
					R315	39 199.60	3 581	650.67	
					R316	39 204.64	3 581	646.95	
					R317	39 185.66	3 581	607.14	
					R318	39 181.55	3 581	596.19	
					R319	39 177.45	3 581	581.13	
					R320	39 174.42	3 581	560.35	
					R321	39 173.57	3 581	536.20	
					R322	39 212.67	3 581	218.83	
					R323	39 214.83	3 581	200.53	

Vel
Sheet

19
of

Van
19

P1041/18