

DEPARTMENT OF TRANSPORT

NO. 829

08 AUGUST 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED****Registration No: 1998/009584/30**

DECLARATION AMENDMENT OF NATIONAL ROAD R72 SECTION 2**AMENDMENT OF DECLARATION No. 305 OF 2012.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph G(II) of the Schedule, being the descriptive declaration of the route from Alexandria up to Port Alfred, with the accompanying sheets 1 to 22 of Plan No. P1027/18.

In the town of Alexandria the R72 Section 2 starts at the junction with streets known as Chowles Street and Voortrekker Street at time of declaration, therefrom follows the street known as Voortrekker Street in a general easterly direction at the time of declaration.

In the town of Port Alfred the route enters the town along R72 Section 2 from the West and follows the street known as Voortrekker Street at the time of declaration.

(National Road R72 Section 2: Alexandria – Port Alfred)
MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 829

08 AUGUSTUS 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK****Registrasie No: 1998/009584/30****VERKLARING WYSIGING VAN NASIONALE PAD R72 SEKSIE 2**


WYSIGING VAN VERKLARING No. 305 VAN 2012.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf G(II) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Alexandria tot by Port Alfred, met bygaande velle 1 tot 22 van Plan No. P1027/18.

In die dorp van Alexandria begin die R72 Seksie 2 by die interseksie met strate bekend as Chowlesstraat en Voortrekkerstraat tydens datum van verklaring, daarvandaan volg dit die straat bekend as Voortrekkerstraat in 'n algemene oostelike rigting tydens datum van verklaring.

In die dorp van Port Alfred kom die pad die dorp binne vanuit die Weste langs die R72 Seksie 2 en volg die straat bekend as Voortrekkerstraat tydens datum van verklaring.

(Nasionale Pad R72 Seksie 2: Alexandria – Port Alfred)
MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



steldie podreserve voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie
of National Route R72 Section

Vel
Sheet 2 of 22

Plan
P1027/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72
of National Route
Seksie
Section

Vel
Sheet 4
of 22

Plan
P1027/18




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72
of National Route

Vel
Sheet 5 of 22
Plan
P1027/18






Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie
of National Route R72 Section

Vel
Sheet 7 of 22
Plan P1027/18





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown





stieldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Sektie
of National Route Section

Vel
Sheet 9 of 22

Plan P1027/18







CONTINUES ON PAGE 130 - PART 2



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 638

8 August
Augustus 2018

No. 41833


PART 2 OF 3

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5843



AIDS HELPLINE: 0800-0123-22 Prevention is the cure



Vel
Sheet 14 of 22

Plan
P1027/18

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R72 Seksie
of National Route R72 Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L1	54 183.97	3 725 368.50		R1	54 171.03 3 725 393.57
L2	54 011.68	3 725 336.73		R2	54 006.78 3 725 363.29
L3	53 985.15	3 725 328.49		R3	53 960.09 3 725 352.17
L4	53 901.35	3 725 313.61		R4	53 897.86 3 725 342.64
L5	53 869.06	3 725 308.72		R5	53 680.28 3 725 301.91
L6	53 804.30	3 725 298.90		R6	53 583.81 3 725 283.85
L7	53 774.21	3 725 289.78		R7	53 535.25 3 725 265.92
L8	53 610.21	3 725 259.23		R8	53 500.23 3 725 246.78
L9	53 582.67	3 725 251.64		R9	53 438.42 3 725 209.26
L10	53 531.97	3 725 231.62		R10	53 363.64 3 725 161.45
L11	53 481.56	3 725 205.73		R11	53 297.55 3 725 117.54
L12	53 460.02	3 725 192.45		R12	53 291.92 3 725 111.64
L13	53 300.80	3 725 086.39		R13	53 254.21 3 725 088.53
L14	53 283.51	3 725 068.98		R14	53 183.89 3 725 045.43
L15	53 278.09	3 725 065.11		R15	53 142.02 3 725 015.79
L16	53 191.43	3 725 003.27		R16	53 040.81 3 724 944.33
L17	53 097.43	3 724 946.82		R17	53 003.30 3 724 918.36
L18	53 058.90	3 724 924.55		R18	52 924.08 3 724 870.40
L19	53 004.41	3 724 888.68		R19	52 870.34 3 724 834.19
L20	52 913.11	3 724 824.48		R20	52 795.59 3 724 778.96
L21	52 769.06	3 724 730.92		R21	52 677.84 3 724 712.49
L22	52 710.75	3 724 686.73		R22	52 613.76 3 724 678.56
L23	52 644.66	3 724 636.64		R23	52 601.26 3 724 670.40
L24	52 610.39	3 724 614.34		R24	52 496.65 3 724 578.52
L25	52 513.02	3 724 559.11		R25	52 445.50 3 724 548.27
L26	52 487.03	3 724 537.76		R26	52 353.59 3 724 489.19
L27	52 483.18	3 724 532.82		R27	52 253.81 3 724 420.69
L28	52 465.22	3 724 519.89		R28	52 207.41 3 724 384.96
L29	52 346.48	3 724 436.71		R29	52 115.07 3 724 352.64
L30	52 295.17	3 724 405.64		R30	52 097.22 3 724 344.06
L31	52 208.64	3 724 356.06		R31	52 091.94 3 724 340.39
L32	52 144.56	3 724 300.98		R32	52 042.42 3 724 302.01
L33	52 124.08	3 724 288.67		R33	51 985.33 3 724 276.16
L34	52 058.78	3 724 277.67		R34	51 907.64 3 724 249.06
L35	51 977.82	3 724 244.06		R35	51 601.09 3 724 157.31
L36	51 900.72	3 724 219.48		R36	51 298.71 3 724 066.63
L37	51 780.72	3 724 184.73		R37	51 270.13 3 724 070.65
L38	51 492.93	3 724 098.68		R38	51 184.17 3 724 044.61
L39	50 912.90	3 723 924.25		R39	51 161.53 3 724 025.61
L40	50 889.63	3 723 855.21		R40	50 893.64 3 723 945.01
L41	50 722.59	3 723 867.39		R41	49 443.31 3 723 509.96
L42	49 974.06	3 723 642.97		R42	49 263.30 3 723 457.38
L43	49 634.89	3 723 541.36		R43	49 176.06 3 723 439.67
L44	49 298.65	3 723 440.55		R44	49 086.09 3 723 430.53
L45	49 194.81	3 723 417.00		R45	48 995.79 3 723 430.54
L46	49 141.89	3 723 408.10		R46	48 906.19 3 723 439.44
L47	49 072.04	3 723 402.89		R47	48 817.52 3 723 457.55
L48	48 940.51	3 723 407.76		R48	48 733.24 3 723 486.53
L49	48 810.38	3 723 431.53		R49	48 656.39 3 723 521.09
L50	48 721.26	3 723 459.68		R50	48 495.02 3 723 611.35
L51	48 636.07	3 723 492.95		R51	48 310.29 3 723 734.10
			Vel Sheet	15 Van of 22	P1027/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	48 554.22	3	723	538.26	R52	48 090.16	3	723	879.76
L53	48 468.37	3	723	598.74	R53	48 034.27	3	723	917.14
L54	48 346.68	3	723	679.51	R54	48 011.79	3	723	928.24
L55	48 266.34	3	723	732.84	R55	47 981.06	3	723	945.78
L56	48 191.04	3	723	779.73	R56	47 915.67	3	723	978.36
L57	48 036.68	3	723	886.08	R57	47 873.43	3	723	998.23
L58	47 931.65	3	723	943.61	R58	47 830.19	3	724	015.03
L59	47 798.53	3	723	998.13	R59	47 757.47	3	724	039.94
L60	47 688.81	3	724	030.92	R60	47 695.72	3	724	055.08
L61	47 273.59	3	724	124.71	R61	47 270.60	3	724	151.29
L62	45 713.65	3	724	478.20	R62	45 724.76	3	724	501.60
L63	45 536.82	3	724	520.25	R63	45 519.03	3	724	550.78
L64	45 418.39	3	724	554.14	R64	45 427.43	3	724	577.15
L65	45 317.18	3	724	587.21	R65	45 183.71	3	724	661.20
L66	44 564.36	3	724	855.48	R66	44 572.58	3	724	879.17
L67	44 555.37	3	724	858.69	R67	42 149.68	3	725	742.59
L68	42 154.35	3	725	714.83	R68	42 035.47	3	725	788.58
L69	42 093.37	3	725	733.61	R69	41 881.42	3	725	837.92
L70	41 864.03	3	725	818.16	R70	41 461.88	3	725	987.65
L71	41 337.48	3	726	006.00	R71	41 344.14	3	726	029.69
L72	41 133.53	3	726	073.98	R72	41 169.61	3	726	096.60
L73	41 024.08	3	726	117.46	R73	41 024.57	3	726	143.80
L74	40 781.98	3	726	203.19	R74	40 962.46	3	726	166.11
L75	40 744.73	3	726	188.07	R75	40 936.43	3	726	188.15
L76	40 745.08	3	726	184.68	R76	40 823.83	3	726	228.36
L77	40 566.54	3	726	255.09	R77	40 790.86	3	726	227.39
L78	40 554.21	3	726	285.20	R78	40 427.00	3	726	357.51
L79	40 419.06	3	726	333.50	R79	40 318.26	3	726	406.14
L80	40 403.91	3	726	339.86	R80	40 237.05	3	726	456.03
L81	40 361.41	3	726	357.91	R81	40 141.21	3	726	517.54
L82	40 211.15	3	726	435.71	R82	40 073.31	3	726	571.06
L83	40 187.59	3	726	447.18	R83	39 936.57	3	726	695.07
L84	40 142.69	3	726	480.51	R84	39 878.12	3	726	744.55
L85	40 016.31	3	726	587.36	R85	39 815.54	3	726	792.10
L86	40 004.22	3	726	585.39	R86	39 723.75	3	726	869.51
L87	39 848.34	3	726	712.25	R87	39 687.94	3	726	905.76
L88	39 714.76	3	726	837.58	R88	39 636.15	3	726	941.57
L89	39 631.06	3	726	890.32	R89	39 556.21	3	726	972.93
L90	39 533.47	3	726	939.15	R90	39 528.45	3	726	979.14
L91	39 451.08	3	726	970.57	R91	39 484.42	3	726	992.42
L92	39 275.12	3	726	999.36	R92	39 443.94	3	727	001.50
L93	39 211.19	3	727	015.82	R93	39 285.48	3	727	029.74
L94	39 113.37	3	727	053.19	R94	39 223.58	3	727	043.22
L95	39 030.15	3	727	101.50	R95	39 201.89	3	727	050.34
L96	38 984.15	3	727	137.36	R96	39 146.76	3	727	074.45
L97	38 933.88	3	727	183.43	R97	39 097.85	3	727	096.36
L98	38 904.67	3	727	214.68	R98	39 045.33	3	727	126.04
L99	38 850.65	3	727	267.94	R99	39 001.29	3	727	158.27
L100	38 724.84	3	727	399.03	R100	38 952.13	3	727	203.33
L101	38 655.30	3	727	464.72	R101	38 787.93	3	727	374.34
L102	38 612.32	3	727	498.33	R102	38 743.94	3	727	418.92
					Vel Sheet 16 Van of 22 P1027/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L103	38 551.20	3 727 542.41		R103	38 712.14 3 727 450.83
L104	38 360.85	3 727 699.30		R104	38 653.52 3 727 501.82
L105	38 337.04	3 727 715.96		R105	38 634.30 3 727 516.37
L106	38 183.79	3 727 823.17		R106	38 571.49 3 727 566.01
L107	38 126.17	3 727 857.89		R107	38 543.48 3 727 593.05
L108	38 025.73	3 727 898.25		R108	38 377.01 3 727 720.76
L109	37 923.77	3 727 927.97		R109	38 303.24 3 727 784.09
L110	37 626.45	3 728 017.50		R110	38 289.15 3 727 794.01
L111	37 402.85	3 728 070.12		R111	38 213.20 3 727 844.86
L112	37 259.22	3 728 132.30		R112	38 165.08 3 727 866.24
L113	37 228.51	3 728 145.18		R113	38 119.15 3 727 888.71
L114	37 208.53	3 728 153.56		R114	38 076.27 3 727 906.20
L115	37 159.68	3 728 174.04		R115	38 030.38 3 727 922.23
L116	37 075.04	3 728 216.06		R116	37 990.62 3 727 934.83
L117	36 639.77	3 728 449.92		R117	37 731.95 3 728 012.39
L118	36 551.39	3 728 497.23		R118	37 648.37 3 728 037.86
L119	36 347.01	3 728 606.87		R119	37 471.62 3 728 104.83
L120	36 232.06	3 728 659.25		R120	37 442.19 3 728 115.73
L121	35 996.85	3 728 742.45		R121	37 398.06 3 728 126.66
L122	35 486.91	3 728 903.84		R122	37 285.17 3 728 151.48
L123	35 248.29	3 728 984.82		R123	37 256.75 3 728 162.41
L124	35 098.64	3 729 030.67		R124	37 129.47 3 728 216.54
L125	34 965.97	3 729 075.63		R125	36 931.57 3 728 320.21
L126	34 751.54	3 729 124.45		R126	36 720.02 3 728 433.15
L127	34 514.32	3 729 155.29		R127	36 594.29 3 728 501.45
L128	34 306.28	3 729 178.66		R128	36 581.08 3 728 508.63
L129	34 145.74	3 729 197.83		R129	36 554.19 3 728 524.63
L130	33 885.51	3 729 234.71		R130	36 530.91 3 728 538.48
L131	33 818.30	3 729 243.74		R131	36 533.42 3 728 552.65
L132	33 680.29	3 729 257.06		R132	36 509.60 3 728 561.07
L133	33 645.75	3 729 261.06		R133	36 508.27 3 728 553.97
L134	33 638.77	3 729 261.87		R134	36 498.40 3 728 554.27
L135	33 566.40	3 729 270.27		R135	36 439.52 3 728 585.86
L136	33 520.11	3 729 263.40		R136	36 389.69 3 728 612.60
L137	33 412.61	3 729 241.64		R137	36 268.29 3 728 672.63
L138	33 333.65	3 729 216.48		R138	36 139.29 3 728 722.92
L139	33 260.54	3 729 177.02		R139	35 909.79 3 728 797.30
L140	33 176.79	3 729 113.55		R140	35 460.00 3 728 942.59
L141	33 042.52	3 728 994.64		R141	35 104.71 3 729 057.59
L142	32 782.67	3 728 764.53		R142	34 978.32 3 729 098.04
L143	32 762.12	3 728 746.43		R143	34 899.98 3 729 119.95
L144	32 698.28	3 728 690.10		R144	34 842.28 3 729 131.09
L145	32 492.53	3 728 505.29		R145	34 814.79 3 729 136.35
L146	32 465.55	3 728 486.07		R146	34 730.96 3 729 152.41
L147	32 455.98	3 728 480.64		R147	34 524.68 3 729 178.81
L148	32 434.07	3 728 468.19		R148	34 427.74 3 729 195.66
L149	32 421.08	3 728 460.82		R149	34 293.01 3 729 208.08
L150	32 408.10	3 728 453.44		R150	34 154.32 3 729 232.91
L151	32 395.12	3 728 446.07		R151	34 034.14 3 729 241.79
L152	32 382.14	3 728 438.69		R152	33 900.23 3 729 257.71
L153	32 369.16	3 728 431.32		R153	33 882.36 3 729 259.83
			Vel Sheet	17 Van of 22	P1027/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	32 356.18	3	728 423.95		R154	33 725.70	3	729 278.45	
L155	32 355.11	3	728 423.36		R155	33 623.48	3	729 298.79	
L156	32 202.66	3	728 336.76		R156	33 576.20	3	729 298.03	
L157	32 198.84	3	728 344.58		R157	33 469.84	3	729 286.27	
L158	32 128.21	3	728 298.81		R158	33 387.06	3	729 261.08	
L159	32 125.88	3	728 283.13		R159	33 355.90	3	729 251.59	
L160	32 113.04	3	728 263.33		R160	33 317.91	3	729 236.75	
L161	32 077.11	3	728 235.70		R161	33 246.09	3	729 197.07	
L162	32 037.82	3	728 215.94		R162	33 178.90	3	729 148.23	
L163	31 991.95	3	728 201.19		R163	33 028.62	3	729 015.66	
L164	31 954.33	3	728 208.70		R164	32 736.87	3	728 757.33	
L165	31 921.46	3	728 217.26		R165	32 685.07	3	728 711.76	
L166	31 883.64	3	728 215.66		R166	32 682.65	3	728 714.76	
L167	31 859.95	3	728 211.73		R167	32 670.91	3	728 723.89	
L168	31 794.38	3	728 215.66		R168	32 653.31	3	728 708.99	
L169	31 745.95	3	728 224.56		R169	32 664.07	3	728 698.89	
L170	31 632.44	3	728 251.99		R170	32 664.12	3	728 693.22	
L171	31 553.55	3	728 261.75		R171	32 644.32	3	728 676.04	
L172	31 526.82	3	728 262.51		R172	32 623.67	3	728 658.10	
L173	31 514.60	3	728 262.80		R173	32 604.23	3	728 641.22	
L174	31 494.86	3	728 263.26		R174	32 553.84	3	728 595.61	
L175	31 490.46	3	728 263.36		R175	32 505.23	3	728 555.56	
L176	31 478.46	3	728 262.18		R176	32 453.94	3	728 518.97	
L177	31 473.49	3	728 261.70		R177	32 400.19	3	728 486.07	
L178	31 446.21	3	728 259.02		R178	32 247.64	3	728 401.27	
L179	31 427.29	3	728 257.16		R179	32 220.46	3	728 386.16	
L180	31 357.42	3	728 250.31		R180	32 186.43	3	728 367.25	
L181	31 335.78	3	728 248.19		R181	32 189.82	3	728 360.93	
L182	31 326.57	3	728 245.34		R182	32 113.59	3	728 328.52	
L183	31 273.15	3	728 228.72		R183	32 098.36	3	728 336.30	
L184	31 143.22	3	728 182.39		R184	32 079.84	3	728 332.59	
L185	30 934.62	3	728 105.19		R185	32 028.58	3	728 303.90	
L186	30 947.61	3	728 091.86		R186	31 917.01	3	728 268.86	
L187	30 906.86	3	728 078.39		R187	31 898.14	3	728 251.61	
L188	30 891.43	3	728 093.46		R188	31 827.48	3	728 250.26	
L189	30 763.74	3	728 049.08		R189	31 754.27	3	728 263.70	
L190	30 717.01	3	728 030.69		R190	31 717.95	3	728 272.48	
L191	30 670.89	3	728 011.09		R191	31 669.33	3	728 284.23	
L192	30 625.21	3	727 990.63		R192	31 610.03	3	728 298.56	
L193	30 579.94	3	727 969.35		R193	31 593.94	3	728 300.39	
L194	30 546.77	3	727 952.96		R194	31 581.92	3	728 300.80	
L195	30 461.28	3	727 908.19		R195	31 577.50	3	728 298.31	
L196	30 436.45	3	727 894.11		R196	31 548.15	3	728 301.96	
L197	30 406.89	3	727 877.32		R197	31 504.09	3	728 302.95	
L198	30 401.79	3	727 874.16		R198	31 487.83	3	728 302.53	
L199	30 372.73	3	727 856.12		R199	31 419.75	3	728 300.31	
L200	30 339.60	3	727 835.55		R200	31 406.72	3	728 299.88	
L201	30 296.27	3	727 808.65		R201	31 398.29	3	728 299.61	
L202	30 291.11	3	727 805.47		R202	31 342.46	3	728 289.56	
L203	30 280.90	3	727 797.73		R203	31 299.72	3	728 277.38	
L204	30 255.46	3	727 784.86		R204	31 277.92	3	728 271.17	
					Vel Sheet 18 of Van 22 P1027/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L205	30 255.79	3	727	782.93	R205	30 900.72	3	728	139.97
L206	30 245.91	3	727	780.04	R206	30 888.07	3	728	152.93
L207	30 226.20	3	727	770.05	R207	30 844.52	3	728	137.76
L208	30 211.74	3	727	762.73	R208	30 857.81	3	728	125.06
L209	30 183.13	3	727	741.76	R209	30 839.86	3	728	119.34
L210	30 177.81	3	727	738.48	R210	30 796.95	3	728	105.66
L211	30 171.33	3	727	734.47	R211	30 788.54	3	728	102.51
L212	30 164.31	3	727	730.12	R212	30 762.30	3	728	092.68
L213	30 128.01	3	727	707.06	R213	30 736.32	3	728	082.26
L214	30 036.51	3	727	648.94	R214	30 709.40	3	728	071.44
L215	29 950.51	3	727	593.78	R215	30 655.98	3	728	048.85
L216	29 898.48	3	727	554.62	R216	30 625.45	3	728	035.23
L217	29 875.21	3	727	534.63	R217	30 601.37	3	728	024.46
L218	29 847.57	3	727	502.89	R218	30 594.41	3	728	021.34
L219	29 826.66	3	727	477.54	R219	30 584.45	3	728	016.60
L220	29 729.86	3	727	372.56	R220	30 569.10	3	728	009.29
L221	29 655.72	3	727	282.91	R221	30 552.86	3	728	001.54
L222	29 493.44	3	727	096.59	R222	30 536.67	3	727	993.65
L223	29 370.77	3	726	948.03	R223	30 517.11	3	727	984.12
L224	29 332.09	3	726	906.15	R224	30 496.52	3	727	973.05
L225	29 270.47	3	726	830.10	R225	30 457.80	3	727	952.23
L226	29 134.20	3	726	677.33	R226	30 386.46	3	727	911.72
L227	28 962.90	3	726	476.95	R227	30 280.54	3	727	845.96
L228	28 907.88	3	726	409.01	R228	30 273.19	3	727	841.43
L229	28 685.74	3	726	149.84	R229	30 263.00	3	727	833.66
L230	28 624.03	3	726	070.74	R230	30 247.41	3	727	823.44
L231	28 586.64	3	726	018.76	R231	30 224.96	3	727	808.70
L232	28 463.34	3	725	805.32	R232	30 211.49	3	727	799.86
L233	28 318.31	3	725	541.33	R233	30 202.64	3	727	794.05
L234	28 276.91	3	725	481.25	R234	30 186.63	3	727	783.83
L235	28 231.91	3	725	422.40	R235	30 125.93	3	727	744.45
L236	28 185.69	3	725	362.08	R236	30 126.09	3	727	739.81
L237	28 109.06	3	725	278.12	R237	29 986.08	3	727	663.94
L238	27 975.67	3	725	152.81	R238	29 967.04	3	727	659.26
L239	27 654.98	3	724	860.73	R239	29 956.10	3	727	647.78
L240	27 322.69	3	724	557.75	R240	29 956.34	3	727	639.36
L241	27 180.12	3	724	428.05	R241	29 886.58	3	727	589.94
L242	27 043.25	3	724	303.52	R242	29 878.57	3	727	580.66
L243	27 026.91	3	724	280.10	R243	29 849.05	3	727	546.42
L244	27 004.00	3	724	275.63	R244	29 788.65	3	727	501.87
L245	26 954.63	3	724	242.06	R245	29 694.80	3	727	371.26
L246	26 886.33	3	724	204.67	R246	29 561.78	3	727	213.56
L247	26 862.66	3	724	191.72	R247	29 464.09	3	727	099.36
L248	26 720.64	3	724	123.72	R248	29 395.10	3	727	020.20
L249	26 703.37	3	724	115.45	R249	29 337.41	3	726	959.54
L250	26 639.27	3	724	083.22	R250	29 261.19	3	726	864.83
L251	26 572.04	3	724	038.86	R251	29 097.71	3	726	672.17
L252	26 519.63	3	723	994.94	R252	28 908.30	3	726	455.59
L253	26 501.20	3	723	978.42	R253	28 662.68	3	726	169.03
L254	26 493.57	3	723	971.74	R254	28 613.25	3	726	107.84
L255	26 412.98	3	723	900.00	R255	28 561.71	3	726	035.47
					Vel 19 Van 22 Sheet of P1027/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L256	26 330.74	3 723 774.85		R256	28 524.11	3 725 978.57
L257	26 268.56	3 723 734.10		R257	28 350.01	3 725 662.14
L258	26 198.30	3 723 708.85		R258	28 330.90	3 725 633.34
L259	26 097.98	3 723 619.57		R259	28 304.87	3 725 582.87
L260	26 024.53	3 723 555.60		R260	28 265.11	3 725 517.01
L261	25 942.36	3 723 501.23		R261	28 243.29	3 725 475.63
L262	25 842.20	3 723 454.58		R262	28 206.15	3 725 430.65
L263	25 813.60	3 723 445.78		R263	28 162.70	3 725 376.19
L264	25 713.61	3 723 428.15		R264	28 096.83	3 725 303.16
L265	25 637.89	3 723 418.25		R265	27 983.17	3 725 196.82
L266	25 474.56	3 723 405.92		R266	27 602.18	3 724 851.30
L267	25 430.08	3 723 400.67		R267	27 242.08	3 724 524.28
L268	25 361.00	3 723 385.29		R268	27 224.44	3 724 504.30
L269	25 318.19	3 723 371.45		R269	27 176.07	3 724 458.30
L270	25 263.44	3 723 347.85		R270	27 157.81	3 724 442.00
L271	25 188.24	3 723 305.63		R271	26 990.72	3 724 298.68
L272	25 178.13	3 723 297.56		R272	26 834.33	3 724 207.23
L273	25 012.71	3 723 165.43		R273	26 619.52	3 724 115.17
L274	24 936.00	3 723 118.43		R274	26 574.92	3 724 092.35
L275	24 636.18	3 722 978.82		R275	26 509.37	3 724 031.38
L276	24 235.83	3 722 793.58		R276	26 496.40	3 724 017.67
L277	24 087.21	3 722 729.30		R277	26 483.20	3 724 003.56
L278	24 008.10	3 722 699.21		R278	26 474.94	3 723 994.89
L279	23 950.83	3 722 678.07		R279	26 472.31	3 723 992.22
L280	23 713.60	3 722 599.80		R280	26 333.70	3 723 869.06
L281	23 456.95	3 722 515.24		R281	26 213.28	3 723 820.55
L282	22 841.50	3 722 312.88		R282	26 150.16	3 723 705.88
L283	22 269.93	3 722 124.94		R283	25 912.51	3 723 518.22
L284	21 752.73	3 721 954.93		R284	25 830.36	3 723 482.05
L285	21 120.54	3 721 746.64		R285	25 713.81	3 723 454.65
L286	20 734.87	3 721 619.33		R286	25 668.87	3 723 450.52
L287	20 650.97	3 721 590.54		R287	25 474.53	3 723 435.84
L288	20 540.56	3 721 543.68		R288	25 414.60	3 723 427.98
L289	20 413.92	3 721 479.32		R289	25 343.95	3 723 411.04
L290	20 162.39	3 721 351.52		R290	25 271.54	3 723 384.66
L291	20 077.45	3 721 309.44		R291	25 205.21	3 723 350.29
L292	20 009.33	3 721 279.65		R292	25 174.69	3 723 331.02
L293	19 917.38	3 721 245.88		R293	25 162.04	3 723 322.22
L294	19 792.90	3 721 210.11		R294	25 080.87	3 723 257.62
L295	18 741.43	3 720 963.78		R295	25 033.71	3 723 219.36
L296	18 658.71	3 720 900.22		R296	24 988.26	3 723 191.69
L297	18 537.50	3 720 915.57		R297	24 960.98	3 723 168.90
L298	18 388.12	3 720 880.81		R298	24 908.63	3 723 138.02
L299	18 318.72	3 720 862.76		R299	24 854.30	3 723 112.73
L300	18 303.86	3 720 857.53		R300	24 639.35	3 723 013.29
L301	18 189.07	3 720 801.98		R301	24 341.41	3 722 875.12
L302	18 134.31	3 720 763.68		R302	24 238.78	3 722 827.44
L303	18 086.57	3 720 723.45		R303	24 059.77	3 722 750.30
L304	17 914.96	3 720 551.56		R304	23 967.10	3 722 715.66
L305	17 857.78	3 720 503.12		R305	23 907.20	3 722 694.98
L306	17 795.22	3 720 459.65		R306	23 447.68	3 722 543.90
				Vel Sheet	20 Van of	22 P1027/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L307	17 770.80	3 720 444.07		R307	22 876.56 3 722 356.19
L308	17 677.12	3 720 396.21		R308	21 768.17 3 721 990.67
L309	17 564.28	3 720 356.50		R309	21 416.05 3 721 876.11
L310	17 487.92	3 720 336.00		R310	20 698.49 3 721 639.01
L311	16 446.86	3 720 060.57		R311	20 651.88 3 721 623.83
L312	16 249.89	3 720 009.20		R312	20 630.36 3 721 614.73
L313	16 161.01	3 719 991.32		R313	20 556.93 3 721 583.63
L314	16 011.61	3 719 973.92		R314	20 477.62 3 721 546.49
L315	15 203.22	3 719 936.17		R315	20 412.65 3 721 512.16
L316	15 089.32	3 719 928.64		R316	20 140.41 3 721 373.45
L317	15 020.93	3 719 925.60		R317	20 063.92 3 721 335.78
L318	14 948.50	3 719 924.34		R318	20 032.40 3 721 321.56
L319	14 637.97	3 719 909.91		R319	19 925.71 3 721 280.04
L320	14 389.37	3 719 890.81		R320	19 868.42 3 721 261.29
L321	14 181.81	3 719 846.13		R321	19 815.78 3 721 246.12
L322	14 095.46	3 719 818.13		R322	18 944.49 3 721 041.20
L323	13 875.63	3 719 725.46		R323	18 696.22 3 720 983.91
L324	13 677.83	3 719 639.69		R324	18 644.62 3 720 993.40
L325	13 584.67	3 719 604.30		R325	18 600.26 3 721 000.33
L326	13 494.40	3 719 576.59		R326	18 585.00 3 721 000.93
L327	13 365.33	3 719 554.39		R327	18 499.11 3 720 937.63
L328	13 256.73	3 719 543.00		R328	18 283.02 3 720 884.26
L329	13 232.68	3 719 537.63		R329	18 219.16 3 720 853.03
L330	12 974.85	3 719 548.54		R330	18 167.48 3 720 823.68
L331	12 963.69	3 719 550.13		R331	18 107.02 3 720 779.66
L332	12 821.61	3 719 552.78		R332	17 987.36 3 720 667.38
L333	12 523.39	3 719 564.74		R333	17 934.49 3 720 614.74
L334	12 278.41	3 719 574.39		R334	17 839.25 3 720 528.68
L335	12 218.75	3 719 574.96		R335	17 814.25 3 720 508.93
L336	12 173.85	3 719 571.77		R336	17 735.21 3 720 457.69
L337	12 136.35	3 719 566.57		R337	17 626.49 3 720 407.79
L338	12 115.16	3 719 563.00		R338	17 540.55 3 720 380.87
L339	12 013.42	3 719 537.18		R339	16 285.80 3 720 049.03
L340	11 988.67	3 719 519.99		R340	16 217.60 3 720 032.75
L341	11 923.31	3 719 484.78		R341	16 156.11 3 720 021.55
L342	11 874.26	3 719 450.50		R342	16 092.95 3 720 012.07
L343	11 828.72	3 719 411.47		R343	16 050.49 3 720 007.09
L344	11 797.24	3 719 379.28		R344	15 965.63 3 720 001.63
L345	11 741.80	3 719 308.86		R345	14 651.16 3 719 940.66
L346	11 627.35	3 719 154.28		R346	14 493.84 3 719 932.73
				R347	14 410.31 3 719 926.01
				R348	14 312.37 3 719 906.45
				R349	14 270.57 3 719 899.52
				R350	14 174.30 3 719 873.66
				R351	14 080.93 3 719 843.56
				R352	13 976.42 3 719 802.01
				R353	13 675.51 3 719 671.55
				R354	13 623.26 3 719 649.88
				R355	13 542.62 3 719 622.33
				R356	13 474.22 3 719 603.81
				R357	13 356.52 3 719 582.36
			Vel Sheet	21 Van of 22	P1027/18

This gazette is also available free online at www.gpwonline.co.za