

DEPARTMENT OF TRANSPORT

NO. 833

08 AUGUST 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R500 SECTION 1**AMENDMENT OF DECLARATION No. 784 OF 2012.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 784 of 2012 by substituting paragraph I of the Schedule, being the descriptive declaration of the route from its junction with National Road R53 Section 1, North of Parys up to its junction with National Road R501 Section 3 at Carletonville, with the accompanying sheets 1 to 22 of Plan No. P1026/18.

(National Road R500 Section 1: Parys – Carletonville)
MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 833

08 AUGUSTUS 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R500 SEKSIE 1


WYSIGING VAN VERKLARING No. 784 VAN 2012.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 784 van 2012 deur paragraaf I van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad R53 Seksie 1, Noord van Parys tot by die aansluiting met Nasionale Pad R501 Seksie 3 by Crletonville, met bygaande velle 1 tot 22 van Plan No. P1026/18.

(Nasionale Pad R500 Seksie 1: Parys – Carletonville)
MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R500 of National Route	Vel Sheet 1 of 22	Plan P1026/18
---	---------------------------------------	--	----------------------	---------------




Vel
Sheet 2 of 22
Plan P1026/18


1
Seksie
R500
Section
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd






steeldie padreserwe voor van 'n gedeelte
represents the raad reserve of a portion
van Nasionale Reete R500 Seksie
of National Route 1 Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vel
Sheet 4 of 22
Plan P1026/18



Vel
Sheet 5 of 22
Plan P1026/18


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R500
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap M5B Bpk
The South African National Roads Agency SOC Ltd





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R500 Seksie
of National Route 1 Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vel Sheet 7 van 22
Plan P1026/18




Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon

steldie padreserwe voor van 'n gedeelte
represents the rood reserve of a portion
van Nasionale Roete R500 Seksie
of National Route Section

Vel Sheet 8 van af 22
Plan P1026/18



Vel
Sheet 9 of 22


Plan
P1026/18

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R500 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Podogentskap MSB Bpk
The South African National Roads Agency SOC Ltd



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R500 Seksie
of National Route R500 Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vol
Sheet 10 of 22

Plan P1026/18



Vel
Sheet
11 of 22


Plan
P1026/18

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R500
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	-44 060.20	2	974 767.07		R1	-44 088.82	2	974 780.23	
L2	-44 096.07	2	974 695.81		R2	-44 137.25	2	974 684.04	
L3	-44 121.30	2	974 649.32		R3	-44 136.19	2	974 681.73	
L4	-44 146.65	2	974 611.41		R4	-44 174.03	2	974 624.01	
L5	-44 273.73	2	974 475.88		R5	-44 217.73	2	974 570.06	
L6	-44 324.78	2	974 420.50		R6	-44 290.19	2	974 491.34	
L7	-44 362.75	2	974 376.67		R7	-44 374.67	2	974 401.93	
L8	-44 365.01	2	974 374.07		R8	-44 599.77	2	974 168.39	
L9	-44 582.48	2	974 149.51		R9	-44 733.32	2	974 025.47	
L10	-44 579.23	2	974 144.55		R10	-44 813.32	2	973 941.23	
L11	-44 583.53	2	974 138.98		R11	-44 863.51	2	973 887.62	
L12	-44 750.62	2	973 960.70		R12	-44 921.19	2	973 828.90	
L13	-44 758.28	2	973 960.88		R13	-44 927.96	2	973 816.87	
L14	-44 918.07	2	973 789.56		R14	-44 990.37	2	973 753.22	
L15	-44 988.11	2	973 717.82		R15	-45 004.93	2	973 739.93	
L16	-45 027.11	2	973 682.07		R16	-45 088.01	2	973 668.49	
L17	-45 069.92	2	973 644.81		R17	-45 155.41	2	973 617.67	
L18	-45 150.84	2	973 584.84		R18	-45 304.49	2	973 519.75	
L19	-45 381.42	2	973 434.15		R19	-45 396.23	2	973 461.37	
L20	-45 658.15	2	973 255.69		R20	-45 665.80	2	973 286.50	
L21	-45 754.27	2	973 193.19		R21	-45 762.56	2	973 224.19	
L22	-45 868.39	2	973 118.87		R22	-45 876.36	2	973 150.06	
L23	-45 919.23	2	973 086.52		R23	-45 931.88	2	973 114.93	
L24	-46 067.57	2	972 987.12		R24	-46 134.79	2	972 973.51	
L25	-46 149.81	2	972 923.41		R25	-46 164.23	2	972 952.17	
L26	-46 244.58	2	972 837.49		R26	-46 295.16	2	972 831.22	
L27	-46 321.42	2	972 756.41		R27	-46 441.40	2	972 656.71	
L28	-46 398.99	2	972 662.10		R28	-46 573.90	2	972 468.14	
L29	-46 549.34	2	972 447.18		R29	-46 577.57	2	972 460.95	
L30	-46 579.28	2	972 407.91		R30	-46 614.38	2	972 408.35	
L31	-46 595.78	2	972 382.89		R31	-46 894.18	2	972 008.86	
L32	-46 873.72	2	971 985.42		R32	-47 064.07	2	971 766.66	
L33	-47 041.96	2	971 746.01		R33	-47 068.34	2	971 761.65	
L34	-47 364.54	2	971 284.85		R34	-47 169.32	2	971 616.67	
L35	-47 394.14	2	971 242.53		R35	-47 311.11	2	971 413.56	
L36	-47 426.46	2	971 197.31		R36	-47 418.95	2	971 259.40	
L37	-47 428.38	2	971 193.09		R37	-47 422.27	2	971 256.34	
L38	-47 455.85	2	971 154.54		R38	-47 453.01	2	971 209.22	
L39	-47 464.70	2	971 142.69		R39	-47 459.85	2	971 198.74	
L40	-47 501.90	2	971 089.73		R40	-47 489.37	2	971 158.32	
L41	-47 541.27	2	971 033.68		R41	-47 491.44	2	971 154.48	
L42	-47 583.14	2	970 972.80		R42	-47 526.54	2	971 105.05	
L43	-47 629.96	2	970 905.62		R43	-47 566.25	2	971 049.12	
L44	-47 683.89	2	970 827.86		R44	-47 608.75	2	970 988.79	
L45	-47 749.19	2	970 734.40		R45	-47 618.81	2	970 973.51	
L46	-47 833.57	2	970 613.77		R46	-47 654.79	2	970 921.68	
L47	-47 840.39	2	970 603.86		R47	-47 708.25	2	970 844.91	
L48	-47 865.89	2	970 566.80		R48	-47 772.27	2	970 752.96	
L49	-47 949.37	2	970 445.44		R49	-47 854.92	2	970 635.36	
L50	-48 007.37	2	970 360.36		R50	-47 861.50	2	970 626.00	
L51	-48 122.12	2	970 197.50		R51	-47 911.10	2	970 555.05	
					Vel 14 Van 22 Sheet of P1026/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE	
	Y	X	WG 27°	Y	X
L52	-48 151.37	2 970 157.11		R52	-47 988.40 2 970 444.47
L53	-48 182.15	2 970 117.94		R53	-48 150.70 2 970 211.18
L54	-48 280.29	2 969 997.34		R54	-48 231.56 2 970 102.54
L55	-48 336.38	2 969 940.18		R55	-48 324.30 2 969 997.15
L56	-48 355.26	2 969 921.52		R56	-48 346.23 2 969 974.03
L57	-48 434.74	2 969 848.28		R57	-48 411.27 2 969 910.49
L58	-48 555.27	2 969 741.66		R58	-48 605.20 2 969 737.97
L59	-48 573.78	2 969 725.29		R59	-48 614.61 2 969 732.08
L60	-48 700.32	2 969 616.99		R60	-48 744.58 2 969 615.34
L61	-48 805.45	2 969 521.58		R61	-48 853.41 2 969 519.79
L62	-48 878.62	2 969 456.86		R62	-48 926.83 2 969 455.67
L63	-48 952.06	2 969 391.28		R63	-49 003.57 2 969 390.65
L64	-48 998.06	2 969 349.79		R64	-49 240.46 2 969 179.44
L65	-49 198.72	2 969 171.17		R65	-49 293.80 2 969 118.02
L66	-49 220.44	2 969 150.35		R66	-49 349.45 2 969 024.88
L67	-49 240.42	2 969 128.14		R67	-49 379.98 2 968 939.62
L68	-49 258.19	2 969 104.77		R68	-49 392.67 2 968 887.02
L69	-49 275.58	2 969 080.44		R69	-49 394.67 2 968 872.68
L70	-49 291.23	2 969 054.99		R70	-49 401.02 2 968 776.70
L71	-49 318.30	2 969 001.89		R71	-49 394.97 2 968 696.12
L72	-49 328.94	2 968 974.36		R72	-49 386.44 2 968 656.80
L73	-49 338.75	2 968 946.24		R73	-49 357.02 2 968 575.82
L74	-49 346.76	2 968 917.45		R74	-49 321.66 2 968 509.95
L75	-49 353.11	2 968 888.43		R75	-49 219.88 2 968 350.10
L76	-49 356.98	2 968 858.97		R76	-49 183.04 2 968 290.73
L77	-49 361.74	2 968 775.16		R77	-49 144.74 2 968 221.17
L78	-49 355.13	2 968 717.15		R78	-49 112.90 2 968 148.45
L79	-49 352.68	2 968 700.53		R79	-49 108.61 2 968 137.68
L80	-49 344.81	2 968 662.03		R80	-49 076.89 2 968 034.26
L81	-49 336.75	2 968 630.97		R81	-49 060.57 2 967 945.76
L82	-49 327.67	2 968 605.54		R82	-49 060.39 2 967 941.68
L83	-49 315.75	2 968 578.18		R83	-49 053.83 2 967 796.83
L84	-49 289.17	2 968 524.65		R84	-49 052.71 2 967 758.08
L85	-49 223.75	2 968 425.02		R85	-49 052.40 2 967 747.41
L86	-49 209.04	2 968 399.54		R86	-49 050.19 2 967 671.04
L87	-49 178.95	2 968 353.33		R87	-49 045.69 2 967 468.26
L88	-49 163.41	2 968 331.54		R88	-49 042.21 2 967 311.04
L89	-49 153.80	2 968 318.06		R89	-49 034.32 2 967 008.93
L90	-49 144.10	2 968 301.71		R90	-49 031.06 2 966 762.98
L91	-49 108.23	2 968 230.27		R91	-49 025.38 2 966 454.21
L92	-49 096.54	2 968 202.85		R92	-49 020.37 2 966 372.43
L93	-49 075.57	2 968 144.82		R93	-49 019.40 2 966 236.01
L94	-49 054.28	2 968 072.94		R94	-49 019.27 2 966 129.01
L95	-49 047.06	2 968 047.20		R95	-49 016.48 2 965 987.91
L96	-49 043.21	2 968 022.65		R96	-49 015.41 2 965 933.86
L97	-49 030.62	2 967 942.26		R97	-49 013.48 2 965 895.93
L98	-49 026.83	2 967 924.47		R98	-49 001.43 2 965 249.25
L99	-49 020.25	2 967 724.52		R99	-48 985.72 2 964 394.41
L100	-49 017.81	2 967 630.21		R100	-48 976.76 2 963 864.94
L101	-49 015.68	2 967 547.63		R101	-48 972.55 2 963 446.47
L102	-49 012.77	2 967 417.14		R102	-48 981.28 2 963 334.94
				Vel Sheet	15 Van of 22 P1026/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L103	-49 012.34	2	967	363.50	R103	-48 998.11	2	963	226.90
L104	-49 003.72	2	966	917.73	R104	-49 039.31	2	962	997.37
L105	-49 000.25	2	966	761.42	R105	-49 047.59	2	962	986.88
L106	-48 996.90	2	966	610.27	R106	-49 073.57	2	962	980.10
L107	-48 995.87	2	966	519.32	R107	-49 072.99	2	962	950.24
L108	-48 992.34	2	966	370.21	R108	-49 072.72	2	962	936.04
L109	-48 989.10	2	966	233.54	R109	-49 049.21	2	962	942.19
L110	-48 987.08	2	966	126.49	R110	-49 063.66	2	962	861.70
L111	-48 986.26	2	966	076.37	R111	-49 069.83	2	962	819.61
L112	-48 982.94	2	965	873.04	R112	-49 090.80	2	962	700.94
L113	-48 975.41	2	965	507.78	R113	-49 124.73	2	962	515.46
L114	-48 970.22	2	965	340.98	R114	-49 225.23	2	961	967.14
L115	-48 972.52	2	965	308.56	R115	-49 319.61	2	961	461.60
L116	-48 959.34	2	964	628.61	R116	-49 337.89	2	961	416.58
L117	-48 955.68	2	964	493.74	R117	-49 368.78	2	961	370.06
L118	-48 955.38	2	964	217.69	R118	-49 385.31	2	961	350.62
L119	-48 952.72	2	964	096.04	R119	-49 399.62	2	961	337.77
L120	-48 948.88	2	963	954.18	R120	-49 432.60	2	961	314.67
L121	-48 946.42	2	963	803.41	R121	-49 767.53	2	961	141.37
L122	-48 941.67	2	963	608.10	R122	-49 778.18	2	961	139.07
L123	-48 941.41	2	963	505.98	R123	-49 964.70	2	961	039.35
L124	-48 941.72	2	963	433.57	R124	-49 987.54	2	961	020.38
L125	-48 949.91	2	963	325.42	R125	-50 023.74	2	960	971.77
L126	-48 962.07	2	963	232.71	R126	-50 030.33	2	960	963.17
L127	-48 982.44	2	963	121.53	R127	-50 040.69	2	960	928.56
L128	-49 006.20	2	962	991.89	R128	-50 116.85	2	960	677.07
L129	-48 981.31	2	962	998.82	R129	-50 136.36	2	960	607.01
L130	-48 982.09	2	962	972.79	R130	-50 136.00	2	960	590.91
L131	-49 010.88	2	962	964.80	R131	-50 141.00	2	960	514.23
L132	-49 030.65	2	962	867.39	R132	-50 136.29	2	960	444.85
L133	-49 046.74	2	962	770.63	R133	-50 130.48	2	960	407.08
L134	-49 153.15	2	962	186.44	R134	-50 124.11	2	960	387.64
L135	-49 206.31	2	961	901.82	R135	-50 115.56	2	960	347.64
L136	-49 291.85	2	961	442.57	R136	-49 811.43	2	959	444.80
L137	-49 304.97	2	961	413.22	R137	-49 759.39	2	959	289.85
L138	-49 314.38	2	961	392.72	R138	-49 736.25	2	959	183.53
L139	-49 328.48	2	961	369.32	R139	-49 736.01	2	959	098.84
L140	-49 341.49	2	961	351.15	R140	-49 766.73	2	958	716.16
L141	-49 357.35	2	961	332.66	R141	-49 843.00	2	957	773.17
L142	-49 381.56	2	961	310.13	R142	-49 850.14	2	957	688.24
L143	-49 416.47	2	961	284.89	R143	-49 878.44	2	957	347.52
L144	-49 516.35	2	961	232.91	R144	-49 905.35	2	957	021.15
L145	-49 591.17	2	961	196.07	R145	-49 922.13	2	957	019.44
L146	-49 621.52	2	961	178.51	R146	-49 926.56	2	956	990.79
L147	-49 657.29	2	961	162.75	R147	-49 928.04	2	956	981.19
L148	-49 737.95	2	961	123.88	R148	-49 908.33	2	956	983.38
L149	-49 782.34	2	961	100.37	R149	-49 962.39	2	956	318.23
L150	-49 873.88	2	961	049.96	R150	-49 986.35	2	956	016.85
L151	-49 942.95	2	961	014.47	R151	-50 001.52	2	955	834.10
L152	-49 972.82	2	960	986.69	R152	-50 007.67	2	955	761.39
L153	-50 002.35	2	960	934.09	R153	-50 058.51	2	955	132.44
Vel Sheet 16					Van of 22 P1026/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-50 025.01	2	960 877.06		R154	-50 112.13	2	954 475.03	
L155	-50 034.56	2	960 854.06		R155	-50 130.51	2	954 260.16	
L156	-50 049.79	2	960 802.43		R156	-50 130.66	2	954 253.62	
L157	-50 071.12	2	960 720.95		R157	-50 134.56	2	954 253.09	
L158	-50 084.65	2	960 661.12		R158	-50 174.90	2	953 759.76	
L159	-50 098.65	2	960 589.91		R159	-50 185.33	2	953 662.44	
L160	-50 101.37	2	960 561.85		R160	-50 215.55	2	953 465.70	
L161	-50 099.39	2	960 420.31		R161	-50 243.40	2	953 370.60	
L162	-50 057.02	2	960 272.42		R162	-50 292.61	2	953 284.66	
L163	-49 783.34	2	959 459.54		R163	-50 353.23	2	953 208.48	
L164	-49 709.87	2	959 258.75		R164	-50 417.40	2	953 133.23	
L165	-49 701.02	2	959 160.18		R165	-50 548.32	2	952 984.24	
L166	-49 709.88	2	959 052.76		R166	-50 605.25	2	952 903.77	
L167	-49 735.90	2	958 695.78		R167	-50 653.04	2	952 817.01	
L168	-49 745.85	2	958 559.29		R168	-50 726.27	2	952 632.85	
L169	-49 750.71	2	958 492.43		R169	-50 769.25	2	952 439.70	
L170	-49 753.77	2	958 379.28		R170	-50 773.65	2	952 340.95	
L171	-49 812.83	2	957 771.08		R171	-50 771.84	2	952 279.73	
L172	-49 818.90	2	957 696.30		R172	-50 752.11	2	952 221.89	
L173	-49 832.91	2	957 523.89		R173	-50 724.17	2	952 169.08	
L174	-49 846.76	2	957 353.48		R174	-50 687.58	2	952 126.46	
L175	-49 872.01	2	957 039.65		R175	-50 686.67	2	952 125.11	
L176	-49 857.18	2	957 020.79		R176	-50 427.01	2	951 896.60	
L177	-49 861.68	2	956 979.33		R177	-50 424.04	2	951 891.91	
L178	-49 877.84	2	956 968.09		R178	-50 376.80	2	951 817.35	
L179	-49 902.08	2	956 671.25		R179	-50 341.83	2	951 725.31	
L180	-49 930.96	2	956 317.44		R180	-50 327.49	2	951 638.08	
L181	-49 955.61	2	956 014.17		R181	-50 351.14	2	951 109.71	
L182	-49 970.55	2	955 830.33		R182	-50 375.15	2	950 581.59	
L183	-49 975.77	2	955 766.09		R183	-50 389.67	2	950 263.37	
L184	-50 098.32	2	954 258.04		R184	-50 406.42	2	950 224.77	
L185	-50 166.84	2	953 449.49		R185	-50 407.60	2	950 199.73	
L186	-50 240.75	2	953 300.22		R186	-50 394.67	2	950 158.55	
L187	-50 317.44	2	953 194.59		R187	-50 468.04	2	948 529.15	
L188	-50 377.69	2	953 128.64		R188	-50 484.94	2	948 161.14	
L189	-50 497.15	2	952 997.42		R189	-50 501.01	2	947 805.43	
L190	-50 561.21	2	952 907.12		R190	-50 519.96	2	947 403.21	
L191	-50 618.80	2	952 816.65		R191	-50 538.77	2	946 982.53	
L192	-50 677.83	2	952 671.25		R192	-50 566.37	2	946 361.83	
L193	-50 722.58	2	952 490.80		R193	-50 576.70	2	946 321.49	
L194	-50 742.16	2	952 399.43		R194	-50 582.12	2	946 280.73	
L195	-50 740.01	2	952 346.91		R195	-50 571.46	2	946 270.91	
L196	-50 734.03	2	952 296.84		R196	-50 583.58	2	946 030.41	
L197	-50 707.64	2	952 214.08		R197	-50 626.58	2	945 773.46	
L198	-50 642.99	2	952 121.33		R198	-50 847.62	2	944 501.01	
L199	-50 443.34	2	951 963.10		R199	-50 911.57	2	944 132.84	
L200	-50 403.20	2	951 922.98		R200	-50 919.15	2	944 089.20	
L201	-50 399.67	2	951 919.45		R201	-51 115.35	2	942 950.84	
L202	-50 337.96	2	951 822.56		R202	-51 159.62	2	942 686.68	
L203	-50 309.12	2	951 747.78		R203	-51 168.77	2	942 601.00	
L204	-50 306.69	2	951 733.44		R204	-51 187.72	2	942 325.78	
					Vel Sheet 17 of Van 22 P1026/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L205	-50 299.99	2	951 677.33		R205	-51 260.72	2	941 325.48	
L206	-50 292.84	2	951 617.51		R206	-51 276.83	2	941 099.29	
L207	-50 307.37	2	951 281.24		R207	-51 278.59	2	941 075.20	
L208	-50 328.12	2	950 817.43		R208	-51 295.86	2	940 838.39	
L209	-50 330.34	2	950 794.97		R209	-51 296.28	2	940 832.66	
L210	-50 355.77	2	950 243.74		R210	-51 326.69	2	940 619.12	
L211	-50 341.00	2	950 229.50		R211	-51 429.38	2	940 177.45	
L212	-50 342.54	2	950 204.61		R212	-51 544.55	2	939 689.19	
L213	-50 359.67	2	950 157.84		R213	-51 624.96	2	939 345.59	
L214	-50 393.90	2	949 405.87		R214	-51 703.48	2	939 009.18	
L215	-50 434.68	2	948 527.69		R215	-51 713.96	2	938 967.44	
L216	-50 437.04	2	948 517.93		R216	-51 741.22	2	938 817.73	
L217	-50 452.81	2	948 184.53		R217	-51 696.44	2	938 638.22	
L218	-50 460.56	2	947 993.24		R218	-51 637.23	2	938 447.92	
L219	-50 470.10	2	947 793.66		R219	-51 592.53	2	938 342.21	
L220	-50 507.88	2	946 970.76		R220	-51 497.80	2	938 198.60	
L221	-50 537.22	2	946 324.89		R221	-51 053.61	2	937 631.95	
L222	-50 526.74	2	946 312.02		R222	-50 567.97	2	937 017.59	
L223	-50 534.41	2	946 274.63		R223	-50 456.30	2	936 875.80	
L224	-50 541.15	2	946 254.98		R224	-50 343.60	2	936 727.26	
L225	-50 553.46	2	946 018.94		R225	-50 346.01	2	936 709.44	
L226	-50 562.73	2	945 923.13		R226	-50 359.60	2	936 706.88	
L227	-50 585.65	2	945 841.47		R227	-50 338.72	2	936 672.39	
L228	-50 657.59	2	945 422.32		R228	-50 314.86	2	936 676.34	
L229	-50 709.19	2	945 125.64		R229	-50 276.06	2	936 592.40	
L230	-50 814.74	2	944 521.26		R230	-50 251.62	2	936 503.90	
L231	-50 896.34	2	944 048.61		R231	-50 241.64	2	936 421.48	
L232	-50 937.99	2	943 809.16		R232	-50 243.68	2	936 307.92	
L233	-51 059.70	2	943 109.40		R233	-50 263.10	2	936 273.61	
L234	-51 106.40	2	942 832.75		R234	-50 254.00	2	936 230.55	
L235	-51 134.04	2	942 664.30		R235	-50 267.48	2	935 899.63	
L236	-51 138.84	2	942 588.52		R236	-50 263.19	2	935 859.61	
L237	-51 166.53	2	942 168.06		R237	-50 261.27	2	935 821.58	
L238	-51 202.74	2	941 696.69		R238	-50 271.33	2	935 589.94	
L239	-51 237.46	2	941 213.35		R239	-50 288.87	2	935 177.16	
L240	-51 239.89	2	941 212.31		R240	-50 314.00	2	934 610.22	
L241	-51 246.74	2	941 103.46		R241	-50 326.27	2	934 340.02	
L242	-51 248.99	2	941 065.36		R242	-50 339.88	2	934 031.56	
L243	-51 263.84	2	940 811.37		R243	-50 349.05	2	933 812.33	
L244	-51 266.84	2	940 760.08		R244	-50 354.46	2	933 706.13	
L245	-51 265.05	2	940 734.17		R245	-50 370.28	2	933 343.87	
L246	-51 327.43	2	940 464.19		R246	-50 374.70	2	933 243.51	
L247	-51 375.38	2	940 260.49		R247	-50 376.57	2	933 203.11	
L248	-51 397.76	2	940 169.62		R248	-50 389.49	2	932 918.61	
L249	-51 439.12	2	940 001.73		R249	-50 395.16	2	932 860.95	
L250	-51 489.14	2	939 789.44		R250	-50 402.60	2	932 757.45	
L251	-51 541.69	2	939 570.22		R251	-50 409.22	2	932 701.50	
L252	-51 673.27	2	939 009.62		R252	-50 420.61	2	932 616.34	
L253	-51 705.94	2	938 858.80		R253	-50 432.85	2	932 540.95	
L254	-51 696.78	2	938 759.42		R254	-50 435.00	2	932 529.17	
L255	-51 692.88	2	938 735.36		R255	-50 441.89	2	932 491.39	
					Vel Sheet 18 Van of 22 P1026/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	-51 651.69	2	938 592.45		R256	-50 457.72	2	932 421.99	
L257	-51 573.85	2	938 386.29		R257	-50 508.01	2	932 369.36	
L258	-51 467.57	2	938 205.24		R258	-50 513.98	2	932 367.64	
L259	-51 302.75	2	937 996.33		R259	-50 512.57	2	932 329.86	
L260	-50 987.93	2	937 599.04		R260	-50 491.77	2	932 302.24	
L261	-50 537.90	2	937 029.38		R261	-50 496.99	2	932 269.57	
L262	-50 344.63	2	936 786.73		R262	-50 560.78	2	932 008.36	
L263	-50 318.54	2	936 751.10		R263	-50 553.45	2	932 007.66	
L264	-50 297.93	2	936 725.33		R264	-50 673.18	2	931 477.80	
L265	-50 290.19	2	936 724.02		R265	-50 671.26	2	931 471.53	
L266	-50 270.65	2	936 732.30		R266	-50 688.45	2	931 345.85	
L267	-50 253.69	2	936 699.11		R267	-50 697.72	2	931 223.00	
L268	-50 277.94	2	936 687.90		R268	-50 702.38	2	931 103.84	
L269	-50 238.62	2	936 598.89		R269	-50 702.52	2	931 022.11	
L270	-50 213.43	2	936 504.91		R270	-50 701.09	2	930 937.88	
L271	-50 203.20	2	936 408.31		R271	-50 692.16	2	930 771.08	
L272	-50 204.80	2	936 313.00		R272	-50 680.97	2	930 658.10	
L273	-50 209.56	2	936 280.43		R273	-50 668.73	2	930 566.45	
L274	-50 237.15	2	935 729.05		R274	-50 654.64	2	930 478.17	
L275	-50 222.23	2	935 654.96		R275	-50 640.18	2	930 398.32	
L276	-50 230.16	2	935 475.08		R276	-50 608.66	2	930 252.57	
L277	-50 248.69	2	935 412.79		R277	-50 546.50	2	930 012.44	
L278	-50 282.72	2	934 612.91		R278	-50 500.59	2	929 883.38	
L279	-50 294.52	2	934 339.20		R279	-50 429.85	2	929 724.56	
L280	-50 308.30	2	934 026.43		R280	-50 371.05	2	929 598.16	
L281	-50 323.54	2	933 696.61		R281	-50 324.30	2	929 506.50	
L282	-50 330.81	2	933 531.47		R282	-50 256.48	2	929 383.11	
L283	-50 335.10	2	933 430.42		R283	-50 166.96	2	929 240.39	
L284	-50 339.34	2	933 329.15		R284	-50 120.09	2	929 172.43	
L285	-50 343.24	2	933 188.66		R285	-50 087.92	2	929 126.15	
L286	-50 351.41	2	932 876.08		R286	-50 033.41	2	929 051.77	
L287	-50 352.54	2	932 827.30		R287	-49 972.59	2	928 974.13	
L288	-50 363.43	2	932 717.30		R288	-49 853.19	2	928 832.95	
L289	-50 372.71	2	932 568.33		R289	-49 841.98	2	928 821.19	
L290	-50 374.87	2	932 548.01		R290	-49 738.77	2	928 712.89	
L291	-50 376.56	2	932 521.26		R291	-49 592.98	2	928 563.06	
L292	-50 380.06	2	932 465.57		R292	-49 436.30	2	928 398.11	
L293	-50 381.59	2	932 441.18		R293	-49 357.25	2	928 309.45	
L294	-50 359.37	2	932 416.59		R294	-49 319.24	2	928 263.16	
L295	-50 360.50	2	932 374.64		R295	-49 282.39	2	928 217.68	
L296	-50 418.33	2	932 314.95		R296	-49 138.73	2	928 027.35	
L297	-50 532.73	2	931 867.72		R297	-49 063.42	2	927 917.54	
L298	-50 569.99	2	931 704.63		R298	-48 767.69	2	927 481.66	
L299	-50 598.74	2	931 550.90		R299	-48 632.60	2	927 282.99	
L300	-50 615.25	2	931 478.75		R300	-48 452.99	2	927 018.27	
L301	-50 622.95	2	931 377.81		R301	-48 396.71	2	926 917.67	
L302	-50 633.28	2	931 259.33		R302	-48 369.46	2	926 835.61	
L303	-50 637.80	2	931 180.22		R303	-48 320.43	2	926 719.25	
L304	-50 640.31	2	931 101.00		R304	-48 303.50	2	926 624.48	
L305	-50 640.52	2	930 958.93		R305	-48 292.37	2	926 412.55	
L306	-50 636.22	2	930 862.90		R306	-48 279.81	2	926 064.29	
Vel Sheet					19	Van of		22	P1026/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	-50 623.34	2	930 702.33		R307	-48 272.67	2	925 848.76	
L308	-50 619.56	2	930 666.15		R308	-48 300.80	2	925 828.22	
L309	-50 593.87	2	930 489.32		R309	-48 281.97	2	925 789.95	
L310	-50 569.31	2	930 363.39		R310	-48 267.23	2	925 777.00	
L311	-50 547.35	2	930 267.23		R311	-48 260.87	2	925 712.56	
L312	-50 484.92	2	930 047.20		R312	-48 244.21	2	925 620.05	
L313	-50 432.82	2	929 897.82		R313	-48 214.14	2	925 535.80	
L314	-50 388.24	2	929 787.26		R314	-48 192.16	2	925 500.26	
L315	-50 331.94	2	929 660.88		R315	-48 169.88	2	925 462.99	
L316	-50 305.80	2	929 607.42		R316	-48 125.46	2	925 403.74	
L317	-50 282.98	2	929 562.57		R317	-48 066.57	2	925 346.62	
L318	-50 197.84	2	929 408.24		R318	-47 983.50	2	925 289.39	
L319	-50 165.87	2	929 354.39		R319	-47 861.35	2	925 232.50	
L320	-50 068.48	2	929 205.19		R320	-47 812.13	2	925 209.09	
L321	-50 040.93	2	929 164.68		R321	-47 409.81	2	925 037.63	
L322	-50 015.35	2	929 129.26		R322	-47 206.55	2	924 951.33	
L323	-49 945.61	2	929 039.27		R323	-47 145.80	2	924 918.77	
L324	-49 896.80	2	928 977.93		R324	-47 089.54	2	924 880.59	
L325	-49 776.44	2	928 841.81		R325	-47 066.33	2	924 861.28	
L326	-49 600.59	2	928 659.64		R326	-47 055.41	2	924 852.20	
L327	-49 475.24	2	928 529.78		R327	-47 015.63	2	924 813.87	
L328	-49 345.37	2	928 388.97		R328	-46 968.48	2	924 755.10	
L329	-49 304.31	2	928 371.56		R329	-46 804.57	2	924 490.12	
L330	-49 275.21	2	928 344.48		R330	-46 695.84	2	924 340.32	
L331	-49 263.16	2	928 291.63		R331	-46 581.92	2	924 265.40	
L332	-49 185.95	2	928 194.69		R332	-46 343.31	2	924 160.39	
L333	-49 068.57	2	928 037.20		R333	-45 990.52	2	923 661.25	
L334	-49 019.86	2	927 964.73		R334	-45 874.89	2	923 482.09	
L335	-48 457.29	2	927 134.02		R335	-45 868.10	2	923 472.11	
L336	-48 388.47	2	927 031.14		R336	-45 832.39	2	923 424.36	
L337	-48 346.16	2	926 960.31		R337	-45 781.41	2	923 360.36	
L338	-48 305.08	2	926 874.35		R338	-45 768.72	2	923 336.10	
L339	-48 283.80	2	926 818.47		R339	-45 763.16	2	923 325.47	
L340	-48 269.97	2	926 782.35		R340	-45 680.42	2	923 245.73	
L341	-48 250.85	2	926 703.55		R341	-45 643.95	2	923 209.57	
L342	-48 236.46	2	926 622.60		R342	-45 592.88	2	923 164.26	
L343	-48 209.29	2	925 828.91		R343	-45 550.46	2	923 129.96	
L344	-48 202.79	2	925 790.53		R344	-45 491.19	2	923 093.75	
L345	-48 204.69	2	925 720.80		R345	-45 364.47	2	923 007.88	
L346	-48 189.54	2	925 634.65		R346	-45 344.23	2	922 994.89	
L347	-48 141.18	2	925 519.34		R347	-45 277.38	2	922 960.55	
L348	-48 086.71	2	925 445.01		R348	-45 254.67	2	922 950.53	
L349	-48 037.82	2	925 397.69		R349	-45 226.50	2	922 940.10	
L350	-47 947.69	2	925 336.61		R350	-45 202.78	2	922 934.98	
L351	-47 869.67	2	925 298.81		R351	-45 066.21	2	922 905.50	
L352	-47 803.94	2	925 268.43		R352	-44 981.23	2	922 905.84	
L353	-47 164.01	2	924 994.52		R353	-44 974.68	2	922 903.65	
L354	-47 112.70	2	924 966.20		R354	-44 893.14	2	922 913.45	
L355	-47 042.60	2	924 918.01		R355	-44 754.66	2	922 953.23	
L356	-46 968.43	2	924 848.13		R356	-44 514.70	2	923 036.23	
L357	-46 922.48	2	924 790.14		R357	-44 309.99	2	923 105.35	
Vel Sheet 20					Van of 22		P1026/18		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L358	-46 845.68	2	924	670.32	R358	-44 254.44	2	923	123.66
L359	-46 798.25	2	924	593.84	R359	-44 161.56	2	923	139.36
L360	-46 720.08	2	924	467.99	R360	-43 970.30	2	923	128.55
L361	-46 616.71	2	924	359.20	R361	-43 941.68	2	923	119.96
L362	-46 520.04	2	924	302.83	R362	-43 850.64	2	923	081.04
L363	-46 407.12	2	924	275.31	R363	-43 450.43	2	922	889.42
L364	-46 336.73	2	924	255.49	R364	-43 421.68	2	922	871.20
L365	-46 189.40	2	924	087.05	R365	-43 394.39	2	922	853.90
L366	-46 104.30	2	923	952.94	R366	-43 340.80	2	922	810.85
L367	-46 065.60	2	923	889.49	R367	-43 271.50	2	922	735.41
L368	-46 054.49	2	923	871.43	R368	-42 713.47	2	921	862.29
L369	-46 032.84	2	923	822.46	R369	-42 692.09	2	921	828.83
L370	-45 976.17	2	923	734.16	R370	-41 899.42	2	920	575.45
L371	-45 929.95	2	923	667.11	R371	-41 896.67	2	920	536.62
L372	-45 809.77	2	923	480.73	R372	-41 890.62	2	920	526.48
L373	-45 758.57	2	923	410.77	R373	-41 856.43	2	920	507.49
L374	-45 635.20	2	923	277.21	R374	-41 692.97	2	920	247.57
L375	-45 560.94	2	923	214.13	R375	-41 390.16	2	919	766.08
L376	-45 477.26	2	923	152.26	R376	-41 238.00	2	919	573.01
L377	-45 315.44	2	923	044.84	R377	-40 960.40	2	919	220.26
L378	-45 225.41	2	923	001.51	R378	-40 890.39	2	919	134.58
L379	-45 166.91	2	922	990.53	R379	-40 839.22	2	919	042.88
L380	-45 079.33	2	922	974.09	R380	-40 815.50	2	918	989.60
L381	-44 879.16	2	922	977.74	R381	-40 807.37	2	918	965.18
L382	-44 782.80	2	923	005.29	R382	-40 773.00	2	918	861.89
L383	-44 659.41	2	923	047.88	R383	-40 729.68	2	918	731.74
L384	-44 282.90	2	923	176.73	R384	-40 634.92	2	918	447.06
L385	-44 227.46	2	923	188.93	R385	-40 641.69	2	918	408.75
L386	-44 198.76	2	923	212.78	R386	-40 676.10	2	918	375.90
L387	-44 173.30	2	923	216.43					
L388	-44 155.59	2	923	198.23					
L389	-44 109.36	2	923	201.58					
L390	-44 041.89	2	923	200.32					
L391	-43 969.06	2	923	187.71					
L392	-43 855.37	2	923	146.81					
L393	-43 761.15	2	923	101.50					
L394	-43 452.69	2	922	958.90					
L395	-43 427.45	2	922	947.53					
L396	-43 395.07	2	922	929.02					
L397	-43 335.29	2	922	887.32					
L398	-43 246.71	2	922	800.30					
L399	-43 194.89	2	922	729.66					
L400	-43 158.54	2	922	717.73					
L401	-43 126.31	2	922	692.02					
L402	-43 135.26	2	922	637.29					
L403	-42 820.53	2	922	138.94					
L404	-42 773.69	2	922	097.37					
L405	-42 752.94	2	922	074.49					
L406	-42 740.25	2	922	071.56					
L407	-42 729.34	2	922	054.60					
L408	-42 732.17	2	922	041.82					
					Vel Sheet 21 Van of 22 P1026/18				

This gazette is also available free online at www.gpwonline.co.za

CONTINUES ON PAGE 258 - PART 3



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 638

8 August
Augustus 2018

No. 41833

PART 3 OF 3

N.B. The Government Printing Works will
not be held responsible for the quality of
"Hard Copies" or "Electronic Files"
submitted for publication purposes

ISSN 1682-5843



AIDS HELPLINE: 0800-0123-22 Prevention is the cure