

DEPARTMENT OF TRANSPORT

NO. 837

08 AUGUST 2018

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N11 SECTION 13

AMENDMENT OF DECLARATION No. 300 OF 2009.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 300 of 2009 by substituting it in its entirety, with the accompanying sheets 1 to 44 of Plan No. P1016/17.

(National Road N11 Section 13: Mokopane – Groblersbrug Border Post)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 837

08 AUGUSTUS 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N11 SEKSIE 13

WYSIGING VAN VERKLARING No. 300 VAN 2009.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 300 van 2009 deur dit in sy geheel te vervang, met bygaande velle 1 tot 44 van Plan No. P1016/17.

(Nasionale Pad N11 Seksie 13: Mokopane – Groblersbrug Grenspos)**MINISTER VAN VERVOER**



Vel
Sheet 1
of 44

Plan P1016/17

stelsie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route


13
Seksie
Section





Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd









Vel
Sheet 5
of 4.4


Plan
P1016/17


stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route N11



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





Vel
Sheet 7 of 44


Plan
P1016/17

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N11 of National Route 13 Seksie Section	Vel Sheet 8 of 44 Plan P1016/17
---	--	---




Vel
Sheet 9 of 44
Plan P1016/17

stel die podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown




stelt die podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route


13

Vel
Sheet 10 of 44
Plan P1016/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N11 of National Route	Vel Sheet 11 of 44 Plan P1016/17
---	---------------------------------------	--	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown





stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route


13

Vel
Sheet 13
of 44

Plan P1016/17







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11 Sektie
of National Route Section

13

Vol
Sheet

16 of 44

Plan
P1016/17



Vel
Sheet 17 of 44
Plan P1016/17


13

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Vel
Sheet
18 of 44


Plan
P1016/17

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11 Sekse
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Vel
Sheet 19 of 44
Plan P1016/17


13
Seksie
Section

steeldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Vel van 4.4
Sheet 20 of 44


Plan P1016/17

13
steeldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11 Sektie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown





steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route

Vel
Sheet 21 of 44

Plan P1016/17

13
Seksie
Section





Vel
Sheet 23 of 44


Plan
P1016/17

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Vel
Sheet 24 of 44


Plan
P1016/17

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Vel
Sheet 25 of 44
Plan P1016/17


steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11 Sekse
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





Vel
Sheet 27 of 44


Plan P1016/17

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Raete N11 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagantskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route


13

Val
Sheet 28 of 44


Plan P1016/17



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N11 of National Route	13	Vel Sheet 29 of 44
The South African National Roads Agency SOC Ltd	The figure shown				Plan P1016/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N11 of National Route	Vel Sheet 30 of 44
	13	Sektie Section	Plan P1016/17



Vol
Sheet 31 of 44

Plan
P1016/17


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route

13



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11 Seksie
of National Route Section

Vel van
Sheet 32 of 44
Plan P1016/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11
of National Route

Vel
Sheet 33 of 44

Plan
P1016/17

13

Seksie
Section



Vol
Sheet 34 of 44

Plan
P1016/17

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N11 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L1	777.59	2	674	646.44	R1	770.84	2	674	606.80
L2	924.07	2	674	605.84	R2	879.46	2	674	576.73
L3	974.45	2	674	591.87	R3	979.22	2	674	549.03
L4	1 033.01	2	674	575.62	R4	984.09	2	674	547.71
L5	1 042.87	2	674	572.85	R5	1 015.74	2	674	539.07
L6	1 142.36	2	674	544.98	R6	1 086.32	2	674	519.82
L7	1 199.64	2	674	523.46	R7	1 118.04	2	674	511.38
L8	1 268.80	2	674	487.20	R8	1 183.91	2	674	487.32
L9	1 274.99	2	674	483.95	R9	1 254.37	2	674	450.42
L10	1 344.10	2	674	434.23	R10	1 318.99	2	674	403.91
L11	1 405.49	2	674	375.23	R11	1 376.35	2	674	348.83
L12	1 457.99	2	674	308.18	R12	1 425.42	2	674	286.11
L13	1 500.51	2	674	234.41	R13	1 435.23	2	674	269.10
L14	1 532.24	2	674	155.40	R14	1 465.20	2	674	217.15
L15	1 552.50	2	674	072.71	R15	1 494.82	2	674	143.31
L16	1 571.56	2	673	962.02	R16	1 513.76	2	674	066.03
L17	1 600.34	2	673	784.26	R17	1 522.67	2	674	014.35
L18	1 610.23	2	673	726.52	R18	1 553.09	2	673	837.01
L19	1 628.52	2	673	651.60	R19	1 571.51	2	673	719.82
L20	1 656.83	2	673	579.82	R20	1 591.02	2	673	639.62
L21	1 834.42	2	673	207.37	R21	1 621.36	2	673	562.82
L22	1 911.95	2	673	044.95	R22	1 774.56	2	673	245.26
L23	1 977.07	2	672	908.45	R23	1 852.10	2	673	082.75
L24	2 022.32	2	672	820.29	R24	1 898.23	2	672	984.09
L25	2 057.55	2	672	759.33	R25	1 957.88	2	672	859.03
L26	2 159.93	2	672	613.02	R26	2 000.31	2	672	781.24
L27	2 280.33	2	672	439.25	R27	2 043.60	2	672	709.05
L28	2 288.34	2	672	427.69	R28	2 068.72	2	672	670.70
L29	2 392.86	2	672	281.22	R29	2 105.36	2	672	617.87
L30	2 568.76	2	672	034.70	R30	2 158.77	2	672	543.36
L31	2 673.32	2	671	888.17	R31	2 218.34	2	672	459.62
L32	2 812.81	2	671	692.86	R32	2 357.85	2	672	263.85
L33	2 917.32	2	671	546.35	R33	2 563.61	2	671	975.81
L34	3 072.10	2	671	329.60	R34	2 782.11	2	671	669.93
L35	3 176.51	2	671	183.16	R35	2 913.62	2	671	484.61
L36	3 278.69	2	671	039.99	R36	3 276.80	2	670	975.86
L37	3 422.17	2	670	838.94	R37	3 346.58	2	670	878.11
L38	3 568.17	2	670	636.28	R38	3 585.25	2	670	540.69
L39	3 618.25	2	670	561.26	R39	3 629.33	2	670	464.79
L40	3 663.55	2	670	483.27	R40	3 699.77	2	670	334.30
L41	3 741.97	2	670	335.68	R41	3 757.19	2	670	213.33
L42	3 812.09	2	670	165.15	R42	3 777.11	2	670	143.66
L43	3 824.11	2	670	101.68	R43	3 786.01	2	670	063.28
L44	3 842.53	2	670	056.27	R44	3 786.38	2	670	024.76
L45	3 858.29	2	670	040.99	R45	3 791.04	2	670	007.92
L46	3 856.84	2	669	967.78	R46	3 788.03	2	669	964.15
L47	3 840.49	2	669	953.14	R47	3 787.74	2	669	960.00
L48	3 818.04	2	669	893.98	R48	3 784.35	2	669	931.89
L49	3 795.10	2	669	810.39	R49	3 780.11	2	669	906.56
L50	3 694.93	2	669	524.88	R50	3 767.31	2	669	855.14
L51	3 662.13	2	669	350.96	R51	3 757.15	2	669	823.91
					Vel 35 Sheet of Van 44 of P1016/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L52	3 622.93	2 669 052.52		R52	3 683.79	2 669 612.61
L53	3 557.82	2 668 556.78		R53	3 656.94	2 669 530.84
L54	3 544.22	2 668 453.24		R54	3 647.11	2 669 492.79
L55	3 530.51	2 668 341.13		R55	3 633.98	2 669 425.94
L56	3 482.26	2 667 955.86		R56	3 561.03	2 668 877.91
L57	3 357.94	2 667 027.73		R57	3 437.81	2 667 940.34
L58	3 295.39	2 666 546.96		R58	3 322.30	2 667 063.30
L59	3 262.81	2 666 295.59		R59	3 212.63	2 666 226.23
L60	3 147.53	2 665 425.52		R60	3 131.80	2 665 611.70
L61	3 059.69	2 664 756.97		R61	3 031.33	2 664 849.39
L62	2 961.22	2 664 006.36		R62	3 020.03	2 664 762.15
L63	2 924.91	2 663 728.55		R63	2 921.40	2 664 007.88
L64	2 869.69	2 663 308.84		R64	2 886.88	2 663 747.14
L65	2 766.67	2 662 521.18		R65	2 833.88	2 663 342.97
L66	2 753.50	2 662 426.43		R66	2 723.63	2 662 499.75
L67	2 741.46	2 662 371.90		R67	2 714.15	2 662 433.64
L68	2 734.53	2 662 332.89		R68	2 702.68	2 662 381.69
L69	2 701.71	2 662 267.85		R69	2 690.55	2 662 343.72
L70	2 572.59	2 662 013.71		R70	2 666.04	2 662 283.82
L71	2 551.64	2 661 967.24		R71	2 563.24	2 662 083.67
L72	2 527.32	2 661 881.44		R72	2 530.23	2 662 015.26
L73	2 524.92	2 661 872.92		R73	2 505.06	2 661 948.58
L74	2 409.87	2 661 413.76		R74	2 495.00	2 661 917.31
L75	2 057.09	2 659 969.26		R75	2 365.97	2 661 398.27
L76	2 044.21	2 659 914.44		R76	2 007.47	2 659 929.06
L77	2 035.80	2 659 859.54		R77	1 999.39	2 659 879.51
L78	2 031.92	2 659 822.60		R78	1 985.87	2 659 754.57
L79	2 029.79	2 659 749.66		R79	1 975.56	2 659 505.92
L80	1 986.83	2 658 754.02		R80	1 976.04	2 659 459.90
L81	1 984.61	2 658 708.43		R81	1 949.52	2 658 807.80
L82	1 976.12	2 658 522.62		R82	1 945.96	2 658 722.33
L83	1 989.66	2 658 344.17		R83	1 944.98	2 658 697.21
L84	2 046.14	2 658 183.57		R84	1 936.67	2 658 504.35
L85	2 703.06	2 657 157.31		R85	1 952.31	2 658 334.41
L86	3 696.70	2 655 622.51		R86	2 010.33	2 658 164.21
L87	3 745.75	2 655 537.65		R87	2 691.87	2 657 101.96
L88	3 789.53	2 655 448.85		R88	3 656.36	2 655 612.24
L89	3 793.70	2 655 443.50		R89	3 707.90	2 655 513.63
L90	3 825.97	2 655 402.62		R90	3 754.62	2 655 413.97
L91	3 840.77	2 655 363.66		R91	3 792.08	2 655 334.08
L92	3 834.08	2 655 311.65		R92	4 068.29	2 654 558.08
L93	4 190.40	2 654 315.76		R93	4 089.22	2 654 488.71
L94	4 465.74	2 653 536.92		R94	4 462.45	2 653 431.33
L95	4 692.21	2 652 894.84		R95	4 708.07	2 652 746.98
L96	4 828.22	2 652 518.99		R96	4 774.42	2 652 552.76
L97	4 906.02	2 652 332.19		R97	4 790.67	2 652 508.49
L98	5 326.77	2 651 443.87		R98	4 796.60	2 652 509.11
L99	5 860.98	2 650 312.86		R99	4 793.88	2 652 499.55
L100	5 884.44	2 650 260.34		R100	4 810.10	2 652 456.26
L101	5 905.67	2 650 208.04		R101	4 822.50	2 652 425.48
L102	6 261.18	2 649 312.87		R102	4 840.83	2 652 381.81
				Vel Sheet	36 Van of 44	P1016/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L103	6 283.70	2 649 248.01		R103	5 061.37	2 651 913.08
L104	6 314.21	2 649 161.97		R104	5 295.95	2 651 410.06
L105	6 320.71	2 649 130.09		R105	5 385.03	2 651 223.25
L106	6 327.43	2 649 067.04		R106	5 396.27	2 651 197.47
L107	6 331.96	2 649 013.42		R107	5 504.03	2 650 991.88
L108	6 522.77	2 647 971.32		R108	5 626.62	2 650 732.91
L109	6 578.76	2 647 669.91		R109	5 755.21	2 650 463.70
L110	6 593.46	2 647 618.49		R110	5 837.96	2 650 283.06
L111	7 173.75	2 646 442.54		R111	5 875.34	2 650 192.09
L112	7 704.74	2 645 371.07		R112	5 909.56	2 650 086.49
L113	8 196.66	2 644 376.91		R113	5 979.10	2 649 911.03
L114	8 293.08	2 644 235.88		R114	6 153.41	2 649 460.07
L115	8 717.79	2 643 759.51		R115	6 251.29	2 649 206.83
L116	8 771.37	2 643 654.32		R116	6 259.10	2 649 123.45
L117	8 849.50	2 643 275.69		R117	6 296.47	2 649 001.00
L118	8 856.53	2 643 263.31		R118	6 417.55	2 648 298.45
L119	8 859.50	2 643 239.31		R119	6 463.34	2 647 998.59
L120	8 876.51	2 643 141.96		R120	6 472.75	2 647 941.61
L121	9 026.19	2 642 315.77		R121	6 485.49	2 647 904.64
L122	9 356.16	2 640 531.05		R122	6 516.16	2 647 760.23
L123	9 417.70	2 640 198.91		R123	6 551.81	2 647 625.59
L124	9 474.41	2 640 013.30		R124	6 574.26	2 647 575.61
L125	9 649.04	2 639 654.09		R125	6 697.33	2 647 320.19
L126	10 457.75	2 637 989.31		R126	6 785.59	2 647 141.95
L127	10 642.19	2 637 609.87		R127	6 849.49	2 647 019.03
L128	10 663.45	2 637 538.81		R128	7 282.50	2 646 144.98
L129	10 846.36	2 636 634.72		R129	7 690.46	2 645 325.79
L130	10 942.63	2 636 159.06		R130	8 183.40	2 644 329.65
L131	11 060.95	2 635 566.91		R131	8 264.06	2 644 216.79
L132	11 118.13	2 635 282.85		R132	8 605.00	2 643 835.02
L133	11 150.11	2 635 122.31		R133	8 672.76	2 643 750.39
L134	11 146.28	2 635 119.06		R134	8 722.15	2 643 661.17
L135	11 196.21	2 634 860.66		R135	8 752.21	2 643 554.46
L136	11 204.55	2 634 710.35		R136	8 770.83	2 643 466.03
L137	11 140.46	2 634 467.00		R137	8 822.80	2 643 218.66
L138	11 113.78	2 634 371.37		R138	8 826.06	2 643 211.73
L139	11 012.35	2 633 984.72		R139	8 840.42	2 643 145.70
L140	10 968.67	2 633 760.30		R140	8 834.33	2 643 142.14
L141	10 917.04	2 633 236.83		R141	8 845.67	2 643 080.61
L142	11 011.07	2 632 673.13		R142	8 841.21	2 643 022.59
L143	11 014.63	2 632 612.74		R143	8 846.41	2 642 993.47
L144	11 059.26	2 632 329.21		R144	8 869.01	2 642 952.96
L145	11 063.45	2 632 329.91		R145	8 954.36	2 642 487.46
L146	11 070.49	2 632 289.94		R146	9 302.92	2 640 598.66
L147	11 078.89	2 632 288.32		R147	9 379.71	2 640 183.85
L148	11 107.16	2 632 118.63		R148	9 391.85	2 640 126.75
L149	11 114.17	2 632 109.96		R149	9 433.16	2 640 006.96
L150	11 242.70	2 631 517.62		R150	9 599.54	2 639 662.56
L151	11 255.85	2 631 341.79		R151	9 608.04	2 639 639.92
L152	11 242.47	2 630 884.48		R152	9 613.24	2 639 638.45
L153	11 223.08	2 630 380.84		R153	10 413.67	2 637 990.77
				Vel Sheet	37	Van of 44
				P1016/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L154	11 127.35	2 629 729.83		R154	10 584.45	2 637 639.56
L155	11 095.69	2 629 449.24		R155	10 599.60	2 637 607.06
L156	11 098.76	2 629 370.79		R156	10 627.19	2 637 515.72
L157	11 189.79	2 628 409.76		R157	10 807.22	2 636 628.95
L158	11 340.98	2 626 810.90		R158	10 906.63	2 636 133.04
L159	11 366.39	2 626 569.29		R159	11 079.02	2 635 275.91
L160	11 520.40	2 625 159.18		R160	11 118.88	2 635 095.82
L161	11 611.55	2 624 387.78		R161	11 161.85	2 634 831.79
L162	11 739.62	2 623 334.72		R162	11 162.51	2 634 698.29
L163	11 787.32	2 623 060.19		R163	11 149.06	2 634 643.70
L164	11 978.02	2 622 027.93		R164	10 985.98	2 634 017.57
L165	12 085.49	2 621 571.69		R165	10 929.44	2 633 743.31
L166	12 344.67	2 620 533.38		R166	10 883.39	2 633 405.94
L167	12 477.54	2 620 026.07		R167	10 880.77	2 633 405.25
L168	12 480.66	2 620 016.64		R168	10 872.83	2 633 316.02
L169	12 542.45	2 619 840.71		R169	10 877.79	2 633 245.50
L170	12 623.33	2 619 642.00		R170	10 938.39	2 632 879.59
L171	13 066.18	2 618 561.28		R171	10 941.09	2 632 863.26
L172	13 303.16	2 617 992.77		R172	10 973.86	2 632 666.56
L173	13 683.63	2 617 093.96		R173	10 987.17	2 632 608.40
L174	13 867.83	2 616 662.48		R174	11 067.83	2 632 156.67
L175	13 869.79	2 616 662.47		R175	11 062.33	2 632 162.00
L176	13 906.23	2 616 575.98		R176	11 203.29	2 631 515.29
L177	13 951.50	2 616 464.44		R177	11 215.46	2 631 361.97
L178	14 227.97	2 615 800.19		R178	11 193.26	2 630 546.26
L179	14 398.08	2 615 390.90		R179	11 182.51	2 630 374.21
L180	14 651.47	2 614 789.99		R180	11 061.75	2 629 564.75
L181	14 741.30	2 614 682.34		R181	11 057.19	2 629 489.69
L182	15 209.64	2 614 379.40		R182	11 059.36	2 629 371.51
L183	15 213.12	2 614 377.63		R183	11 301.63	2 626 810.91
L184	15 807.36	2 614 138.19		R184	11 415.26	2 625 762.33
L185	17 198.52	2 613 766.80		R185	11 417.17	2 625 761.46
L186	17 751.91	2 613 325.73		R186	11 485.58	2 625 156.34
L187	17 751.19	2 613 330.09		R187	11 577.12	2 624 383.62
L188	18 137.79	2 613 021.73		R188	11 571.40	2 624 382.96
L189	18 154.05	2 613 010.27		R189	11 694.74	2 623 373.80
L190	18 751.42	2 612 533.80		R190	11 753.82	2 623 049.13
L191	19 448.10	2 611 979.13		R191	11 956.82	2 621 948.94
L192	19 736.59	2 611 692.95		R192	12 045.19	2 621 547.53
L193	20 344.61	2 611 188.55		R193	12 066.85	2 621 463.38
L194	20 368.75	2 611 168.55		R194	12 439.45	2 620 015.83
L195	21 660.05	2 610 097.75		R195	12 486.33	2 619 881.15
L196	22 811.38	2 609 141.78		R196	12 584.14	2 619 642.61
L197	22 912.25	2 609 037.61		R197	13 245.30	2 618 029.44
L198	22 933.99	2 608 986.54		R198	13 631.37	2 617 131.11
L199	22 958.82	2 608 932.04		R199	13 716.23	2 616 932.13
L200	23 047.37	2 608 797.17		R200	14 072.87	2 616 074.10
L201	23 064.88	2 608 794.17		R201	14 619.43	2 614 760.89
L202	23 068.08	2 608 788.28		R202	14 623.56	2 614 754.30
L203	23 065.69	2 608 769.35		R203	14 646.99	2 614 721.21
L204	23 247.87	2 608 489.68		R204	14 651.31	2 614 716.75
				Vel Sheet	38 of	44 P1016/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L205	23 810.62	2 607	611.33		R205	14 724.14	2 614	649.89	
L206	23 994.30	2 607	330.13		R206	14 941.24	2 614	502.18	
L207	24 069.39	2 607	271.57		R207	15 024.57	2 614	447.35	
L208	24 138.89	2 607	224.94		R208	15 099.05	2 614	400.21	
L209	24 301.44	2 607	122.51		R209	15 161.70	2 614	363.37	
L210	24 878.41	2 606	756.73		R210	15 196.06	2 614	346.30	
L211	25 711.03	2 606	221.58		R211	15 236.98	2 614	327.76	
L212	25 747.75	2 606	202.11		R212	15 322.01	2 614	294.08	
L213	26 222.17	2 605	970.61		R213	15 458.94	2 614	238.53	
L214	26 942.22	2 605	621.25		R214	15 814.53	2 614	098.09	
L215	27 470.86	2 605	363.83		R215	15 902.29	2 614	065.63	
L216	27 944.33	2 605	130.84		R216	16 470.77	2 613	916.86	
L217	29 093.60	2 604	575.36		R217	17 144.48	2 613	738.44	
L218	29 111.62	2 604	566.35		R218	17 231.66	2 613	690.29	
L219	29 867.46	2 604	196.81		R219	17 761.68	2 613	266.36	
L220	31 229.77	2 603	533.02		R220	18 704.94	2 612	515.11	
L221	31 279.40	2 603	508.40		R221	19 419.80	2 611	947.01	
L222	31 462.65	2 603	395.46		R222	19 701.42	2 611	672.52	
L223	32 082.95	2 602	901.97		R223	20 323.81	2 611	153.53	
L224	32 819.93	2 602	314.52		R224	21 089.88	2 610	516.37	
L225	32 894.71	2 602	233.85		R225	22 614.39	2 609	247.37	
L226	32 944.28	2 602	175.62		R226	22 766.77	2 609	120.11	
L227	33 111.32	2 601	879.46		R227	22 768.19	2 609	118.74	
L228	33 148.90	2 601	811.47		R228	22 863.97	2 609	001.77	
L229	33 472.41	2 601	226.71		R229	22 909.16	2 608	947.37	
L230	33 656.96	2 600	890.55		R230	23 331.36	2 608	299.46	
L231	33 749.12	2 600	721.13		R231	23 777.10	2 607	603.55	
L232	33 767.54	2 600	683.98		R232	23 780.91	2 607	575.83	
L233	33 772.87	2 600	662.52		R233	23 820.93	2 607	506.83	
L234	33 784.80	2 600	608.55		R234	23 851.94	2 607	488.99	
L235	33 807.13	2 600	498.00		R235	23 881.99	2 607	442.97	
L236	33 849.90	2 600	280.42		R236	23 972.60	2 607	305.04	
L237	33 888.25	2 600	075.06		R237	24 053.01	2 607	243.84	
L238	33 894.69	2 600	053.79		R238	24 105.87	2 607	207.44	
L239	33 917.22	2 599	998.44		R239	24 291.08	2 607	093.24	
L240	33 926.67	2 599	981.61		R240	24 765.93	2 606	791.77	
L241	33 938.87	2 599	962.57		R241	25 704.52	2 606	188.11	
L242	34 411.51	2 599	242.35		R242	25 739.94	2 606	170.79	
L243	34 725.37	2 598	765.80		R243	26 295.00	2 605	900.02	
L244	34 870.87	2 598	543.76		R244	26 920.77	2 605	595.65	
L245	34 893.76	2 598	509.21		R245	27 203.44	2 605	455.45	
L246	35 033.41	2 598	297.82		R246	27 923.40	2 605	105.63	
L247	35 097.79	2 598	200.94		R247	29 117.48	2 604	527.35	
L248	35 257.98	2 597	956.99		R248	29 979.19	2 604	105.14	
L249	35 928.89	2 596	947.71		R249	30 965.08	2 603	624.28	
L250	36 497.64	2 596	096.30		R250	31 194.93	2 603	515.43	
L251	37 088.13	2 595	213.16		R251	31 316.84	2 603	450.63	
L252	37 994.26	2 594	080.55		R252	31 411.82	2 603	387.32	
L253	38 299.06	2 593	699.06		R253	32 055.34	2 602	882.62	
L254	38 358.75	2 593	627.52		R254	32 702.63	2 602	365.63	
L255	38 433.67	2 593	520.65		R255	32 776.29	2 602	305.12	
Vel Sheet					39	Van of		44	P1016/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L256	38 520.01	2	593	342.52	R256	32 882.25	2	602	198.04
L257	38 777.99	2	592	641.78	R257	32 972.16	2	602	060.49
L258	38 793.74	2	592	599.05	R258	33 105.93	2	601	820.66
L259	38 818.76	2	592	531.33	R259	33 543.12	2	601	035.67
L260	38 826.77	2	592	508.92	R260	33 689.82	2	600	774.36
L261	38 971.27	2	592	117.54	R261	33 706.63	2	600	742.74
L262	39 061.48	2	591	866.10	R262	33 716.71	2	600	718.34
L263	39 101.55	2	591	774.23	R263	33 751.73	2	600	589.00
L264	39 129.79	2	591	720.00	R264	33 770.78	2	600	489.53
L265	39 173.81	2	591	648.52	R265	33 790.32	2	600	393.90
L266	39 221.92	2	591	584.18	R266	33 805.39	2	600	316.34
L267	39 274.27	2	591	524.52	R267	33 858.06	2	600	055.61
L268	39 306.14	2	591	492.14	R268	33 896.71	2	599	960.59
L269	39 367.47	2	591	438.17	R269	33 914.07	2	599	925.57
L270	39 448.17	2	591	379.12	R270	33 948.19	2	599	873.96
L271	39 473.86	2	591	363.00	R271	34 116.62	2	599	624.96
L272	39 528.09	2	591	332.54	R272	34 376.18	2	599	233.08
L273	39 555.70	2	591	318.51	R273	34 437.62	2	599	140.42
L274	39 615.71	2	591	291.45	R274	34 427.60	2	599	133.13
L275	39 679.64	2	591	267.42	R275	34 712.42	2	598	701.96
L276	40 191.70	2	591	125.38	R276	34 761.12	2	598	633.90
L277	41 260.80	2	590	831.26	R277	34 767.55	2	598	623.88
L278	41 962.63	2	590	637.39	R278	34 816.73	2	598	552.45
L279	42 070.96	2	590	607.49	R279	34 928.60	2	598	389.81
L280	42 162.53	2	590	574.10	R280	35 218.60	2	597	950.12
L281	42 255.14	2	590	530.68	R281	35 877.44	2	596	954.74
L282	42 343.11	2	590	477.23	R282	36 542.46	2	595	949.97
L283	42 424.11	2	590	416.35	R283	36 962.67	2	595	316.90
L284	42 567.48	2	590	271.20	R284	37 015.50	2	595	239.97
L285	42 613.04	2	590	210.21	R285	37 028.78	2	595	222.46
L286	43 721.47	2	588	641.67	R286	37 943.64	2	594	080.60
L287	43 758.14	2	588	615.60	R287	38 267.29	2	593	678.30
L288	43 776.10	2	588	590.07	R288	38 328.56	2	593	604.83
L289	43 791.67	2	588	542.07	R289	38 401.32	2	593	500.92
L290	44 558.31	2	587	456.99	R290	38 484.20	2	593	329.37
L291	44 615.17	2	587	384.21	R291	38 624.25	2	592	949.67
L292	44 712.01	2	587	287.34	R292	38 756.39	2	592	591.31
L293	44 820.89	2	587	204.73	R293	38 775.02	2	592	540.53
L294	44 950.39	2	587	131.50	R294	38 784.23	2	592	509.48
L295	47 429.80	2	586	110.67	R295	38 837.87	2	592	369.85
L296	47 521.05	2	586	068.77	R296	38 968.29	2	592	017.18
L297	47 699.35	2	585	975.57	R297	39 022.01	2	591	866.21
L298	47 786.51	2	585	924.49	R298	39 052.66	2	591	792.50
L299	47 871.06	2	585	870.64	R299	39 082.54	2	591	730.39
L300	48 124.70	2	585	697.78	R300	39 133.95	2	591	642.63
L301	48 146.38	2	585	682.50	R301	39 194.35	2	591	559.99
L302	50 956.98	2	583	756.26	R302	39 261.90	2	591	484.56
L303	51 539.46	2	583	356.35	R303	39 334.61	2	591	415.53
L304	51 599.81	2	583	314.86	R304	39 419.05	2	591	355.18
L305	51 665.74	2	583	265.54	R305	39 508.80	2	591	301.99
L306	51 742.31	2	583	196.67	R306	39 601.00	2	591	257.22
Vel Sheet					40	Van of		44	P1016/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L307	51 810.03	2	583 122.28		R307	39 661.50	2	591 236.82	
L308	51 872.66	2	583 037.91		R308	39 714.02	2	591 218.98	
L309	51 927.97	2	582 943.63		R309	39 828.60	2	591 186.38	
L310	52 264.48	2	582 289.41		R310	39 835.12	2	591 189.02	
L311	52 745.04	2	581 354.52		R311	41 261.79	2	590 790.88	
L312	52 826.58	2	581 201.13		R312	41 941.79	2	590 601.85	
L313	53 352.83	2	580 309.77		R313	42 148.43	2	590 537.66	
L314	53 961.53	2	579 281.01		R314	42 236.83	2	590 495.60	
L315	55 075.11	2	577 398.18		R315	42 320.22	2	590 442.72	
L316	55 687.91	2	576 366.52		R316	42 398.43	2	590 383.59	
L317	56 337.43	2	575 273.55		R317	42 472.08	2	590 319.24	
L318	56 389.62	2	575 194.14		R318	42 536.80	2	590 246.15	
L319	56 415.51	2	575 162.31		R319	43 697.13	2	588 607.16	
L320	56 486.07	2	575 081.34		R320	44 429.20	2	587 572.26	
L321	56 554.73	2	575 019.61		R321	44 471.91	2	587 502.36	
L322	56 631.98	2	574 961.53		R322	44 604.71	2	587 335.87	
L323	56 798.10	2	574 849.15		R323	44 605.29	2	587 338.53	
L324	57 005.19	2	574 709.05		R324	44 665.28	2	587 277.98	
L325	57 045.11	2	574 698.67		R325	44 743.26	2	587 212.59	
L326	57 082.11	2	574 670.58		R326	44 817.59	2	587 161.96	
L327	57 110.43	2	574 638.38		R327	44 916.74	2	587 106.21	
L328	57 141.45	2	574 617.57		R328	44 971.61	2	587 081.83	
L329	57 140.18	2	574 615.56		R329	47 413.44	2	586 076.66	
L330	57 141.53	2	574 615.28		R330	47 503.48	2	586 035.17	
L331	57 607.20	2	574 300.37		R331	47 592.46	2	585 990.61	
L332	57 661.88	2	574 266.10		R332	47 679.96	2	585 943.12	
L333	57 826.62	2	574 154.49		R333	47 765.55	2	585 892.77	
L334	57 832.68	2	574 150.48		R334	47 845.39	2	585 843.09	
L335	57 943.67	2	574 075.51		R335	48 129.80	2	585 648.53	
L336	58 366.12	2	573 790.46		R336	50 570.71	2	583 975.78	
L337	58 522.46	2	573 684.40		R337	51 526.84	2	583 318.43	
L338	59 235.28	2	573 204.82		R338	51 579.25	2	583 282.90	
L339	61 424.09	2	571 729.18		R339	51 642.57	2	583 235.79	
L340	61 655.97	2	571 574.24		R340	51 715.39	2	583 169.97	
L341	64 411.09	2	569 733.32		R341	51 781.41	2	583 097.37	
L342	65 600.92	2	568 941.91		R342	51 839.86	2	583 018.57	
L343	65 688.30	2	568 888.09		R343	51 896.11	2	582 922.42	
L344	65 788.79	2	568 840.87		R344	52 272.77	2	582 190.94	
L345	65 952.01	2	568 775.51		R345	52 709.75	2	581 340.57	
L346	67 676.91	2	568 081.19		R346	52 793.41	2	581 181.68	
L347	69 602.96	2	567 305.79		R347	53 265.35	2	580 383.80	
L348	69 612.81	2	567 301.54		R348	53 933.02	2	579 263.38	
L349	72 876.97	2	565 987.07		R349	53 929.43	2	579 261.18	
L350	74 443.64	2	565 361.32		R350	55 044.50	2	577 375.02	
L351	75 836.07	2	564 829.17		R351	55 655.87	2	576 346.16	
L352	76 630.48	2	564 525.27		R352	56 359.70	2	575 161.30	
L353	78 750.66	2	563 717.48		R353	56 385.21	2	575 119.91	
L354	80 315.31	2	563 122.37		R354	56 488.75	2	575 011.65	
L355	80 757.06	2	562 954.27		R355	57 553.18	2	574 293.62	
L356	80 792.64	2	562 942.95		R356	57 584.28	2	574 254.86	
L357	80 992.89	2	562 864.13		R357	57 608.90	2	574 238.23	
Vel Sheet					41	Van of		44	P1016/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L358	81 143.27	2	562 801.22		R358	57 653.04	2	574 226.60	
L359	81 182.34	2	562 778.56		R359	57 817.58	2	574 115.28	
L360	81 277.11	2	562 729.57		R360	57 845.02	2	574 096.88	
L361	81 421.65	2	562 655.35		R361	58 282.43	2	573 801.47	
L362	81 947.04	2	562 382.84		R362	60 331.45	2	572 419.83	
L363	83 891.42	2	561 378.23		R363	60 330.17	2	572 417.82	
L364	84 563.93	2	561 027.49		R364	60 418.62	2	572 357.83	
L365	84 636.13	2	560 993.41		R365	60 452.40	2	572 322.26	
L366	84 752.73	2	560 933.16		R366	60 478.03	2	572 303.29	
L367	84 870.79	2	560 876.91		R367	60 487.71	2	572 300.71	
L368	84 942.99	2	560 848.57		R368	60 522.74	2	572 291.36	
L369	85 008.95	2	560 822.68		R369	60 711.28	2	572 164.25	
L370	85 489.40	2	560 649.52		R370	61 360.13	2	571 726.81	
L371	87 203.77	2	560 031.64		R371	62 481.35	2	570 972.32	
L372	89 369.85	2	559 251.12		R372	64 429.50	2	569 675.96	
L373	89 798.89	2	559 096.54		R373	65 591.85	2	568 902.17	
L374	89 923.40	2	559 051.34		R374	65 670.37	2	568 854.90	
L375	91 471.63	2	558 489.62		R375	65 775.13	2	568 805.66	
L376	91 571.98	2	558 453.17		R376	65 914.37	2	568 749.41	
L377	93 467.63	2	557 766.12		R377	67 664.58	2	568 045.04	
L378	94 508.17	2	557 388.79		R378	69 564.55	2	567 280.61	
L379	94 614.99	2	557 353.93		R379	69 625.01	2	567 256.07	
L380	94 644.11	2	557 345.37		R380	72 296.11	2	566 181.18	
L381	94 750.63	2	557 318.14		R381	74 461.53	2	565 313.69	
L382	94 848.43	2	557 298.88		R382	75 772.14	2	564 813.54	
L383	94 945.67	2	557 284.60		R383	76 657.74	2	564 474.33	
L384	95 044.21	2	557 275.15		R384	77 644.22	2	564 097.36	
L385	95 143.24	2	557 270.70		R385	78 738.33	2	563 681.88	
L386	95 210.06	2	557 271.69		R386	80 337.47	2	563 073.27	
L387	95 284.05	2	557 272.79		R387	80 688.16	2	562 939.73	
L388	98 167.68	2	557 419.74		R388	80 744.61	2	562 914.48	
L389	98 244.56	2	557 420.30		R389	80 787.91	2	562 882.27	
L390	98 390.46	2	557 406.77		R390	80 816.71	2	562 874.99	
L391	98 454.34	2	557 389.99		R391	80 862.25	2	562 873.58	
L392	98 542.18	2	557 368.24		R392	80 988.67	2	562 824.13	
L393	98 691.49	2	557 302.29		R393	81 168.71	2	562 742.87	
L394	98 726.81	2	557 284.93		R394	81 272.99	2	562 689.47	
L395	98 812.84	2	557 229.51		R395	81 943.00	2	562 342.92	
L396	98 892.31	2	557 166.58		R396	83 852.75	2	561 355.48	
L397	98 963.44	2	557 097.80		R397	84 542.85	2	560 999.30	
L398	99 618.37	2	556 398.91		R398	84 739.75	2	560 897.40	
L399	100 690.07	2	555 259.62		R399	84 853.05	2	560 843.40	
L400	102 892.10	2	553 243.13		R400	84 992.49	2	560 788.35	
L401	103 045.65	2	553 110.29		R401	85 498.35	2	560 606.20	
L402	103 068.90	2	553 091.11		R402	87 192.10	2	559 996.19	
L403	103 078.43	2	553 045.76		R403	89 795.03	2	559 058.11	
L404	103 117.22	2	552 986.52		R404	89 938.38	2	559 006.02	
L405	103 137.13	2	552 946.11		R405	91 444.92	2	558 459.59	
L406	103 177.28	2	552 862.81		R406	93 472.58	2	557 724.33	
L407	103 207.17	2	552 786.93		R407	93 480.84	2	557 721.33	
L408	103 228.23	2	552 719.07		R408	94 495.37	2	557 353.31	
					Vel Sheet 42 Van of 44 P1016/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L409	103 259.28	2	552 602.33		R409	94 624.11	2	557 311.32	
L410	103 496.75	2	551 716.60		R410	94 742.38	2	557 281.21	
L411	103 538.77	2	551 587.49		R411	94 858.88	2	557 258.59	
L412	103 612.93	2	551 440.82		R412	94 941.19	2	557 247.02	
L413	104 450.40	2	550 077.63		R413	95 041.74	2	557 237.64	
L414	104 635.14	2	549 775.22		R414	95 142.39	2	557 232.91	
L415	104 739.58	2	549 608.82		R415	95 287.68	2	557 235.27	
L416	104 799.18	2	549 531.12		R416	96 128.97	2	557 278.61	
L417	105 791.63	2	548 392.86		R417	98 039.03	2	557 375.62	
L418	106 123.67	2	548 009.47		R418	98 240.55	2	557 383.06	
L419	106 537.65	2	547 537.39		R419	98 338.41	2	557 375.79	
L420	107 504.76	2	546 427.01		R420	98 432.15	2	557 359.92	
L421	107 820.21	2	546 064.78		R421	98 531.00	2	557 332.17	
L422	107 911.08	2	545 960.63		R422	98 621.20	2	557 297.00	
L423	107 992.49	2	545 858.20		R423	98 658.83	2	557 277.78	
L424	108 043.11	2	545 780.08		R424	98 708.62	2	557 252.22	
L425	108 067.39	2	545 731.89		R425	98 790.02	2	557 199.81	
L426	108 117.44	2	545 616.09		R426	98 866.88	2	557 138.88	
L427	108 130.84	2	545 568.62		R427	98 934.87	2	557 072.92	
L428	108 152.37	2	545 494.27		R428	99 562.90	2	556 402.87	
L429	108 258.11	2	545 015.91		R429	100 226.94	2	555 694.65	
					R430	100 669.57	2	555 228.27	
					R431	102 887.24	2	553 196.47	
					R432	102 954.78	2	553 131.54	
					R433	103 000.83	2	553 072.75	
					R434	102 993.24	2	553 022.78	
					R435	103 013.07	2	552 997.34	
					R436	103 044.48	2	553 015.31	
					R437	103 100.26	2	552 933.51	
					R438	103 112.12	2	552 910.04	
					R439	103 142.13	2	552 850.72	
					R440	103 179.37	2	552 756.42	
					R441	103 211.53	2	552 636.37	
					R442	103 226.10	2	552 580.96	
					R443	103 281.02	2	552 374.82	
					R444	103 463.96	2	551 693.02	
					R445	103 504.83	2	551 572.05	
					R446	103 515.81	2	551 550.22	
					R447	103 558.10	2	551 466.21	
					R448	103 596.42	2	551 395.98	
					R449	104 413.64	2	550 064.43	
					R450	104 664.76	2	549 655.67	
					R451	104 704.62	2	549 599.05	
					R452	104 726.63	2	549 564.08	
					R453	104 794.42	2	549 479.31	
					R454	105 782.48	2	548 345.05	
					R455	106 106.74	2	547 973.40	
					R456	106 269.22	2	547 787.09	
					R457	106 502.67	2	547 518.92	
					R458	107 406.60	2	546 482.01	
					R459	107 791.13	2	546 040.82	
Vel Sheet					43	Van of		44	P1016/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE		REGTERKANT/RIGHT HAND SIDE			
Y	X	WG 29°	Y	X	
		R460	107 896.53	2 545	919.96
		R461	107 957.61	2 545	842.96
		R462	108 009.63	2 545	760.20
		R463	108 015.90	2 545	748.04
		R464	108 053.72	2 545	673.34
		R465	108 085.00	2 545	589.37
		R466	108 115.04	2 545	486.72
		R467	108 192.13	2 545	137.93
		R468	108 204.61	2 545	076.37
		R469	108 202.83	2 545	055.25
		R470	108 191.88	2 545	047.07
		R471	108 203.38	2 545	024.17
		R472	108 223.13	2 545	018.50
		R473	108 225.72	2 545	008.49

Vel Sheet

44

Van of

44

P1016/17