

## DEPARTMENT OF TRANSPORT

NO. 107

01 FEBRUARY 2019


## THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

**NATIONAL ROUTE 3: CEDARA TO HEIDELBERG GAUTENG TOLL ROAD:  
PUBLICATION OF THE AMOUNTS OF TOLL FOR THE DIFFERENT CATEGORIES OF  
MOTOR VEHICLES, AND THE DATE AND TIME FROM WHICH THE TOLL TARIFFS  
SHALL BECOME PAYABLE**

The Head of the Department of Transport hereby makes known, in terms of section 27(3)(c) of the South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), that the Minister of Transport has, in terms of section 27(3)(a) of the Act and on the recommendation of the South African National Roads Agency SOC Ltd, determined the tolls to be levied, and the rebates thereon and any increases and reductions thereof in the Schedule hereto, on the following toll roads:

- Cedara to Heidelberg Gauteng Toll Road,

The Minister of Transport has also determined, on the recommendation of the South African National Roads Agency SOC Ltd and in terms of section 27(3)(d) of the Act, that the tolls that may be levied in terms of this Notice, will be payable from 1 March 2019 ("Effective Date"); This notice, from the Effective Date, repeals and replaces all previous Toll Tariff Notices in respect of the aforementioned toll roads.



Mr Christopher Hlabisa  
ACTING DIRECTOR-GENERAL: TRANSPORT

4666407

## SCHEDULE

### 1. DEFINITIONS

The following words and expressions shall have the meanings stated, unless the context otherwise indicates.

- 1.1 **“Abnormal vehicle”** means a motor vehicle exceeding the legal dimensions as described in the Road Traffic Act, 1996 (Act No. 93 of 1996), as amended, or in any other law.
- 1.2 **“Axle”** means a device or set of devices, whether continuous across the width of the vehicle or not, about which the wheels of the vehicle rotate and which is so placed that, when the vehicle is travelling straight ahead, the vertical centre-lines of such wheels are in one vertical plane at right angles to the longitudinal centre-line of such vehicle. Axle shall also include an axle that is lifted and of which the wheels are not in contact with the road surface.
- 1.3 **“Heavy axle”** means an axle the wheels of which are fitted with tyres of a size (bead seat diameter) greater than 406,4 millimetres (16 inches), or an axle with more than two (2) wheels irrespective of tyre size, but excluding any axle of a motorcycle, a motor tricycle or a motor car.
- 1.4 **“Heavy vehicle”** means a motor vehicle with at least one heavy axle and/or any vehicle which is principally designed or adapted for the conveyance of persons exceeding sixteen (16) in number.
- 1.5 **“Light delivery vehicle”** means a motor vehicle designed or adapted for the conveyance of persons and freight with no heavy axle as defined in paragraph 1.3 above.
- 1.6 **“Light vehicle”** means a motor vehicle, other than a heavy vehicle.
- 1.7 **“Motor car”** means a motor vehicle, other than a motorcycle or a motor tricycle, designed or adapted solely or principally for the conveyance of persons not exceeding sixteen (16) in number, but excluding any vehicle with an axle with more than two (2) wheels irrespective of tyre size.
- 1.8 **“Motorcycle”** means a motor vehicle that has two wheels and includes any such vehicle having a side-car attached thereto.
- 1.9 **“Motor tricycle”** means a motor vehicle, other than a motorcycle with a side-car, which has three wheels and which is designed to be driven by means of the type of controls usually fitted to a motorcycle.
- 1.10 **“Motor vehicle”** means an entity comprising of one or more mechanically/electrically powered units with or without any trailer(s) physically joined by means of tow bars, tow ropes or mechanical articulation, and includes, inter alia:
  - (a) a motorcycle;
  - (b) a motor tricycle;
  - (c) a motor car;
  - (d) a vehicle which has pedals and a mechanically/electrically powered unit as an integral part thereof or attached thereto and which is designed or adapted to be propelled by means of either such pedals or such mechanical/electrical unit or both; and
  - (e) a light delivery vehicle (a bakkie).

- 1.11 **“Trailer”** means a vehicle which is not self-propelled and which is designed or adapted to be drawn by a motor vehicle but does not include a side-car attached to a motorcycle.

## 2. CATEGORIES OF MOTOR VEHICLES

**Class 1:      *Light vehicles:***

Light vehicles are motor vehicles, other than heavy vehicles as defined above, with or without a trailer, and include motorcycles, motor tricycles and motor cars.

**Class 2:      *Medium heavy vehicles:***

Medium heavy vehicles are heavy vehicles, as defined above, with two axles.

**Class 3:      *Large heavy vehicles:***

Large heavy vehicles are heavy vehicles, as defined above, with three or four axles.

**Class 4:      *Extra large heavy vehicles:***

Extra large heavy vehicles are heavy vehicles, as defined above, with five or more axles.

### 3. TOLL TARIFF

- 3.1 The amounts of toll for the different categories of motor vehicles payable at the toll plazas located on the Cedara to Heidelberg Gauteng Toll Road, for the usage of a section of toll road (or any part thereof), are stated in Table 1.

| TABLE 1: TOLL TARIFF |             |          |         |         |         |         |
|----------------------|-------------|----------|---------|---------|---------|---------|
| ROUTE                | PLAZA       |          | CLASS 1 | CLASS 2 | CLASS 3 | CLASS 4 |
| N3                   | Mooi        | Mainline | R51.00  | R125.00 | R176.00 | R238.00 |
| N3                   |             | Ramp (S) | R36.00  | R88.00  | R123.00 | R167.00 |
| N3                   |             | Ramp (N) | R15.00  | R38.00  | R53.00  | R71.00  |
| N3                   | Treverton   | Ramp     | R15.00  | R38.00  | R53.00  | R71.00  |
| N3                   | Bergville   | Ramp     | R22.00  | R26.00  | R48.00  | R73.00  |
| N3                   | Tugela      | Mainline | R73.00  | R121.00 | R190.00 | R264.00 |
| N3                   | Tugela East | Ramp     | R45.00  | R75.00  | R111.00 | R155.00 |
| N3                   | Wilge       | Mainline | R69.00  | R118.00 | R157.00 | R223.00 |
| N3                   | De Hoek     | Mainline | R49.00  | R77.00  | R117.00 | R168.00 |

### 4. OPERATIONAL HOURS

- 4.1 The said toll road shall be open to traffic for 24 hours a day.

### 5. EFFECTIVE DATE

- 5.1 The date and time from which the said amounts of toll shall become payable, shall be 1 March 2019 at 00:00.

## DEPARTEMENT VAN VERVOER

NO. 107

01 FEBRUARIE 2019

## DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

**NASIONALE ROETE 3: CEDARA TOT HEIDELBERG GAUTENG TOLPAD:  
PUBLISERING VAN DIE TOLBEDRAE VIR DIE VERSKILLENDIGE KATEGORIEë VAN  
MOTORVOERTUIG, EN DIE DATUM EN TYD VANAF DIE TOLBEDRAE BETAALBAAR  
WORD**

Die Hoof van die Departement van Vervoer maak hiermee in die Bylae hierby bekend dat, ingevolge artikel 27(3)(c) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie, 1998 (Wet Nr. 7 van 1998), die Minister van Vervoer, ingevolge artikel 27(3)(a) van die Wet, en op aanbeveling van die Suid-Afrikaanse Nasionale Padagentskap MSB Beperk, die tol wat op ondergenoemde Tolpaaie gehef moet word, die korting daarop en die verhogings en verminderings daarvan soos in die Bylae uiteengesit:

- Cedara tot Heidelberg Gauteng Tolpad,

Die Minister van Vervoer het ook, op aanbeveling van die Nasionale Padagentskap MSB Beperk en ingevolge artikel 27(3)(d) van die Wet, bepaal dat die tol wat ingevolge hierdie Kennisgewing gehef mag word, betaalbaar sal wees vanaf 1 Maart 2019 ("Effektiewe Datum").

Hierdie kennisgewing herroep en vervang alle vorige Toltarief Kennisgewings ten opsigte van die voorafgenoemde tolpaaie vanaf die Effektiewe datum.



Mr Christopher Hlabisa

WAARNEMENDE DIREKTEUR-GENERAAL: VERVOER

4666407

## BYLAE

## 1. WOORDOMSKRYWINGS

Die volgende woorde en uitdrukkings sal die betekenisse hê soos uiteengesit, tensy dit uit die samehang anders blyk.

- 1.1 **“Abnormale voertuig”** beteken ‘n motorvoertuig wat die wettige afmetings, soos beskryf in die Padverkeerswet, 1996 (Wet Nr. 93 van 1996), soos gewysig, of in enige ander wet oorskry.
- 1.2 **“As”** beteken ‘n toestel of stel toestelle, hetsy onafgebroke oor die breedte van die voertuig of nie, waarom die wiele van die voertuig ronddraai en wat so geplaas is dat wanneer die voertuig reguit vorentoe ry, die vertikale hartlyne van sodanige wiele in een vertikale vlak reghoekig met die langshartlyn van sodanige voertuig is. As sal ook ‘n as insluit waarvan die wiele opgelig en nie in kontak met die padoppervlak is nie.
- 1.3 **“Swaar as”** beteken ‘n as waarvan die wiele toegerus is met bande met ‘n grootte (spanranddeursnee) groter as 406,4 millimeter (16 duim), of ‘n as met meer as twee (2) wiele, ongeag die bandgrootte, maar nie ‘n as van ‘n motorfiets, ‘n motordriewiel of ‘n motorkar nie.
- 1.4 **“Swaar voertuig”** beteken ‘n motorvoertuig met minstens een swaar as en/of ‘n motorvoertuig wat ontwerp of aangepas is uitsluitlik of hoofsaaklik vir die vervoer van meer as sestion (16) persone.
- 1.5 **“Ligte afleweringsvoertuig”** beteken ‘n motorvoertuig wat ontwerp of aangepas is vir die vervoer van persone en vrag met geen swaar as soos omskryf in paragraaf 1.3 hierbo nie.
- 1.6 **“Ligte voertuig”** beteken ‘n motorvoertuig, uitgesonderd ‘n swaar voertuig.
- 1.7 **“Motorkar”** beteken ‘n motorvoertuig, uitgesonderd ‘n motorfiets of motordriewiel, wat ontwerp of aangepas is uitsluitlik of hoofsaaklik vir die vervoer van hoogstens sestion (16) persone, maar uitgesluit enige voertuig met meer as twee (2) wiele, ongeag die bandgrootte, op enige as.
- 1.8 **“Motorfiets”** beteken ‘n motorvoertuig met twee wiele en ook enige sodanige voertuig waaraan ‘n syspan geheg is.
- 1.9 **“Motordriewiel”** beteken ‘n motorvoertuig, uitgesonderd ‘n motorfiets met syspan, wat drie wiele het en ontwerp is om bestuur te word deur middel van die tipe kontroles waarmee ‘n motorfiets gewoonlik toegerus is.
- 1.10 **“Motorvoertuig”** beteken ‘n entiteit bestaande uit een of meer meganies/elektries aangedrewe eenhede met of sonder sleepwa of sleepwaens wat fisies aan mekaar gekoppel is deur middel van sleepstange, sleeptoue of meganiese geleding en sluit onder andere in:
  - (a) ‘n motorfiets;
  - (b) ‘n motordriewiel;
  - (c) ‘n motorkar;
  - (d) ‘n voertuig met pedale en met ‘n meganies/elektries aangedrewe eenheid as ‘n integrerende deel daarvan of daaraan vasgeheg en wat ontwerp of aangepas is om of deur middel van sodanige pedale of deur middel van die meganiese/elektriese eenheid of deur albei voortbeweeg te word; en
  - (e) ‘n ligte afleweringsvoertuig (‘n bakkie).

4666407

- 1.11 “**Sleepwa**” beteken ‘n voertuig wat nie selfaangedrewe is nie en wat ontwerp of aangepas is om deur ‘n motorvoertuig getrek te word, maar sluit nie ‘n syspan wat aan ‘n motorfiets vasgeheg is in nie.

## 2. KATEGORIEë VAN MOTORVOERTUIE

**Klas 1:        Ligte voertuie:**

Ligte voertuie is motorvoertuie, uitgesonderd swaar voertuie soos hierbo omskryf, met of sonder sleepwa, en sluit motorfietse, motordriewiele en motorkarre in.

**Klas 2:        Medium swaar voertuie:**

Medium swaar voertuie, is swaar voertuie, soos hierbo omskryf, met twee asse.

**Klas 3:        Groot swaar voertuie:**

Groot swaar voertuie, is swaar voertuie, soos hierbo omskryf, met drie of vier asse.

**Klas 4:        Ekstra groot swaar voertuie:**

Ekstra groot swaar voertuie, is swaar voertuie, soos hierbo omskryf, met vyf of meer asse.

### 3. TOLTARIEF

- 3.1 Die tolbedrae vir die verskillende kategorieë voertuie betaalbaar by die tolplazas geleë op die Cedara tot Heidelberg Gauteng Tolpad, vir die gebruik van 'n gedeelte van 'n tolpad (of enige deel daarvan), is uiteengesit in Tabel 1.

**TABEL 1: TOLTARIEF**

| ROETE | PLAZA      |                  | KLAS 1 | KLAS 2  | KLAS 3  | KLAS 4  |
|-------|------------|------------------|--------|---------|---------|---------|
| N3    | Mooi       | Hooflyn          | R51.00 | R125.00 | R176.00 | R238.00 |
| N3    |            | Op- en Afrit (S) | R36.00 | R88.00  | R123.00 | R167.00 |
| N3    |            | Op- en Afrit (N) | R15.00 | R38.00  | R53.00  | R71.00  |
| N3    | Treverton  | Op-en Afrit      | R15.00 | R38.00  | R53.00  | R71.00  |
| N3    | Bergville  | Op- en Afrit     | R22.00 | R26.00  | R48.00  | R73.00  |
| N3    | Tugela     | Hooflyn          | R73.00 | R121.00 | R190.00 | R264.00 |
| N3    | Tugela Oos | Op-en Afrit      | R45.00 | R75.00  | R111.00 | R155.00 |
| N3    | Wilge      | Hooflyn          | R69.00 | R118.00 | R157.00 | R223.00 |
| N3    | De Hoek    | Hooflyn          | R49.00 | R77.00  | R117.00 | R168.00 |

### 4. OPERASIONELE URE

- 4.1 Die genoemde tolpad sal 24 uur per dag oop wees vir verkeer.

### 5. INWERKINGTREDINGSDATUM

- 5.1 Die datum en tyd vanaf die genoemde tolbedrae betaalbaar word, is 1 Maart 2019 om 00:00.