

## DEPARTMENT OF PUBLIC WORKS

NO. 207

22 FEBRUARY 2019

AGRÉMENT SOUTH AFRICA  
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 06 September 2018, issued an Agrément certificate, details of which appear in the schedule hereto.

**SCHEDULE**  
Agrément Certificate 2018/572

**Subject:** Spunsulation Contractors Membrane

**Certificate holder:** Spunbond Holdings (Pty) Ltd t/a Spunchem International

**Description:** Spunsulation Contractors Membrane is an under-tile membrane manufactured from pigmented ultraviolet (UV) light resistant and non-woven polypropylene spunbond. The layer is coated with a polyolefin film blend. The membrane has a weight of 89 g/m<sup>2</sup> with a thickness of between 0.4 mm to 0.5 mm. It is supplied in rolls of 30 m long and 1.5 m wide. Spunsulation Contractors Membrane is suitable for residential installation in all tiled-roof buildings with timber, light-weight steel and aluminum or Agrément approved roof construction. It can be used in all regions of South Africa for residential types of occupancy classification (**SANS 10400**: Table 1 of regulation A (20) (1)). When used in the conventional manner it can:

- reduce air leakage
- reduce ingress to the roof space of wind-driven rain and dust.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)  
Agrément South Africa, P O Box 72381, LYNNWOOD RIDGE, 0040