

DEPARTMENT OF TRANSPORT

NO. 421

15 MARCH 2019

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R37 SECTION 4

AMENDMENT OF DECLARATION No. 993 OF 2010.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 993 of 2010 by substituting it in its entirety, with the accompanying sheets 1 to 16 of Plan No. P1060/18.

(National Road R37 Section 4: Sabie Turn Off – Nelspruit)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 421

15 MAART 2019

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R37 SEKSIE 4


WYSIGING VAN VERKLARING No. 993 VAN 2010.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 993 van 2010 deur dit in sy geheel te vervang, met bygaande velle 1 tot 16 van Plan No. P1060/18.

(Nasionale Pad R37 Seksie 4: Sabie Afdraai – Nelspruit)**MINISTER VAN VERVOER**



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R37 of National Route R37 Section	Vel Sheet 1 of 16 Plan P1060/18
---	---------------------------------------	---	---------------------------------------



Vel
Sheet 2
of 16

Plan
P1060/18


4


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R37 Sêksie
of National Route Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd










Die Suid Afrikaanse Nasionale Padogenenskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

steeldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Raete R37 Seksie
of National Route Section

Vel Sheet 6 of 16
Plan P1060/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown

steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R37
of National Route

4

Vel
Sheet
7
of
16
Plan
P1060/18





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R37 of National Route R37	4	Vel Sheet 9 of 16	Plan P1060/18
---	---------------------------------------	---	---	----------------------	------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L1	24 530.00	2 782 532.07		R1	24 554.88	2 782 573.06
L2	24 496.14	2 782 555.87		R2	24 471.27	2 782 601.55
L3	24 452.26	2 782 568.06		R3	24 436.28	2 782 601.71
L4	24 426.75	2 782 559.05		R4	24 408.38	2 782 593.39
L5	24 411.34	2 782 543.42		R5	24 381.48	2 782 565.50
L6	24 397.49	2 782 513.08		R6	24 361.62	2 782 531.56
L7	24 386.80	2 782 478.88		R7	24 342.10	2 782 464.44
L8	24 370.09	2 782 431.15		R8	24 311.74	2 782 412.30
L9	24 340.65	2 782 385.69		R9	24 280.77	2 782 384.80
L10	24 293.96	2 782 341.53		R10	24 222.32	2 782 329.74
L11	24 259.01	2 782 306.40		R11	23 864.46	2 781 987.20
L12	23 894.93	2 781 966.68		R12	23 749.65	2 781 785.53
L13	23 781.12	2 781 766.97		R13	23 698.47	2 781 740.43
L14	23 711.34	2 781 708.90		R14	23 629.75	2 781 734.87
L15	23 678.83	2 781 697.60		R15	23 581.09	2 781 758.78
L16	23 614.53	2 781 699.32		R16	23 547.67	2 781 794.92
L17	23 564.82	2 781 716.37		R17	23 521.23	2 781 926.67
L18	23 524.03	2 781 761.28		R18	23 520.47	2 782 103.90
L19	23 492.69	2 781 830.01		R19	23 515.66	2 782 164.24
L20	23 481.55	2 781 954.19		R20	23 462.53	2 782 280.79
L21	23 487.29	2 782 105.08		R21	23 448.21	2 782 369.73
L22	23 465.12	2 782 186.31		R22	23 468.72	2 782 461.26
L23	23 428.02	2 782 268.91		R23	23 520.07	2 782 575.87
L24	23 411.77	2 782 356.28		R24	23 554.90	2 782 716.57
L25	23 419.13	2 782 440.89		R25	23 578.48	2 782 797.94
L26	23 475.16	2 782 567.77		R26	23 583.97	2 782 833.21
L27	23 503.16	2 782 694.07		R27	23 578.45	2 782 898.32
L28	23 543.55	2 782 841.24		R28	23 518.92	2 782 968.43
L29	23 537.42	2 782 888.63		R29	23 420.62	2 783 014.43
L30	23 487.92	2 782 943.11		R30	23 373.23	2 783 036.65
L31	23 389.75	2 782 987.47		R31	23 333.68	2 783 077.82
L32	23 343.69	2 783 008.33		R32	23 264.92	2 783 222.13
L33	23 301.03	2 783 060.02		R33	23 180.46	2 783 292.51
L34	23 228.83	2 783 195.95		R34	23 138.76	2 783 372.17
L35	23 148.62	2 783 267.79		R35	23 167.14	2 783 462.23
L36	23 089.73	2 783 357.71		R36	23 196.82	2 783 501.72
L37	23 133.10	2 783 478.71		R37	23 303.20	2 783 653.06
L38	23 134.77	2 783 486.70		R38	23 325.35	2 783 735.16
L39	23 275.41	2 783 686.91		R39	23 334.18	2 783 767.30
L40	23 290.63	2 783 735.48		R40	23 339.44	2 783 871.07
L41	23 302.70	2 783 773.29		R41	23 301.07	2 783 949.00
L42	23 295.99	2 783 855.72		R42	23 233.81	2 784 076.64
L43	23 266.49	2 783 932.41		R43	23 218.41	2 784 153.72
L44	23 198.70	2 784 059.84		R44	23 307.56	2 784 530.65
L45	23 185.87	2 784 155.18		R45	23 347.15	2 784 698.44
L46	23 281.06	2 784 571.20		R46	23 363.99	2 784 725.14
L47	23 311.80	2 784 706.03		R47	23 385.64	2 784 751.59
L48	23 330.42	2 784 756.46		R48	23 447.03	2 784 784.16
L49	23 355.30	2 784 788.19		R49	23 687.60	2 784 822.17
L50	23 425.47	2 784 824.40		R50	23 730.22	2 784 838.10
L51	23 619.19	2 784 848.17		R51	23 781.82	2 784 905.34
				Vel Sheet 10	Van of 16	P1060/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L52	23 716.24	2 784 884.48		R52	23 802.13	2 784 972.64
L53	23 759.83	2 784 965.98		R53	23 783.04	2 785 042.05
L54	23 749.18	2 785 015.73		R54	23 753.25	2 785 103.54
L55	23 728.28	2 785 071.63		R55	23 698.54	2 785 168.24
L56	23 670.84	2 785 142.84		R56	23 361.15	2 785 427.68
L57	23 335.66	2 785 396.23		R57	23 320.26	2 785 463.60
L58	23 288.72	2 785 447.03		R58	23 286.15	2 785 522.10
L59	23 252.84	2 785 510.83		R59	23 275.51	2 785 583.66
L60	23 239.60	2 785 582.21		R60	23 285.17	2 785 649.04
L61	23 249.09	2 785 657.55		R61	23 375.24	2 785 825.61
L62	23 336.86	2 785 840.33		R62	23 391.95	2 785 891.65
L63	23 356.62	2 785 893.77		R63	23 392.22	2 785 957.98
L64	23 342.74	2 785 990.20		R64	23 379.86	2 786 005.72
L65	23 311.97	2 786 056.89		R65	23 343.46	2 786 069.43
L66	23 223.77	2 786 143.77		R66	23 251.24	2 786 165.50
L67	23 171.77	2 786 216.01		R67	23 208.48	2 786 226.84
L68	23 152.97	2 786 294.41		R68	23 190.13	2 786 295.56
L69	23 159.87	2 786 364.78		R69	23 192.83	2 786 358.80
L70	23 203.34	2 786 457.19		R70	23 234.88	2 786 439.45
L71	23 240.94	2 786 496.32		R71	23 264.44	2 786 465.37
L72	23 363.34	2 786 594.71		R72	23 393.16	2 786 572.94
L73	23 413.47	2 786 653.15		R73	23 447.93	2 786 643.27
L74	23 433.40	2 786 748.23		R74	23 465.24	2 786 688.91
L75	23 414.42	2 786 821.64		R75	23 465.00	2 786 752.00
L76	23 377.82	2 786 875.44		R76	23 445.95	2 786 830.80
L77	23 294.60	2 786 944.46		R77	23 409.33	2 786 890.98
L78	23 219.89	2 787 033.82		R78	23 320.79	2 786 974.54
L79	23 184.73	2 787 107.40		R79	23 251.37	2 787 047.89
L80	23 172.15	2 787 212.18		R80	23 219.63	2 787 113.22
L81	23 208.27	2 787 639.43		R81	23 209.53	2 787 212.18
L82	23 212.97	2 787 709.15		R82	23 215.20	2 787 291.31
L83	23 234.16	2 787 793.61		R83	23 241.38	2 787 646.71
L84	23 311.82	2 787 929.73		R84	23 244.47	2 787 705.70
L85	23 591.42	2 788 339.95		R85	23 265.69	2 787 783.74
L86	23 643.93	2 788 450.04		R86	23 343.27	2 787 913.34
L87	23 651.51	2 788 540.83		R87	23 622.91	2 788 330.51
L88	23 632.14	2 788 640.07		R88	23 681.56	2 788 454.47
L89	23 592.76	2 788 711.21		R89	23 689.81	2 788 530.85
L90	23 540.65	2 788 770.23		R90	23 666.92	2 788 649.52
L91	23 368.36	2 788 888.92		R91	23 624.34	2 788 726.53
L92	23 297.84	2 788 982.88		R92	23 564.72	2 788 791.39
L93	23 255.53	2 789 147.59		R93	23 399.90	2 788 905.20
L94	23 262.18	2 789 216.40		R94	23 329.36	2 788 997.43
L95	23 293.12	2 789 308.95		R95	23 290.48	2 789 141.65
L96	23 383.82	2 789 515.85		R96	23 297.30	2 789 201.53
L97	23 389.57	2 789 585.72		R97	23 324.63	2 789 297.48
L98	23 389.61	2 789 675.77		R98	23 415.83	2 789 506.77
L99	23 347.36	2 789 781.80		R99	23 431.22	2 789 582.24
L100	23 193.09	2 790 036.07		R100	23 421.33	2 789 679.53
L101	23 166.01	2 790 127.86		R101	23 381.97	2 789 796.37
L102	23 164.09	2 790 215.08		R102	23 224.60	2 790 047.92
				Vel Sheet 11	Van of 16	P1060/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L103	23 197.18	2 790 326.92		R103	23 201.13	2 790 134.54	
L104	23 292.82	2 790 538.62		R104	23 200.37	2 790 209.92	
L105	23 322.52	2 790 661.51		R105	23 233.15	2 790 315.16	
L106	23 323.38	2 790 790.15		R106	23 324.19	2 790 526.75	
L107	23 263.17	2 791 306.15		R107	23 354.01	2 790 658.91	
L108	23 203.94	2 791 805.97		R108	23 358.62	2 790 792.47	
L109	23 192.66	2 791 990.40		R109	23 294.67	2 791 307.05	
L110	23 193.15	2 791 999.03		R110	23 240.25	2 791 807.93	
L111	23 209.98	2 792 304.34		R111	23 225.75	2 791 972.05	
L112	23 249.86	2 792 808.31		R112	23 224.14	2 791 991.52	
L113	23 284.05	2 793 302.26		R113	23 241.48	2 792 301.49	
L114	23 303.60	2 793 427.71		R114	23 281.37	2 792 806.26	
L115	23 353.70	2 793 525.15		R115	23 330.29	2 793 305.51	
L116	23 413.82	2 793 626.44		R116	23 351.03	2 793 411.18	
L117	23 459.36	2 793 713.32		R117	23 385.23	2 793 516.51	
L118	23 471.35	2 793 760.56		R118	23 460.04	2 793 617.19	
L119	23 490.70	2 793 823.33		R119	23 494.29	2 793 702.79	
L120	23 530.87	2 793 980.96		R120	23 504.63	2 793 739.47	
L121	23 587.45	2 794 054.41		R121	23 527.35	2 793 822.04	
L122	23 697.74	2 794 215.63		R122	23 571.83	2 793 964.75	
L123	23 715.90	2 794 323.62		R123	23 610.96	2 794 033.55	
L124	23 706.30	2 794 411.26		R124	23 731.73	2 794 203.56	
L125	23 622.84	2 794 622.83		R125	23 752.06	2 794 327.48	
L126	23 586.32	2 794 724.65		R126	23 740.96	2 794 422.41	
L127	23 565.68	2 794 845.69		R127	23 654.34	2 794 632.08	
L128	23 569.80	2 794 968.79		R128	23 617.83	2 794 734.77	
L129	23 592.27	2 795 068.35		R129	23 597.19	2 794 845.42	
L130	23 731.52	2 795 414.87		R130	23 601.01	2 794 961.75	
L131	23 923.37	2 795 882.93		R131	23 623.74	2 795 060.10	
L132	24 108.75	2 796 337.65		R132	23 763.03	2 795 403.94	
L133	24 138.84	2 796 452.94		R133	23 876.27	2 795 680.54	
L134	24 143.99	2 796 568.51		R134	23 954.86	2 795 872.87	
L135	24 129.17	2 796 669.11		R135	24 141.20	2 796 330.02	
L136	24 076.03	2 796 799.48		R136	24 170.80	2 796 450.99	
L137	24 030.13	2 796 896.40		R137	24 177.57	2 796 570.95	
L138	23 885.34	2 797 147.25		R138	24 163.99	2 796 675.11	
L139	23 769.25	2 797 362.79		R139	24 107.56	2 796 815.40	
L140	23 729.17	2 797 480.57		R140	24 060.81	2 796 904.27	
L141	23 728.49	2 797 577.26		R141	23 917.49	2 797 165.03	
L142	23 753.18	2 797 757.99		R142	23 800.73	2 797 368.24	
L143	23 731.51	2 797 867.76		R143	23 760.67	2 797 482.07	
L144	23 676.90	2 797 956.26		R144	23 759.99	2 797 576.06	
L145	23 531.13	2 798 097.21		R145	23 784.74	2 797 759.40	
L146	23 487.83	2 798 151.86		R146	23 762.94	2 797 876.66	
L147	23 464.19	2 798 197.59		R147	23 699.37	2 797 988.00	
L148	23 424.49	2 798 274.76		R148	23 552.35	2 798 124.23	
L149	23 391.49	2 798 293.35		R149	23 511.55	2 798 170.37	
L150	23 394.41	2 798 322.62		R150	23 497.01	2 798 203.00	
L151	23 368.67	2 798 372.70		R151	23 450.85	2 798 306.55	
L152	23 371.26	2 798 386.90		R152	23 432.12	2 798 348.55	
L153	23 227.01	2 798 721.00		R153	23 260.24	2 798 731.21	
				Vel Sheet	12	Van of	16
				P1060/18			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L154	23 130.95	2 798 932.84		R154	23 147.59	2 798 974.28			
L155	23 025.11	2 799 162.82		R155	23 050.08	2 799 181.62			
L156	22 931.05	2 799 278.39		R156	23 004.14	2 799 253.06			
L157	22 871.62	2 799 323.74		R157	22 935.92	2 799 322.93			
L158	22 792.24	2 799 361.60		R158	22 892.61	2 799 358.77			
L159	22 411.15	2 799 496.71		R159	22 805.58	2 799 393.11			
L160	22 309.58	2 799 533.34		R160	22 416.49	2 799 528.85			
L161	22 230.68	2 799 587.67		R161	22 326.24	2 799 564.84			
L162	22 169.13	2 799 668.07		R162	22 258.58	2 799 617.08			
L163	22 097.01	2 799 847.81		R163	22 200.62	2 799 687.91			
L164	22 016.79	2 799 951.93		R164	22 130.80	2 799 866.24			
L165	21 812.29	2 800 078.19		R165	22 043.95	2 799 983.42			
L166	21 738.08	2 800 158.02		R166	21 836.40	2 800 109.69			
L167	21 658.70	2 800 269.21		R167	21 769.58	2 800 181.17			
L168	21 623.43	2 800 300.72		R168	21 690.15	2 800 289.48			
L169	21 511.40	2 800 352.12		R169	21 644.53	2 800 332.20			
L170	21 416.79	2 800 371.59		R170	21 524.29	2 800 395.24			
L171	21 316.22	2 800 349.88		R171	21 420.20	2 800 403.22			
L172	21 076.15	2 800 256.17		R172	21 307.88	2 800 380.63			
L173	20 805.81	2 800 178.69		R173	21 068.26	2 800 287.66			
L174	20 463.11	2 800 081.73		R174	20 797.16	2 800 210.60			
L175	19 980.31	2 799 948.37		R175	20 456.29	2 800 113.22			
L176	19 880.69	2 799 942.11		R176	19 974.31	2 799 979.85			
L177	19 772.17	2 799 958.85		R177	19 879.98	2 799 973.60			
L178	19 671.61	2 800 000.26		R178	19 785.41	2 799 990.36			
L179	19 509.04	2 800 129.15		R179	19 704.83	2 800 031.70			
L180	19 493.59	2 800 148.39		R180	19 540.56	2 800 156.69			
L181	19 442.36	2 800 212.21		R181	19 521.23	2 800 177.37			
L182	19 397.42	2 800 301.20		R182	19 476.70	2 800 224.96			
L183	19 377.51	2 800 374.51		R183	19 428.91	2 800 327.30			
L184	19 368.05	2 800 476.82		R184	19 403.60	2 800 441.54			
L185	19 360.46	2 800 580.28		R185	19 401.53	2 800 578.65			
L186	19 338.07	2 800 695.93		R186	19 369.59	2 800 706.10			
L187	19 251.40	2 800 903.63		R187	19 283.58	2 800 910.40			
L188	19 214.19	2 800 991.80		R188	19 067.55	2 801 427.61			
L189	19 170.47	2 801 096.21		R189	18 995.08	2 801 574.51			
L190	19 036.05	2 801 416.01		R190	18 965.32	2 801 611.03			
L191	19 010.56	2 801 468.95		R191	18 916.68	2 801 651.27			
L192	18 968.39	2 801 556.49		R192	18 754.53	2 801 733.50			
L193	18 899.36	2 801 620.37		R193	18 706.68	2 801 766.08			
L194	18 731.30	2 801 705.12		R194	18 663.73	2 801 801.74			
L195	18 685.51	2 801 732.87		R195	18 622.80	2 801 855.07			
L196	18 635.63	2 801 775.83		R196	18 557.74	2 801 981.53			
L197	18 590.93	2 801 842.51		R197	18 486.26	2 802 073.36			
L198	18 533.63	2 801 960.36		R198	18 371.40	2 802 157.01			
L199	18 463.03	2 802 041.80		R199	18 334.30	2 802 193.58			
L200	18 346.49	2 802 128.10		R200	18 276.31	2 802 285.80			
L201	18 294.75	2 802 178.03		R201	18 235.90	2 802 411.31			
L202	18 243.72	2 802 267.07		R202	18 178.40	2 802 589.95			
L203	18 209.12	2 802 374.01		R203	18 150.75	2 802 648.20			
L204	18 140.68	2 802 585.50		R204	18 113.83	2 802 703.58			
					Vel Sheet	13	Van of	16	P1060/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L205	18 082.35	2 802 677.92		R205	18 014.85	2 802 781.56
L206	17 978.89	2 802 759.68		R206	17 958.07	2 802 826.27
L207	17 925.14	2 802 802.15		R207	17 887.38	2 802 908.86
L208	17 854.08	2 802 884.23		R208	17 698.21	2 803 159.03
L209	17 421.77	2 803 463.63		R209	17 465.13	2 803 466.40
L210	17 387.66	2 803 540.97		R210	17 434.61	2 803 515.88
L211	17 370.04	2 803 614.22		R211	17 410.99	2 803 593.12
L212	17 371.58	2 803 678.04		R212	17 425.58	2 803 744.81
L213	17 414.57	2 803 821.90		R213	17 535.18	2 804 023.05
L214	17 497.71	2 804 015.71		R214	17 545.24	2 804 067.87
L215	17 510.29	2 804 066.36		R215	17 552.31	2 804 139.60
L216	17 515.51	2 804 122.39		R216	17 537.52	2 804 217.54
L217	17 503.20	2 804 204.64		R217	17 490.45	2 804 306.71
L218	17 424.63	2 804 334.00		R218	17 460.94	2 804 347.50
L219	17 396.41	2 804 355.67		R219	17 444.52	2 804 363.09
L220	17 346.56	2 804 386.02		R220	17 379.74	2 804 412.91
L221	16 969.54	2 804 583.90		R221	16 898.75	2 804 659.91
L222	16 882.73	2 804 629.48		R222	16 704.95	2 804 754.61
L223	16 690.22	2 804 724.13		R223	16 572.45	2 804 811.19
L224	16 563.44	2 804 780.97		R224	16 178.41	2 804 961.32
L225	16 478.21	2 804 812.30		R225	16 005.38	2 805 026.13
L226	16 159.96	2 804 924.61		R226	15 720.11	2 805 131.62
L227	15 985.74	2 804 993.56		R227	15 692.00	2 805 141.99
L228	15 699.57	2 805 098.23		R228	15 287.87	2 805 292.18
L229	15 267.24	2 805 258.63		R229	15 035.28	2 805 386.09
L230	15 181.91	2 805 289.23		R230	14 927.70	2 805 438.33
L231	14 948.48	2 805 387.54		R231	14 903.26	2 805 450.63
L232	14 941.57	2 805 390.34		R232	14 858.00	2 805 473.48
L233	14 888.31	2 805 417.00		R233	14 729.51	2 805 554.35
L234	14 824.73	2 805 450.95		R234	14 560.94	2 805 680.82
L235	14 807.17	2 805 461.84		R235	14 394.31	2 805 804.66
L236	14 705.24	2 805 529.51		R236	14 176.29	2 805 970.99
L237	14 553.44	2 805 640.61		R237	14 118.08	2 806 020.56
L238	14 376.18	2 805 774.36		R238	14 044.67	2 806 097.48
L239	14 360.78	2 805 785.87		R239	13 998.80	2 806 179.34
L240	14 148.43	2 805 946.87		R240	13 962.54	2 806 259.34
L241	14 075.05	2 806 008.72		R241	13 938.14	2 806 329.52
L242	14 029.45	2 806 059.73		R242	13 826.55	2 806 650.87
L243	13 998.74	2 806 102.29		R243	13 719.29	2 806 962.13
L244	13 955.77	2 806 182.90		R244	13 661.65	2 807 127.76
L245	13 911.94	2 806 294.69		R245	13 651.82	2 807 155.94
L246	13 777.63	2 806 676.71		R246	13 612.33	2 807 244.14
L247	13 624.62	2 807 110.34		R247	13 592.47	2 807 277.25
L248	13 612.51	2 807 142.68		R248	13 569.56	2 807 314.91
L249	13 588.52	2 807 206.74		R249	13 516.39	2 807 378.19
L250	13 566.24	2 807 249.12		R250	13 462.55	2 807 424.83
L251	13 536.22	2 807 293.23		R251	13 418.78	2 807 456.15
L252	13 488.35	2 807 348.95		R252	13 298.23	2 807 544.40
L253	13 442.20	2 807 391.71		R253	13 272.40	2 807 564.20
L254	13 399.85	2 807 427.04		R254	13 239.45	2 807 594.65
L255	13 356.04	2 807 457.82		R255	13 215.33	2 807 616.95
				Vel Sheet	14 Van of 16	P1060/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L256	13 273.81	2 807 515.63		R256	13 164.84	2 807 673.76
L257	13 247.83	2 807 535.64		R257	13 112.70	2 807 743.28
L258	13 219.62	2 807 561.64		R258	12 990.00	2 807 906.87
L259	13 168.09	2 807 613.02		R259	12 922.32	2 807 997.07
L260	13 126.89	2 807 661.48		R260	12 872.92	2 808 063.15
L261	13 019.37	2 807 812.59		R261	12 753.16	2 808 223.34
L262	13 019.14	2 807 812.89		R262	12 633.40	2 808 383.52
L263	12 974.09	2 807 872.09		R263	12 616.93	2 808 405.53
L264	12 853.27	2 808 030.54		R264	12 493.55	2 808 570.58
L265	12 732.49	2 808 189.01		R265	12 318.14	2 808 806.03
L266	12 705.46	2 808 224.48		R266	12 097.44	2 809 102.28
L267	12 592.67	2 808 374.96		R267	11 917.38	2 809 343.97
L268	12 463.11	2 808 546.57		R268	11 848.67	2 809 448.44
L269	12 287.85	2 808 782.38		R269	11 709.53	2 809 660.17
L270	12 065.65	2 809 079.97		R270	11 580.45	2 809 856.55
L271	11 921.28	2 809 273.33		R271	11 517.55	2 809 924.34
L272	11 838.92	2 809 391.55		R272	11 484.23	2 809 951.12
L273	11 819.78	2 809 420.43		R273	11 445.33	2 809 982.49
L274	11 677.70	2 809 637.89		R274	11 386.19	2 810 020.54
L275	11 553.07	2 809 828.30		R275	11 057.23	2 810 196.37
L276	11 547.13	2 809 835.61		R276	10 697.04	2 810 386.79
L277	11 514.37	2 809 875.93		R277	10 686.79	2 810 393.21
L278	11 460.77	2 809 926.39		R278	10 609.00	2 810 436.74
L279	11 440.14	2 809 940.45		R279	10 546.52	2 810 483.31
L280	11 370.66	2 809 987.84		R280	10 477.02	2 810 556.77
L281	11 208.80	2 810 073.77		R281	10 298.64	2 810 826.23
L282	11 006.46	2 810 181.25		R282	10 214.96	2 810 912.17
L283	10 668.33	2 810 360.42		R283	10 164.05	2 810 954.04
L284	10 576.94	2 810 411.37		R284	9 888.34	2 811 100.27
L285	10 520.55	2 810 455.41		R285	9 637.66	2 811 240.00
L286	10 454.83	2 810 524.20		R286	9 185.98	2 811 483.69
L287	10 270.64	2 810 797.45		R287	9 120.84	2 811 510.32
L288	10 188.77	2 810 884.81		R288	9 055.01	2 811 533.79
L289	10 147.39	2 810 918.22		R289	8 940.23	2 811 555.66
L290	9 899.11	2 811 056.28		R290	8 878.67	2 811 551.56
L291	9 619.64	2 811 207.36		R291	8 838.96	2 811 548.95
L292	9 161.18	2 811 452.20		R292	8 812.09	2 811 543.87
L293	9 107.62	2 811 477.08		R293	8 799.54	2 811 542.19
L294	9 047.81	2 811 499.79		R294	8 789.27	2 811 540.48
L295	8 945.75	2 811 515.47		R295	8 590.07	2 811 500.55
L296	8 875.33	2 811 517.83		R296	8 542.22	2 811 499.17
L297	8 830.84	2 811 512.05		R297	8 448.52	2 811 511.65
L298	8 800.68	2 811 508.15		R298	8 217.17	2 811 573.87
L299	8 640.38	2 811 470.89		R299	7 725.95	2 811 703.07
L300	8 601.23	2 811 463.98		R300	7 615.66	2 811 731.40
L301	8 540.54	2 811 461.15		R301	7 437.11	2 811 777.71
L302	8 461.18	2 811 473.14		R302	6 998.70	2 811 893.20
L303	8 106.57	2 811 564.08		R303	6 944.75	2 811 907.41
L304	7 984.37	2 811 596.22		R304	6 478.05	2 812 030.51
L305	7 593.45	2 811 699.04		R305	6 067.57	2 812 138.69
L306	7 302.93	2 811 774.83		R306	5 544.89	2 812 638.21
				Vel Sheet	15 Van of 16	P1060/18

This gazette is also available free online at www.gpwonline.co.za