
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 451

25 MARCH 2019

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED****Registration No: 1998/009584/30**

DECLARATION AMENDMENT OF NATIONAL ROAD N1 SECTION 28X**AMENDMENT OF DECLARATION No. 740 OF 2007.**

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 740 of 2007 by substituting it in its entirety, with the accompanying sheets 1 to 35 of Plan No. P1073/18.

In the town of Louis Trichardt the N1 Section 28X enters the town from the South and follows the street known as Main Street at the time of declaration.

(National Road N1 Section 28X: Tweefontein – Louis Trichardt)



MINISTER OF TRANSPORT

25/03/2019

DEPARTEMENT VAN VERVOER

NO. 451

25 MAART 2019

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N1 SEKSIE 28X


WYSIGING VAN VERKLARING No. 740 VAN 2007.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 740 van 2007 deur dit in sy geheel te vervang, met bygaande velle 1 tot 35 van Plan No. P1073/18.

In die dorp Louis Trichardt kom die N1 Seksie 28X die dorp binne van uit die Suide en volg dan die straat bekend as Hoofstraat tydens datum van verklaring.

(Nasional Pad N1 Seksie 28X: Tweefontein – Louis Trichardt)**MINISTER VAN VERVOER**

25/03/2019






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route

Vel
Sheet 2 of 35
Plan P1073/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route

Vel
Sheet 3 of 35
Plan P1073/18





Vel
Sheet 5 of 35
Plan P1073/18


28X


stelsie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




















Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route N1	Vel Sheet 13 of 35 Plan P1073/18
---	---------------------------------------	---	--




Vel
Sheet 14 of 35
Plan P1073/18

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete N1 Seksie 28X
of National Route Section





Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route N1	Vel Sheet Plan 15 of 35 28X P1073/18
---	---------------------------------------	--	---







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route N1

28X

Vel
Sheet
Plan

18 of 35

P1073/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N1
of National Route

28X

Vel
Sheet 19 of 35
Plan P1073/18







Die Suid Afrikaanse Nasionale Padogenitskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N1
Seksie
Section

28X

Vel
Sheet
23 of 35
Plan
P1073/18



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L1	-49 969.19	2	636 504.90		R1	-50 000.58	2	636 523.14	
L2	-49 983.67	2	636 478.32		R2	-50 066.08	2	636 403.47	
L3	-50 128.41	2	636 222.87		R3	-50 103.09	2	636 339.76	
L4	-50 151.79	2	636 182.11		R4	-50 160.24	2	636 241.33	
L5	-50 290.53	2	635 942.50		R5	-50 187.31	2	636 194.71	
L6	-50 282.70	2	635 937.96		R6	-50 274.85	2	636 043.94	
L7	-50 338.12	2	635 835.33		R7	-50 322.87	2	635 961.28	
L8	-50 376.78	2	635 750.06		R8	-50 366.14	2	635 886.72	
L9	-50 421.44	2	635 643.99		R9	-50 461.69	2	635 722.16	
L10	-50 479.28	2	635 528.13		R10	-50 485.50	2	635 681.19	
L11	-50 545.82	2	635 418.95		R11	-50 562.19	2	635 549.11	
L12	-50 583.04	2	635 363.34		R12	-50 648.13	2	635 401.13	
L13	-50 642.78	2	635 269.90		R13	-50 668.47	2	635 366.05	
L14	-50 662.78	2	635 236.88		R14	-50 781.67	2	635 171.09	
L15	-50 749.34	2	635 087.29		R15	-50 810.29	2	635 121.86	
L16	-50 840.04	2	634 930.55		R16	-50 911.37	2	634 947.81	
L17	-50 885.87	2	634 907.88		R17	-50 925.29	2	634 954.00	
L18	-50 890.20	2	634 905.73		R18	-50 932.40	2	634 912.54	
L19	-50 952.86	2	634 797.51		R19	-51 149.17	2	634 537.81	
L20	-50 978.98	2	634 752.27		R20	-51 191.56	2	634 464.16	
L21	-51 093.89	2	634 553.29		R21	-51 229.30	2	634 399.70	
L22	-51 101.12	2	634 541.40		R22	-51 254.61	2	634 359.09	
L23	-51 112.58	2	634 521.53		R23	-51 335.83	2	634 228.76	
L24	-51 196.10	2	634 377.28		R24	-51 363.54	2	634 185.48	
L25	-51 293.59	2	634 216.96		R25	-51 369.34	2	634 171.31	
L26	-51 332.49	2	634 160.66		R26	-51 476.68	2	634 029.76	
L27	-51 395.37	2	634 069.73		R27	-51 516.59	2	633 979.97	
L28	-51 445.68	2	634 004.66		R28	-51 531.12	2	633 962.24	
L29	-51 500.34	2	633 936.73		R29	-51 654.69	2	633 822.33	
L30	-51 620.13	2	633 802.59		R30	-51 772.50	2	633 699.51	
L31	-51 639.99	2	633 778.96		R31	-51 974.42	2	633 487.97	
L32	-51 743.65	2	633 672.04		R32	-52 002.89	2	633 458.15	
L33	-51 970.70	2	633 434.85		R33	-52 212.65	2	633 239.52	
L34	-52 180.95	2	633 215.17		R34	-52 313.93	2	633 132.95	
L35	-52 283.00	2	633 108.58		R35	-52 567.37	2	632 868.97	
L36	-52 412.41	2	632 973.10		R36	-52 815.97	2	632 608.98	
L37	-52 696.49	2	632 676.58		R37	-53 124.73	2	632 286.32	
L38	-52 980.08	2	632 379.54		R38	-53 377.01	2	632 022.99	
L39	-53 151.63	2	632 200.70		R39	-53 564.95	2	631 826.59	
L40	-53 154.18	2	632 198.03		R40	-53 777.03	2	631 604.10	
L41	-53 363.29	2	631 979.05		R41	-53 872.85	2	631 504.75	
L42	-53 488.11	2	631 849.16		R42	-54 243.81	2	631 116.10	
L43	-53 746.92	2	631 578.62		R43	-54 521.43	2	630 827.13	
L44	-53 860.95	2	631 459.58		R44	-54 894.57	2	630 437.04	
L45	-54 233.39	2	631 070.44		R45	-55 168.49	2	630 151.32	
L46	-54 615.56	2	630 670.51		R46	-55 542.50	2	629 760.28	
L47	-55 511.39	2	629 734.99		R47	-55 636.73	2	629 661.85	
L48	-55 530.31	2	629 701.76		R48	-55 657.53	2	629 638.99	
L49	-55 549.46	2	629 678.95		R49	-55 672.83	2	629 637.99	
L50	-55 589.55	2	629 653.37		R50	-55 725.29	2	629 583.40	
L51	-55 779.76	2	629 454.73		R51	-55 770.88	2	629 535.54	
Vel Sheet 25					Van of 35		P1073/18		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L52	-56 045.87	2 629 181.47		R52	-55 778.89 2 629 527.28
L53	-56 095.24	2 629 129.42		R53	-55 803.82 2 629 487.19
L54	-56 288.86	2 628 922.92		R54	-55 824.29 2 629 465.86
L55	-56 441.17	2 628 764.07		R55	-56 069.20 2 629 210.01
L56	-56 786.79	2 628 403.00		R56	-57 109.45 2 628 123.28
L57	-56 920.23	2 628 266.15		R57	-57 467.07 2 627 749.75
L58	-56 961.93	2 628 219.92		R58	-58 153.93 2 627 032.02
L59	-57 187.01	2 627 985.21		R59	-58 286.68 2 626 893.77
L60	-57 271.27	2 627 897.17		R60	-58 828.03 2 626 327.96
L61	-57 272.07	2 627 897.97		R61	-59 313.41 2 625 820.99
L62	-57 280.51	2 627 889.14		R62	-59 330.10 2 625 826.10
L63	-57 279.70	2 627 888.31		R63	-59 347.30 2 625 808.10
L64	-57 435.87	2 627 726.57		R64	-59 340.99 2 625 792.03
L65	-57 511.15	2 627 646.78		R65	-59 437.71 2 625 690.49
L66	-57 511.67	2 627 647.25		R66	-59 451.83 2 625 676.17
L67	-57 518.37	2 627 640.24		R67	-59 824.98 2 625 286.24
L68	-57 517.86	2 627 639.79		R68	-59 914.83 2 625 192.01
L69	-57 760.44	2 627 385.83		R69	-59 981.41 2 625 113.31
L70	-58 123.86	2 627 006.66		R70	-60 026.22 2 625 051.95
L71	-58 612.51	2 626 496.31		R71	-60 124.53 2 624 898.93
L72	-59 247.40	2 625 832.06		R72	-60 202.50 2 624 736.25
L73	-59 425.63	2 625 647.70		R73	-60 232.65 2 624 667.81
L74	-59 547.40	2 625 518.61		R74	-60 274.68 2 624 571.63
L75	-59 671.99	2 625 388.67		R75	-60 346.84 2 624 408.74
L76	-59 796.29	2 625 258.56		R76	-60 410.83 2 624 262.46
L77	-59 887.15	2 625 163.04		R77	-60 587.39 2 623 862.15
L78	-59 951.50	2 625 087.54		R78	-60 619.11 2 623 789.21
L79	-60 053.53	2 624 941.52		R79	-60 682.84 2 623 644.99
L80	-60 114.34	2 624 827.40		R80	-60 755.19 2 623 480.10
L81	-60 210.56	2 624 618.73		R81	-60 818.31 2 623 307.79
L82	-60 384.36	2 624 223.78		R82	-60 841.04 2 623 221.01
L83	-60 591.96	2 623 753.21		R83	-60 872.50 2 623 044.47
L84	-60 665.59	2 623 586.06		R84	-60 897.60 2 622 874.47
L85	-60 708.55	2 623 488.10		R85	-60 928.60 2 622 667.31
L86	-60 767.76	2 623 335.75		R86	-60 959.12 2 622 462.87
L87	-60 771.56	2 623 334.64		R87	-61 001.01 2 622 180.63
L88	-60 773.62	2 623 329.95		R88	-61 053.85 2 621 821.71
L89	-60 771.60	2 623 325.05		R89	-61 076.41 2 621 668.47
L90	-60 793.69	2 623 246.67		R90	-61 098.67 2 621 510.08
L91	-60 816.89	2 623 142.40		R91	-61 149.06 2 621 142.95
L92	-60 849.41	2 622 930.08		R92	-61 170.60 2 621 087.93
L93	-60 886.32	2 622 683.16		R93	-61 180.67 2 621 012.90
L94	-60 899.94	2 622 591.19		R94	-61 172.05 2 620 950.81
L95	-60 986.71	2 622 005.73		R95	-61 217.55 2 620 618.45
L96	-61 011.30	2 621 840.84		R96	-61 225.13 2 620 567.12
L97	-61 016.19	2 621 806.12		R97	-61 247.23 2 620 396.74
L98	-61 059.28	2 621 506.46		R98	-61 275.69 2 620 219.18
L99	-61 049.49	2 621 465.08		R99	-61 259.09 2 620 399.06
L100	-61 059.25	2 621 402.22		R100	-61 258.37 2 620 478.76
L101	-61 077.73	2 621 368.20		R101	-61 265.57 2 620 557.17
L102	-61 105.32	2 621 167.15		R102	-61 285.72 2 620 509.55
			Vel Sheet	26 Van of 35	P1073/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L103	-61 152.62	2	620 811.94		R103	-61 294.92	2	620 367.74	
L104	-61 178.64	2	620 618.54		R104	-61 331.74	2	620 220.97	
L105	-61 193.40	2	620 504.28		R105	-61 336.70	2	620 185.74	
L106	-61 207.46	2	620 393.84		R106	-61 298.52	2	620 116.20	
L107	-61 210.68	2	620 369.80		R107	-61 352.34	2	619 898.95	
L108	-61 237.10	2	620 211.44		R108	-61 389.64	2	619 781.60	
L109	-61 255.69	2	620 123.49		R109	-61 407.00	2	619 727.38	
L110	-61 269.22	2	620 059.91		R110	-61 469.59	2	619 560.64	
L111	-61 314.62	2	619 887.10		R111	-61 500.46	2	619 486.64	
L112	-61 330.72	2	619 832.11		R112	-61 540.79	2	619 396.47	
L113	-61 335.29	2	619 817.54		R113	-61 592.72	2	619 289.80	
L114	-61 342.13	2	619 793.85		R114	-61 644.83	2	619 191.20	
L115	-61 369.53	2	619 713.96		R115	-61 707.07	2	619 082.67	
L116	-61 432.13	2	619 547.24		R116	-61 736.04	2	619 033.11	
L117	-61 454.66	2	619 492.59		R117	-61 872.50	2	618 824.77	
L118	-61 505.17	2	619 379.09		R118	-61 959.13	2	618 693.02	
L119	-61 585.33	2	619 218.34		R119	-62 070.54	2	618 524.22	
L120	-61 611.71	2	619 178.45		R120	-62 136.57	2	618 423.88	
L121	-61 673.37	2	619 062.08		R121	-62 195.48	2	618 342.87	
L122	-61 740.51	2	618 953.67		R122	-62 239.50	2	618 275.75	
L123	-61 928.94	2	618 666.76		R123	-62 301.36	2	618 173.21	
L124	-62 717.96	2	617 467.75		R124	-62 367.31	2	618 072.94	
L125	-62 751.82	2	617 416.30		R125	-62 433.18	2	617 972.58	
L126	-63 620.08	2	616 096.86		R126	-62 565.14	2	617 772.30	
L127	-63 638.11	2	616 052.01		R127	-62 752.71	2	617 487.31	
L128	-63 655.05	2	616 029.10		R128	-62 895.31	2	617 271.08	
L129	-63 681.09	2	616 004.16		R129	-63 180.95	2	616 836.77	
L130	-64 092.49	2	615 378.98		R130	-63 378.69	2	616 536.64	
L131	-64 576.43	2	614 643.58		R131	-63 587.69	2	616 219.25	
L132	-64 699.64	2	614 457.15		R132	-64 039.66	2	615 531.55	
L133	-64 730.77	2	614 409.57		R133	-64 129.46	2	615 395.54	
L134	-65 239.93	2	613 635.82		R134	-64 379.45	2	615 015.69	
L135	-65 260.25	2	613 604.79		R135	-64 625.97	2	614 640.77	
L136	-65 533.82	2	613 189.31		R136	-64 732.84	2	614 478.56	
L137	-65 607.58	2	613 077.09		R137	-64 754.64	2	614 445.68	
L138	-65 829.23	2	612 740.43		R138	-64 830.34	2	614 330.60	
L139	-65 929.60	2	612 587.98		R139	-65 028.46	2	614 029.87	
L140	-66 127.31	2	612 287.89		R140	-65 286.56	2	613 636.44	
L141	-66 410.34	2	611 857.25		R141	-65 370.88	2	613 508.96	
L142	-66 600.24	2	611 569.14		R142	-65 567.45	2	613 210.53	
L143	-66 620.96	2	611 510.75		R143	-65 639.03	2	613 101.46	
L144	-66 681.39	2	611 418.82		R144	-65 754.79	2	612 925.83	
L145	-66 726.27	2	611 376.76		R145	-65 875.57	2	612 741.70	
L146	-66 759.66	2	611 326.26		R146	-65 964.59	2	612 607.01	
L147	-66 765.09	2	611 318.05		R147	-66 162.39	2	612 306.49	
L148	-66 769.49	2	611 297.19		R148	-66 456.74	2	611 859.73	
L149	-66 867.95	2	611 147.78		R149	-66 546.07	2	611 723.64	
L150	-66 968.57	2	610 995.54		R150	-66 714.30	2	611 467.81	
L151	-66 989.88	2	610 963.39		R151	-66 776.92	2	611 372.91	
L152	-66 995.62	2	610 919.20		R152	-66 789.13	2	611 363.06	
L153	-67 020.38	2	610 888.67		R153	-66 819.16	2	611 317.52	
					Vel Sheet 27 Van of 35 P1073/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L154	-67 039.79	2 610 900.62		R154	-66 890.40	2 611 209.51			
L155	-67 237.57	2 610 599.99		R155	-67 028.53	2 610 998.77			
L156	-67 304.08	2 610 499.67		R156	-67 099.69	2 610 891.42			
L157	-67 469.21	2 610 249.11		R157	-67 165.38	2 610 791.67			
L158	-67 666.65	2 609 948.43		R158	-67 172.09	2 610 772.28			
L159	-67 864.70	2 609 647.84		R159	-67 337.10	2 610 521.58			
L160	-67 949.59	2 609 518.44		R160	-67 502.02	2 610 271.25			
L161	-68 051.72	2 609 363.70		R161	-67 667.08	2 610 020.28			
L162	-68 095.66	2 609 296.69		R162	-67 799.03	2 609 819.92			
L163	-68 261.03	2 609 046.12		R163	-67 996.86	2 609 518.98			
L164	-68 411.16	2 608 817.19		R164	-68 116.79	2 609 337.00			
L165	-68 541.48	2 608 618.30		R165	-68 175.67	2 609 283.64			
L166	-68 733.82	2 608 327.90		R166	-68 230.12	2 609 201.01			
L167	-68 931.35	2 608 027.06		R167	-68 255.26	2 609 126.57			
L168	-69 030.47	2 607 876.95		R168	-68 381.79	2 608 934.43			
L169	-69 118.45	2 607 743.53		R169	-68 563.35	2 608 658.38			
L170	-69 217.02	2 607 592.62		R170	-68 727.33	2 608 409.05			
L171	-69 315.87	2 607 442.12		R171	-68 865.58	2 608 199.29			
L172	-69 514.05	2 607 141.68		R172	-69 063.36	2 607 898.67			
L173	-69 713.40	2 606 841.71		R173	-69 250.32	2 607 614.64			
L174	-69 901.53	2 606 558.76		R174	-69 448.39	2 607 313.69			
L175	-70 111.96	2 606 242.18		R175	-69 547.42	2 607 163.41			
L176	-70 311.35	2 605 942.54		R176	-69 646.95	2 607 013.49			
L177	-70 510.73	2 605 642.93		R177	-69 846.03	2 606 714.02			
L178	-70 578.69	2 605 542.38		R178	-70 045.69	2 606 414.02			
L179	-70 991.41	2 604 919.23		R179	-70 244.81	2 606 114.60			
L180	-71 033.53	2 604 857.08		R180	-70 444.57	2 605 814.30			
L181	-71 075.61	2 604 794.31		R181	-70 643.60	2 605 514.90			
L182	-71 186.43	2 604 626.95		R182	-70 743.40	2 605 365.20			
L183	-71 286.28	2 604 476.74		R183	-71 029.88	2 604 934.44			
L184	-71 385.83	2 604 327.38		R184	-71 051.02	2 604 901.64			
L185	-71 488.43	2 604 172.89		R185	-71 084.53	2 604 851.90			
L186	-71 550.69	2 604 070.39		R186	-71 136.36	2 604 774.03			
L187	-71 604.61	2 603 963.34		R187	-71 319.37	2 604 499.13			
L188	-71 647.25	2 603 869.43		R188	-71 413.52	2 604 357.60			
L189	-71 681.53	2 603 793.35		R189	-71 459.60	2 604 315.49			
L190	-71 767.90	2 603 602.34		R190	-71 497.90	2 604 257.86			
L191	-71 777.13	2 603 581.17		R191	-71 509.55	2 604 213.40			
L192	-71 848.12	2 603 424.16		R192	-71 584.76	2 604 090.75			
L193	-71 917.51	2 603 270.92		R193	-71 640.89	2 603 979.62			
L194	-71 957.99	2 603 186.04		R194	-71 686.73	2 603 878.30			
L195	-72 002.15	2 603 102.92		R195	-71 735.28	2 603 770.80			
L196	-72 092.54	2 602 941.15		R196	-71 810.08	2 603 605.76			
L197	-72 146.64	2 602 859.60		R197	-71 885.13	2 603 440.99			
L198	-72 158.16	2 602 836.45		R198	-71 933.58	2 603 399.19			
L199	-72 180.64	2 602 784.02		R199	-71 966.81	2 603 344.50			
L200	-72 239.34	2 602 679.44		R200	-71 954.47	2 603 287.42			
L201	-72 326.99	2 602 522.58		R201	-71 994.13	2 603 204.14			
L202	-72 429.98	2 602 338.24		R202	-72 037.33	2 603 122.44			
L203	-72 437.92	2 602 293.73		R203	-72 127.87	2 602 960.56			
L204	-72 450.29	2 602 271.62		R204	-72 215.15	2 602 804.69			
Vel Sheet					28	Van of	35	P1073/18	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L205	-72 486.29	2	602 237.56		R205	-72 302.66	2	602 647.76	
L206	-72 571.12	2	602 085.77		R206	-72 323.55	2	602 610.78	
L207	-72 658.93	2	601 928.81		R207	-72 400.96	2	602 471.99	
L208	-72 746.62	2	601 771.76		R208	-72 469.23	2	602 349.95	
L209	-72 834.62	2	601 614.15		R209	-72 556.77	2	602 198.66	
L210	-72 922.34	2	601 457.50		R210	-72 660.64	2	602 013.17	
L211	-72 960.68	2	601 388.80		R211	-72 812.68	2	601 740.86	
L212	-73 010.11	2	601 300.13		R212	-72 962.14	2	601 473.69	
L213	-73 097.97	2	601 143.26		R213	-73 000.24	2	601 405.17	
L214	-73 135.95	2	601 075.13		R214	-73 112.41	2	601 204.45	
L215	-73 175.92	2	600 999.99		R215	-73 206.95	2	601 034.24	
L216	-73 212.08	2	600 924.21		R216	-73 333.30	2	600 754.38	
L217	-73 290.92	2	600 749.76		R217	-73 447.99	2	600 508.96	
L218	-73 356.23	2	600 604.86		R218	-73 477.29	2	600 471.19	
L219	-73 399.60	2	600 508.95		R219	-73 502.05	2	600 415.14	
L220	-73 425.02	2	600 452.20		R220	-73 505.41	2	600 407.70	
L221	-73 421.58	2	600 447.70		R221	-73 509.52	2	600 362.18	
L222	-73 434.11	2	600 423.15		R222	-73 561.85	2	600 246.45	
L223	-73 438.42	2	600 422.90		R223	-73 624.41	2	600 107.72	
L224	-73 449.61	2	600 397.77		R224	-73 647.80	2	600 054.22	
L225	-73 462.45	2	600 369.05		R225	-73 670.63	2	599 998.09	
L226	-73 525.49	2	600 229.93		R226	-73 692.98	2	599 938.48	
L227	-73 556.13	2	600 161.62		R227	-73 712.32	2	599 884.87	
L228	-73 587.85	2	600 091.65		R228	-73 732.53	2	599 828.31	
L229	-73 610.98	2	600 038.68		R229	-73 763.90	2	599 741.23	
L230	-73 633.30	2	599 983.55		R230	-73 771.27	2	599 743.88	
L231	-73 655.31	2	599 924.91		R231	-73 786.84	2	599 702.72	
L232	-73 715.18	2	599 758.43		R232	-73 782.30	2	599 701.09	
L233	-73 735.36	2	599 702.24		R233	-73 786.97	2	599 687.15	
L234	-73 742.11	2	599 683.44		R234	-73 794.82	2	599 664.98	
L235	-73 733.99	2	599 680.52		R235	-73 802.62	2	599 643.88	
L236	-73 746.75	2	599 637.30		R236	-73 812.21	2	599 617.16	
L237	-73 749.83	2	599 628.66		R237	-73 817.59	2	599 602.81	
L238	-73 798.03	2	599 493.69		R238	-73 858.30	2	599 498.23	
L239	-73 817.69	2	599 438.50		R239	-73 894.67	2	599 436.18	
L240	-73 830.78	2	599 400.12		R240	-73 914.74	2	599 388.04	
L241	-73 827.26	2	599 388.53		R241	-73 920.98	2	599 373.06	
L242	-73 807.89	2	599 383.31		R242	-73 985.20	2	599 185.18	
L243	-73 826.11	2	599 359.15		R243	-74 057.58	2	598 963.64	
L244	-73 824.46	2	599 353.39		R244	-74 097.56	2	598 847.89	
L245	-73 869.17	2	599 296.39		R245	-74 086.70	2	598 843.97	
L246	-73 962.41	2	599 071.83		R246	-74 152.31	2	598 661.82	
L247	-74 023.49	2	598 901.77		R247	-74 243.84	2	598 409.60	
L248	-74 084.00	2	598 733.13		R248	-74 390.97	2	598 003.66	
L249	-74 145.26	2	598 563.49		R249	-74 443.47	2	597 858.20	
L250	-74 175.63	2	598 478.93		R250	-74 484.91	2	597 743.57	
L251	-74 206.10	2	598 394.47		R251	-74 544.83	2	597 577.17	
L252	-74 251.10	2	598 268.23		R252	-74 576.78	2	597 488.53	
L253	-74 308.32	2	598 109.93		R253	-74 607.82	2	597 447.01	
L254	-74 358.43	2	597 970.57		R254	-74 655.21	2	597 443.94	
L255	-74 416.73	2	597 808.68		R255	-74 693.97	2	597 454.07	
					Vel Sheet 29 Van of 35 P1073/18				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L256	-74 458.88	2 597 691.33		R256	-74 701.57 2 597 425.03
L257	-74 524.78	2 597 485.90		R257	-74 667.72 2 597 416.16
L258	-74 527.95	2 597 439.96		R258	-74 628.09 2 597 390.38
L259	-74 479.51	2 597 434.78		R259	-74 629.82 2 597 343.49
L260	-74 466.10	2 597 437.59		R260	-74 649.99 2 597 288.13
L261	-74 460.23	2 597 408.15		R261	-74 701.84 2 597 143.53
L262	-74 512.23	2 597 397.87		R262	-74 752.12 2 597 005.63
L263	-74 552.46	2 597 371.91		R263	-74 814.17 2 596 836.94
L264	-74 582.85	2 597 331.98		R264	-74 928.27 2 596 531.44
L265	-74 602.37	2 597 291.15		R265	-75 037.62 2 596 242.50
L266	-74 615.31	2 597 257.07		R266	-75 129.43 2 595 993.21
L267	-74 668.30	2 597 112.02		R267	-75 222.95 2 595 740.51
L268	-74 721.53	2 596 966.81		R268	-75 316.87 2 595 487.07
L269	-74 721.93	2 596 965.72		R269	-75 412.02 2 595 229.37
L270	-74 819.58	2 596 699.73		R270	-75 511.26 2 594 962.27
L271	-74 925.54	2 596 409.42		R271	-75 556.23 2 594 840.70
L272	-75 033.21	2 596 116.65		R272	-75 571.80 2 594 798.48
L273	-75 130.28	2 595 852.08		R273	-75 591.21 2 594 748.24
L274	-75 255.05	2 595 511.69		R274	-75 642.00 2 594 611.32
L275	-75 282.86	2 595 435.49		R275	-75 703.50 2 594 444.93
L276	-75 344.60	2 595 267.56		R276	-75 754.60 2 594 306.74
L277	-75 406.41	2 595 098.75		R277	-75 784.13 2 594 237.15
L278	-75 458.85	2 594 956.07		R278	-75 833.13 2 594 126.46
L279	-75 478.33	2 594 903.28		R279	-75 885.38 2 594 022.68
L280	-75 492.14	2 594 851.17		R280	-75 951.97 2 593 910.74
L281	-75 526.93	2 594 770.10		R281	-76 038.67 2 593 765.74
L282	-75 594.70	2 594 612.25		R282	-76 134.42 2 593 598.24
L283	-75 618.03	2 594 558.83		R283	-76 185.65 2 593 506.77
L284	-75 629.14	2 594 529.27		R284	-76 229.55 2 593 411.75
L285	-75 681.37	2 594 390.12		R285	-76 266.09 2 593 316.90
L286	-75 720.50	2 594 285.37		R286	-76 321.94 2 593 166.76
L287	-75 744.54	2 594 221.03		R287	-76 342.38 2 593 063.57
L288	-75 794.03	2 594 110.85		R288	-76 366.96 2 592 924.58
L289	-75 848.58	2 594 002.36		R289	-76 384.04 2 592 780.28
L290	-75 898.53	2 593 915.15		R290	-76 412.36 2 592 615.98
L291	-75 934.13	2 593 825.41		R291	-76 432.53 2 592 513.01
L292	-75 898.66	2 593 794.48		R292	-76 456.71 2 592 415.59
L293	-75 866.23	2 593 780.88		R293	-76 483.74 2 592 321.01
L294	-75 878.43	2 593 749.35		R294	-76 518.64 2 592 216.63
L295	-75 954.57	2 593 767.85		R295	-76 651.33 2 591 849.35
L296	-75 964.72	2 593 773.61		R296	-76 671.65 2 591 792.19
L297	-76 000.03	2 593 743.28		R297	-76 723.46 2 591 662.61
L298	-76 099.83	2 593 578.02		R298	-76 786.22 2 591 472.04
L299	-76 148.77	2 593 483.37		R299	-76 818.04 2 591 378.80
L300	-76 188.82	2 593 398.06		R300	-76 944.62 2 591 020.58
L301	-76 225.57	2 593 302.67		R301	-77 023.24 2 590 814.61
L302	-76 246.48	2 593 227.33		R302	-77 120.87 2 590 529.83
L303	-76 261.77	2 593 149.31		R303	-77 299.23 2 590 034.92
L304	-76 278.38	2 593 052.60		R304	-77 382.06 2 589 815.81
L305	-76 309.76	2 592 916.05		R305	-77 439.40 2 589 665.97
L306	-76 307.57	2 592 859.36		R306	-77 509.46 2 589 458.30
			Vel Sheet	30 Van of	35 P1073/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L307	-76 291.42	2 592 862.11		R307	-77 650.56 2 589 057.00
L308	-76 309.88	2 592 812.72		R308	-77 811.81 2 588 610.92
L309	-76 321.88	2 592 796.99		R309	-77 873.31 2 588 440.87
L310	-76 339.66	2 592 774.28		R310	-78 130.83 2 587 728.44
L311	-76 372.62	2 592 608.84		R311	-78 298.74 2 587 265.14
L312	-76 394.68	2 592 503.71		R312	-78 466.28 2 586 799.45
L313	-76 417.90	2 592 405.79		R313	-78 543.83 2 586 578.23
L314	-76 445.91	2 592 308.96		R314	-78 617.82 2 586 368.26
L315	-76 463.88	2 592 251.84		R315	-78 645.88 2 586 287.94
L316	-76 479.12	2 592 202.74		R316	-78 688.33 2 586 183.43
L317	-76 480.98	2 592 187.26		R317	-78 739.47 2 586 082.82
L318	-76 492.62	2 592 090.66		R318	-78 797.74 2 585 986.92
L319	-77 395.57	2 589 620.66		R319	-78 863.07 2 585 894.83
L320	-77 592.33	2 589 056.45		R320	-79 046.55 2 585 660.38
L321	-77 674.08	2 588 816.08		R321	-79 087.68 2 585 636.13
L322	-77 790.33	2 588 470.90		R322	-79 141.54 2 585 567.32
L323	-77 804.73	2 588 417.44		R323	-79 255.73 2 585 468.38
L324	-77 817.33	2 588 370.66		R324	-79 330.86 2 585 372.56
L325	-77 826.44	2 588 316.22		R325	-79 523.92 2 585 051.06
L326	-77 841.76	2 588 256.08		R326	-79 638.81 2 584 904.96
L327	-77 866.74	2 588 203.63		R327	-79 694.36 2 584 834.14
L328	-77 898.75	2 588 156.96		R328	-79 911.21 2 584 558.03
L329	-77 923.68	2 588 115.99		R329	-80 060.99 2 584 397.40
L330	-78 072.00	2 587 767.78		R330	-80 108.33 2 584 398.20
L331	-78 422.55	2 586 798.14		R331	-80 144.19 2 584 371.43
L332	-78 427.58	2 586 798.29		R332	-80 106.52 2 584 342.90
L333	-78 570.98	2 586 399.55		R333	-80 123.38 2 584 298.39
L334	-78 616.89	2 586 272.73		R334	-80 139.79 2 584 277.43
L335	-78 660.61	2 586 166.86		R335	-80 236.59 2 584 153.69
L336	-78 700.27	2 586 087.11		R336	-80 458.58 2 583 868.80
L337	-78 773.19	2 585 965.15		R337	-80 788.90 2 583 448.93
L338	-78 815.58	2 585 904.08		R338	-81 088.49 2 583 066.22
L339	-79 017.11	2 585 645.71		R339	-81 283.67 2 582 816.07
L340	-79 135.75	2 585 448.64		R340	-81 446.72 2 582 605.91
L341	-79 127.99	2 585 388.23		R341	-81 607.23 2 582 399.31
L342	-79 211.32	2 585 282.24		R342	-81 827.19 2 582 117.22
L343	-79 269.81	2 585 277.52		R343	-81 906.62 2 582 015.12
L344	-79 380.55	2 585 183.15		R344	-81 966.44 2 581 907.37
L345	-79 598.29	2 584 903.97		R345	-82 019.54 2 581 808.31
L346	-79 653.84	2 584 833.15		R346	-82 063.90 2 581 722.56
L347	-79 872.47	2 584 555.51		R347	-82 082.76 2 581 685.62
L348	-79 945.25	2 584 456.73		R348	-82 125.17 2 581 571.47
L349	-79 976.50	2 584 411.90		R349	-82 147.78 2 581 496.09
L350	-79 994.48	2 584 365.97		R350	-82 177.91 2 581 395.81
L351	-79 960.52	2 584 332.88		R351	-82 179.28 2 581 380.77
L352	-79 901.84	2 584 305.50		R352	-82 196.59 2 581 298.67
L353	-79 852.94	2 584 289.00		R353	-82 208.71 2 581 221.82
L354	-79 802.92	2 584 281.16		R354	-82 214.92 2 581 180.91
L355	-79 859.11	2 584 259.84		R355	-82 216.50 2 581 136.06
L356	-79 918.40	2 584 279.88		R356	-82 222.55 2 581 004.38
L357	-79 986.75	2 584 312.18		R357	-82 236.08 2 580 784.56
			Vel Sheet	31 Van of 35	P1073/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L358	-80 033.91	2 584 317.53		R358	-82 249.94	2 580 586.85			
L359	-80 071.95	2 584 290.09		R359	-82 267.14	2 580 360.66			
L360	-80 081.56	2 584 278.08		R360	-82 276.86	2 580 258.21			
L361	-80 102.07	2 584 252.73		R361	-82 287.65	2 580 145.75			
L362	-80 488.87	2 583 759.55		R362	-82 304.45	2 580 101.07			
L363	-80 673.76	2 583 523.96		R363	-82 368.85	2 580 077.57			
L364	-80 777.84	2 583 391.48		R364	-82 364.68	2 580 064.09			
L365	-81 056.27	2 583 036.38		R365	-82 304.49	2 580 075.30			
L366	-81 284.41	2 582 745.41		R366	-82 295.08	2 580 028.39			
L367	-81 747.50	2 582 154.89		R367	-82 312.20	2 579 780.52			
L368	-81 898.76	2 581 958.66		R368	-82 344.42	2 579 541.70			
L369	-81 974.21	2 581 831.12		R369	-82 391.11	2 579 345.69			
L370	-82 006.35	2 581 756.73		R370	-82 452.30	2 579 154.00			
L371	-82 012.13	2 581 709.95		R371	-82 540.68	2 578 944.09			
L372	-81 986.59	2 581 670.36		R372	-82 598.51	2 578 838.04			
L373	-81 995.93	2 581 637.72		R373	-82 636.05	2 578 769.19			
L374	-82 038.54	2 581 652.10		R374	-82 683.91	2 578 695.30			
L375	-82 067.71	2 581 614.16		R375	-82 778.29	2 578 538.18			
L376	-82 132.39	2 581 375.98		R376	-82 856.99	2 578 415.23			
L377	-82 139.79	2 581 348.61		R377	-83 007.88	2 578 177.77			
L378	-82 153.95	2 581 250.89		R378	-83 165.78	2 577 928.46			
L379	-82 163.27	2 581 157.74		R379	-83 407.79	2 577 546.94			
L380	-82 170.11	2 581 100.34		R380	-83 663.41	2 577 143.80			
L381	-82 174.39	2 581 065.63		R381	-83 858.84	2 576 835.65			
L382	-82 196.66	2 580 840.21		R382	-83 893.32	2 576 780.99			
L383	-82 210.54	2 580 688.02		R383	-84 081.37	2 576 484.81			
L384	-82 223.49	2 580 530.69		R384	-84 186.32	2 576 319.51			
L385	-82 231.63	2 580 398.96		R385	-84 221.50	2 576 271.55			
L386	-82 235.77	2 580 314.44		R386	-84 236.42	2 576 248.14			
L387	-82 238.69	2 580 259.33		R387	-84 277.16	2 576 183.86			
L388	-82 242.72	2 580 169.18		R388	-84 314.26	2 576 117.67			
L389	-82 231.49	2 580 122.11		R389	-84 378.84	2 576 015.97			
L390	-82 184.67	2 580 131.32		R390	-84 427.97	2 575 946.32			
L391	-82 139.30	2 580 128.35		R391	-84 478.50	2 575 866.29			
L392	-82 234.64	2 580 095.38		R392	-84 518.18	2 575 796.33			
L393	-82 255.07	2 580 049.44		R393	-84 624.69	2 575 628.42			
L394	-82 263.23	2 579 999.04		R394	-84 693.04	2 575 528.97			
L395	-82 267.90	2 579 937.89		R395	-84 749.23	2 575 432.97			
L396	-82 274.92	2 579 805.28		R396	-84 783.34	2 575 379.49			
L397	-82 282.66	2 579 715.38		R397	-84 878.95	2 575 229.24			
L398	-82 294.35	2 579 626.02		R398	-84 969.80	2 575 086.40			
L399	-82 309.00	2 579 541.11		R399	-84 989.95	2 575 049.98			
L400	-82 357.37	2 579 345.26		R400	-85 252.17	2 574 580.39			
L401	-82 399.14	2 579 211.33		R401	-85 483.37	2 574 157.97			
L402	-82 462.10	2 579 043.60		R402	-85 536.89	2 574 063.57			
L403	-82 508.67	2 578 938.49		R403	-85 570.05	2 574 030.08			
L404	-82 563.60	2 578 836.45		R404	-85 714.24	2 574 084.98			
L405	-82 605.68	2 578 761.98		R405	-85 729.91	2 574 048.40			
L406	-82 621.70	2 578 733.36		R406	-85 605.68	2 573 970.43			
L407	-82 658.58	2 578 667.52		R407	-85 614.77	2 573 923.88			
L408	-82 841.13	2 578 379.50		R408	-85 734.15	2 573 710.83			
Vel Sheet					32	Van of	35	P1073/18	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L409	-83 020.08	2 578 097.60		R409	-85 959.78 2 573 306.33
L410	-83 237.19	2 577 755.32		R410	-86 138.75 2 572 991.15
L411	-83 392.61	2 577 510.43		R411	-86 286.85 2 572 726.28
L412	-83 635.13	2 577 128.34		R412	-86 402.08 2 572 519.82
L413	-83 831.71	2 576 818.08		R413	-86 490.04 2 572 362.47
L414	-83 869.56	2 576 758.82		R414	-86 647.25 2 572 081.77
L415	-84 092.13	2 576 408.26		R415	-86 733.46 2 571 924.78
L416	-84 105.51	2 576 387.26		R416	-86 867.79 2 571 680.20
L417	-84 154.16	2 576 304.58		R417	-86 900.39 2 571 622.06
L418	-84 750.74	2 575 364.37		R418	-87 098.93 2 571 270.85
L419	-84 937.96	2 575 063.87		R419	-87 225.47 2 571 050.66
L420	-85 113.62	2 574 754.72		R420	-87 346.28 2 570 847.71
L421	-85 225.70	2 574 542.19		R421	-87 416.49 2 570 703.36
L422	-85 266.35	2 574 473.41		R422	-87 472.92 2 570 598.25
L423	-85 410.58	2 574 215.36		R423	-87 732.69 2 570 128.88
L424	-85 439.51	2 574 162.92		R424	-88 009.46 2 569 632.34
L425	-85 583.81	2 573 909.83		R425	-88 068.43 2 569 508.94
L426	-85 660.36	2 573 776.90		R426	-88 116.50 2 569 398.34
L427	-85 740.30	2 573 633.18		R427	-88 160.82 2 569 286.00
L428	-85 924.21	2 573 304.01		R428	-88 171.58 2 569 252.86
L429	-86 099.33	2 572 990.65		R429	-88 363.62 2 568 645.09
L430	-86 249.84	2 572 708.91		R430	-88 466.61 2 568 319.17
L431	-86 323.22	2 572 589.98		R431	-88 584.40 2 567 946.45
L432	-86 458.76	2 572 344.91		R432	-88 693.50 2 567 601.16
L433	-86 496.71	2 572 274.27		R433	-88 734.79 2 567 470.50
L434	-86 547.25	2 572 188.05		R434	-88 799.38 2 567 267.79
L435	-86 651.72	2 572 001.26		R435	-88 825.18 2 567 187.54
L436	-86 760.31	2 571 807.53		R436	-88 960.64 2 566 753.68
L437	-86 813.82	2 571 711.03		R437	-89 055.03 2 566 453.24
L438	-87 035.14	2 571 315.23		R438	-89 130.26 2 566 213.74
L439	-87 191.21	2 571 035.77		R439	-89 150.63 2 566 147.91
L440	-87 312.98	2 570 811.74		R440	-89 172.42 2 566 091.68
L441	-87 387.06	2 570 687.00		R441	-89 237.07 2 565 886.78
L442	-87 511.17	2 570 465.25		R442	-89 249.64 2 565 833.71
L443	-87 562.56	2 570 373.19		R443	-89 296.68 2 565 685.37
L444	-87 673.06	2 570 174.56		R444	-89 326.65 2 565 591.31
L445	-87 844.78	2 569 865.91		R445	-89 442.75 2 565 220.53
L446	-87 932.68	2 569 707.51		R446	-89 508.84 2 565 010.21
L447	-88 021.63	2 569 536.03		R447	-89 676.43 2 564 475.64
L448	-88 080.13	2 569 405.29		R448	-89 678.44 2 564 470.34
L449	-88 134.07	2 569 267.28		R449	-89 735.15 2 564 289.48
L450	-88 243.89	2 568 930.50		R450	-89 896.89 2 563 772.73
L451	-88 342.25	2 568 617.73		R451	-89 933.83 2 563 657.02
L452	-88 438.84	2 568 310.41		R452	-90 025.05 2 563 371.36
L453	-88 474.41	2 568 203.29		R453	-90 085.70 2 563 177.53
L454	-88 557.87	2 567 931.48		R454	-90 112.75 2 563 090.74
L455	-88 578.56	2 567 865.21		R455	-90 183.58 2 562 862.16
L456	-88 638.33	2 567 673.99		R456	-90 268.23 2 562 592.73
L457	-88 666.43	2 567 584.58		R457	-90 347.23 2 562 342.30
L458	-88 724.22	2 567 399.67		R458	-90 422.96 2 562 100.51
L459	-88 873.35	2 566 926.14		R459	-90 498.17 2 561 861.57
			Vel Sheet	33 Van of 35	P1073/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L460	-89 021.96	2 566 451.76		R460	-90 537.72	2 561 736.17			
L461	-89 091.73	2 566 231.63		R461	-90 587.59	2 561 576.64			
L462	-89 121.18	2 566 138.13		R462	-90 637.10	2 561 423.59			
L463	-89 134.36	2 566 080.04		R463	-90 662.57	2 561 341.75			
L464	-89 133.71	2 566 030.45		R464	-90 666.26	2 561 327.63			
L465	-89 028.27	2 566 011.48		R465	-90 729.63	2 561 128.00			
L466	-89 029.45	2 565 981.80		R466	-90 808.31	2 560 876.13			
L467	-89 157.53	2 565 971.36		R467	-90 825.47	2 560 821.56			
L468	-89 178.30	2 565 939.46		R468	-90 919.70	2 560 520.35			
L469	-89 285.03	2 565 600.30		R469	-90 980.04	2 560 330.54			
L470	-89 379.48	2 565 314.12		R470	-91 026.73	2 560 181.57			
L471	-89 410.27	2 565 206.54		R471	-91 169.22	2 559 729.59			
L472	-89 480.38	2 564 993.89		R472	-91 316.05	2 559 261.68			
L473	-89 505.86	2 564 901.64		R473	-91 451.03	2 558 832.12			
L474	-89 555.31	2 564 744.03		R474	-91 520.23	2 558 610.58			
L475	-89 604.53	2 564 587.74		R475	-91 525.04	2 558 595.39			
L476	-89 645.34	2 564 457.58		R476	-91 597.20	2 558 367.69			
L477	-89 796.12	2 563 974.44		R477	-91 619.90	2 558 347.26			
L478	-89 898.82	2 563 648.12		R478	-91 624.55	2 558 332.55			
L479	-89 915.70	2 563 595.37		R479	-91 627.09	2 558 323.41			
L480	-89 949.30	2 563 488.20		R480	-91 632.67	2 558 303.32			
L481	-90 050.11	2 563 167.68		R481	-91 632.57	2 558 254.05			
L482	-90 130.69	2 562 922.03		R482	-91 648.66	2 558 202.11			
L483	-90 127.63	2 562 921.18		R483	-91 702.26	2 558 033.83			
L484	-90 270.15	2 562 466.70		R484	-91 784.57	2 557 772.06			
L485	-90 275.03	2 562 463.73		R485	-91 835.52	2 557 610.00			
L486	-90 296.57	2 562 395.34		R486	-91 929.47	2 557 310.16			
L487	-90 293.74	2 562 394.54		R487	-91 938.93	2 557 280.21			
L488	-90 623.32	2 561 343.98		R488	-91 988.19	2 557 123.00			
L489	-90 629.17	2 561 339.30		R489	-92 032.14	2 556 983.53			
L490	-90 632.08	2 561 330.07		R490	-92 151.45	2 556 603.06			
L491	-90 774.33	2 560 872.81		R491	-92 208.05	2 556 423.68			
L492	-90 844.84	2 560 646.16		R492	-92 267.41	2 556 233.90			
L493	-90 886.83	2 560 511.16		R493	-92 291.52	2 556 157.46			
L494	-90 987.59	2 560 187.21		R494	-92 425.84	2 555 727.82			
L495	-91 108.58	2 559 807.11		R495	-92 496.51	2 555 503.59			
L496	-91 167.55	2 559 625.86		R496	-92 585.84	2 555 218.72			
L497	-91 208.65	2 559 495.17		R497	-92 607.84	2 555 151.80			
L498	-91 251.86	2 559 357.18		R498	-92 652.77	2 555 009.77			
L499	-91 313.87	2 559 161.19		R499	-92 655.37	2 555 010.35			
L500	-91 467.20	2 558 673.37		R500	-92 704.53	2 554 855.96			
L501	-91 517.16	2 558 501.64		R501	-92 701.62	2 554 855.31			
L502	-91 528.50	2 558 465.07		R502	-92 736.02	2 554 746.29			
L503	-91 577.17	2 558 309.08		R503	-92 755.78	2 554 683.98			
L504	-91 603.55	2 558 226.43		R504	-92 775.46	2 554 632.62			
L505	-91 649.04	2 558 096.63		R505	-92 819.50	2 554 489.10			
L506	-91 706.93	2 557 911.74		R506	-92 884.63	2 554 299.91			
L507	-91 804.63	2 557 601.22		R507	-92 877.07	2 554 300.17			
L508	-91 898.84	2 557 302.49		R508	-92 981.83	2 553 966.34			
L509	-91 998.77	2 556 985.58		R509	-93 103.42	2 553 580.03			
L510	-92 071.31	2 556 737.22		R510	-93 130.23	2 553 539.08			
Vel Sheet					34	Van of	35	P1073/18	

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L511	-92 139.81	2	556	520.02	R511	-93 151.05	2	553	472.62
L512	-92 191.64	2	556	354.51	R512	-93 151.59	2	553	425.72
L513	-92 278.00	2	556	080.84	R513	-93 204.65	2	553	258.25
L514	-92 351.65	2	555	845.77	R514	-93 233.29	2	553	165.31
L515	-92 414.50	2	555	644.84	R515	-93 309.05	2	552	922.84
L516	-92 491.58	2	555	400.29	R516	-93 320.86	2	552	875.56
L517	-92 523.78	2	555	312.08	R517	-93 405.68	2	552	607.55
L518	-92 532.50	2	555	288.20	R518	-93 430.99	2	552	582.47
L519	-92 551.99	2	555	224.61	R519	-93 437.72	2	552	561.59
L520	-92 576.48	2	555	144.68					
L521	-92 620.68	2	555	005.35					
L522	-92 645.68	2	554	925.81					
L523	-92 670.35	2	554	847.09					
L524	-92 704.26	2	554	739.31					
L525	-92 779.88	2	554	502.17					
L526	-92 775.72	2	554	495.70					
L527	-92 824.50	2	554	340.61					
L528	-92 829.33	2	554	342.08					
L529	-92 861.54	2	554	239.37					
L530	-92 944.11	2	553	976.70					
L531	-92 974.53	2	553	880.12					
L532	-93 047.76	2	553	630.25					
L533	-93 063.74	2	553	572.43					
L534	-93 063.08	2	553	526.97					
L535	-93 016.36	2	553	518.73					
L536	-92 971.07	2	553	525.23					
L537	-92 927.39	2	553	530.67					
L538	-92 887.51	2	553	533.52					
L539	-92 851.75	2	553	532.99					
L540	-92 833.80	2	553	532.72					
L541	-92 834.44	2	553	515.84					
L542	-92 834.81	2	553	506.29					
L543	-92 885.72	2	553	503.83					
L544	-92 923.46	2	553	500.67					
L545	-92 961.35	2	553	496.57					
L546	-93 041.55	2	553	484.89					
L547	-93 083.91	2	553	463.30					
L548	-93 112.46	2	553	424.47					
L549	-93 121.05	2	553	397.93					
L550	-93 157.95	2	553	303.16					
L551	-93 151.30	2	553	304.10					
L552	-93 220.71	2	553	076.88					
L553	-93 228.76	2	553	075.03					
L554	-93 297.51	2	552	841.96					
L555	-93 335.77	2	552	714.53					
L556	-93 379.78	2	552	574.92					