

DEPARTMENT OF TRANSPORT

NO. 454

25 MARCH 2019

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N2 SECTION 7

AMENDMENT OF DECLARATION NO. 30 OF 1979.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 30 of 1979 from points L15 and R15 on sheet 1 of Plan No. P266/77 up to its end, by substituting all sheets of their respective Plans with the accompanying sheets 1 to 19 of Plan No. P1071/18.

(National Road N2 Section 7: Groot Brakriver – Kraaibosch Interchange)
MINISTER OF TRANSPORT

25/02/2019

DEPARTEMENT VAN VERVOER

NO. 454

25 MAART 2019

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N2 SEKSIE 7

WYSIGING VAN VERKLARING NO. 30 VAN 1979.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No.7 van 1998), wysig ek hiermee Verklaring No. 30 van 1979 vanaf punte L15 en R15 op vel 1 van Plan No. P266/77 tot op die einde, deur alle velle van hulle respektiewelike Planne te vervang met meegaande velle 1 tot 19 van Plan No. P1071/18.

(Nasionale Pad N2 Seksie 7: Groot Brakrivier – Kraaibosch Wisselaar)
MINISTER VAN VERVOER

25/02/2019




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route

Vel
Sheet 1 of 19
Plan P1071/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stelsie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	7	Vel Sheet 2 of 19
The South African National Roads Agency SOC Ltd	The figure shown				Plan P1071/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown





stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route

7

Vel
Sheet 3 of 19
Plan P1071/18








stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Vel
Sheet 6 of 19
Plan P1071/18











Vel
Sheet 11
of 19

Plan
P1071/18

steeldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°	Y	X
L1	70 990.66	3 769 491.96	R1	70 943.87	3 769 558.04
L2	70 960.54	3 769 473.15	R2	70 874.08	3 769 527.19
L3	70 784.79	3 769 318.26	R3	70 834.14	3 769 511.30
L4	70 683.38	3 769 356.45	R4	70 760.90	3 769 485.85
L5	70 592.62	3 769 225.67	R5	70 703.29	3 769 469.67
L6	70 433.14	3 769 176.06	R6	70 666.91	3 769 455.15
L7	70 379.41	3 769 144.50	R7	70 628.83	3 769 438.65
L8	70 338.60	3 769 095.25	R8	70 552.66	3 769 409.77
L9	70 292.70	3 769 006.46	R9	70 480.49	3 769 355.78
L10	70 228.87	3 768 970.57	R10	70 413.55	3 769 305.21
L11	70 108.89	3 768 970.51	R11	70 356.74	3 769 240.77
L12	70 092.28	3 768 895.01	R12	70 281.67	3 769 202.24
L13	70 067.53	3 768 832.93	R13	70 182.82	3 769 143.96
L14	70 008.05	3 768 821.35	R14	70 121.88	3 769 086.34
L15	70 011.24	3 768 874.02	R15	70 058.56	3 769 050.42
L16	69 964.00	3 768 920.17	R16	69 970.03	3 769 057.16
L17	69 799.92	3 768 970.90	R17	69 887.12	3 769 091.30
L18	69 717.65	3 768 949.21	R18	69 728.62	3 769 175.42
L19	69 683.46	3 768 970.40	R19	69 677.83	3 769 218.10
L20	69 658.03	3 769 007.81	R20	69 676.25	3 769 251.95
L21	69 643.37	3 769 063.29	R21	69 601.03	3 769 262.13
L22	69 661.67	3 769 124.05	R22	69 573.21	3 769 265.83
L23	69 592.84	3 769 162.06	R23	69 483.24	3 769 322.34
L24	69 524.25	3 769 202.08	R24	69 327.54	3 769 420.04
L25	69 429.63	3 769 254.27	R25	69 319.02	3 769 424.98
L26	69 331.01	3 769 302.52	R26	69 302.95	3 769 439.38
L27	69 271.44	3 769 338.85	R27	69 162.47	3 769 490.23
L28	69 167.48	3 769 389.32	R28	69 083.07	3 769 522.52
L29	69 104.67	3 769 396.43	R29	69 037.41	3 769 513.66
L30	69 083.02	3 769 398.78	R30	68 950.65	3 769 540.32
L31	69 064.93	3 769 402.08	R31	68 825.62	3 769 517.16
L32	69 007.19	3 769 435.95	R32	68 766.68	3 769 516.08
L33	68 932.77	3 769 439.01	R33	68 567.89	3 769 480.99
L34	68 598.32	3 769 402.67	R34	68 383.88	3 769 472.36
L35	68 484.33	3 769 342.51	R35	68 282.68	3 769 440.45
L36	68 383.14	3 769 372.98	R36	68 092.88	3 769 353.93
L37	68 291.35	3 769 348.58	R37	68 013.82	3 769 306.07
L38	68 212.74	3 769 286.22	R38	67 958.96	3 769 272.85
L39	68 123.94	3 769 268.46	R39	67 916.56	3 769 247.68
L40	68 118.46	3 769 267.36	R40	67 874.51	3 769 196.51
L41	68 002.83	3 769 199.41	R41	67 835.21	3 769 186.15
L42	67 931.78	3 769 131.65	R42	67 814.90	3 769 141.66
L43	67 902.72	3 769 103.52	R43	67 626.22	3 768 968.84
L44	67 869.05	3 769 082.52	R44	67 624.23	3 768 967.03
L45	67 679.97	3 768 903.80	R45	67 569.59	3 768 965.43
L46	67 619.51	3 768 851.55	R46	67 534.00	3 768 910.68
L47	67 582.44	3 768 819.52	R47	67 528.54	3 768 902.28
L48	67 548.37	3 768 805.88	R48	67 513.53	3 768 890.48
L49	67 535.84	3 768 800.54	R49	67 492.13	3 768 861.56
L50	67 517.84	3 768 787.47	R50	67 437.12	3 768 853.42
L51	67 511.10	3 768 782.58	R51	67 319.88	3 768 848.99
			Vel Sheet	14 Van of 19	P1071/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 23°			Y	X		
L52	67 349.27	3 768 749.85		R52	67 294.71	3 768 848.04			
L53	67 313.62	3 768 756.33		R53	67 172.44	3 768 877.39			
L54	67 145.05	3 768 787.00		R54	67 069.22	3 768 874.90			
L55	67 071.80	3 768 774.36		R55	66 982.55	3 768 864.00			
L56	66 992.70	3 768 748.67		R56	66 878.29	3 768 828.08			
L57	66 880.69	3 768 638.19		R57	66 828.35	3 768 818.29			
L58	66 777.09	3 768 636.34		R58	66 801.89	3 768 848.28			
L59	66 741.10	3 768 603.70		R59	66 791.55	3 768 844.01			
L60	66 647.15	3 768 592.15		R60	66 730.49	3 768 844.91			
L61	66 586.10	3 768 594.01		R61	66 721.15	3 768 817.50			
L62	66 343.07	3 768 601.45		R62	66 705.91	3 768 794.58			
L63	66 338.38	3 768 644.00		R63	66 646.49	3 768 780.46			
L64	66 206.74	3 768 682.65		R64	66 595.00	3 768 770.44			
L65	66 083.48	3 768 743.02		R65	66 545.88	3 768 721.45			
L66	66 014.89	3 768 731.28		R66	66 525.37	3 768 707.46			
L67	65 923.16	3 768 739.76		R67	66 503.33	3 768 714.64			
L68	65 816.76	3 768 671.76		R68	66 483.72	3 768 732.46			
L69	65 763.23	3 768 625.31		R69	66 399.95	3 768 717.20			
L70	65 701.67	3 768 539.30		R70	66 298.04	3 768 781.64			
L71	65 657.78	3 768 443.47		R71	66 197.73	3 768 820.29			
L72	65 653.02	3 768 384.72		R72	66 113.97	3 768 849.39			
L73	65 631.38	3 768 247.38		R73	66 070.71	3 768 885.45			
L74	65 620.16	3 768 185.21		R74	66 004.47	3 768 904.15			
L75	65 605.34	3 768 124.19		R75	65 997.41	3 768 900.77			
L76	65 593.31	3 768 086.72		R76	65 986.43	3 768 906.98			
L77	65 586.06	3 768 064.10		R77	65 992.57	3 768 908.32			
L78	65 563.07	3 768 005.20		R78	65 972.43	3 768 919.37			
L79	65 538.96	3 767 959.88		R79	65 956.28	3 768 918.75			
L80	65 523.42	3 767 930.67		R80	65 939.26	3 768 900.63			
L81	65 442.31	3 767 806.53		R81	65 943.49	3 768 900.19			
L82	65 407.84	3 767 765.01		R82	65 937.60	3 768 895.01			
L83	65 402.50	3 767 758.54		R83	65 892.73	3 768 829.37			
L84	65 340.13	3 767 700.79		R84	65 815.18	3 768 787.26			
L85	65 287.99	3 767 664.28		R85	65 722.93	3 768 726.88			
L86	65 103.11	3 767 561.23		R86	65 679.67	3 768 680.43			
L87	65 102.05	3 767 560.90		R87	65 635.62	3 768 625.78			
L88	64 891.49	3 767 495.49		R88	65 600.07	3 768 546.44			
L89	64 681.66	3 767 421.25		R89	65 590.65	3 768 525.41			
L90	64 644.14	3 767 407.97		R90	65 550.00	3 768 399.22			
L91	64 122.98	3 767 223.60		R91	65 553.39	3 768 335.22			
L92	64 033.13	3 767 191.78		R92	65 540.73	3 768 200.66			
L93	63 659.74	3 767 059.54		R93	65 515.77	3 768 108.88			
L94	63 506.81	3 766 994.30		R94	65 471.26	3 768 004.09			
L95	63 375.22	3 766 919.02		R95	65 410.77	3 767 907.71			
L96	63 374.14	3 766 918.49		R96	65 336.62	3 767 821.52			
L97	63 285.71	3 766 863.53		R97	65 236.90	3 767 734.02			
L98	63 282.52	3 766 831.49		R98	65 156.34	3 767 683.91			
L99	63 384.09	3 766 676.40		R99	65 099.09	3 767 666.06			
L100	63 354.85	3 766 664.16		R100	65 086.32	3 767 654.55			
L101	63 341.50	3 766 659.01		R101	65 056.77	3 767 644.47			
L102	63 312.76	3 766 709.84		R102	65 013.21	3 767 629.60			
					Vel Sheet	15	Van of	19	P1071/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L103	63 240.34	3	766 804.43		R103	64 997.88	3	767 627.19	
L104	63 211.06	3	766 826.46		R104	64 921.56	3	767 591.27	
L105	63 136.33	3	766 820.42		R105	64 915.59	3	767 589.15	
L106	63 092.68	3	766 820.28		R106	64 657.75	3	767 497.82	
L107	62 867.39	3	766 773.32		R107	64 107.25	3	767 302.85	
L108	62 667.06	3	766 706.50		R108	64 017.43	3	767 270.99	
L109	62 644.08	3	766 690.95		R109	63 782.82	3	767 187.55	
L110	62 596.78	3	766 661.27		R110	63 496.29	3	767 091.43	
L111	62 515.32	3	766 650.42		R111	63 317.71	3	767 050.81	
L112	62 388.31	3	766 597.57		R112	63 170.33	3	767 037.86	
L113	62 297.96	3	766 565.66		R113	63 126.48	3	767 050.15	
L114	61 931.52	3	766 435.88		R114	63 083.48	3	767 111.25	
L115	61 882.28	3	766 418.22		R115	63 045.64	3	767 094.85	
L116	61 793.54	3	766 396.91		R116	63 089.93	3	767 033.88	
L117	61 784.19	3	766 396.40		R117	63 084.35	3	767 005.33	
L118	61 708.78	3	766 392.26		R118	63 034.95	3	766 969.42	
L119	61 645.78	3	766 390.64		R119	62 972.03	3	766 934.75	
L120	61 362.02	3	766 393.01		R120	62 851.15	3	766 868.14	
L121	61 269.51	3	766 388.94		R121	62 699.58	3	766 803.48	
L122	61 107.77	3	766 381.82		R122	62 631.94	3	766 791.42	
L123	61 001.37	3	766 373.77		R123	62 601.87	3	766 786.06	
L124	60 886.15	3	766 368.56		R124	62 523.79	3	766 742.04	
L125	60 795.45	3	766 357.12		R125	62 350.88	3	766 692.20	
L126	60 769.26	3	766 353.71		R126	62 282.80	3	766 668.23	
L127	60 735.68	3	766 345.95		R127	61 906.83	3	766 535.08	
L128	60 709.72	3	766 345.16		R128	61 882.31	3	766 526.44	
L129	60 704.09	3	766 343.66		R129	61 773.37	3	766 499.10	
L130	60 627.70	3	766 323.36		R130	61 756.77	3	766 496.64	
L131	60 595.99	3	766 321.75		R131	61 728.12	3	766 492.39	
L132	60 338.02	3	766 308.72		R132	61 716.20	3	766 491.36	
L133	60 294.96	3	766 298.28		R133	61 607.87	3	766 486.50	
L134	60 138.01	3	766 215.51		R134	61 448.77	3	766 483.04	
L135	60 091.45	3	766 194.21		R135	61 396.17	3	766 478.07	
L136	60 050.13	3	766 192.32		R136	61 332.50	3	766 470.47	
L137	59 955.32	3	766 143.86		R137	61 304.30	3	766 470.66	
L138	59 811.93	3	766 120.86		R138	61 257.41	3	766 470.90	
L139	59 750.44	3	766 118.56		R139	61 216.07	3	766 471.11	
L140	59 711.11	3	766 110.74		R140	61 127.46	3	766 463.63	
L141	59 593.87	3	766 080.77		R141	61 001.91	3	766 465.04	
L142	59 478.70	3	766 064.47		R142	60 924.40	3	766 451.36	
L143	59 299.26	3	766 025.53		R143	60 855.19	3	766 447.80	
L144	59 253.37	3	766 020.25		R144	60 753.28	3	766 447.25	
L145	59 203.69	3	766 016.32		R145	60 757.04	3	766 459.17	
L146	59 172.44	3	766 013.84		R146	60 741.15	3	766 461.01	
L147	59 081.08	3	766 002.35		R147	60 725.29	3	766 462.84	
L148	59 052.19	3	766 004.60		R148	60 719.66	3	766 445.02	
L149	58 996.12	3	766 022.37		R149	60 599.74	3	766 421.45	
L150	58 976.23	3	766 031.96		R150	60 585.17	3	766 426.33	
L151	58 932.11	3	766 050.76		R151	60 575.72	3	766 424.87	
L152	58 913.59	3	766 054.24		R152	60 317.66	3	766 388.54	
L153	58 836.14	3	766 060.18		R153	60 190.61	3	766 347.26	
					Vel Sheet 16 Van of 19 P1071/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 23°			Y	X		
L154	58 760.58	3 766 057.23		R154	59 978.78	3 766 265.31			
L155	58 685.89	3 766 044.69		R155	59 872.68	3 766 231.84			
L156	58 641.62	3 766 031.89		R156	59 487.61	3 766 156.58			
L157	58 609.96	3 766 021.42		R157	59 302.33	3 766 119.14			
L158	58 560.01	3 765 999.46		R158	59 249.40	3 766 109.66			
L159	58 535.79	3 765 987.54		R159	59 228.40	3 766 105.90			
L160	58 512.36	3 765 974.13		R160	59 071.72	3 766 107.54			
L161	58 477.71	3 765 953.13		R161	58 907.56	3 766 136.31			
L162	58 171.38	3 765 756.73		R162	58 836.94	3 766 141.78			
L163	57 701.81	3 765 455.65		R163	58 751.44	3 766 138.55			
L164	57 560.37	3 765 365.38		R164	58 668.80	3 766 124.19			
L165	57 432.16	3 765 273.66		R165	58 626.99	3 766 112.09			
L166	57 347.45	3 765 209.90		R166	58 563.64	3 766 090.37			
L167	57 241.26	3 765 119.47		R167	58 503.51	3 766 064.70			
L168	57 239.79	3 765 093.40		R168	58 175.04	3 765 854.10			
L169	56 904.85	3 764 803.16		R169	57 551.60	3 765 454.27			
L170	56 855.67	3 764 821.44		R170	57 549.07	3 765 452.65			
L171	56 917.17	3 764 953.54		R171	57 453.08	3 765 396.46			
L172	56 874.34	3 764 970.63		R172	57 250.65	3 765 286.31			
L173	56 751.97	3 764 954.44		R173	57 243.33	3 765 396.61			
L174	56 620.40	3 764 924.59		R174	57 146.86	3 765 387.28			
L175	56 447.63	3 764 870.84		R175	57 099.37	3 765 382.69			
L176	56 433.80	3 764 866.57		R176	57 020.45	3 765 368.67			
L177	56 334.76	3 764 832.41		R177	56 919.36	3 765 227.77			
L178	56 285.10	3 764 808.83		R178	56 760.15	3 765 098.16			
L179	56 220.65	3 764 791.02		R179	56 653.46	3 765 036.02			
L180	56 189.56	3 764 779.62		R180	56 588.72	3 765 009.56			
L181	56 168.94	3 764 776.99		R181	56 501.49	3 764 973.76			
L182	56 056.93	3 764 741.17		R182	56 452.47	3 764 957.35			
L183	55 972.17	3 764 720.41		R183	56 357.33	3 764 927.33			
L184	55 887.72	3 764 709.47		R184	56 306.72	3 764 911.25			
L185	55 803.55	3 764 707.36		R185	56 227.90	3 764 885.42			
L186	55 791.72	3 764 706.11		R186	56 203.31	3 764 878.16			
L187	55 760.74	3 764 702.84		R187	56 098.40	3 764 839.23			
L188	55 702.69	3 764 718.00		R188	56 043.37	3 764 836.35			
L189	55 650.70	3 764 725.20		R189	55 943.80	3 764 811.67			
L190	55 639.91	3 764 727.11		R190	55 855.74	3 764 804.22			
L191	55 597.43	3 764 714.60		R191	55 804.67	3 764 803.18			
L192	55 439.95	3 764 743.09		R192	55 778.91	3 764 802.67			
L193	55 399.44	3 764 757.60		R193	55 738.00	3 764 807.11			
L194	55 362.98	3 764 770.79		R194	55 702.78	3 764 813.25			
L195	55 237.06	3 764 791.03		R195	55 654.78	3 764 823.39			
L196	55 205.01	3 764 795.74		R196	55 612.60	3 764 813.54			
L197	55 126.12	3 764 802.75		R197	55 459.07	3 764 865.08			
L198	55 046.59	3 764 813.80		R198	55 383.43	3 764 853.03			
L199	54 734.41	3 764 865.74		R199	55 116.32	3 764 918.26			
L200	54 618.55	3 764 866.19		R200	54 982.56	3 764 925.57			
L201	54 503.12	3 764 856.56		R201	54 822.40	3 764 938.34			
L202	54 423.99	3 764 843.82		R202	54 656.41	3 764 950.22			
L203	54 380.03	3 764 834.42		R203	54 533.52	3 764 943.58			
L204	54 156.45	3 764 787.74		R204	54 451.21	3 764 932.65			
Vel Sheet					17	Van of	19	P1071/18	