

DEPARTMENT OF TRANSPORT

NO. 455

25 MARCH 2019

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R54 SECTION 1**AMENDMENT OF DECLARATION No. 305 OF 2018.**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2018 by substituting paragraph A of the Schedule, being the descriptive declaration of the route from its junction with National Road N12 Section 17 east of Potchefstroom, up to the common cadastral boundary between the farms Elandsfontein 561-IQ and Patriotsfontein 588-IQ, with the accompanying sheets 1 to 12 of Plan No. P1082/18.

(National Road R54 Section 1: Potchefstroom – Elandsfontein 561-IQ/Patriotsfontein 588-IQ)

MINISTER OF TRANSPORT

25/02/2019

DEPARTEMENT VAN VERVOER

NO. 455

25 MAART 2019

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R54 SEKSIE 1

WYSIGING VAN VERKLARING No. 305 VAN 2018.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2018 deur paragraaf A van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad beginnende vanaf die aansluiting met Nasionale Pad N12 Seksie 17 oos van Potchefstroom, tot by die gemeenskaplike kadastrale grens tussen die plase Elandsfontein 561-IQ en Patriotsfontein 588-IQ, met bygaande velle 1 tot 12 van Plan No. P1082/18.


(Nasionale Pad R54 Seksie 1: Potchefstroom – Elandsfontein 561-IQ/Patriotsfontein 588-IQ)

MINISTER VAN VERVOER

28/02/2019








Vel
Sheet 3 of 12
Plan P1082/18

1
stadies padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R54
Seksie
Section





Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R54 of National Route
Vel Sheet 4 of 12	1	Plan P1082/18






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R54
of National Route

Val Sheet 6 of 12
Plan P1082/18





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R54 of National Route	1
Val Sheet 8 of 12 Plan P1082/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	-17 176.79	2	950 476.68		R1	-16 974.07	2	950 577.54	
L2	-17 133.74	2	950 514.68		R2	-17 063.53	2	950 567.06	
L3	-17 127.88	2	950 534.63		R3	-17 108.54	2	950 595.26	
L4	-17 144.92	2	950 576.90		R4	-17 138.69	2	950 630.98	
L5	-17 171.89	2	950 608.21		R5	-17 178.45	2	950 673.19	
L6	-17 214.74	2	950 648.08		R6	-17 272.87	2	950 721.96	
L7	-17 281.53	2	950 683.10		R7	-17 309.50	2	950 730.94	
L8	-17 382.37	2	950 696.18		R8	-17 385.77	2	950 733.88	
L9	-18 173.96	2	950 626.70		R9	-17 595.46	2	950 715.48	
L10	-18 320.64	2	950 613.48		R10	-17 893.78	2	950 689.11	
L11	-18 541.36	2	950 594.11		R11	-18 193.64	2	950 662.41	
L12	-18 597.67	2	950 588.83		R12	-18 202.91	2	950 661.16	
L13	-18 922.62	2	950 560.21		R13	-18 469.66	2	950 637.97	
L14	-18 981.22	2	950 555.34		R14	-18 570.33	2	950 628.79	
L15	-19 206.06	2	950 534.79		R15	-18 746.71	2	950 613.45	
L16	-19 456.90	2	950 512.58		R16	-19 009.45	2	950 590.11	
L17	-19 557.76	2	950 503.76		R17	-19 408.35	2	950 555.11	
L18	-19 602.62	2	950 499.84		R18	-19 482.68	2	950 548.55	
L19	-19 825.69	2	950 480.34		R19	-19 547.64	2	950 542.81	
L20	-20 032.03	2	950 461.91		R20	-19 615.65	2	950 536.81	
L21	-21 138.78	2	950 364.06		R21	-19 887.20	2	950 512.76	
L22	-21 285.97	2	950 351.47		R22	-20 071.03	2	950 496.60	
L23	-21 527.55	2	950 330.08		R23	-20 106.06	2	950 493.52	
L24	-21 816.59	2	950 304.67		R24	-20 317.20	2	950 474.74	
L25	-22 144.35	2	950 275.74		R25	-20 628.25	2	950 447.20	
L26	-22 438.40	2	950 249.47		R26	-20 921.75	2	950 420.97	
L27	-23 258.93	2	950 176.84		R27	-21 163.17	2	950 399.76	
L28	-23 409.76	2	950 163.48		R28	-21 236.82	2	950 393.29	
L29	-24 376.74	2	950 077.29		R29	-21 532.63	2	950 367.74	
L30	-24 407.99	2	950 073.77		R30	-21 892.70	2	950 335.77	
L31	-24 411.83	2	950 073.15		R31	-22 199.61	2	950 308.30	
L32	-24 497.11	2	950 059.33		R32	-23 215.81	2	950 218.40	
L33	-24 585.30	2	950 039.42		R33	-23 433.59	2	950 199.14	
L34	-24 671.90	2	950 014.48		R34	-24 400.00	2	950 113.67	
L35	-24 709.57	2	950 001.19		R35	-24 444.42	2	950 109.74	
L36	-24 757.54	2	949 984.27		R36	-24 555.52	2	950 099.53	
L37	-24 913.94	2	949 926.37		R37	-24 650.76	2	950 064.14	
L38	-25 081.19	2	949 864.52		R38	-24 930.13	2	949 960.49	
L39	-25 307.92	2	949 780.64		R39	-24 979.20	2	949 942.28	
L40	-25 329.67	2	949 772.59		R40	-25 345.87	2	949 806.73	
L41	-25 575.21	2	949 681.74		R41	-25 526.02	2	949 740.13	
L42	-25 761.92	2	949 612.69		R42	-25 778.13	2	949 646.86	
L43	-25 825.12	2	949 589.27		R43	-26 130.50	2	949 516.49	
L44	-26 213.23	2	949 445.70		R44	-26 229.49	2	949 479.83	
L45	-26 686.46	2	949 270.68		R45	-26 386.72	2	949 421.60	
L46	-26 838.43	2	949 214.44		R46	-26 702.62	2	949 304.75	
L47	-26 923.74	2	949 183.89		R47	-26 850.46	2	949 250.06	
L48	-27 161.50	2	949 095.85		R48	-26 935.55	2	949 218.58	
L49	-27 429.59	2	948 995.64		R49	-27 254.55	2	949 100.78	
L50	-27 632.29	2	948 920.66		R50	-27 523.97	2	949 000.86	
L51	-28 027.92	2	948 775.85		R51	-27 783.35	2	948 904.68	
					Vel 9 Van 12 Sheet of P1082/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L52	-28 061.63	2 948 763.51		R52	-28 039.76 2 948 810.19
L53	-28 302.54	2 948 672.78		R53	-28 076.37 2 948 796.70
L54	-28 319.79	2 948 666.51		R54	-28 336.29 2 948 700.44
L55	-28 568.56	2 948 576.05		R55	-28 363.23 2 948 690.47
L56	-28 873.07	2 948 463.64		R56	-28 688.35 2 948 570.28
L57	-28 943.99	2 948 437.30		R57	-28 959.83 2 948 469.81
L58	-29 146.08	2 948 362.23		R58	-28 974.62 2 948 464.33
L59	-29 429.73	2 948 257.26		R59	-29 260.78 2 948 358.62
L60	-29 695.43	2 948 160.10		R60	-29 507.92 2 948 266.97
L61	-29 782.40	2 948 126.21		R61	-29 797.62 2 948 159.73
L62	-29 797.42	2 948 119.46		R62	-30 380.48 2 947 944.29
L63	-30 367.54	2 947 909.22		R63	-30 914.38 2 947 746.84
L64	-31 494.50	2 947 489.50		R64	-31 421.67 2 947 555.92
L65	-31 627.84	2 947 440.92		R65	-31 475.12 2 947 536.65
L66	-32 956.55	2 946 949.58		R66	-31 623.62 2 947 483.11
L67	-33 754.95	2 946 654.28		R67	-31 769.27 2 947 430.60
L68	-34 849.42	2 946 248.98		R68	-32 918.53 2 947 004.95
L69	-35 442.66	2 946 029.09		R69	-33 714.70 2 946 710.21
L70	-35 784.37	2 945 904.82		R70	-34 856.64 2 946 286.74
L71	-37 501.90	2 945 269.65		R71	-35 449.88 2 946 066.86
L72	-38 191.93	2 945 003.83		R72	-35 831.43 2 945 924.99
L73	-38 199.95	2 945 011.36		R73	-36 375.28 2 945 723.61
L74	-38 555.55	2 944 897.98		R74	-36 943.17 2 945 512.64
L75	-38 959.70	2 944 773.19		R75	-37 513.82 2 945 301.81
L76	-40 017.47	2 944 449.81		R76	-38 111.64 2 945 080.32
L77	-40 348.87	2 944 348.19		R77	-38 231.72 2 945 041.22
L78	-40 430.83	2 944 326.08		R78	-38 447.47 2 944 970.96
L79	-40 519.95	2 944 308.68		R79	-38 736.10 2 944 882.28
L80	-40 614.22	2 944 297.38		R80	-39 312.61 2 944 705.77
L81	-40 650.82	2 944 295.78		R81	-39 782.88 2 944 561.42
L82	-40 780.96	2 944 296.82		R82	-40 050.09 2 944 480.72
L83	-40 933.29	2 944 315.94		R83	-40 256.06 2 944 416.63
L84	-41 490.51	2 944 416.90		R84	-40 440.91 2 944 363.01
L85	-41 891.38	2 944 490.47		R85	-40 530.24 2 944 345.99
L86	-41 940.82	2 944 499.53		R86	-40 615.51 2 944 336.34
L87	-41 996.66	2 944 509.79		R87	-40 662.30 2 944 334.07
L88	-42 003.67	2 944 491.29		R88	-40 782.64 2 944 334.52
L89	-42 041.14	2 944 498.17		R89	-40 930.71 2 944 352.44
L90	-42 034.04	2 944 516.87		R90	-41 036.76 2 944 371.63
L91	-42 884.37	2 944 673.00		R91	-41 664.99 2 944 487.10
L92	-43 834.06	2 944 847.44		R92	-41 956.08 2 944 540.75
L93	-44 380.45	2 944 948.08		R93	-41 974.60 2 944 564.40
L94	-44 896.21	2 945 042.44		R94	-41 982.14 2 944 578.64
L95	-45 455.40	2 945 145.68		R95	-42 038.72 2 944 589.03
L96	-46 028.57	2 945 250.75		R96	-42 041.59 2 944 556.36
L97	-46 084.24	2 945 260.75		R97	-42 172.96 2 944 580.33
L98	-46 358.19	2 945 311.10		R98	-42 851.39 2 944 705.15
L99	-46 680.15	2 945 370.28		R99	-43 446.74 2 944 814.23
L100	-46 753.39	2 945 383.75		R100	-44 001.50 2 944 916.52
L101	-46 853.82	2 945 402.12		R101	-44 583.29 2 945 023.13
L102	-46 955.21	2 945 425.01		R102	-45 223.61 2 945 140.86
			Vel Sheet	10 Van of 12	P1082/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L103	-47 037.81	2 945 443.69		R103	-46 011.45	2 945 285.84			
L104	-47 278.85	2 945 508.50		R104	-46 079.74	2 945 298.40			
L105	-47 816.20	2 945 653.72		R105	-46 346.38	2 945 347.13			
L106	-48 134.80	2 945 740.91		R106	-46 614.65	2 945 396.33			
L107	-48 582.72	2 945 860.38		R107	-46 667.16	2 945 406.03			
L108	-48 730.99	2 945 900.46		R108	-46 847.99	2 945 439.41			
L109	-49 017.78	2 945 975.40		R109	-47 028.33	2 945 480.18			
L110	-49 212.62	2 946 025.74		R110	-47 265.15	2 945 552.32			
L111	-49 783.85	2 946 133.92		R111	-47 796.18	2 945 695.01			
L112	-50 346.02	2 946 239.58		R112	-48 305.80	2 945 832.55			
L113	-50 516.88	2 946 271.72		R113	-48 565.99	2 945 896.63			
L114	-50 534.41	2 946 274.63		R114	-48 642.93	2 945 915.19			
L115	-50 582.31	2 946 280.74		R115	-48 645.27	2 945 915.77			
L116	-50 684.26	2 946 286.44		R116	-48 885.71	2 945 979.78			
L117	-51 193.97	2 946 316.88		R117	-49 206.18	2 946 063.13			
L118	-51 359.35	2 946 326.62		R118	-49 277.75	2 946 076.68			
L119	-51 362.24	2 946 326.99		R119	-49 902.41	2 946 194.71			
L120	-51 389.90	2 946 329.12		R120	-50 179.49	2 946 246.46			
L121	-51 694.41	2 946 350.39		R121	-50 325.16	2 946 274.24			
L122	-51 737.03	2 946 357.19		R122	-50 526.74	2 946 312.02			
L123	-51 810.04	2 946 372.83		R123	-50 576.70	2 946 321.49			
L124	-51 816.81	2 946 371.56		R124	-50 687.11	2 946 327.09			
L125	-51 891.65	2 946 390.31		R125	-51 175.73	2 946 353.68			
L126	-51 993.96	2 946 425.53		R126	-51 374.30	2 946 360.66			
L127	-52 025.02	2 946 439.50		R127	-51 421.93	2 946 362.93			
L128	-52 163.83	2 946 506.56		R128	-51 686.42	2 946 384.43			
L129	-52 258.06	2 946 552.77		R129	-51 714.79	2 946 390.57			
L130	-52 385.27	2 946 601.13		R130	-51 888.77	2 946 428.19			
L131	-52 452.71	2 946 622.53		R131	-51 995.76	2 946 469.03			
L132	-52 613.57	2 946 654.63		R132	-52 211.30	2 946 572.86			
L133	-52 703.47	2 946 662.62		R133	-52 267.45	2 946 597.12			
L134	-52 891.48	2 946 657.70		R134	-52 366.76	2 946 635.24			
L135	-53 205.86	2 946 624.83		R135	-52 388.64	2 946 642.08			
L136	-53 540.10	2 946 589.67		R136	-52 443.88	2 946 659.42			
L137	-53 790.93	2 946 562.09		R137	-52 518.70	2 946 676.79			
L138	-53 874.31	2 946 549.02		R138	-52 572.50	2 946 685.81			
L139	-54 021.66	2 946 514.94		R139	-52 703.39	2 946 700.38			
L140	-54 175.84	2 946 466.08		R140	-52 794.38	2 946 701.94			
L141	-54 249.25	2 946 437.02		R141	-52 839.03	2 946 699.61			
L142	-54 392.22	2 946 369.35		R142	-53 021.14	2 946 682.19			
L143	-54 528.07	2 946 294.54		R143	-53 186.21	2 946 664.53			
L144	-54 605.89	2 946 251.69		R144	-53 493.14	2 946 632.94			
L145	-54 712.90	2 946 192.91		R145	-53 766.43	2 946 603.61			
L146	-54 794.32	2 946 153.06		R146	-53 857.32	2 946 590.38			
L147	-54 868.61	2 946 122.34		R147	-54 049.83	2 946 547.30			
L148	-54 907.37	2 946 108.96		R148	-54 125.79	2 946 523.19			
L149	-54 944.01	2 946 097.11		R149	-54 234.85	2 946 484.00			
L150	-55 045.73	2 946 071.11		R150	-54 313.23	2 946 450.27			
L151	-55 165.84	2 946 052.72		R151	-54 409.16	2 946 403.04			
L152	-55 172.73	2 946 052.17		R152	-54 457.55	2 946 376.43			
L153	-55 230.55	2 946 047.53		R153	-54 572.07	2 946 313.41			
Vel Sheet 11					Van of 12		P1082/18		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-55	324.18	2	946 046.03	R154	-54	730.25	2	946 226.35
L155	-55	412.44	2	946 050.89	R155	-54	812.22	2	946 186.28
L156	-55	747.33	2	946 082.45	R156	-54	881.53	2	946 157.82
L157	-56	032.27	2	946 108.97	R157	-54	936.77	2	946 138.93
L158	-56	334.83	2	946 137.34	R158	-54	993.62	2	946 122.61
L159	-56	355.00	2	946 139.82	R159	-55	052.42	2	946 108.29
L160	-56	402.67	2	946 145.69	R160	-55	110.46	2	946 097.93
L161	-56	461.90	2	946 156.83	R161	-55	171.77	2	946 089.96
L162	-56	496.10	2	946 165.28	R162	-55	231.84	2	946 085.27
L163	-56	579.49	2	946 185.87	R163	-55	321.72	2	946 083.78
L164	-56	592.59	2	946 189.10	R164	-55	411.30	2	946 088.71
L165	-56	844.39	2	946 254.47	R165	-55	509.06	2	946 097.50
L166	-57	154.27	2	946 334.64	R166	-56	101.31	2	946 152.83
L167	-57	222.47	2	946 352.44	R167	-56	336.00	2	946 174.95
					R168	-56	457.11	2	946 194.07
					R169	-56	559.47	2	946 219.34
					R170	-56	716.06	2	946 260.17
					R171	-56	992.75	2	946 331.38
					R172	-57	213.70	2	946 388.61