

DEPARTMENT OF TRANSPORT

NO. 459

25 MARCH 2019

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N14 SECTION 12

AMENDMENT OF DECLARATION No's. 918 OF 2010 AND 566 OF 2009

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend **(I)** Declaration No. 918 of 2010 in its entirety and **(II)** Declaration No. 566 of 2009 from its start up to a line just west of point R43, on sheet 2 of Plan No. P705/08, by substituting all sheets of the affected Plans with the accompanying sheets 1 to 22 of Plan No. P1075/18.

(National Road N14 Section 12: Coligny – Ventersdorp)

MINISTER OF TRANSPORT

23/02/2019

DEPARTEMENT VAN VERVOER

NO. 459

25 MAART 2019

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N14 SEKSIE 12

WYSIGING VAN VERKLARING No's. 918 VAN 2010 EN 566 VAN 2009


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No.7 van 1998), wysig ek hiermee (I) Verklaring No. 918 van 2010 in sy geheel en (II) Verklaring No. 566 van 2009 vanaf die begin tot by 'n lyn net wes van punt R43 op vel 2 van Plan No. P705/08, deur alle velle van die geaffekteerde Planne te vervang met meegaande velle 1 tot 22 van Plan No. P1075/18.


(Nasionale Pad N14 Seksie 12: Coligny – Ventersdorp)




MINISTER VAN VERVOER


25/02/2019






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N14 of National Route	12 12	Vel Sheet 2 of 22 Plan P1075/18
---	---------------------------------------	---	---	----------	---







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N14
of National Route N14

Vel
Sheet 5 of 22

Plan
P1075/18

12

Seksie
Section



Die Suid-Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N14
of National Route

12

Val
Sheet 6 of 22
Plan P1075/18



Vel
Sheet 7 van 22

Plan
P1075/18


12

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N14 Seksie
of National Route Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd







Vel
Sheet 10 of 22
Plan P1075/18


12


stiel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N14
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown





steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N14
of National Route of National Route

12

Vel van 22
Sheet 12 of
Plan P1075/18







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N14 of National Route	12 Sektie Section	Vel 15 van 22 Sheet of	Plan P1075/18
---	---------------------------------------	---	---	-------------------------	---------------------------	---------------

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L1	70 732.83	2 913 209.85	R1	70 764.40	2 913 228.60
L2	70 721.83	2 913 233.04	R2	70 678.05	2 913 410.37
L3	70 703.75	2 913 271.17	R3	70 601.89	2 913 570.66
L4	70 642.11	2 913 421.52	R4	70 421.16	2 913 951.08
L5	70 629.67	2 913 451.81	R5	70 369.85	2 914 038.27
L6	70 607.50	2 913 464.89	R6	70 338.77	2 914 090.91
L7	70 591.27	2 913 499.12	R7	70 272.90	2 914 171.16
L8	70 400.91	2 913 900.60	R8	70 213.89	2 914 227.41
L9	70 347.27	2 913 999.54	R9	70 138.50	2 914 294.43
L10	70 316.38	2 914 043.34	R10	70 114.58	2 914 314.37
L11	70 275.04	2 914 092.96	R11	69 824.41	2 914 540.76
L12	70 241.54	2 914 129.01	R12	69 806.96	2 914 554.38
L13	70 094.89	2 914 254.66	R13	69 570.35	2 914 749.66
L14	70 071.02	2 914 274.55	R14	69 461.45	2 914 833.35
L15	69 855.76	2 914 465.62	R15	69 277.08	2 914 944.17
L16	69 505.78	2 914 753.91	R16	69 244.48	2 914 960.65
L17	69 438.44	2 914 800.54	R17	69 151.55	2 915 002.62
L18	69 321.82	2 914 872.01	R18	69 056.95	2 915 038.22
L19	69 276.69	2 914 899.67	R19	68 959.84	2 915 067.92
L20	69 200.00	2 914 937.42	R20	68 850.50	2 915 093.62
L21	69 119.46	2 914 971.93	R21	68 808.23	2 915 101.66
L22	69 024.90	2 915 006.36	R22	68 661.72	2 915 120.27
L23	68 912.49	2 915 038.14	R23	68 540.44	2 915 125.57
L24	68 813.58	2 915 060.43	R24	68 438.82	2 915 122.76
L25	68 710.07	2 915 077.00	R25	68 331.90	2 915 112.73
L26	68 539.41	2 915 085.30	R26	68 237.45	2 915 098.60
L27	68 460.65	2 915 083.89	R27	68 159.52	2 915 082.05
L28	68 376.41	2 915 077.83	R28	68 084.88	2 915 062.30
L29	68 360.50	2 915 076.68	R29	67 963.92	2 915 022.26
L30	68 245.14	2 915 059.23	R30	67 872.29	2 914 984.66
L31	68 167.30	2 915 042.53	R31	67 771.24	2 914 935.44
L32	68 073.13	2 915 017.10	R32	67 677.87	2 914 885.65
L33	67 980.44	2 914 985.83	R33	67 326.95	2 914 698.51
L34	67 964.71	2 914 979.40	R34	67 145.25	2 914 601.61
L35	67 888.37	2 914 948.23	R35	67 043.46	2 914 545.96
L36	67 789.99	2 914 900.08	R36	66 937.10	2 914 477.00
L37	67 725.32	2 914 870.34	R37	66 831.18	2 914 394.69
L38	67 709.51	2 914 861.89	R38	66 737.78	2 914 309.47
L39	67 698.31	2 914 856.14	R39	66 640.19	2 914 201.07
L40	67 342.57	2 914 666.35	R40	66 515.24	2 914 045.85
L41	67 061.26	2 914 516.26	R41	66 433.98	2 913 960.25
L42	67 061.79	2 914 515.23	R42	66 359.66	2 913 895.96
L43	66 957.82	2 914 447.81	R43	66 264.07	2 913 829.02
L44	66 933.78	2 914 426.79	R44	66 159.54	2 913 771.48
L45	66 920.97	2 914 415.60	R45	66 055.78	2 913 728.09
L46	66 853.56	2 914 356.62	R46	65 956.39	2 913 697.85
L47	66 791.77	2 914 305.76	R47	65 860.51	2 913 678.11
L48	66 571.32	2 914 051.19	R48	65 763.46	2 913 667.32
L49	66 482.82	2 913 954.82	R49	65 675.73	2 913 664.12
L50	66 423.55	2 913 896.17	R50	65 061.57	2 913 653.75
L51	66 381.56	2 913 861.60	R51	64 478.53	2 913 644.59
			Vel Sheet 16	Van of 22	P1075/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	66 321.69	2 913 818.30		R52	64 259.72	2 913 641.19
L53	66 232.91	2 913 763.95		R53	63 961.04	2 913 636.21
L54	66 152.59	2 913 723.86		R54	63 911.00	2 913 635.06
L55	66 076.44	2 913 692.95		R55	63 761.51	2 913 632.30
L56	65 986.08	2 913 663.98		R56	63 651.47	2 913 634.76
L57	65 885.20	2 913 641.29		R57	63 650.20	2 913 634.89
L58	65 723.73	2 913 624.90		R58	63 520.20	2 913 648.70
L59	65 096.80	2 913 614.34		R59	63 440.78	2 913 662.04
L60	64 473.45	2 913 604.36		R60	63 270.25	2 913 708.37
L61	63 977.78	2 913 596.52		R61	63 198.83	2 913 734.12
L62	63 914.18	2 913 595.52		R62	63 124.35	2 913 765.96
L63	63 764.84	2 913 592.98		R63	63 036.79	2 913 809.02
L64	63 683.84	2 913 593.54		R64	62 959.19	2 913 853.44
L65	63 598.90	2 913 599.35		R65	62 396.09	2 914 200.83
L66	63 598.04	2 913 599.48		R66	62 233.26	2 914 301.08
L67	63 437.63	2 913 622.72		R67	62 046.41	2 914 416.12
L68	63 312.95	2 913 653.18		R68	61 923.14	2 914 492.01
L69	63 212.80	2 913 686.25		R69	61 766.55	2 914 588.62
L70	63 104.60	2 913 730.95		R70	61 655.25	2 914 657.28
L71	63 017.25	2 913 774.29		R71	61 373.04	2 914 831.39
L72	62 947.14	2 913 812.82		R72	61 302.17	2 914 875.11
L73	62 585.25	2 914 036.88		R73	61 295.68	2 914 879.11
L74	62 378.97	2 914 164.60		R74	61 068.03	2 915 019.47
L75	62 214.77	2 914 265.77		R75	60 940.01	2 915 098.40
L76	62 028.68	2 914 380.43		R76	60 727.29	2 915 229.34
L77	61 838.28	2 914 497.75		R77	60 665.40	2 915 263.31
L78	61 751.21	2 914 551.41		R78	60 594.71	2 915 295.23
L79	61 636.73	2 914 621.96		R79	60 523.29	2 915 321.52
L80	61 355.92	2 914 795.03		R80	60 437.44	2 915 344.61
L81	61 286.83	2 914 837.61		R81	60 355.43	2 915 360.66
L82	61 278.62	2 914 842.68		R82	60 242.23	2 915 370.59
L83	61 045.75	2 914 986.41		R83	60 187.94	2 915 371.68
L84	60 924.26	2 915 061.39		R84	60 105.27	2 915 367.04
L85	60 708.69	2 915 194.35		R85	60 007.33	2 915 351.00
L86	60 646.85	2 915 227.90		R86	59 933.90	2 915 333.68
L87	60 579.40	2 915 258.33		R87	59 522.83	2 915 230.50
L88	60 511.01	2 915 283.45		R88	59 100.62	2 915 123.64
L89	60 435.56	2 915 304.48		R89	58 531.83	2 914 979.61
L90	60 351.35	2 915 320.75		R90	58 509.76	2 914 974.06
L91	60 277.38	2 915 325.63		R91	58 328.04	2 914 928.30
L92	60 192.07	2 915 331.12		R92	58 132.83	2 914 879.16
L93	60 110.12	2 915 326.48		R93	57 991.65	2 914 843.62
L94	60 015.40	2 915 312.08		R94	57 883.65	2 914 817.80
L95	59 946.82	2 915 296.06		R95	57 704.86	2 914 775.05
L96	59 531.50	2 915 191.19		R96	57 485.43	2 914 730.31
L97	59 113.11	2 915 085.61		R97	56 851.64	2 914 611.19
L98	58 550.92	2 914 943.88		R98	56 319.78	2 914 510.82
L99	58 529.06	2 914 938.36		R99	55 662.50	2 914 386.68
L100	58 350.27	2 914 893.27		R100	55 503.33	2 914 356.76
L101	58 158.23	2 914 844.84		R101	55 073.51	2 914 275.98
L102	57 999.95	2 914 804.92		R102	54 806.52	2 914 225.60
				Vel Sheet	17 Van of 22	P1075/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	57 911.45	2 914 783.62		R103	54 706.01	2 914 206.64
L104	57 714.24	2 914 736.16		R104	54 089.21	2 914 094.30
L105	57 643.66	2 914 721.41		R105	53 497.17	2 913 998.91
L106	57 590.85	2 914 710.38		R106	52 964.94	2 913 913.20
L107	56 857.95	2 914 571.59		R107	52 436.01	2 913 828.58
L108	56 325.92	2 914 471.31		R108	52 286.18	2 913 791.40
L109	55 794.71	2 914 371.42		R109	52 205.75	2 913 761.50
L110	55 081.13	2 914 237.41		R110	52 082.22	2 913 701.54
L111	54 827.87	2 914 189.41		R111	52 048.96	2 913 685.39
L112	54 707.88	2 914 166.67		R112	51 719.50	2 913 522.40
L113	54 096.22	2 914 054.92		R113	51 557.59	2 913 450.56
L114	53 501.96	2 913 960.03		R114	51 555.37	2 913 449.84
L115	53 149.36	2 913 903.12		R115	51 372.93	2 913 390.76
L116	53 136.71	2 913 901.08		R116	51 307.18	2 913 374.72
L117	53 042.00	2 913 885.80		R117	51 302.75	2 913 374.05
L118	53 026.09	2 913 882.60		R118	51 057.77	2 913 336.82
L119	52 409.80	2 913 783.10		R119	50 519.78	2 913 268.08
L120	52 302.02	2 913 754.57		R120	50 478.80	2 913 262.84
L121	52 121.67	2 913 676.51		R121	50 370.67	2 913 249.10
L122	52 087.75	2 913 660.14		R122	49 999.16	2 913 201.89
L123	51 733.89	2 913 484.99		R123	49 858.03	2 913 168.39
L124	51 506.34	2 913 388.94		R124	49 717.07	2 913 113.09
L125	51 371.18	2 913 349.22		R125	49 638.88	2 913 073.33
L126	51 324.82	2 913 335.54		R126	49 515.21	2 912 987.79
L127	51 239.31	2 913 321.20		R127	49 292.69	2 912 827.04
L128	51 047.91	2 913 295.88		R128	49 259.44	2 912 803.02
L129	50 952.56	2 913 283.26		R129	49 227.63	2 912 780.04
L130	50 494.65	2 913 224.56		R130	49 067.66	2 912 664.47
L131	50 024.00	2 913 164.30		R131	48 594.67	2 912 323.16
L132	49 869.79	2 913 130.11		R132	48 419.72	2 912 198.35
L133	49 740.82	2 913 080.05		R133	48 224.06	2 912 094.69
L134	49 654.72	2 913 034.36		R134	48 143.66	2 912 064.62
L135	49 547.81	2 912 961.95		R135	48 011.12	2 912 029.49
L136	49 308.96	2 912 789.39		R136	47 989.61	2 912 023.79
L137	49 092.57	2 912 633.06		R137	47 883.08	2 912 008.17
L138	48 617.17	2 912 290.07		R138	47 822.48	2 912 004.00
L139	48 410.41	2 912 144.83		R139	47 783.32	2 912 002.51
L140	48 276.29	2 912 073.67		R140	47 664.13	2 912 006.72
L141	48 171.51	2 912 031.69		R141	47 547.41	2 912 022.06
L142	48 045.81	2 911 995.31		R142	46 771.81	2 912 176.29
L143	48 043.09	2 911 994.52		R143	46 314.96	2 912 267.27
L144	47 924.79	2 911 973.25		R144	46 281.31	2 912 273.97
L145	47 852.02	2 911 967.58		R145	46 149.94	2 912 303.91
L146	47 716.03	2 911 963.18		R146	46 059.24	2 912 328.65
L147	47 626.85	2 911 969.73		R147	45 966.22	2 912 358.49
L148	47 491.59	2 911 992.64		R148	45 871.91	2 912 392.89
L149	46 776.62	2 912 134.60		R149	45 781.16	2 912 429.86
L150	46 274.47	2 912 234.73		R150	45 750.89	2 912 442.94
L151	46 050.35	2 912 289.95		R151	45 655.29	2 912 484.23
L152	45 953.87	2 912 320.76		R152	45 629.48	2 912 495.38
L153	45 920.50	2 912 332.86		R153	45 430.20	2 912 581.47
Vel Sheet 18				Van of 22		P1075/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L154	45 859.16	2 912 355.09		R154	45 081.68	2 912 732.08
L155	45 766.36	2 912 392.76		R155	44 552.94	2 912 960.38
L156	45 693.40	2 912 424.53		R156	44 353.41	2 913 048.03
L157	45 667.51	2 912 435.81		R157	44 086.05	2 913 165.47
L158	45 401.26	2 912 551.74		R158	43 448.64	2 913 446.84
L159	45 068.91	2 912 694.05		R159	42 885.57	2 913 695.38
L160	44 537.75	2 912 923.37		R160	42 746.21	2 913 757.02
L161	44 361.59	2 913 000.85		R161	42 416.22	2 913 902.98
L162	44 072.25	2 913 128.10		R162	41 837.29	2 914 157.42
L163	43 433.07	2 913 410.18		R163	41 633.43	2 914 247.72
L164	42 869.50	2 913 658.37		R164	41 533.73	2 914 290.07
L165	42 443.77	2 913 846.84		R165	41 378.25	2 914 348.98
L166	41 803.93	2 914 129.10		R166	41 324.58	2 914 367.37
L167	41 616.44	2 914 211.96		R167	41 170.67	2 914 414.75
L168	41 358.97	2 914 313.61		R168	40 376.68	2 914 639.52
L169	41 160.67	2 914 376.16		R169	40 242.11	2 914 677.94
L170	40 366.45	2 914 601.18		R170	40 033.22	2 914 742.33
L171	40 230.92	2 914 639.65		R171	39 930.41	2 914 777.40
L172	40 077.05	2 914 685.82		R172	39 801.41	2 914 825.24
L173	39 782.03	2 914 789.91		R173	39 441.16	2 914 965.96
L174	39 425.67	2 914 929.26		R174	39 340.08	2 914 999.64
L175	39 327.09	2 914 961.78		R175	39 178.58	2 915 030.58
L176	39 231.79	2 914 982.91		R176	39 094.81	2 915 037.39
L177	39 103.15	2 914 998.26		R177	39 034.35	2 915 036.16
L178	39 035.03	2 914 996.23		R178	38 890.65	2 915 021.08
L179	38 896.88	2 914 981.62		R179	38 782.25	2 914 995.75
L180	38 792.04	2 914 956.87		R180	38 714.78	2 914 973.44
L181	38 663.53	2 914 909.07		R181	38 607.57	2 914 927.61
L182	38 457.13	2 914 815.35		R182	38 451.80	2 914 856.90
L183	38 229.05	2 914 711.92		R183	38 225.46	2 914 754.33
L184	37 992.85	2 914 604.75		R184	37 977.06	2 914 641.49
L185	37 847.54	2 914 545.29		R185	37 834.11	2 914 583.08
L186	37 698.46	2 914 497.87		R186	37 688.12	2 914 536.41
L187	37 546.20	2 914 461.75		R187	37 538.92	2 914 501.14
L188	37 489.75	2 914 451.52		R188	37 478.90	2 914 490.26
L189	37 391.83	2 914 437.57		R189	37 387.71	2 914 477.37
L190	37 258.83	2 914 426.63		R190	37 244.32	2 914 465.92
L191	37 056.91	2 914 418.45		R191	37 114.76	2 914 459.49
L192	36 773.91	2 914 406.86		R192	36 688.43	2 914 437.76
L193	36 722.12	2 914 400.87		R193	36 475.81	2 914 427.68
L194	36 488.36	2 914 389.14		R194	36 320.87	2 914 420.05
L195	36 326.47	2 914 380.96		R195	36 069.56	2 914 407.40
L196	36 022.31	2 914 365.99		R196	35 962.67	2 914 404.92
L197	35 956.82	2 914 365.16		R197	35 862.83	2 914 407.20
L198	35 860.19	2 914 366.78		R198	35 763.71	2 914 412.93
L199	35 758.45	2 914 373.24		R199	35 664.13	2 914 424.13
L200	35 656.34	2 914 384.80		R200	35 529.06	2 914 446.60
L201	35 520.24	2 914 407.69		R201	35 432.36	2 914 468.07
L202	35 420.86	2 914 429.86		R202	35 336.86	2 914 493.37
L203	35 324.36	2 914 455.28		R203	35 241.37	2 914 523.46
L204	35 228.05	2 914 485.72		R204	35 150.64	2 914 556.61
Vel Sheet 19				Van of 22		P1075/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L205	35 136.55	2 914 519.08		R205	34 794.12	2 914 694.97
L206	34 779.38	2 914 657.77		R206	34 178.74	2 914 934.27
L207	34 247.44	2 914 864.70		R207	33 658.36	2 915 136.08
L208	33 644.16	2 915 099.25		R208	33 115.74	2 915 347.19
L209	33 210.08	2 915 268.10		R209	33 019.66	2 915 378.98
L210	33 106.24	2 915 306.13		R210	32 922.47	2 915 405.38
L211	33 008.39	2 915 340.65		R211	32 790.82	2 915 431.81
L212	32 912.96	2 915 366.52		R212	32 724.00	2 915 440.69
L213	32 819.06	2 915 385.94		R213	32 715.22	2 915 441.49
L214	32 718.52	2 915 401.10		R214	32 622.65	2 915 449.95
L215	32 541.19	2 915 413.46		R215	32 522.08	2 915 454.31
L216	32 442.41	2 915 412.42		R216	32 341.11	2 915 446.51
L217	32 342.54	2 915 405.84		R217	31 722.56	2 915 387.29
L218	29 007.26	2 915 086.75		R218	31 119.78	2 915 329.13
L219	28 534.99	2 915 041.08		R219	30 645.32	2 915 283.53
L220	28 134.56	2 915 002.77		R220	29 924.82	2 915 214.38
L221	27 539.66	2 914 945.78		R221	29 328.19	2 915 157.30
L222	27 459.69	2 914 938.00		R222	28 961.09	2 915 122.18
L223	27 434.82	2 914 931.75		R223	28 531.23	2 915 081.06
L224	27 420.54	2 914 928.16		R224	28 135.10	2 915 042.90
L225	27 338.97	2 914 925.45		R225	27 535.91	2 914 985.48
L226	27 298.80	2 914 922.71		R226	27 453.19	2 914 977.38
L227	26 907.84	2 914 885.06		R227	27 432.20	2 914 978.69
L228	26 807.19	2 914 872.52		R228	27 414.43	2 914 979.79
L229	26 649.75	2 914 844.92		R229	27 375.50	2 914 973.25
L230	26 552.91	2 914 818.97		R230	27 297.38	2 914 962.66
L231	26 367.08	2 914 752.15		R231	26 885.24	2 914 923.11
L232	26 287.74	2 914 716.18		R232	26 829.53	2 914 915.91
L233	26 008.87	2 914 577.22		R233	26 715.79	2 914 900.44
L234	25 697.39	2 914 421.92		R234	26 662.91	2 914 888.56
L235	25 461.09	2 914 304.10		R235	26 638.23	2 914 883.02
L236	25 198.20	2 914 173.02		R236	26 541.79	2 914 857.29
L237	24 935.55	2 914 042.06		R237	26 353.48	2 914 789.50
L238	24 789.41	2 913 969.21		R238	25 992.56	2 914 614.09
L239	24 488.04	2 913 818.86		R239	25 672.17	2 914 454.10
L240	24 261.07	2 913 705.79		R240	25 490.11	2 914 363.19
L241	23 950.46	2 913 551.06		R241	25 176.67	2 914 206.91
L242	23 456.77	2 913 304.88		R242	24 918.99	2 914 078.41
L243	23 449.13	2 913 301.34		R243	24 661.96	2 913 950.29
L244	23 356.66	2 913 258.47		R244	24 472.41	2 913 855.75
L245	23 263.31	2 913 221.18		R245	24 246.82	2 913 743.39
L246	23 148.90	2 913 182.22		R246	23 933.31	2 913 587.27
L247	23 032.13	2 913 150.24		R247	23 390.39	2 913 319.41
L248	22 877.92	2 913 119.22		R248	23 343.42	2 913 296.24
L249	22 212.10	2 913 012.07		R249	23 253.19	2 913 259.94
L250	22 141.84	2 913 000.74		R250	23 138.41	2 913 220.83
L251	22 127.87	2 912 998.49		R251	23 023.76	2 913 189.34
L252	21 985.37	2 912 975.51		R252	22 824.81	2 913 151.05
L253	21 789.24	2 912 943.33		R253	22 199.89	2 913 050.57
L254	21 650.82	2 912 926.47		R254	22 093.68	2 913 033.48
L255	21 643.70	2 912 925.61		R255	21 979.06	2 913 015.00
				Vel Sheet	20 Van of 22	P1075/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°	Y	X
L256	21 570.45	2 912 920.82	R256	21 791.70	2 912 990.41
L257	21 484.61	2 912 915.21	R257	21 627.72	2 912 979.37
L258	21 482.76	2 912 915.29	R258	21 557.40	2 912 978.90
L259	21 131.08	2 912 930.58	R259	21 464.03	2 912 978.35
L260	20 965.37	2 912 955.71	R260	21 301.72	2 912 985.24
L261	20 801.81	2 912 992.21	R261	21 138.36	2 912 996.22
L262	20 679.07	2 913 027.06	R262	20 976.69	2 913 018.26
L263	20 641.17	2 913 039.81	R263	20 817.47	2 913 053.77
L264	20 483.78	2 913 098.73	R264	20 660.95	2 913 100.36
L265	20 331.10	2 913 167.97	R265	20 508.05	2 913 157.39
L266	20 186.74	2 913 245.02	R266	20 359.36	2 913 224.92
L267	20 104.52	2 913 298.93	R267	20 237.83	2 913 289.88
L268	20 004.22	2 913 364.71	R268	20 051.99	2 913 407.66
L269	19 908.96	2 913 436.02	R269	19 946.21	2 913 486.25
L270	19 621.94	2 913 663.06	R270	19 661.19	2 913 712.77
L271	19 548.26	2 913 716.06	R271	19 587.04	2 913 766.89
L272	19 540.97	2 913 721.31	R272	19 590.50	2 913 771.43
L273	19 511.29	2 913 739.32	R273	19 573.32	2 913 793.95
L274	19 431.85	2 913 784.96	R274	19 551.78	2 913 806.67
L275	19 336.48	2 913 828.03	R275	19 504.71	2 913 816.33
L276	19 328.53	2 913 831.85	R276	19 460.67	2 913 841.65
L277	19 222.24	2 913 868.17	R277	19 239.80	2 913 929.27
L278	19 126.76	2 913 890.87	R278	19 123.73	2 913 956.79
L279	19 037.41	2 913 898.77	R279	19 045.68	2 913 975.30
L280	18 913.96	2 913 909.68	R280	19 007.04	2 913 971.45
L281	18 888.64	2 913 914.10	R281	18 977.16	2 913 974.16
L282	18 774.96	2 913 907.69	R282	18 959.34	2 913 990.63
L283	18 739.35	2 913 903.87	R283	18 821.72	2 913 976.71
L284	18 725.29	2 913 902.09	R284	18 761.70	2 913 970.65
L285	18 679.57	2 913 896.30	R285	18 698.94	2 913 970.92
L286	18 678.91	2 913 896.22	R286	18 639.79	2 913 971.18
L287	18 550.36	2 913 881.84	R287	18 476.22	2 913 990.95
L288	18 549.80	2 913 881.78	R288	18 473.93	2 913 994.35
L289	18 521.83	2 913 878.69	R289	18 351.29	2 913 940.82
L290	18 382.01	2 913 863.49	R290	18 329.12	2 913 931.14
L291	18 251.13	2 913 852.52	R291	18 199.43	2 913 910.98
L292	18 181.14	2 913 844.39	R292	18 188.65	2 913 909.53
L293	18 172.45	2 913 843.38	R293	18 156.68	2 913 905.23
L294	18 125.10	2 913 836.72	R294	18 064.49	2 913 891.76
L295	18 053.69	2 913 826.77	R295	18 022.14	2 913 885.57
L296	17 911.51	2 913 791.53	R296	17 832.26	2 913 840.49
L297	17 828.37	2 913 770.92	R297	17 688.04	2 913 791.63
L298	17 771.58	2 913 753.74	R298	17 647.24	2 913 777.81
L299	17 757.58	2 913 748.90	R299	17 263.36	2 913 629.11
L300	17 670.58	2 913 718.82	R300	17 074.69	2 913 553.12
L301	17 257.44	2 913 555.97	R301	16 898.99	2 913 482.35
L302	17 222.79	2 913 542.27	R302	16 785.75	2 913 452.39
L303	16 908.64	2 913 415.19	R303	16 792.70	2 913 441.60
L304	16 858.30	2 913 379.45	R304	16 701.96	2 913 406.82
L305	16 848.21	2 913 355.40	R305	16 568.75	2 913 352.38
L306	16 828.95	2 913 385.30	R306	16 468.53	2 913 311.42
			Vel Sheet	21	Van of 22 P1075/18

This gazette is also available free online at www.gpwonline.co.za