

DEPARTMENT OF TRANSPORT

NO. 464

25 MARCH 2019

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N6 SECTION 3

AMENDMENT OF DECLARATION No. 183 OF 2009.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 183 of 2009 by substituting it in its entirety, with the accompanying sheets 1 to 23 of Plan No. P1078/18.

In the town of Cathcart the N6 Section 3 starts at its junction with the streets known as Main Street and Robinson Street at the time of declaration, therefrom it follows the street known as Robinson Street in a general northerly direction at the time of declaration.

In the town of Queenstown the N6 Section 3 enters the town from the east and follows the street known as Cathcart Street at time of declaration.

(National Road N6 Section 3: Cathcart - Queenstown)



MINISTER OF TRANSPORT

25/03/2019

DEPARTEMENT VAN VERVOER

NO. 464

25 MAART 2019

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N6 SEKSIE 3

WYSIGING VAN VERKLARING No. 183 VAN 2009.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 183 van 2009 deur dit in sy geheel te vervang, met bygaande velle 1 tot 23 van Plan No. P1078/18.


In die dorp Cathcart begin die N6 seksie 3 by sy interseksie met die strate bekend as Hoofstraat en Robinsonstraat tydens datum van verklaring, daarvandaan volg dit die staat bekend as Robinsonstraat in 'n algemene noordelike rigting tydens datum van verklaring.

In die dorp Queenstown kom die N6 Seksie 3 die dorp binne vanuit die ooste en volg dan die straat bekend as Cathcartstraat tydens datum van verklaring.

(Nasionale Pad N6 Seksie 3: Cathcart – Queenstown)**MINISTER VAN VERVOER**

25/02/2019





Vel
Sheet 2 of 23


Plan
P1078/18

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Vel
Sheet 3 of 23
Plan P1078/18

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
Seksie
Section 3




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





Val Sheet 4 of 23	3	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route		Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
Plan P1078/18	N6	Sektie Section	REM PTN 1 REM PTN 2 REM PTN 3 REM PTN 4 REM PTN 5 REM PTN 6 REM PTN 7 REM PTN 8 REM PTN 9 REM PTN 10 REM PTN 11	REM PTN 1 REM PTN 2 REM PTN 3 REM PTN 4 REM PTN 5 REM PTN 6 REM PTN 7 REM PTN 8 REM PTN 9 REM PTN 10 REM PTN 11	REM PTN 1 REM PTN 2 REM PTN 3 REM PTN 4 REM PTN 5 REM PTN 6 REM PTN 7 REM PTN 8 REM PTN 9 REM PTN 10 REM PTN 11






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route N6	Vel Sheet 6 van 23 Plan P1078/18
---	---------------------------------------	--	-------------------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route N6	Vel Sheet 8 of 23
	3	Plan P1078/18	



Vel
Sheet 9 of 23


Plan P1078/18

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route Section 3



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Vel
Sheet 10 of 23
Plan P1078/18

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
Seksie
Section 3



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Vel
Sheet 11 of 23


Plan
P1078/18

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	3	Vel 12 van 23 Sheet 12 of 23	Plan P1078/18
---	---------------------------------------	--	---	---------------------------------	---------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	Vel Sheet 13 of 23 Plan P1078/18
---	---------------------------------------	--	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route

3

Val
Sheet 14
of 23

Plan
P1078/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	-13 367.70	3	574 284.93		R1	-13 395.73	3	574 327.75	
L2	-13 388.59	3	574 053.54		R2	-13 424.30	3	574 015.48	
L3	-13 398.75	3	573 964.44		R3	-13 437.92	3	573 925.54	
L4	-13 438.38	3	573 789.42		R4	-13 451.93	3	573 861.07	
L5	-13 467.37	3	573 703.27		R5	-13 494.89	3	573 719.36	
L6	-13 501.83	3	573 620.51		R6	-13 539.75	3	573 612.81	
L7	-13 577.03	3	573 454.97		R7	-13 664.05	3	573 340.33	
L8	-13 711.67	3	573 160.04		R8	-13 732.64	3	573 190.86	
L9	-13 719.28	3	573 144.14		R9	-13 742.55	3	573 170.27	
L10	-13 750.87	3	573 072.66		R10	-13 802.17	3	573 039.56	
L11	-13 793.33	3	572 951.61		R11	-13 829.37	3	572 970.20	
L12	-13 830.06	3	572 837.56		R12	-13 849.80	3	572 896.43	
L13	-13 860.11	3	572 722.07		R13	-13 879.03	3	572 788.51	
L14	-13 880.69	3	572 604.33		R14	-13 930.64	3	572 473.83	
L15	-13 899.77	3	572 464.95		R15	-13 977.43	3	572 132.45	
L16	-13 949.44	3	572 099.54		R16	-13 983.08	3	572 050.17	
L17	-13 951.62	3	572 028.11		R17	-13 978.81	3	571 967.69	
L18	-13 946.75	3	571 968.57		R18	-13 976.78	3	571 946.84	
L19	-13 936.38	3	571 909.73		R19	-13 966.74	3	571 905.70	
L20	-13 919.74	3	571 852.48		R20	-13 959.56	3	571 876.73	
L21	-13 896.93	3	571 797.35		R21	-13 942.59	3	571 823.44	
L22	-13 849.21	3	571 710.95		R22	-13 929.10	3	571 790.24	
L23	-13 806.02	3	571 622.47		R23	-13 912.79	3	571 756.90	
L24	-13 788.90	3	571 583.06		R24	-13 868.76	3	571 676.65	
L25	-13 770.38	3	571 540.41		R25	-13 838.75	3	571 621.97	
L26	-13 709.65	3	571 391.58		R26	-13 830.41	3	571 606.21	
L27	-13 588.92	3	571 239.21		R27	-13 827.95	3	571 588.64	
L28	-13 584.22	3	571 231.13		R28	-13 825.29	3	571 569.66	
L29	-13 514.67	3	571 195.28		R29	-13 778.20	3	571 446.74	
L30	-13 473.24	3	571 189.20		R30	-13 765.96	3	571 428.83	
L31	-13 229.23	3	571 205.74		R31	-13 747.63	3	571 377.95	
L32	-13 146.62	3	571 220.88		R32	-13 734.86	3	571 333.38	
L33	-13 049.41	3	571 202.50		R33	-13 679.58	3	571 264.05	
L34	-12 892.28	3	571 201.23		R34	-13 642.14	3	571 230.62	
L35	-12 725.22	3	571 199.99		R35	-13 596.16	3	571 195.29	
L36	-12 610.01	3	571 188.17		R36	-13 584.32	3	571 187.99	
L37	-12 546.68	3	571 171.04		R37	-13 477.59	3	571 142.00	
L38	-12 470.39	3	571 139.18		R38	-13 447.37	3	571 134.14	
L39	-12 398.50	3	571 096.36		R39	-13 447.61	3	571 126.32	
L40	-12 332.84	3	571 042.59		R40	-13 393.76	3	571 124.33	
L41	-12 280.02	3	570 985.03		R41	-13 286.59	3	571 131.49	
L42	-12 233.38	3	570 917.76		R42	-13 188.13	3	571 145.82	
L43	-12 195.73	3	570 840.89		R43	-13 137.78	3	571 158.00	
L44	-12 170.38	3	570 762.21		R44	-13 053.79	3	571 164.57	
L45	-12 157.81	3	570 690.12		R45	-13 038.65	3	571 170.49	
L46	-12 154.99	3	570 599.33		R46	-12 973.19	3	571 170.09	
L47	-12 164.20	3	570 521.17		R47	-12 969.67	3	571 170.21	
L48	-12 181.71	3	570 453.16		R48	-12 858.81	3	571 168.58	
L49	-12 191.61	3	570 422.82		R49	-12 719.61	3	571 159.66	
L50	-12 203.97	3	570 383.22		R50	-12 638.30	3	571 160.67	
L51	-12 291.09	3	570 099.58		R51	-12 594.61	3	571 148.28	
					Vel 15 Van 23 Sheet of P1078/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	-12 301.08	3 570 024.01		R52	-12 558.39	3 571 140.86
L53	-12 301.16	3 569 929.36		R53	-12 485.63	3 571 110.61
L54	-12 282.42	3 569 694.03		R54	-12 418.84	3 571 070.90
L55	-12 266.89	3 569 506.49		R55	-12 337.80	3 570 999.91
L56	-12 266.48	3 569 504.00		R56	-12 325.34	3 570 991.20
L57	-12 262.40	3 569 455.84		R57	-12 262.11	3 570 901.36
L58	-12 248.51	3 569 349.90		R58	-12 226.61	3 570 830.28
L59	-12 232.18	3 569 272.12		R59	-12 221.84	3 570 814.89
L60	-12 210.52	3 569 195.80		R60	-12 189.82	3 570 682.01
L61	-12 196.81	3 569 157.30		R61	-12 187.92	3 570 603.35
L62	-12 191.35	3 569 138.41		R62	-12 196.06	3 570 527.79
L63	-12 155.36	3 569 053.89		R63	-12 212.24	3 570 462.95
L64	-11 958.56	3 568 633.11		R64	-12 227.44	3 570 414.93
L65	-11 875.71	3 568 455.80		R65	-12 232.67	3 570 398.44
L66	-11 833.74	3 568 357.31		R66	-12 233.76	3 570 394.03
L67	-11 823.92	3 568 335.74		R67	-12 237.17	3 570 383.89
L68	-11 823.39	3 568 334.58		R68	-12 321.78	3 570 109.41
L69	-11 824.97	3 568 331.03		R69	-12 334.39	3 570 025.94
L70	-11 819.66	3 568 314.94		R70	-12 333.88	3 569 925.69
L71	-11 808.63	3 568 280.49		R71	-12 313.77	3 569 686.86
L72	-11 788.50	3 568 201.08		R72	-12 298.33	3 569 505.80
L73	-11 773.05	3 568 122.81		R73	-12 298.13	3 569 501.48
L74	-11 763.92	3 568 042.29		R74	-12 287.52	3 569 392.04
L75	-11 760.50	3 567 960.30		R75	-12 272.26	3 569 302.58
L76	-11 762.02	3 567 878.72		R76	-12 221.16	3 569 128.38
L77	-11 791.52	3 567 595.08		R77	-12 183.73	3 569 039.99
L78	-11 818.03	3 567 347.02		R78	-11 987.56	3 568 619.94
L79	-11 825.83	3 567 273.78		R79	-11 902.58	3 568 438.16
L80	-11 838.21	3 567 157.65		R80	-11 861.87	3 568 335.47
L81	-11 859.23	3 566 962.40		R81	-11 853.69	3 568 314.85
L82	-11 865.28	3 566 845.85		R82	-11 852.22	3 568 310.81
L83	-11 855.94	3 566 726.46		R83	-11 840.60	3 568 268.40
L84	-11 853.40	3 566 710.56		R84	-11 821.14	3 568 197.39
L85	-11 826.50	3 566 584.04		R85	-11 806.48	3 568 118.90
L86	-11 797.98	3 566 499.99		R86	-11 797.46	3 568 039.44
L87	-11 762.75	3 566 421.37		R87	-11 793.38	3 567 960.39
L88	-11 599.30	3 566 088.12		R88	-11 794.38	3 567 906.29
L89	-11 400.06	3 565 683.64		R89	-11 794.87	3 567 879.94
L90	-11 183.65	3 565 243.62		R90	-11 820.74	3 567 622.98
L91	-10 972.56	3 564 815.43		R91	-11 823.53	3 567 595.26
L92	-10 781.57	3 564 427.66		R92	-11 849.82	3 567 350.19
L93	-10 683.72	3 564 227.65		R93	-11 857.06	3 567 282.58
L94	-10 593.08	3 564 044.08		R94	-11 870.28	3 567 159.18
L95	-10 573.19	3 564 000.34		R95	-11 891.68	3 566 961.04
L96	-10 550.65	3 563 949.76		R96	-11 897.10	3 566 846.91
L97	-10 549.37	3 563 946.89		R97	-11 892.05	3 566 758.30
L98	-10 523.84	3 563 868.41		R98	-11 878.31	3 566 664.60
L99	-10 504.73	3 563 792.18		R99	-11 856.71	3 566 574.48
L100	-10 491.67	3 563 711.79		R100	-11 827.93	3 566 489.54
L101	-10 485.00	3 563 630.92		R101	-11 797.48	3 566 420.04
L102	-10 486.32	3 563 535.62		R102	-11 772.20	3 566 368.51
				Vel Sheet	16 Van of	23 P1078/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-10 507.33	3 563 121.74		R103	-11 626.80	3 566 072.42
L104	-10 530.73	3 562 665.51		R104	-11 427.42	3 565 666.93
L105	-10 557.45	3 562 146.25		R105	-11 212.81	3 565 231.14
L106	-10 558.37	3 562 128.49		R106	-10 997.90	3 564 794.64
L107	-10 579.44	3 561 723.51		R107	-10 812.74	3 564 418.63
L108	-10 581.01	3 561 696.91		R108	-10 712.13	3 564 213.91
L109	-10 598.97	3 561 552.53		R109	-10 610.21	3 564 006.61
L110	-10 601.79	3 561 537.46		R110	-10 605.53	3 563 996.30
L111	-10 621.16	3 561 433.72		R111	-10 589.27	3 563 960.44
L112	-10 651.13	3 561 315.46		R112	-10 550.52	3 563 846.46
L113	-10 691.06	3 561 197.96		R113	-10 531.09	3 563 758.86
L114	-10 730.57	3 561 089.04		R114	-10 519.42	3 563 669.78
L115	-10 846.30	3 560 771.93		R115	-10 515.91	3 563 583.80
L116	-10 907.97	3 560 603.19		R116	-10 516.74	3 563 566.90
L117	-11 000.65	3 560 349.03		R117	-10 539.13	3 563 125.50
L118	-11 093.84	3 560 094.06		R118	-10 562.18	3 562 671.28
L119	-11 259.00	3 559 641.38		R119	-10 588.60	3 562 151.12
L120	-11 351.44	3 559 388.50		R120	-10 589.38	3 562 135.94
L121	-11 370.33	3 559 336.79		R121	-10 594.19	3 562 042.42
L122	-11 372.69	3 559 330.27		R122	-10 606.44	3 562 020.86
L123	-11 481.82	3 559 030.97		R123	-10 617.53	3 561 919.37
L124	-11 527.74	3 558 868.80		R124	-10 610.39	3 561 885.48
L125	-11 547.45	3 558 752.46		R125	-10 603.67	3 561 853.63
L126	-11 554.51	3 558 631.30		R126	-10 611.63	3 561 701.06
L127	-11 547.82	3 558 515.70		R127	-10 614.18	3 561 679.81
L128	-11 528.94	3 558 397.01		R128	-10 625.70	3 561 592.23
L129	-11 514.05	3 558 323.01		R129	-10 633.85	3 561 531.81
L130	-11 477.86	3 558 208.31		R130	-10 668.22	3 561 373.67
L131	-11 459.75	3 558 160.32		R131	-10 691.10	3 561 299.91
L132	-11 453.41	3 558 145.27		R132	-10 712.90	3 561 229.61
L133	-11 398.55	3 558 038.88		R133	-10 760.27	3 561 100.61
L134	-11 295.19	3 557 857.39		R134	-10 839.76	3 560 882.93
L135	-11 140.06	3 557 584.77		R135	-10 877.28	3 560 780.17
L136	-11 081.22	3 557 471.88		R136	-10 935.31	3 560 621.02
L137	-11 029.56	3 557 346.98		R137	-11 031.09	3 560 358.73
L138	-11 005.11	3 557 272.66		R138	-11 123.26	3 560 105.87
L139	-10 990.14	3 557 222.41		R139	-11 289.10	3 559 651.96
L140	-10 923.75	3 556 969.04		R140	-11 380.99	3 559 400.13
L141	-10 858.38	3 556 719.01		R141	-11 400.83	3 559 347.26
L142	-10 798.83	3 556 491.24		R142	-11 511.21	3 559 044.86
L143	-10 724.67	3 556 214.72		R143	-11 547.36	3 558 931.76
L144	-10 692.70	3 556 083.25		R144	-11 572.46	3 558 809.80
L145	-10 654.47	3 555 885.65		R145	-11 584.89	3 558 690.50
L146	-10 627.56	3 555 686.79		R146	-11 585.60	3 558 571.00
L147	-10 603.46	3 555 429.10		R147	-11 574.59	3 558 451.51
L148	-10 574.73	3 555 115.33		R148	-11 551.50	3 558 333.83
L149	-10 551.18	3 554 857.98		R149	-11 526.23	3 558 247.49
L150	-10 505.86	3 554 372.39		R150	-11 513.78	3 558 214.24
L151	-10 466.96	3 554 018.30		R151	-11 486.71	3 558 128.41
L152	-10 472.48	3 554 018.29		R152	-11 479.55	3 558 116.63
L153	-10 471.98	3 553 904.37		R153	-11 432.91	3 558 034.45
				Vel Sheet	17 Van of	23 P1078/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-10 453.58	3	553	836.65	R154	-11 322.44	3	557	840.72
L155	-10 448.42	3	553	817.65	R155	-11 165.56	3	557	566.48
L156	-10 440.78	3	553	728.81	R156	-11 108.60	3	557	456.40
L157	-10 435.40	3	553	614.75	R157	-11 062.86	3	557	345.50
L158	-10 438.77	3	553	561.41	R158	-11 053.45	3	557	319.33
L159	-10 447.77	3	553	498.55	R159	-11 021.82	3	557	213.18
L160	-10 487.93	3	553	366.47	R160	-10 955.38	3	556	961.86
L161	-10 498.37	3	553	334.74	R161	-10 885.77	3	556	697.99
L162	-10 533.42	3	553	271.18	R162	-10 828.08	3	556	479.34
L163	-10 567.73	3	553	215.23	R163	-10 771.72	3	556	266.75
L164	-10 606.31	3	553	144.89	R164	-10 733.56	3	556	121.92
L165	-10 643.10	3	553	071.59	R165	-10 702.56	3	555	977.32
L166	-10 684.67	3	552	944.80	R166	-10 676.62	3	555	825.23
L167	-10 700.92	3	552	866.62	R167	-10 659.56	3	555	684.08
L168	-10 707.98	3	552	789.08	R168	-10 635.06	3	555	423.07
L169	-10 702.80	3	552	710.46	R169	-10 607.89	3	555	116.57
L170	-10 692.78	3	552	651.83	R170	-10 585.32	3	554	851.82
L171	-10 678.46	3	552	597.63	R171	-10 541.11	3	554	370.47
L172	-10 643.41	3	552	480.05	R172	-10 510.87	3	554	030.42
L173	-10 499.51	3	551	996.54	R173	-10 500.87	3	553	895.03
L174	-10 483.03	3	551	941.15	R174	-10 507.36	3	553	894.58
L175	-10 377.34	3	551	585.91	R175	-10 501.15	3	553	825.80
L176	-10 244.35	3	551	138.04	R176	-10 485.86	3	553	749.57
L177	-10 158.25	3	550	848.45	R177	-10 472.55	3	553	647.84
L178	-10 110.52	3	550	687.91	R178	-10 471.91	3	553	573.70
L179	-9 987.03	3	550	273.26	R179	-10 488.95	3	553	468.73
L180	-9 879.35	3	549	910.94	R180	-10 492.76	3	553	452.95
L181	-9 815.56	3	549	697.35	R181	-10 522.19	3	553	364.38
L182	-9 674.35	3	549	222.07	R182	-10 564.69	3	553	279.61
L183	-9 637.36	3	549	097.48	R183	-10 654.86	3	553	130.92
L184	-9 619.58	3	549	037.62	R184	-10 692.02	3	553	049.26
L185	-9 606.03	3	548	992.23	R185	-10 718.96	3	552	963.46
L186	-9 598.73	3	548	956.75	R186	-10 734.73	3	552	874.96
L187	-9 586.79	3	548	886.28	R187	-10 739.24	3	552	785.13
L188	-9 578.59	3	548	796.67	R188	-10 732.40	3	552	695.34
L189	-9 577.02	3	548	706.80	R189	-10 714.15	3	552	605.90
L190	-9 590.92	3	548	519.87	R190	-10 707.89	3	552	523.89
L191	-9 597.41	3	548	429.64	R191	-10 695.05	3	552	480.48
L192	-9 597.37	3	548	366.88	R192	-10 635.09	3	552	340.26
L193	-9 558.20	3	548	181.86	R193	-10 530.93	3	551	990.15
L194	-9 552.18	3	548	155.42	R194	-10 506.15	3	551	906.83
L195	-9 536.57	3	548	099.67	R195	-10 409.46	3	551	581.70
L196	-9 522.54	3	548	035.75	R196	-10 275.16	3	551	130.11
L197	-9 473.11	3	547	825.24	R197	-10 187.17	3	550	834.55
L198	-9 447.75	3	547	732.35	R198	-10 136.91	3	550	665.74
L199	-9 414.09	3	547	635.18	R199	-9 988.56	3	550	167.06
L200	-9 408.68	3	547	619.96	R200	-9 949.27	3	550	034.79
L201	-9 335.85	3	547	481.21	R201	-9 909.34	3	549	900.35
L202	-9 293.48	3	547	414.09	R202	-9 847.18	3	549	691.10
L203	-9 197.62	3	547	288.50	R203	-9 709.16	3	549	226.06
L204	-9 096.88	3	547	185.46	R204	-9 650.36	3	549	027.97
					Vel Sheet 18 Van of 23 P1078/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L205	-8 806.96	3 546 926.59		R205	-9 628.37	3 548 939.23
L206	-8 459.17	3 546 614.63		R206	-9 614.77	3 548 852.27
L207	-8 259.94	3 546 434.61		R207	-9 610.32	3 548 805.58
L208	-7 909.47	3 546 120.50		R208	-9 609.38	3 548 761.48
L209	-7 828.18	3 546 047.95		R209	-9 608.71	3 548 689.60
L210	-7 815.88	3 546 037.07		R210	-9 611.96	3 548 674.47
L211	-7 772.28	3 545 997.86		R211	-9 628.01	3 548 568.57
L212	-7 703.17	3 545 949.47		R212	-9 626.56	3 548 547.86
L213	-7 659.04	3 545 923.36		R213	-9 626.88	3 548 459.51
L214	-7 626.34	3 545 903.83		R214	-9 627.50	3 548 355.63
L215	-7 546.68	3 545 866.03		R215	-9 613.98	3 548 281.70
L216	-7 462.87	3 545 835.37		R216	-9 603.19	3 548 234.89
L217	-7 033.62	3 545 702.23		R217	-9 591.67	3 548 184.60
L218	-6 946.98	3 545 679.51		R218	-9 592.15	3 548 163.29
L219	-6 858.33	3 545 667.70		R219	-9 586.34	3 548 138.43
L220	-6 768.66	3 545 666.34		R220	-9 577.80	3 548 123.97
L221	-6 659.08	3 545 679.24		R221	-9 563.94	3 548 062.92
L222	-6 643.16	3 545 682.08		R222	-9 563.72	3 547 998.49
L223	-6 598.58	3 545 691.48		R223	-9 551.94	3 547 946.26
L224	-6 562.05	3 545 695.71		R224	-9 515.17	3 547 855.55
L225	-6 507.04	3 545 710.32		R225	-9 480.74	3 547 721.68
L226	-6 220.49	3 545 779.21		R226	-9 435.27	3 547 601.66
L227	-6 186.89	3 545 785.59		R227	-9 427.13	3 547 581.76
L228	-6 179.57	3 545 786.98		R228	-9 373.62	3 547 476.69
L229	-6 073.91	3 545 807.35		R229	-9 309.90	3 547 375.84
L230	-5 984.47	3 545 819.30		R230	-9 216.66	3 547 258.58
L231	-5 893.95	3 545 824.53		R231	-9 109.79	3 547 153.33
L232	-5 803.86	3 545 822.88		R232	-8 836.05	3 546 908.39
L233	-5 713.02	3 545 814.19		R233	-8 482.75	3 546 592.38
L234	-5 624.66	3 545 797.53		R234	-8 282.38	3 546 412.21
L235	-5 538.21	3 545 773.32		R235	-7 931.63	3 546 097.44
L236	-4 628.46	3 545 486.53		R236	-7 850.13	3 546 024.55
L237	-4 538.56	3 545 453.98		R237	-7 838.11	3 546 013.67
L238	-4 457.36	3 545 415.23		R238	-7 791.83	3 545 974.85
L239	-3 206.02	3 544 713.71		R239	-7 738.74	3 545 935.11
L240	-3 122.95	3 544 660.10		R240	-7 695.87	3 545 908.29
L241	-3 051.08	3 544 606.29		R241	-7 662.89	3 545 887.65
L242	-2 594.48	3 544 216.13		R242	-7 582.42	3 545 846.92
L243	-1 651.07	3 543 409.99		R243	-7 499.44	3 545 813.36
L244	-1 576.79	3 543 351.40		R244	-7 112.69	3 545 692.82
L245	-1 540.55	3 543 321.05		R245	-7 016.03	3 545 662.70
L246	-1 478.03	3 543 262.52		R246	-6 923.74	3 545 643.05
L247	-1 400.67	3 543 208.49		R247	-6 834.22	3 545 634.51
L248	-1 320.21	3 543 166.78		R248	-6 744.41	3 545 635.79
L249	-1 235.20	3 543 136.45		R249	-6 677.75	3 545 645.14
L250	- 789.05	3 543 026.20		R250	-6 634.99	3 545 651.14
L251	- 733.38	3 543 003.99		R251	-6 589.67	3 545 658.85
L252	- 680.12	3 542 977.52		R252	-6 556.99	3 545 663.78
L253	- 629.87	3 542 944.10		R253	-6 549.37	3 545 668.25
L254	- 582.94	3 542 906.55		R254	-6 529.74	3 545 671.73
L255	- 540.39	3 542 865.14		R255	-6 512.11	3 545 676.53
				Vel Sheet	19 of	23 P1078/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L256	- 500.83	3 542	819.40	R256	-6 169.39	3 545 730.00
L257	- 466.45	3 542	770.16	R257	-6 136.58	3 545 746.01
L258	- 437.13	3 542	718.11	R258	-5 928.26	3 545 787.75
L259	- 413.11	3 542	663.10	R259	-5 881.99	3 545 791.58
L260	- 395.55	3 542	610.97	R260	-5 823.73	3 545 791.56
L261	- 387.42	3 542	585.42	R261	-5 646.80	3 545 769.52
L262	- 342.79	3 542	582.74	R262	-5 560.43	3 545 746.81
L263	- 287.26	3 542	575.56	R263	-5 238.82	3 545 645.65
L264	- 233.00	3 542	561.34	R264	-4 866.62	3 545 528.41
L265	- 194.50	3 542	544.57	R265	-4 638.78	3 545 456.51
L266	- 160.70	3 542	525.57	R266	-4 558.48	3 545 427.88
L267	- 127.93	3 542	499.53	R267	-4 449.86	3 545 374.46
L268	- 99.52	3 542	468.67	R268	-4 038.16	3 545 143.66
L269	- 77.57	3 542	432.83	R269	-3 891.38	3 545 061.37
L270	- 62.40	3 542	393.81	R270	-3 901.80	3 545 044.32
L271	- 57.51	3 542	352.07	R271	-3 215.48	3 544 663.78
L272	- 63.14	3 542	310.67	R272	-3 098.73	3 544 577.86
L273	- 79.57	3 542	271.75	R273	-2 690.35	3 544 228.61
L274	- 103.42	3 542	237.43	R274	-2 395.45	3 543 976.74
L275	- 231.23	3 542	085.70	R275	-2 134.40	3 543 759.83
L276	- 182.64	3 541	929.54	R276	-1 583.25	3 543 285.38
L277	- 133.52	3 541	848.67	R277	-1 413.65	3 543 147.53
L278	- 128.58	3 541	769.50	R278	-1 325.12	3 543 104.17
L279	- 127.72	3 541	753.75	R279	-1 242.06	3 543 079.96
L280	- 26.62	3 541	430.36	R280	- 887.42	3 542 994.48
L281	- 10.19	3 541	377.87	R281	- 759.42	3 542 960.63
L282	8.82	3 541	317.18	R282	- 669.91	3 542 912.17
L283	21.99	3 541	275.08	R283	- 588.00	3 542 849.48
L284	47.73	3 541	212.28	R284	- 518.26	3 542 773.92
L285	57.94	3 541	186.94	R285	- 463.70	3 542 687.03
L286	99.29	3 541	107.11	R286	- 418.27	3 542 598.90
L287	139.15	3 541	045.00	R287	- 176.55	3 541 806.43
L288	147.61	3 541	031.45	R288	- 38.77	3 541 368.86
L289	161.03	3 541	014.35	R289	19.02	3 541 184.49
L290	179.95	3 540	990.24	R290	24.28	3 541 183.27
L291	203.16	3 540	960.66	R291	53.72	3 541 086.01
L292	218.76	3 540	943.01	R292	69.53	3 541 091.96
L293	410.04	3 540	718.63	R293	122.71	3 541 012.22
L294	488.87	3 540	626.47	R294	155.81	3 540 969.56
L295	497.72	3 540	628.42	R295	174.69	3 540 945.22
L296	502.52	3 540	622.87	R296	178.45	3 540 940.37
L297	499.35	3 540	614.27	R297	193.81	3 540 922.23
L298	750.98	3 540	319.82	R298	204.57	3 540 909.84
L299	806.80	3 540	254.52	R299	386.32	3 540 697.31
L300	819.35	3 540	256.20	R300	725.83	3 540 299.72
L301	840.05	3 540	258.54	R301	779.70	3 540 236.48
L302	828.31	3 540	245.27	R302	811.68	3 540 199.15
L303	826.85	3 540	231.12	R303	843.13	3 540 162.41
L304	875.35	3 540	174.41	R304	1 081.10	3 539 884.38
L305	924.29	3 540	117.18	R305	1 331.53	3 539 586.50
L306	932.90	3 540	119.28	R306	1 536.91	3 539 349.76
Vel Sheet 20				Van of 23		P1078/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L307	937.45	3 540	113.60	R307	1 603.22	3 539 273.33
L308	934.53	3 540	105.10	R308	1 623.38	3 539 263.13
L309	1 107.15	3 539	903.09	R309	1 660.45	3 539 215.22
L310	1 359.85	3 539	607.41	R310	1 684.81	3 539 163.02
L311	1 564.62	3 539	367.51	R311	1 691.62	3 539 170.56
L312	1 644.03	3 539	274.47	R312	1 698.91	3 539 162.07
L313	1 691.42	3 539	218.65	R313	1 774.57	3 539 071.75
L314	1 715.23	3 539	216.58	R314	1 826.48	3 538 998.01
L315	1 724.00	3 539	206.20	R315	1 855.04	3 538 949.81
L316	1 722.85	3 539	181.99	R316	1 897.75	3 538 877.71
L317	1 791.46	3 539	101.07	R317	1 989.90	3 538 717.90
L318	1 855.99	3 539	011.21	R318	2 204.17	3 538 355.57
L319	1 926.34	3 538	892.17	R319	2 315.92	3 538 164.89
L320	1 983.81	3 538	794.99	R320	2 337.14	3 538 134.07
L321	2 196.46	3 538	435.26	R321	2 381.41	3 538 055.94
L322	2 373.90	3 538	134.76	R322	2 417.46	3 537 975.81
L323	2 421.06	3 538	044.80	R323	2 447.32	3 537 889.86
L324	2 428.74	3 538	027.00	R324	2 509.60	3 537 647.24
L325	2 439.90	3 538	001.11	R325	2 532.72	3 537 557.18
L326	2 459.08	3 537	956.53	R326	2 572.80	3 537 402.03
L327	2 489.52	3 537	854.11	R327	2 643.07	3 537 129.23
L328	2 544.61	3 537	638.82	R328	2 662.31	3 537 072.65
L329	2 563.83	3 537	563.70	R329	2 685.22	3 537 015.54
L330	2 640.85	3 537	271.78	R330	2 693.42	3 536 997.21
L331	2 660.42	3 537	194.77	R331	2 742.84	3 536 903.57
L332	2 680.03	3 537	119.60	R332	2 862.64	3 536 716.98
L333	2 703.64	3 537	059.66	R333	2 908.48	3 536 611.30
L334	2 732.20	3 536	996.73	R334	2 939.96	3 536 596.82
L335	2 775.44	3 536	913.71	R335	3 185.20	3 536 215.68
L336	2 783.15	3 536	901.95	R336	3 336.20	3 535 980.49
L337	2 785.19	3 536	898.83	R337	3 447.14	3 535 814.22
L338	2 887.94	3 536	737.25	R338	3 659.26	3 535 509.11
L339	3 263.84	3 536	152.57	R339	3 780.77	3 535 334.83
L340	3 296.34	3 536	101.79	R340	3 852.17	3 535 231.43
L341	3 415.49	3 535	919.83	R341	3 890.97	3 535 176.59
L342	3 509.61	3 535	783.90	R342	3 939.02	3 535 109.21
L343	3 682.14	3 535	532.44	R343	4 034.65	3 534 996.45
L344	3 891.73	3 535	231.75	R344	4 066.03	3 534 963.61
L345	3 978.14	3 535	112.08	R345	4 173.30	3 534 865.71
L346	4 032.16	3 535	047.55	R346	4 309.06	3 534 764.55
L347	4 060.64	3 535	015.99	R347	4 438.38	3 534 688.11
L348	4 075.55	3 535	000.96	R348	4 550.12	3 534 622.22
L349	4 139.71	3 534	938.12	R349	4 630.24	3 534 575.67
L350	4 199.39	3 534	886.15	R350	4 986.49	3 534 368.31
L351	4 261.96	3 534	837.45	R351	4 975.67	3 534 347.93
L352	4 325.89	3 534	792.87	R352	5 081.86	3 534 296.58
L353	4 394.27	3 534	750.41	R353	5 364.52	3 534 133.95
L354	4 457.46	3 534	713.25	R354	7 141.61	3 533 114.21
L355	4 509.47	3 534	683.13	R355	7 142.84	3 533 111.66
L356	4 647.49	3 534	602.21	R356	7 254.26	3 533 046.88
L357	5 102.64	3 534	337.52	R357	7 288.50	3 533 029.41
				Vel Sheet 21	Van of 23	P1078/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L358	5 418.15	3 534 156.36		R358	7 340.92	3 532 999.14
L359	5 542.03	3 534 085.23		R359	7 385.43	3 532 978.79
L360	5 822.52	3 533 926.12		R360	7 427.38	3 532 957.94
L361	6 133.78	3 533 749.55		R361	7 480.72	3 532 935.21
L362	6 344.35	3 533 630.56		R362	7 577.01	3 532 901.31
L363	6 604.45	3 533 483.10		R363	7 674.23	3 532 872.44
L364	6 922.61	3 533 302.38		R364	7 934.81	3 532 809.32
L365	7 103.19	3 533 200.20		R365	8 109.97	3 532 751.27
L366	7 148.92	3 533 176.63		R366	8 136.97	3 532 735.98
L367	7 198.63	3 533 150.13		R367	8 137.93	3 532 737.43
L368	7 270.66	3 533 142.56		R368	8 141.02	3 532 742.25
L369	7 335.11	3 533 077.36		R369	8 195.91	3 532 711.21
L370	7 542.04	3 532 958.92		R370	8 254.47	3 532 681.64
L371	7 832.52	3 532 891.02		R371	8 710.03	3 532 418.78
L372	8 016.34	3 532 853.00		R372	8 782.73	3 532 357.81
L373	8 227.43	3 532 734.22		R373	8 783.96	3 532 345.82
L374	8 324.28	3 532 678.55		R374	8 815.75	3 532 306.52
L375	8 806.61	3 532 400.24		R375	8 839.78	3 532 320.64
L376	8 824.82	3 532 420.19		R376	8 857.39	3 532 322.04
L377	8 865.49	3 532 409.32		R377	8 914.13	3 532 300.74
L378	8 870.94	3 532 387.19		R378	9 157.03	3 532 160.00
L379	8 877.83	3 532 371.77		R379	9 539.81	3 531 939.02
L380	8 910.08	3 532 346.35		R380	9 726.87	3 531 831.22
L381	8 960.34	3 532 317.35		R381	9 812.22	3 531 775.91
L382	8 998.91	3 532 290.56		R382	9 847.46	3 531 750.72
L383	9 183.08	3 532 185.82		R383	9 881.99	3 531 726.05
L384	9 349.67	3 532 088.76		R384	9 935.27	3 531 674.41
L385	9 385.90	3 532 079.15		R385	10 013.99	3 531 625.60
L386	9 691.26	3 531 901.27		R386	10 014.43	3 531 623.34
L387	9 712.49	3 531 888.90		R387	10 034.87	3 531 610.28
L388	9 773.40	3 531 853.42		R388	10 051.53	3 531 592.92
L389	9 841.60	3 531 806.58		R389	10 190.37	3 531 503.84
L390	10 051.34	3 531 662.52		R390	10 476.42	3 531 302.52
L391	10 046.95	3 531 655.87		R391	10 477.60	3 531 304.12
L392	10 067.38	3 531 640.85		R392	10 582.95	3 531 229.63
L393	10 065.47	3 531 635.04		R393	10 629.88	3 531 196.27
L394	11 228.69	3 530 809.84		R394	10 845.20	3 531 043.31
L395	11 261.83	3 530 790.11		R395	10 948.74	3 530 969.76
L396	11 324.26	3 530 745.82		R396	10 988.87	3 530 941.26
L397	11 371.96	3 530 711.99		R397	11 190.95	3 530 797.71
L398	11 382.16	3 530 706.42		R398	11 228.52	3 530 767.80
L399	11 429.96	3 530 680.36		R399	11 365.42	3 530 674.05
L400	11 443.44	3 530 673.01		R400	11 455.91	3 530 623.26
L401	11 478.61	3 530 656.39		R401	11 463.16	3 530 620.87
AL1	- 373.44	3 542 540.71				
AL2	- 312.03	3 542 540.71				
AL3	- 256.90	3 542 532.11				
AL4	- 205.03	3 542 511.22				
AL5	- 157.79	3 542 481.35				
AL6	- 127.89	3 542 451.75				
AL7	- 104.88	3 542 416.77				
				Vel Sheet	22 Van of 23	P1078/18

This gazette is also available free online at www.gpwnonline.co.za