

DEPARTMENT OF TRANSPORT

NO. 781

27 August 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N1 SECTION 12

AMENDMENT OF DECLARATION No. 453 OF 2009.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 453 of 2009 by substituting it in its entirety, with the accompanying sheets 1 to 13 of Plan No. P1035/18.

(National Road N1 Section 12: Colesberg – Orange River)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 781

27 Augustus 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N1 SEKSIE 12


WYSIGING VAN VERKLARING No. 453 VAN 2009.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 453 van 2009 deur dit in sy geheel te vervang, met bygaande velle 1 tot 13 van Plan No. P1035/18.


(Nasional Pad N1 Seksie 12: Colesberg – Oranjerivier)**MINISTER VAN VERVOER**




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel Sheet	1 of	13
The South African National Roads Agency SOC Ltd	The figure shown			12	Plan	P1035/18




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	12	Vel Sheet 2 of 13
The South African National Roads Agency SOC Ltd	The figure shown				Plan P1035/18




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	Vel Sheet 3 of 13 Plan P1035/18
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 of National Route	12 Section	Vel Sheet 4 of 13 Plan P1035/18
---	---------------------------------------	---	--	---------------	---










Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 Sektie of National Route Section	Vel Sheet 8 of 13 Plan P1035/18
---	---------------------------------------	---	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N1 Sektie of National Route Section	Vel Sheet 9 of 13 Plan P1035/18
---	---------------------------------------	---	---------------------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
Y	X	WG 25°	Y	X	
L1	-7 806.04	3 401 161.67	R1	-8 224.05	3 401 264.60
L2	-7 802.69	3 401 123.38	R2	-8 252.39	3 401 265.23
L3	-7 826.44	3 401 013.32	R3	-8 252.19	3 401 239.33
L4	-7 867.08	3 400 972.61	R4	-8 252.01	3 401 215.88
L5	-7 888.18	3 400 948.44	R5	-8 252.20	3 401 211.30
L6	-7 884.58	3 400 743.27	R6	-8 253.33	3 401 184.31
L7	-7 928.36	3 400 742.24	R7	-8 254.52	3 401 155.75
L8	-7 927.99	3 400 720.39	R8	-8 255.72	3 401 127.12
L9	-7 810.60	3 400 722.08	R9	-8 256.91	3 401 098.43
L10	-7 810.38	3 400 702.08	R10	-8 258.11	3 401 069.86
L11	-7 933.02	3 400 700.40	R11	-8 259.39	3 401 039.09
L12	-7 978.69	3 400 524.59	R12	-8 260.81	3 401 005.01
L13	-8 016.53	3 400 453.24	R13	-8 281.65	3 400 986.05
L14	-8 002.34	3 400 434.36	R14	-8 304.00	3 400 954.45
L15	-8 025.91	3 400 416.64	R15	-8 282.29	3 400 939.12
L16	-8 046.22	3 400 442.90	R16	-8 292.78	3 400 915.25
L17	-8 053.92	3 400 443.79	R17	-8 312.57	3 400 870.20
L18	-8 105.08	3 400 417.73	R18	-8 353.31	3 400 834.35
L19	-8 137.95	3 400 409.27	R19	-8 376.00	3 400 815.07
L20	-8 172.80	3 400 407.11	R20	-8 393.44	3 400 800.25
L21	-8 232.85	3 400 415.87	R21	-8 406.98	3 400 788.03
L22	-8 293.27	3 400 409.58	R22	-8 408.46	3 400 787.06
L23	-8 349.22	3 400 387.58	R23	-8 375.17	3 400 749.73
L24	-8 453.37	3 400 308.10	R24	-8 383.00	3 400 727.25
L25	-9 560.91	3 399 090.43	R25	-8 389.50	3 400 723.60
L26	-9 664.43	3 398 987.66	R26	-8 461.00	3 400 715.69
L27	-9 707.43	3 398 954.46	R27	-8 458.20	3 400 690.74
L28	-9 763.64	3 398 921.01	R28	-8 421.16	3 400 694.90
L29	-9 851.03	3 398 871.04	R29	-8 369.45	3 400 683.12
L30	-9 913.89	3 398 835.10	R30	-8 393.64	3 400 630.02
L31	-9 920.08	3 398 828.72	R31	-8 429.98	3 400 453.45
L32	-9 944.68	3 398 803.36	R32	-8 472.14	3 400 372.96
L33	-9 966.07	3 398 781.32	R33	-8 505.01	3 400 335.69
L34	-10 018.99	3 398 726.77	R34	-9 569.83	3 399 164.46
L35	-9 990.92	3 398 682.06	R35	-9 653.13	3 399 072.86
L36	-10 010.01	3 398 668.16	R36	-9 689.91	3 399 036.53
L37	-10 039.72	3 398 708.96	R37	-9 742.90	3 398 998.15
L38	-10 046.52	3 398 709.66	R38	-9 820.57	3 398 955.25
L39	-10 199.75	3 398 627.95	R39	-9 898.48	3 398 919.10
L40	-10 213.55	3 398 620.60	R40	-9 925.37	3 398 974.15
L41	-10 273.24	3 398 588.77	R41	-10 240.55	3 398 848.62
L42	-10 337.48	3 398 554.52	R42	-10 310.08	3 398 841.76
L43	-10 349.12	3 398 576.46	R43	-10 305.82	3 398 798.46
L44	-10 378.90	3 398 560.52	R44	-10 260.21	3 398 799.43
L45	-10 666.74	3 398 406.48	R45	-10 254.87	3 398 781.58
L46	-10 678.99	3 398 429.70	R46	-10 264.19	3 398 756.98
L47	-10 726.18	3 398 404.82	R47	-10 282.32	3 398 731.95
L48	-10 886.81	3 398 320.14	R48	-10 402.14	3 398 654.58
L49	-11 173.54	3 398 168.91	R49	-10 457.60	3 398 618.77
L50	-11 447.16	3 398 024.66	R50	-10 613.77	3 398 538.90
L51	-12 344.42	3 397 551.42	R51	-10 688.73	3 398 498.49
			Vel Sheet	10 Van of	13 P1035/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	-12 346.17	3	397	550.50	R52	-10 940.41	3	398	365.07
L53	-14 289.32	3	396	527.38	R53	-11 136.75	3	398	261.15
L54	-14 397.05	3	396	468.73	R54	-11 632.50	3	397	998.75
L55	-14 499.32	3	396	407.25	R55	-12 391.75	3	397	598.95
L56	-14 598.18	3	396	342.47	R56	-12 394.13	3	397	598.06
L57	-14 697.94	3	396	271.53	R57	-14 289.19	3	396	599.19
L58	-14 792.21	3	396	198.47	R58	-14 318.59	3	396	583.69
L59	-14 894.60	3	396	112.16	R59	-14 428.70	3	396	523.40
L60	-16 682.59	3	394	566.52	R60	-14 532.76	3	396	461.25
L61	-17 152.45	3	394	160.36	R61	-14 637.83	3	396	392.62
L62	-17 309.16	3	394	004.98	R62	-14 737.40	3	396	321.55
L63	-17 344.53	3	393	958.67	R63	-14 834.54	3	396	245.84
L64	-17 374.12	3	393	909.01	R64	-14 929.87	3	396	165.58
L65	-17 451.29	3	393	736.26	R65	-16 039.33	3	395	206.52
L66	-17 315.66	3	393	578.37	R66	-17 048.41	3	394	334.24
L67	-17 459.22	3	393	454.01	R67	-17 356.56	3	394	084.08
L68	-17 596.07	3	393	612.20	R68	-17 409.36	3	394	050.29
L69	-17 780.03	3	393	560.28	R69	-17 467.00	3	394	026.87
L70	-17 837.69	3	393	539.31	R70	-17 656.10	3	393	973.70
L71	-17 894.14	3	393	505.55	R71	-17 792.97	3	394	132.19
L72	-18 042.53	3	393	387.62	R72	-17 937.14	3	394	007.22
L73	-18 089.43	3	393	350.39	R73	-17 801.00	3	393	850.17
L74	-19 153.59	3	392	430.47	R74	-17 879.72	3	393	673.63
L75	-19 229.89	3	392	364.49	R75	-17 908.33	3	393	622.69
L76	-19 291.22	3	392	313.17	R76	-17 945.78	3	393	578.45
L77	-19 366.45	3	392	255.92	R77	-18 103.16	3	393	422.45
L78	-19 445.75	3	392	203.06	R78	-18 142.06	3	393	388.84
L79	-19 525.55	3	392	156.37	R79	-19 193.48	3	392	479.90
L80	-19 607.46	3	392	114.90	R80	-19 270.70	3	392	413.38
L81	-20 681.68	3	391	613.91	R81	-19 331.64	3	392	361.54
L82	-20 689.66	3	391	610.19	R82	-19 402.24	3	392	308.23
L83	-20 800.54	3	391	554.92	R83	-19 475.00	3	392	259.52
L84	-23 129.00	3	390	394.23	R84	-19 555.20	3	392	212.88
L85	-24 912.21	3	389	505.31	R85	-19 637.59	3	392	170.90
L86	-25 031.15	3	389	446.21	R86	-20 672.61	3	391	688.34
L87	-25 133.31	3	389	396.57	R87	-20 709.82	3	391	670.99
L88	-25 220.81	3	389	357.36	R88	-20 821.14	3	391	621.39
L89	-25 307.16	3	389	322.22	R89	-20 893.47	3	391	580.10
L90	-25 392.29	3	389	289.95	R90	-21 066.73	3	391	493.38
L91	-25 668.70	3	389	186.80	R91	-23 125.50	3	390	467.34
L92	-27 476.55	3	388	512.17	R92	-25 083.18	3	389	491.66
L93	-27 565.19	3	388	481.29	R93	-25 159.30	3	389	454.72
L94	-27 655.41	3	388	455.85	R94	-25 245.58	3	389	416.10
L95	-27 749.60	3	388	435.43	R95	-25 329.53	3	389	381.97
L96	-27 835.47	3	388	421.40	R96	-25 414.29	3	389	349.75
L97	-27 936.08	3	388	411.86	R97	-25 687.17	3	389	247.90
L98	-28 029.04	3	388	408.55	R98	-27 498.10	3	388	572.01
L99	-28 117.47	3	388	411.59	R99	-27 585.11	3	388	541.93
L100	-28 245.32	3	388	421.05	R100	-27 672.10	3	388	517.37
L101	-28 307.89	3	388	428.82	R101	-27 758.64	3	388	498.07
L102	-28 384.86	3	388	437.18	R102	-27 841.78	3	388	485.13
					Vel	11	Van	13	P1035/18
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°	Y	X
L103	-28 573.98	3 388 457.74		R103	-27 938.77 3 388 475.47
L104	-28 776.19	3 388 466.44		R104	-28 015.03 3 388 471.96
L105	-28 831.21	3 388 463.96		R105	-28 097.79 3 388 473.98
L106	-28 919.60	3 388 453.33		R106	-28 215.69 3 388 483.45
L107	-28 867.79	3 388 326.84		R107	-28 262.69 3 388 492.24
L108	-29 042.74	3 388 254.30		R108	-28 370.75 3 388 505.43
L109	-29 127.48	3 388 456.08		R109	-28 765.56 3 388 553.62
L110	-29 324.37	3 388 522.22		R110	-28 991.83 3 388 628.29
L111	-29 388.98	3 388 536.55		R111	-29 077.18 3 388 831.59
L112	-29 802.59	3 388 590.16		R112	-29 197.47 3 388 781.08
L113	-32 911.31	3 388 927.02		R113	-29 141.79 3 388 647.10
L114	-33 001.19	3 388 934.74		R114	-29 138.49 3 388 639.17
L115	-33 091.88	3 388 937.27		R115	-29 293.61 3 388 620.38
L116	-33 182.37	3 388 934.30		R116	-29 353.67 3 388 619.06
L117	-33 269.88	3 388 925.53		R117	-29 542.99 3 388 626.68
L118	-33 355.91	3 388 912.32		R118	-32 874.63 3 388 987.20
L119	-33 772.71	3 388 832.78		R119	-32 981.90 3 388 997.47
L120	-33 876.52	3 388 812.92		R120	-33 035.21 3 388 999.60
L121	-34 764.09	3 388 643.98		R121	-33 092.09 3 389 001.13
L122	-34 867.96	3 388 621.27		R122	-33 184.71 3 388 997.96
L123	-34 917.79	3 388 607.49		R123	-33 276.79 3 388 989.23
L124	-35 020.25	3 388 575.11		R124	-33 370.17 3 388 974.55
L125	-35 113.15	3 388 539.75		R125	-33 763.02 3 388 899.54
L126	-35 272.83	3 388 453.16		R126	-33 868.96 3 388 879.57
L127	-35 333.47	3 388 409.55		R127	-34 772.80 3 388 707.26
L128	-35 355.56	3 388 384.68		R128	-34 943.52 3 388 672.96
L129	-35 377.05	3 388 360.47		R129	-35 133.14 3 388 610.33
L130	-35 479.75	3 388 216.56		R130	-35 272.13 3 388 549.50
L131	-35 458.72	3 388 003.20		R131	-35 356.57 3 388 533.57
L132	-35 647.38	3 387 984.91		R132	-35 397.33 3 388 533.70
L133	-35 665.67	3 388 175.10		R133	-35 441.93 3 388 533.85
L134	-35 744.34	3 388 184.91		R134	-35 511.75 3 388 540.56
L135	-35 825.43	3 388 187.40		R135	-35 529.72 3 388 730.15
L136	-35 907.14	3 388 165.20		R136	-35 718.71 3 388 713.39
L137	-36 326.98	3 387 983.81		R137	-35 697.98 3 388 499.72
L138	-36 420.03	3 387 941.02		R138	-35 800.44 3 388 354.74
L139	-36 512.11	3 387 896.14		R139	-35 848.62 3 388 301.75
L140	-36 589.48	3 387 852.48		R140	-35 909.91 3 388 260.03
L141	-36 665.18	3 387 804.21		R141	-36 083.09 3 388 165.66
L142	-36 736.50	3 387 750.49		R142	-36 467.77 3 387 988.81
L143	-36 804.39	3 387 694.31		R143	-36 550.29 3 387 947.58
L144	-36 869.27	3 387 633.33		R144	-36 625.10 3 387 905.49
L145	-36 930.15	3 387 569.48		R145	-36 700.88 3 387 859.94
L146	-37 402.47	3 387 061.37		R146	-36 775.56 3 387 801.29
L147	-38 137.52	3 386 270.62		R147	-36 846.02 3 387 742.55
L148	-38 529.42	3 385 849.03		R148	-36 913.50 3 387 679.29
L149	-38 593.78	3 385 783.11		R149	-36 979.23 3 387 610.15
L150	-38 666.15	3 385 719.05		R150	-37 372.88 3 387 186.66
L151	-38 739.77	3 385 662.94		R151	-38 181.77 3 386 316.47
L152	-38 819.82	3 385 610.98		R152	-38 573.61 3 385 894.94
L153	-38 904.00	3 385 565.05		R153	-38 637.41 3 385 828.73
			Vel Sheet	12 Van of 13	P1035/18

This gazette is also available free online at www.gpwonline.co.za