

DEPARTMENT OF TRANSPORT

NO. 805

9 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N5 SECTION 4

AMENDMENT OF DECLARATION No.'s 910 OF 2010 AND 316 OF 2018.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend **(I)** Declaration No. 910 of 2010 in its entirety, **(II)** Declaration No. 316 of 2018 in its entirety, by substituting it with the accompanying sheets 1 to 15 of Plan No. P1094/18.

(National Road N5 Section 4: Kestell - Harrismith)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 805

9 September 2021


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N5 SEKSIE 4

WYSIGING VAN VERKLARING No.'s 910 VAN 2010 EN 316 VAN 2018.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee (I) Verklaring No. 910 van 2010 in sy geheel, asook (II) Verklaring No. 316 van 2018 in sy geheel, deur dit te vervang met meegaande velle 1 tot 15 van Plan No. P1094/18.

(Nasionale Pad N5 Seksie 4: Kestell - Harrismith)**MINISTER VAN VERVOER**



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N5
of National Route N5

4
Seksie
Section

Vel
Sheet
1
of
15
Plan
P1094/18






Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N5
of National Route
Seksie
Section

Vel
Sheet 3 of 15
Plan
P1094/18






Die Suid Afrikaanse Nasionale Padagentskap USB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	ste die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N5 of National Route	Vel Sheet 5 of 15 Plan P1094/18
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	ste die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N5 of National Route N5	Vel Sheet 6 of 15	Plan P1094/18
---	---------------------------------------	---	-------------------------------	------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	4	Plan P1094/18	Vel 7 van 15 Sheet of
---	---------------------------------------	--	---	---------------	--------------------------





Vel
Sheet 9 of 15
Plan P1094/18

steeldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N5
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L1	28 491.70	3	132	340.45	R1	28 641.76	3	132	421.83
L2	28 318.30	3	132	527.41	R2	28 626.15	3	132	517.92
L3	28 214.27	3	132	634.81	R3	28 632.33	3	132	549.34
L4	28 135.22	3	132	714.88	R4	28 559.97	3	132	589.21
L5	27 926.95	3	132	933.80	R5	28 517.57	3	132	584.22
L6	27 810.60	3	133	029.73	R6	28 515.62	3	132	584.21
L7	27 676.82	3	133	109.86	R7	28 464.38	3	132	584.07
L8	27 646.82	3	133	120.61	R8	28 418.24	3	132	591.09
L9	27 547.59	3	133	156.16	R9	28 373.17	3	132	607.08
L10	27 439.84	3	133	179.52	R10	28 296.94	3	132	642.54
L11	27 347.60	3	133	186.09	R11	28 243.98	3	132	680.74
L12	27 327.20	3	133	187.54	R12	28 118.78	3	132	788.47
L13	27 153.67	3	133	173.39	R13	28 043.35	3	132	862.55
L14	27 019.32	3	133	175.87	R14	27 968.48	3	132	940.53
L15	26 726.47	3	133	166.06	R15	27 949.08	3	132	962.22
L16	26 536.29	3	133	158.32	R16	27 862.61	3	133	041.23
L17	26 509.12	3	133	157.32	R17	27 794.98	3	133	089.03
L18	26 034.33	3	133	139.86	R18	27 720.74	3	133	131.07
L19	25 537.70	3	133	121.64	R19	27 705.63	3	133	137.72
L20	25 371.55	3	133	117.20	R20	27 639.06	3	133	167.06
L21	25 117.51	3	133	110.41	R21	27 535.11	3	133	201.44
L22	24 677.72	3	133	094.31	R22	27 441.41	3	133	218.25
L23	24 497.28	3	133	087.67	R23	27 360.66	3	133	225.83
L24	24 276.22	3	133	075.65	R24	27 342.92	3	133	225.80
L25	24 240.89	3	133	074.34	R25	27 272.17	3	133	225.66
L26	24 030.66	3	133	066.80	R26	27 148.54	3	133	221.33
L27	23 618.49	3	133	051.50	R27	26 730.58	3	133	205.51
L28	23 599.88	3	133	048.30	R28	26 711.74	3	133	200.85
L29	23 536.77	3	133	038.91	R29	26 553.09	3	133	194.29
L30	23 438.78	3	133	045.09	R30	26 469.78	3	133	191.30
L31	23 173.28	3	133	030.57	R31	26 079.24	3	133	177.29
L32	23 156.38	3	133	029.64	R32	25 532.09	3	133	161.44
L33	23 033.29	3	133	025.29	R33	25 358.19	3	133	153.45
L34	22 921.27	3	133	024.71	R34	25 118.50	3	133	142.43
L35	22 839.68	3	133	010.98	R35	24 700.16	3	133	127.14
L36	22 776.59	3	132	995.22	R36	24 280.97	3	133	111.73
L37	22 730.48	3	132	980.23	R37	24 112.17	3	133	107.57
L38	22 639.87	3	132	942.99	R38	23 957.79	3	133	101.88
L39	22 525.37	3	132	890.50	R39	23 618.97	3	133	099.73
L40	22 411.04	3	132	839.71	R40	23 582.49	3	133	100.93
L41	22 331.26	3	132	801.48	R41	23 534.25	3	133	099.75
L42	22 263.53	3	132	770.12	R42	23 490.20	3	133	094.01
L43	22 235.55	3	132	757.16	R43	23 321.14	3	133	080.72
L44	22 074.71	3	132	685.23	R44	23 174.17	3	133	077.07
L45	21 998.36	3	132	640.32	R45	23 174.90	3	133	115.64
L46	21 892.12	3	132	586.84	R46	22 882.65	3	133	106.01
L47	21 805.42	3	132	537.62	R47	22 693.27	3	133	056.57
L48	21 673.33	3	132	457.19	R48	22 207.60	3	132	833.41
L49	21 404.66	3	132	309.53	R49	21 979.78	3	132	728.68
L50	20 996.70	3	132	077.16	R50	20 079.60	3	131	646.54
L51	20 528.02	3	131	810.35	R51	19 718.12	3	131	440.68
Vel Sheet 10					Van of 15		P1094/18		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L52	20 159.12	3	131 600.25		R52	19 569.99	3	131 356.31	
L53	19 801.16	3	131 396.62		R53	19 337.76	3	131 296.46	
L54	19 785.83	3	131 387.93		R54	18 920.90	3	131 309.16	
L55	19 693.51	3	131 335.56		R55	18 499.14	3	131 322.01	
L56	19 611.57	3	131 294.76		R56	18 301.43	3	131 293.58	
L57	19 504.43	3	131 255.90		R57	18 112.49	3	131 237.06	
L58	19 380.18	3	131 228.49		R58	17 931.66	3	131 146.29	
L59	19 284.13	3	131 219.71		R59	16 858.69	3	130 357.14	
L60	19 202.06	3	131 217.39		R60	16 497.26	3	130 091.32	
L61	19 068.60	3	131 223.90		R61	15 386.80	3	129 274.60	
L62	18 663.06	3	131 236.46		R62	15 062.93	3	129 036.41	
L63	18 543.90	3	131 238.77		R63	14 688.18	3	128 760.80	
L64	18 465.35	3	131 234.76		R64	14 575.35	3	128 696.22	
L65	18 372.97	3	131 223.22		R65	14 510.81	3	128 667.85	
L66	18 367.70	3	131 222.36		R66	14 443.22	3	128 644.05	
L67	18 291.08	3	131 205.95		R67	14 376.48	3	128 626.03	
L68	18 234.28	3	131 190.33		R68	14 291.15	3	128 610.44	
L69	18 159.91	3	131 164.93		R69	14 205.25	3	128 602.81	
L70	18 135.12	3	131 154.47		R70	14 034.46	3	128 603.91	
L71	18 087.45	3	131 134.35		R71	13 952.06	3	128 605.22	
L72	18 034.65	3	131 108.31		R72	13 840.67	3	128 606.63	
L73	17 983.21	3	131 079.37		R73	13 642.42	3	128 610.18	
L74	17 836.66	3	130 978.03		R74	13 564.05	3	128 611.40	
L75	17 668.28	3	130 854.00		R75	13 479.27	3	128 611.20	
L76	17 272.94	3	130 563.20		R76	13 442.43	3	128 608.50	
L77	16 950.81	3	130 326.14		R77	13 405.59	3	128 605.81	
L78	16 575.37	3	130 049.08		R78	13 338.78	3	128 596.40	
L79	16 574.90	3	130 048.73		R79	13 328.30	3	128 594.26	
L80	16 493.88	3	129 989.26		R80	13 279.54	3	128 584.36	
L81	16 145.41	3	129 733.46		R81	13 214.55	3	128 567.07	
L82	15 823.29	3	129 496.30		R82	13 147.89	3	128 544.59	
L83	15 402.96	3	129 186.95		R83	13 076.03	3	128 514.18	
L84	15 356.16	3	129 152.51		R84	13 008.75	3	128 480.43	
L85	14 856.70	3	128 785.02		R85	12 915.80	3	128 431.65	
L86	14 695.56	3	128 666.53		R86	12 831.21	3	128 386.90	
L87	14 399.75	3	128 550.61		R87	12 745.37	3	128 344.90	
L88	14 378.35	3	128 544.50		R88	12 668.39	3	128 316.69	
L89	14 322.45	3	128 534.16		R89	12 635.54	3	128 308.30	
L90	14 267.20	3	128 527.07		R90	12 577.81	3	128 293.55	
L91	14 208.53	3	128 522.87		R91	12 489.13	3	128 281.24	
L92	14 141.88	3	128 522.19		R92	12 383.52	3	128 278.63	
L93	14 055.50	3	128 523.56		R93	12 323.84	3	128 283.13	
L94	13 919.02	3	128 525.74		R94	12 277.90	3	128 289.72	
L95	13 645.72	3	128 508.25		R95	12 182.22	3	128 299.17	
L96	13 211.50	3	128 476.23		R96	11 799.24	3	128 388.38	
L97	13 189.77	3	128 472.77		R97	10 724.29	3	128 638.78	
L98	13 180.32	3	128 471.30		R98	9 686.94	3	128 880.42	
L99	13 127.30	3	128 449.95		R99	9 060.94	3	129 026.23	
L100	13 061.57	3	128 418.25		R100	6 408.98	3	129 643.95	
L101	12 834.33	3	128 298.51		R101	5 768.51	3	129 793.14	
L102	12 799.00	3	128 281.12		R102	4 260.28	3	130 144.46	
					Vel Sheet 11 Van of 15 P1094/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°		Y	X			
L103	12 732.42	3 128 253.81		R103	3 788.90	3 130 254.26			
L104	12 677.42	3 128 235.66		R104	3 535.80	3 130 260.07			
L105	12 591.61	3 128 214.73		R105	2 733.40	3 130 142.57			
L106	12 511.51	3 128 202.86		R106	2 590.60	3 130 090.37			
L107	12 430.20	3 128 198.07		R107	2 466.50	3 130 004.07			
L108	12 345.13	3 128 200.77		R108	2 157.20	3 129 756.88			
L109	12 246.29	3 128 214.73		R109	1 914.09	3 129 579.79			
L110	12 161.36	3 128 234.20		R110	1 642.29	3 129 452.19			
L111	12 151.05	3 128 236.56		R111	1 396.29	3 129 200.09			
L112	12 120.57	3 128 243.58		R112	1 316.21	3 129 150.68			
L113	11 834.14	3 128 311.52		R113	1 315.04	3 129 149.86			
L114	10 639.14	3 128 589.27		R114	1 098.71	3 129 016.40			
L115	9 597.85	3 128 831.31		R115	960.99	3 128 953.90			
L116	9 533.26	3 128 845.48		R116	678.79	3 128 867.70			
L117	9 078.17	3 128 951.20		R117	289.29	3 128 787.30			
L118	8 524.71	3 129 080.09		R118	149.39	3 128 742.50			
L119	7 940.48	3 129 216.27		R119	-39.81	3 128 668.41			
L120	7 258.34	3 129 374.63		R120	-219.61	3 128 574.01			
L121	6 868.66	3 129 464.92		R121	-426.92	3 128 430.23			
L122	6 289.79	3 129 600.71		R122	-619.31	3 128 267.21			
L123	6 285.32	3 129 601.76		R123	-820.81	3 128 153.12			
L124	5 757.89	3 129 724.53		R124	-986.31	3 128 102.32			
L125	5 749.23	3 129 726.46		R125	-1 155.65	3 128 068.21			
L126	5 261.02	3 129 835.56		R126	-1 176.83	3 128 063.85			
L127	5 056.84	3 129 888.15		R127	-1 371.97	3 128 054.54			
L128	4 841.83	3 129 941.05		R128	-2 394.07	3 128 039.05			
L129	4 816.95	3 129 947.21		R129	-2 625.97	3 128 054.45			
L130	4 385.78	3 130 046.97		R130	-2 815.27	3 128 101.46			
L131	4 217.70	3 130 086.18		R131	-3 017.77	3 128 176.36			
L132	3 907.97	3 130 158.44		R132	-3 194.37	3 128 269.16			
L133	3 812.50	3 130 178.60		R133	-3 366.74	3 128 388.93			
L134	3 714.27	3 130 189.90		R134	-3 553.48	3 128 560.24			
L135	3 649.52	3 130 188.11		R135	-3 666.18	3 128 697.02			
L136	3 582.09	3 130 182.64		R136	-3 746.67	3 128 832.26			
L137	3 205.26	3 130 133.36		R137	-3 764.89	3 128 870.75			
L138	2 806.48	3 130 080.63		R138	-3 820.99	3 128 989.67			
L139	2 749.14	3 130 068.07		R139	-3 980.46	3 129 374.25			
L140	2 678.43	3 130 046.28		R140	-4 028.76	3 129 490.69			
L141	2 620.54	3 130 021.32		R141	-4 166.89	3 129 695.13			
L142	2 551.80	3 129 983.41		R142	-4 530.67	3 130 051.19			
L143	2 496.18	3 129 939.57		R143	-4 690.44	3 130 201.44			
L144	2 350.43	3 129 822.36		R144	-4 748.60	3 130 252.19			
L145	2 229.98	3 129 729.27		R145	-4 748.88	3 130 252.41			
L146	1 809.84	3 129 390.17		R146	-4 779.12	3 130 275.93			
L147	1 760.36	3 129 345.70		R147	-4 848.76	3 130 330.09			
L148	1 733.75	3 129 322.99		R148	-4 881.49	3 130 355.40			
L149	1 687.12	3 129 286.50		R149	-4 985.12	3 130 419.97			
L150	1 570.25	3 129 206.44		R150	-5 091.60	3 130 476.01			
L151	1 417.44	3 129 107.37		R151	-5 319.96	3 130 566.05			
L152	1 277.54	3 129 028.11		R152	-5 352.47	3 130 576.13			
L153	1 131.67	3 128 956.25		R153	-5 376.34	3 130 583.32			
Vel Sheet					12	Van of	15	P1094/18	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L154	1 112.49	3	128 948.44		R154	-5 383.90	3	130 557.09	
L155	907.83	3	128 865.11		R155	-5 533.47	3	130 586.77	
L156	756.94	3	128 816.30		R156	-5 541.36	3	130 588.33	
L157	596.59	3	128 773.49		R157	-5 562.50	3	130 597.61	
L158	303.29	3	128 711.23		R158	-5 682.40	3	130 605.39	
L159	189.15	3	128 682.48		R159	-5 754.55	3	130 610.07	
L160	83.44	3	128 646.82		R160	-5 804.41	3	130 612.50	
L161	-30.99	3	128 598.14		R161	-5 843.94	3	130 614.43	
L162	-133.85	3	128 543.83		R162	-6 171.94	3	130 592.67	
L163	-233.29	3	128 480.44		R163	-6 190.32	3	130 591.45	
L164	-325.31	3	128 406.08		R164	-6 190.15	3	130 607.16	
L165	-450.62	3	128 308.03		R165	-6 243.66	3	130 601.72	
L166	-451.17	3	128 307.60		R166	-6 407.05	3	130 592.05	
L167	-548.10	3	128 234.68		R167	-6 527.02	3	130 590.73	
L168	-600.08	3	128 190.86		R168	-6 561.95	3	130 590.34	
L169	-647.12	3	128 160.74		R169	-7 072.87	3	130 605.37	
L170	-721.32	3	128 123.84		R170	-7 524.36	3	130 617.61	
L171	-815.65	3	128 083.08		R171	-7 701.15	3	130 618.32	
L172	-911.41	3	128 048.28		R172	-7 834.11	3	130 613.48	
L173	-1 003.67	3	128 022.39		R173	-7 881.97	3	130 611.74	
L174	-1 111.78	3	128 002.55		R174	-7 969.08	3	130 605.30	
L175	-1 154.62	3	127 998.19		R175	-8 033.11	3	130 605.16	
L176	-1 213.54	3	127 992.20		R176	-8 088.12	3	130 600.90	
L177	-1 417.17	3	127 987.85		R177	-8 114.51	3	130 623.46	
L178	-1 842.40	3	127 978.44		R178	-8 124.59	3	130 646.54	
L179	-2 324.26	3	127 967.49		R179	-8 128.40	3	130 655.26	
L180	-2 448.30	3	127 968.61		R180	-8 132.76	3	130 698.27	
L181	-2 538.26	3	127 975.41		R181	-8 108.23	3	130 708.93	
L182	-2 552.50	3	127 977.13		R182	-8 126.24	3	130 750.16	
L183	-2 678.92	3	127 996.88		R183	-8 151.41	3	130 739.22	
L184	-2 798.77	3	128 024.34		R184	-8 177.52	3	130 767.59	
L185	-2 914.97	3	128 060.11		R185	-8 198.42	3	130 815.68	
L186	-3 029.27	3	128 104.63		R186	-8 272.25	3	130 985.55	
L187	-3 139.59	3	128 157.30		R187	-8 316.45	3	130 970.37	
L188	-3 245.95	3	128 217.72		R188	-8 304.30	3	130 942.33	
L189	-3 347.51	3	128 285.78		R189	-8 294.40	3	130 898.44	
L190	-3 445.46	3	128 362.20		R190	-8 276.96	3	130 807.35	
L191	-3 535.65	3	128 443.47		R191	-8 274.09	3	130 792.36	
L192	-3 599.28	3	128 509.01		R192	-8 301.03	3	130 687.76	
L193	-3 655.00	3	128 570.90		R193	-8 334.88	3	130 647.97	
L194	-3 697.87	3	128 626.18		R194	-8 374.56	3	130 601.34	
L195	-3 733.87	3	128 674.96		R195	-8 492.68	3	130 551.11	
L196	-3 824.70	3	128 820.10		R196	-8 626.70	3	130 527.64	
L197	-3 825.37	3	128 821.17		R197	-8 667.38	3	130 522.04	
L198	-3 887.79	3	128 940.24		R198	-8 671.60	3	130 521.46	
L199	-3 935.54	3	129 054.84		R199	-8 689.87	3	130 536.75	
L200	-4 030.80	3	129 307.85		R200	-8 685.56	3	130 581.09	
L201	-4 053.84	3	129 369.06		R201	-8 718.04	3	130 581.21	
L202	-4 117.50	3	129 511.46		R202	-8 738.87	3	130 513.56	
L203	-4 198.68	3	129 620.98		R203	-8 863.63	3	130 494.05	
L204	-4 263.62	3	129 693.34		R204	-8 893.37	3	130 489.40	
					Vel Sheet 13 Van of 15 P1094/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L205	-4 491.18	3	129 917.11		R205	-9 016.00	3	130 476.66	
L206	-4 552.91	3	129 977.58		R206	-9 432.51	3	130 421.19	
L207	-4 553.18	3	129 977.83		R207	-9 672.31	3	130 392.08	
L208	-4 706.52	3	130 122.76		R208	-9 753.80	3	130 375.89	
L209	-4 888.08	3	130 268.59		R209	-9 888.33	3	130 321.38	
L210	-4 924.77	3	130 292.99		R210	-9 980.87	3	130 276.08	
L211	-4 951.56	3	130 310.79		R211	-10 068.62	3	130 223.21	
L212	-5 020.03	3	130 356.25		R212	-10 116.19	3	130 198.66	
L213	-5 120.50	3	130 417.37		R213	-10 525.22	3	130 091.54	
L214	-5 213.75	3	130 458.08		R214	-10 583.14	3	130 075.93	
L215	-5 261.09	3	130 476.46		R215	-10 871.10	3	129 998.28	
L216	-5 340.13	3	130 505.40		R216	-11 074.62	3	129 943.53	
L217	-5 453.84	3	130 535.92		R217	-11 233.19	3	129 897.74	
L218	-5 539.31	3	130 551.87		R218	-11 385.47	3	129 966.63	
L219	-5 569.00	3	130 557.41		R219	-11 400.52	3	129 962.19	
L220	-5 686.26	3	130 570.48		R220	-11 416.91	3	129 970.08	
L221	-5 803.56	3	130 574.71		R221	-11 426.40	3	130 004.88	
L222	-5 829.44	3	130 574.47		R222	-11 464.99	3	129 994.35	
L223	-5 833.56	3	130 574.43		R223	-11 455.50	3	129 959.55	
L224	-5 982.29	3	130 564.25		R224	-11 510.33	3	129 926.13	
L225	-6 156.23	3	130 546.61		R225	-11 545.34	3	129 883.59	
L226	-6 181.27	3	130 543.89		R226	-11 572.36	3	129 850.76	
L227	-6 240.04	3	130 537.81		R227	-11 604.08	3	129 812.20	
L228	-6 369.99	3	130 530.00		R228	-11 652.86	3	129 792.24	
L229	-6 469.30	3	130 523.88		R229	-11 712.36	3	129 759.75	
L230	-6 499.17	3	130 524.76		R230	-11 817.84	3	129 730.73	
L231	-6 612.22	3	130 528.07		R231	-11 907.39	3	129 706.09	
L232	-6 718.95	3	130 518.34		R232	-11 975.81	3	129 695.22	
L233	-7 284.54	3	130 535.15		R233	-12 044.23	3	129 684.35	
L234	-7 483.04	3	130 541.01		R234	-12 141.26	3	129 683.35	
L235	-7 694.29	3	130 543.97		R235	-12 152.88	3	129 685.23	
L236	-7 800.39	3	130 518.55		R236	-12 237.05	3	129 698.84	
L237	-7 944.43	3	130 409.69		R237	-12 252.65	3	129 704.20	
L238	-7 994.82	3	130 387.80		R238	-12 325.51	3	129 727.34	
L239	-7 990.98	3	130 349.81		R239	-12 356.84	3	129 756.25	
L240	-8 041.90	3	130 327.55		R240	-12 468.65	3	129 825.74	
L241	-8 070.53	3	130 359.95		R241	-12 587.66	3	129 901.10	
L242	-8 095.01	3	130 349.17		R242	-12 606.22	3	129 936.84	
L243	-8 113.03	3	130 390.40		R243	-12 629.44	3	129 912.77	
L244	-8 087.90	3	130 401.45		R244	-12 724.26	3	129 955.78	
L245	-8 091.00	3	130 439.88		R245	-12 809.30	3	130 001.93	
L246	-8 108.37	3	130 479.65		R246	-12 867.19	3	130 050.06	
L247	-8 135.72	3	130 505.38		R247	-12 908.97	3	130 100.89	
L248	-8 315.00	3	130 484.90		R248	-12 943.92	3	130 178.04	
L249	-8 489.50	3	130 474.73		R249	-12 958.70	3	130 179.46	
L250	-8 683.01	3	130 448.91		R250	-13 022.67	3	130 266.76	
L251	-8 768.90	3	130 437.45		R251	-13 037.12	3	130 330.51	
L252	-8 784.09	3	130 435.42		R252	-13 034.59	3	130 340.76	
L253	-8 802.87	3	130 432.92						
L254	-8 833.69	3	130 428.80						
L255	-8 871.32	3	130 423.77						
					Vel Sheet 14 Van of 15 P1094/18				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					LINKERKANT/LEFT HAND SIDE				
	Y		X	WG 29°		Y		X	
L256	-8 971.86	3	130	410.35	L307	-12 751.36	3	129	895.60
L257	-9 060.04	3	130	398.57	L308	-12 756.03	3	129	901.04
L258	-9 155.53	3	130	384.22	L309	-12 753.09	3	129	906.86
L259	-9 255.90	3	130	365.76	L310	-12 842.89	3	129	951.97
L260	-9 352.93	3	130	344.44	L311	-12 885.89	3	129	984.99
L261	-9 449.28	3	130	320.21	L312	-12 914.16	3	130	012.23
L262	-9 597.37	3	130	279.46	L313	-12 941.85	3	130	039.05
L263	-9 745.47	3	130	238.71	L314	-12 945.69	3	130	047.73
L264	-9 778.95	3	130	235.19	L315	-12 965.60	3	130	087.30
L265	-9 813.08	3	130	225.95	L316	-12 969.00	3	130	093.82
L266	-9 886.61	3	130	206.04	L317	-13 118.06	3	130	296.65
L267	-9 957.17	3	130	186.93					
L268	-10 020.26	3	130	169.85					
L269	-10 059.01	3	130	152.44					
L270	-10 149.50	3	130	127.54					
L271	-10 212.99	3	130	110.07					
L272	-10 474.70	3	130	038.07					
L273	-10 584.21	3	130	004.82					
L274	-10 892.60	3	129	919.96					
L275	-11 134.77	3	129	853.33					
L276	-11 206.27	3	129	832.82					
L277	-11 276.60	3	129	802.22					
L278	-11 326.85	3	129	768.83					
L279	-11 333.64	3	129	721.26					
L280	-11 333.64	3	129	703.93					
L281	-11 398.30	3	129	706.64					
L282	-11 401.39	3	129	720.59					
L283	-11 437.94	3	129	740.03					
L284	-11 512.31	3	129	741.53					
L285	-11 576.04	3	129	735.03					
L286	-11 604.72	3	129	727.14					
L287	-11 692.15	3	129	703.08					
L288	-11 768.97	3	129	681.95					
L289	-11 873.82	3	129	653.10					
L290	-11 926.05	3	129	647.17					
L291	-11 978.28	3	129	641.25					
L292	-12 007.53	3	129	636.69					
L293	-12 060.78	3	129	630.22					
L294	-12 125.41	3	129	628.74					
L295	-12 231.52	3	129	640.46					
L296	-12 262.81	3	129	650.48					
L297	-12 306.41	3	129	657.12					
L298	-12 400.66	3	129	690.92					
L299	-12 496.69	3	129	746.57					
L300	-12 556.11	3	129	781.00					
L301	-12 558.50	3	129	789.15					
L302	-12 590.05	3	129	807.29					
L303	-12 587.79	3	129	799.35					
L304	-12 606.86	3	129	810.41					
L305	-12 659.48	3	129	840.90					
L306	-12 683.26	3	129	854.68					
					Vel 15 Van 15 P1094/18 Sheet of				