

DEPARTMENT OF TRANSPORT

NO. 811

9 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N2 SECTION 1

AMENDMENT OF DECLARATION No.'s 320 OF 2008 AND 329 OF 2018.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act 1998 (Act No. 7 of 1998), I hereby amend **(I)** Declaration No. 320 of 2008, the section of the route from its start up to points L234 and R212 on sheet 19 of Plan No. P605/06, **(II)** Declaration No. 329 of 2018 in its entirety, by substituting all sheets of their respective Plans with the accompanying sheets 1 to 18 of Plan No. P1109/18.

(National Road N2 Section 1: Swartklip Interchange – Strand)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 811

9 September 2021


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N2 SEKSIE 1


WYSIGING VAN VERKLARING No.'s 320 VAN 2008 EN 329 VAN 2018.

Kragtens Artikel 40(1)(b) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No.7 van 1998), wysig ek hiermee **(I)** Verklaring No. 320 van 2008, die gedeelte van die roete vanaf die begin tot by punte L234 en R212 op vel 19 van Plan No. P605/06, **(II)** Verklaring No. 329 van 2018 in sy geheel, deur alle velle van hulle respektiewelike Planne te vervang met meegaande velle 1 tot 18 van Plan No. P1109/18.


(Nasionale Pad N2 Seksie 1: Swartklip Wisselaar – Strand)**MINISTER VAN VERVOER**



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 1 of 18 Plan P1109/18
---	---------------------------------------	--	------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 2 of 18 Plan P1109/18
---	---------------------------------------	--	---------------------------------------











Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 6 of 18	Plan P1109/18
1	N2	1	1	1



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 7 van of 18
Plan P1109/18	1	Seksie Section	1




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

stiel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route

Vel
Sheet 8 of 18
Plan P1109/18





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	1	Vel	Sheet	10	van	18
The South African National Roads Agency SOC Ltd	The figure shown				Plan	P1109/18			



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L1	35 153.90	3	763 245.78		R1	35 183.34	3	763 308.61	
L2	35 092.43	3	763 274.60		R2	35 058.68	3	763 367.05	
L3	34 802.39	3	763 410.67		R3	35 015.78	3	763 387.17	
L4	34 626.64	3	763 493.02		R4	34 841.37	3	763 473.77	
L5	34 456.85	3	763 559.34		R5	34 755.57	3	763 524.37	
L6	34 412.04	3	763 576.84		R6	34 670.77	3	763 580.97	
L7	34 377.42	3	763 586.94		R7	34 576.05	3	763 655.02	
L8	34 328.47	3	763 601.22		R8	34 527.86	3	763 692.69	
L9	34 242.00	3	763 610.18		R9	34 459.71	3	763 745.98	
L10	34 155.25	3	763 603.77		R10	34 380.53	3	763 807.89	
L11	34 144.50	3	763 601.00		R11	34 322.25	3	763 853.45	
L12	34 070.83	3	763 581.98		R12	34 251.25	3	763 918.35	
L13	33 935.09	3	763 533.11		R13	34 221.45	3	763 971.15	
L14	33 875.24	3	763 511.59		R14	34 209.25	3	764 042.55	
L15	33 794.45	3	763 482.55		R15	34 220.64	3	764 105.35	
L16	33 723.14	3	763 454.75		R16	34 267.25	3	764 189.46	
L17	33 635.84	3	763 409.04		R17	34 286.40	3	764 218.74	
L18	33 604.37	3	763 388.25		R18	34 295.51	3	764 232.67	
L19	33 553.64	3	763 354.74		R19	34 320.87	3	764 270.03	
L20	33 477.34	3	763 292.63		R20	34 327.80	3	764 280.40	
L21	33 399.43	3	763 214.13		R21	34 337.84	3	764 295.40	
L22	33 385.40	3	763 198.27		R22	34 349.35	3	764 312.37	
L23	33 364.42	3	763 174.57		R23	34 492.35	3	764 500.17	
L24	33 224.35	3	763 016.35		R24	34 545.25	3	764 571.07	
L25	33 147.73	3	762 929.80		R25	34 499.74	3	764 609.76	
L26	33 119.77	3	762 896.93		R26	34 471.65	3	764 576.77	
L27	33 009.41	3	762 767.15		R27	34 288.21	3	764 370.85	
L28	32 857.73	3	762 588.79		R28	34 244.95	3	764 322.26	
L29	32 824.80	3	762 550.06		R29	34 201.74	3	764 281.59	
L30	32 671.52	3	762 370.21		R30	34 173.55	3	764 255.06	
L31	32 581.87	3	762 264.97		R31	34 133.30	3	764 223.79	
L32	32 573.92	3	762 264.40		R32	34 123.35	3	764 216.07	
L33	32 530.92	3	762 261.27		R33	34 093.35	3	764 192.76	
L34	32 498.67	3	762 259.01		R34	34 022.85	3	764 154.36	
L35	32 598.90	3	762 376.68		R35	33 985.55	3	764 151.86	
L36	32 742.93	3	762 546.33		R36	33 801.74	3	764 087.85	
L37	32 772.83	3	762 582.08		R37	33 735.64	3	764 085.85	
L38	33 002.20	3	762 851.29		R38	33 562.72	3	764 113.58	
L39	33 065.58	3	762 925.87		R39	33 530.44	3	764 118.75	
L40	33 161.83	3	763 038.92		R40	33 471.83	3	764 131.65	
L41	33 214.63	3	763 109.72		R41	33 412.45	3	764 138.85	
L42	33 324.03	3	763 252.63		R42	33 167.01	3	764 253.91	
L43	33 357.13	3	763 301.43		R43	32 888.97	3	764 384.29	
L44	33 385.03	3	763 354.64		R44	32 770.98	3	764 439.61	
L45	33 437.53	3	763 470.34		R45	32 560.76	3	764 547.01	
L46	33 466.23	3	763 562.84		R46	32 015.87	3	764 849.10	
L47	33 470.93	3	763 658.75		R47	31 783.33	3	765 012.39	
L48	33 451.13	3	763 754.55		R48	31 717.60	3	765 065.74	
L49	33 393.68	3	763 923.24		R49	31 696.01	3	765 086.24	
L50	33 375.77	3	763 962.69		R50	31 607.64	3	765 178.12	
L51	33 362.46	3	763 991.88		R51	31 666.84	3	765 308.73	
					Vel 12 Sheet Van 18 of P1109/18				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°	Y	X
L52	33 317.03	3 764 054.61		R52	31 619.96 3 765 334.74
L53	33 260.30	3 764 106.81		R53	31 562.69 3 765 234.92
L54	33 177.53	3 764 161.84		R54	31 517.46 3 765 241.67
L55	33 104.93	3 764 201.54		R55	31 379.91 3 765 262.21
L56	32 763.03	3 764 366.83		R56	31 093.20 3 765 360.62
L57	31 987.68	3 764 793.93		R57	30 633.46 3 765 615.37
L58	31 712.34	3 764 907.54		R58	29 867.92 3 766 040.15
L59	31 595.04	3 764 950.17		R59	29 673.76 3 766 147.45
L60	31 477.35	3 764 957.27		R60	28 987.47 3 766 480.96
L61	31 408.89	3 764 851.50		R61	28 745.31 3 766 619.55
L62	31 368.87	3 764 873.70		R62	28 692.22 3 766 685.60
L63	31 427.33	3 764 990.54		R63	28 751.06 3 766 843.51
L64	31 406.61	3 765 031.60		R64	28 724.21 3 766 853.04
L65	31 347.13	3 765 085.26		R65	28 513.35 3 766 721.12
L66	31 332.52	3 765 097.19		R66	28 511.09 3 766 719.69
L67	31 299.96	3 765 122.74		R67	28 369.73 3 766 774.81
L68	31 056.56	3 765 306.83		R68	28 268.13 3 766 814.43
L69	30 665.14	3 765 522.45		R69	28 150.85 3 766 869.13
L70	29 849.67	3 765 972.06		R70	27 938.46 3 766 968.96
L71	29 640.05	3 766 087.27		R71	27 781.08 3 767 042.90
L72	29 618.13	3 766 099.02		R72	27 713.13 3 767 101.85
L73	29 585.22	3 766 116.63		R73	27 517.24 3 767 193.82
L74	29 281.50	3 766 262.99		R74	27 423.36 3 767 210.92
L75	29 033.03	3 766 379.59		R75	26 979.49 3 767 418.59
L76	28 731.35	3 766 494.67		R76	26 513.85 3 767 644.83
L77	28 645.08	3 766 515.31		R77	25 689.12 3 768 045.55
L78	28 617.15	3 766 493.18		R78	25 686.60 3 768 047.67
L79	28 574.65	3 766 392.50		R79	25 650.49 3 768 095.11
L80	28 544.54	3 766 406.42		R80	25 595.24 3 768 167.67
L81	28 584.79	3 766 520.27		R81	25 661.90 3 768 329.42
L82	28 578.17	3 766 546.29		R82	25 627.17 3 768 344.48
L83	28 531.21	3 766 585.88		R83	25 565.49 3 768 223.83
L84	28 471.35	3 766 629.46		R84	25 441.75 3 768 192.66
L85	28 299.42	3 766 719.21		R85	25 426.53 3 768 188.83
L86	28 152.91	3 766 792.03		R86	25 398.45 3 768 191.02
L87	27 757.61	3 766 977.67		R87	25 358.17 3 768 199.02
L88	27 647.96	3 766 966.74		R88	25 318.97 3 768 211.78
L89	27 449.81	3 767 059.76		R89	25 085.64 3 768 305.10
L90	27 385.26	3 767 152.41		R90	24 999.03 3 768 346.03
L91	27 241.30	3 767 219.96		R91	24 971.23 3 768 358.75
L92	26 745.63	3 767 452.92		R92	24 911.19 3 768 384.23
L93	26 685.53	3 767 483.86		R93	24 852.97 3 768 405.86
L94	26 306.72	3 767 661.49		R94	24 820.18 3 768 417.43
L95	25 924.73	3 767 840.61		R95	24 763.21 3 768 436.00
L96	25 714.90	3 767 922.75		R96	24 720.51 3 768 448.46
L97	25 675.72	3 767 935.31		R97	24 676.71 3 768 459.86
L98	25 635.48	3 767 943.12		R98	24 633.03 3 768 470.16
L99	25 612.28	3 767 944.99		R99	24 589.10 3 768 479.41
L100	25 605.58	3 767 930.34		R100	24 556.06 3 768 484.87
L101	25 598.59	3 767 933.02		R101	24 497.01 3 768 494.76
L102	25 410.46	3 767 803.79		R102	23 656.52 3 768 598.12
			Vel Sheet	13 Van of 18	P1109/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 19°		Y	X			
L103	25 402.30	3 767 790.19		R103	23 454.92	3 768 622.71			
L104	25 379.94	3 767 802.51		R104	23 402.79	3 768 630.60			
L105	25 383.44	3 767 813.02		R105	23 349.58	3 768 640.10			
L106	25 438.76	3 767 951.17		R106	23 297.48	3 768 651.32			
L107	25 443.74	3 767 963.92		R107	23 280.38	3 768 655.59			
L108	25 391.60	3 768 043.02		R108	23 249.83	3 768 663.15			
L109	25 362.26	3 768 076.39		R109	23 239.07	3 768 666.10			
L110	25 327.96	3 768 105.04		R110	23 205.12	3 768 675.58			
L111	25 289.68	3 768 128.09		R111	23 120.24	3 768 702.88			
L112	24 944.74	3 768 300.11		R112	23 049.63	3 768 728.87			
L113	24 917.47	3 768 311.87		R113	22 990.88	3 768 753.34			
L114	24 879.80	3 768 327.14		R114	22 933.99	3 768 779.66			
L115	24 862.00	3 768 334.36		R115	22 885.37	3 768 804.13			
L116	24 777.21	3 768 364.45		R116	22 838.56	3 768 829.76			
L117	24 720.09	3 768 381.82		R117	22 775.99	3 768 866.71			
L118	24 662.20	3 768 397.45		R118	22 753.75	3 768 880.53			
L119	24 604.00	3 768 410.78		R119	22 725.35	3 768 899.22			
L120	24 574.64	3 768 416.78		R120	22 622.56	3 768 994.50			
L121	24 530.56	3 768 424.66		R121	22 332.64	3 769 208.43			
L122	24 486.06	3 768 431.66		R122	22 062.50	3 769 377.90			
L123	23 378.67	3 768 567.87		R123	21 878.62	3 769 511.01			
L124	23 374.66	3 768 570.73		R124	21 860.68	3 769 524.00			
L125	23 293.66	3 768 587.05		R125	21 821.12	3 769 552.64			
L126	23 266.76	3 768 593.18		R126	21 522.49	3 769 768.81			
L127	23 213.52	3 768 606.80		R127	21 342.75	3 769 898.92			
L128	23 208.42	3 768 608.27		R128	21 211.35	3 769 994.04			
L129	23 175.85	3 768 617.67		R129	21 173.12	3 770 021.62			
L130	23 168.22	3 768 619.52		R130	21 126.39	3 770 053.99			
L131	23 098.14	3 768 642.11		R131	21 078.56	3 770 084.50			
L132	23 051.86	3 768 658.95		R132	21 029.72	3 770 113.26			
L133	22 996.95	3 768 681.39		R133	20 979.84	3 770 140.22			
L134	22 946.82	3 768 703.92		R134	20 929.52	3 770 166.44			
L135	22 928.80	3 768 711.97		R135	20 886.86	3 770 187.09			
L136	22 891.70	3 768 728.61		R136	20 861.21	3 770 198.81			
L137	22 844.25	3 768 753.38		R137	20 775.37	3 770 233.40			
L138	22 796.38	3 768 779.70		R138	20 729.71	3 770 248.86			
L139	22 782.15	3 768 788.17		R139	20 674.49	3 770 266.28			
L140	22 707.43	3 768 819.16		R140	20 274.70	3 770 365.51			
L141	22 598.88	3 768 910.93		R141	20 271.19	3 770 382.34			
L142	22 156.25	3 769 231.31		R142	20 320.29	3 770 492.81			
L143	21 818.97	3 769 475.44		R143	20 343.00	3 770 501.87			
L144	21 346.96	3 769 817.10		R144	20 348.39	3 770 504.02			
L145	21 132.30	3 769 972.48		R145	20 357.56	3 770 519.38			
L146	21 098.49	3 769 995.96		R146	20 360.81	3 770 524.82			
L147	21 064.50	3 770 018.27		R147	20 368.42	3 770 534.41			
L148	21 032.20	3 770 038.13		R148	20 381.08	3 770 550.35			
L149	20 989.41	3 770 062.92		R149	20 383.93	3 770 553.94			
L150	20 946.49	3 770 085.72		R150	20 380.93	3 770 558.00			
L151	20 898.99	3 770 108.92		R151	20 349.77	3 770 600.16			
L152	20 859.12	3 770 126.90		R152	20 344.71	3 770 607.02			
L153	20 815.94	3 770 144.57		R153	20 342.12	3 770 610.53			
					Vel Sheet	14	Van of	18	P1109/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 19°			Y	X		
L154	20 779.99	3 770 158.26		R154	20 331.12	3 770 625.42			
L155	20 737.78	3 770 172.82		R155	20 243.86	3 770 565.29			
L156	20 699.47	3 770 184.78		R156	20 211.26	3 770 382.51			
L157	20 632.89	3 770 198.56		R157	20 205.76	3 770 379.01			
L158	20 609.55	3 770 202.16		R158	20 166.00	3 770 377.28			
L159	20 567.03	3 770 208.77		R159	20 128.66	3 770 373.71			
L160	20 455.40	3 770 216.77		R160	20 092.49	3 770 364.39			
L161	20 410.74	3 770 211.82		R161	20 058.27	3 770 349.47			
L162	20 380.96	3 770 204.25		R162	19 958.17	3 770 301.01			
L163	20 365.98	3 770 200.44		R163	19 701.29	3 770 235.01			
L164	20 304.44	3 770 179.88		R164	19 630.52	3 770 222.71			
L165	20 272.55	3 770 171.01		R165	19 464.89	3 770 194.68			
L166	20 259.98	3 770 168.73		R166	19 426.66	3 770 190.21			
L167	20 239.26	3 770 165.15		R167	19 399.42	3 770 187.80			
L168	20 215.67	3 770 163.07		R168	19 372.02	3 770 186.40			
L169	20 173.53	3 770 160.87		R169	19 344.52	3 770 185.90			
L170	20 168.27	3 770 160.60		R170	19 317.12	3 770 186.20			
L171	20 161.15	3 770 160.23		R171	19 289.72	3 770 187.50			
L172	20 143.18	3 770 142.98		R172	19 262.45	3 770 189.60			
L173	20 124.68	3 770 111.72		R173	19 220.69	3 770 194.34			
L174	20 119.44	3 770 102.88		R174	19 180.78	3 770 201.41			
L175	20 083.29	3 770 041.81		R175	19 154.22	3 770 207.20			
L176	20 078.06	3 770 029.71		R176	19 127.52	3 770 213.70			
L177	20 068.27	3 770 016.80		R177	19 101.12	3 770 220.99			
L178	20 064.64	3 770 010.77		R178	19 070.62	3 770 230.79			
L179	20 043.28	3 770 021.77		R179	18 963.92	3 770 279.09			
L180	20 046.80	3 770 028.82		R180	18 888.02	3 770 323.19			
L181	20 060.43	3 770 056.10		R181	18 803.67	3 770 384.68			
L182	20 085.41	3 770 120.13		R182	18 766.78	3 770 411.51			
L183	20 088.89	3 770 129.06		R183	18 588.42	3 770 530.21			
L184	20 091.26	3 770 134.47		R184	17 859.51	3 771 048.21			
L185	20 101.99	3 770 162.19		R185	17 438.93	3 771 347.11			
L186	20 095.98	3 770 174.53		R186	17 413.95	3 771 364.86			
L187	20 052.60	3 770 186.94		R187	17 387.01	3 771 384.01			
L188	19 960.35	3 770 199.47		R188	17 324.55	3 771 431.43			
L189	19 939.98	3 770 198.01		R189	17 256.12	3 771 489.37			
L190	19 932.67	3 770 197.52		R190	17 229.19	3 771 514.59			
L191	19 913.82	3 770 196.20		R191	17 190.46	3 771 550.84			
L192	19 900.01	3 770 194.22		R192	17 160.11	3 771 582.46			
L193	19 881.85	3 770 191.65		R193	17 136.65	3 771 606.85			
L194	19 862.00	3 770 188.85		R194	17 065.02	3 771 684.54			
L195	19 850.69	3 770 187.25		R195	16 991.76	3 771 764.00			
L196	19 842.99	3 770 186.16		R196	16 983.34	3 771 773.13			
L197	19 788.34	3 770 178.45		R197	16 794.46	3 771 988.29			
L198	19 772.42	3 770 175.90		R198	16 754.94	3 772 033.31			
L199	19 766.76	3 770 175.14		R199	16 713.41	3 772 088.52			
L200	19 761.79	3 770 174.69		R200	16 684.31	3 772 146.03			
L201	19 728.41	3 770 169.98		R201	16 657.28	3 772 213.18			
L202	19 665.90	3 770 161.15		R202	16 646.57	3 772 239.79			
L203	19 650.61	3 770 158.99		R203	16 607.68	3 772 291.57			
L204	19 409.33	3 770 124.80		R204	16 604.33	3 772 304.77			
Vel Sheet					15	Van of	18	P1109/18	

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L205	19 381.83	3	770 123.20		R205	16 632.96	3	772 365.79	
L206	19 354.53	3	770 122.30		R206	16 660.19	3	772 423.84	
L207	19 299.73	3	770 123.20		R207	16 680.13	3	772 461.08	
L208	19 272.43	3	770 124.90		R208	16 695.01	3	772 505.35	
L209	19 245.03	3	770 127.50		R209	16 646.23	3	772 520.97	
L210	19 216.78	3	770 130.96		R210	16 614.18	3	772 447.78	
L211	19 190.72	3	770 135.10		R211	16 561.55	3	772 355.50	
L212	19 137.12	3	770 145.90		R212	16 550.76	3	772 336.58	
L213	19 100.48	3	770 155.33		R213	16 537.81	3	772 332.67	
L214	19 049.82	3	770 168.36		R214	16 486.56	3	772 358.96	
L215	18 931.72	3	770 214.59		R215	16 445.37	3	772 388.08	
L216	18 822.82	3	770 278.19		R216	16 416.04	3	772 413.37	
L217	18 589.89	3	770 449.57		R217	16 407.15	3	772 421.03	
L218	18 143.18	3	770 768.50		R218	16 240.24	3	772 579.14	
L219	17 821.85	3	770 996.65		R219	16 076.45	3	772 756.83	
L220	17 741.18	3	771 053.93		R220	15 906.79	3	772 940.90	
L221	17 359.71	3	771 325.15		R221	15 895.94	3	772 952.67	
L222	17 281.76	3	771 384.18		R222	15 747.83	3	773 113.36	
L223	17 240.22	3	771 418.71		R223	15 723.03	3	773 140.26	
L224	17 115.96	3	771 535.83		R224	15 532.24	3	773 347.04	
L225	16 857.35	3	771 815.95		R225	15 521.56	3	773 358.64	
L226	16 805.68	3	771 870.31		R226	15 502.51	3	773 380.05	
L227	16 688.25	3	771 981.45		R227	15 500.09	3	773 382.67	
L228	16 648.68	3	772 019.48		R228	15 489.38	3	773 394.29	
L229	16 607.00	3	772 055.05		R229	15 478.45	3	773 406.16	
L230	16 561.14	3	772 085.19		R230	15 468.88	3	773 416.54	
L231	16 515.47	3	772 106.57		R231	15 464.04	3	773 421.79	
L232	16 501.77	3	772 101.35		R232	15 430.67	3	773 458.00	
L233	16 467.05	3	772 030.64		R233	15 417.85	3	773 471.90	
L234	16 409.24	3	772 069.88		R234	15 413.17	3	773 467.93	
L235	16 446.67	3	772 139.97		R235	15 381.67	3	773 502.23	
L236	16 446.45	3	772 153.66		R236	15 388.25	3	773 504.02	
L237	16 410.32	3	772 197.60		R237	15 363.43	3	773 531.26	
L238	16 387.60	3	772 252.32		R238	15 354.65	3	773 540.47	
L239	16 367.42	3	772 300.83		R239	15 345.89	3	773 549.97	
L240	16 338.95	3	772 356.52		R240	15 341.34	3	773 554.91	
L241	16 327.48	3	772 371.91		R241	15 304.24	3	773 595.17	
L242	16 301.45	3	772 406.84		R242	15 285.03	3	773 616.18	
L243	16 266.60	3	772 446.54		R243	15 265.65	3	773 637.03	
L244	16 170.38	3	772 556.14		R244	15 257.08	3	773 646.33	
L245	16 152.61	3	772 576.42		R245	15 237.79	3	773 667.26	
L246	16 078.56	3	772 660.76		R246	15 231.02	3	773 674.60	
L247	15 876.01	3	772 880.51		R247	15 221.13	3	773 690.20	
L248	15 787.71	3	772 976.29		R248	15 217.02	3	773 696.70	
L249	15 549.44	3	773 234.80		R249	15 215.31	3	773 701.60	
L250	15 452.18	3	773 340.31		R250	15 211.99	3	773 711.13	
L251	15 433.26	3	773 361.25		R251	15 210.72	3	773 714.78	
L252	15 425.17	3	773 370.03		R252	15 206.91	3	773 725.70	
L253	15 420.55	3	773 375.04		R253	15 202.45	3	773 737.68	
L254	15 409.21	3	773 387.32		R254	15 196.81	3	773 752.80	
L255	15 399.58	3	773 397.79		R255	15 176.81	3	773 806.42	
Vel Sheet					16	Van of		18	P1109/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°	Y	X
L256	15 380.02	3 773 418.56		R256	15 169.59 3 773 818.55
L257	15 332.72	3 773 470.44		R257	15 163.19 3 773 829.32
L258	15 275.95	3 773 532.02		R258	15 158.17 3 773 863.18
L259	15 266.14	3 773 542.54		R259	15 151.10 3 773 885.82
L260	15 253.28	3 773 556.49		R260	15 153.39 3 773 891.47
L261	15 233.99	3 773 577.42		R261	15 159.71 3 773 907.04
L262	15 214.69	3 773 598.36		R262	15 164.12 3 773 917.62
L263	15 206.12	3 773 607.65		R263	15 172.09 3 773 924.66
L264	15 186.91	3 773 628.65		R264	15 196.94 3 773 946.61
L265	15 174.21	3 773 642.53		R265	15 209.20 3 773 957.45
L266	15 167.62	3 773 649.73		R266	15 221.57 3 773 967.38
L267	15 158.76	3 773 658.67		R267	15 239.11 3 773 981.46
L268	15 137.10	3 773 682.53		R268	15 286.55 3 774 019.55
L269	15 130.92	3 773 689.36		R269	15 369.36 3 774 073.43
L270	15 119.00	3 773 701.82		R270	15 420.69 3 774 100.00
L271	15 117.90	3 773 701.58		R271	15 456.92 3 774 118.76
L272	15 101.56	3 773 708.57		R272	15 399.89 3 774 137.13
L273	15 085.59	3 773 726.13		R273	15 325.75 3 774 098.69
L274	15 060.98	3 773 742.83		R274	15 168.99 3 773 993.82
L275	15 026.42	3 773 764.49		R275	15 115.63 3 773 951.80
L276	15 006.87	3 773 759.75		R276	15 096.49 3 773 948.71
L277	14 955.85	3 773 722.05		R277	15 031.07 3 773 982.64
L278	14 930.74	3 773 703.49		R278	14 993.43 3 774 015.96
L279	14 914.89	3 773 701.49		R279	14 958.87 3 774 044.95
L280	14 902.92	3 773 691.72		R280	14 939.32 3 774 069.56
L281	14 902.11	3 773 688.26		R281	14 928.51 3 774 097.15
L282	14 900.30	3 773 680.51		R282	14 891.28 3 774 192.16
L283	14 829.88	3 773 621.76		R283	14 833.60 3 774 267.06
L284	14 806.09	3 773 648.90		R284	14 724.91 3 774 519.64
L285	14 802.79	3 773 652.59		R285	14 632.22 3 774 735.04
L286	14 858.72	3 773 711.79		R286	14 628.25 3 774 744.11
L287	14 862.97	3 773 716.29		R287	14 609.90 3 774 786.74
L288	14 872.68	3 773 726.57		R288	14 575.80 3 774 865.99
L289	14 891.11	3 773 744.61		R289	14 571.88 3 774 875.13
L290	14 960.00	3 773 812.03		R290	14 566.57 3 774 887.53
L291	14 963.04	3 773 827.51		R291	14 554.62 3 774 915.42
L292	14 932.01	3 773 919.23		R292	14 540.41 3 774 948.44
L293	14 904.65	3 773 965.01		R293	14 536.26 3 774 957.86
L294	14 892.81	3 773 982.38		R294	14 510.05 3 775 018.77
L295	14 861.14	3 774 034.72		R295	14 503.22 3 775 034.63
L296	14 831.13	3 774 088.25		R296	14 482.74 3 775 082.21
L297	14 810.82	3 774 127.31		R297	14 469.94 3 775 111.96
L298	14 803.64	3 774 141.37		R298	14 458.89 3 775 137.64
L299	14 787.00	3 774 175.13			
L300	14 778.86	3 774 191.64			
L301	14 746.56	3 774 266.77			
L302	14 734.64	3 774 294.46			
L303	14 723.44	3 774 320.51			
L304	14 711.53	3 774 348.21			
L305	14 670.17	3 774 444.39			
L306	14 639.27	3 774 516.26			
			Vel 17 Van 18 Sheet of P1109/18		

This gazette is also available free online at www.gpwonline.co.za