

DEPARTMENT OF TRANSPORT

NO. 812

9 September 2021


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N2 SECTION 2

AMENDMENT OF DECLARATION No.'s 320 OF 2008 AND 266 OF 2008.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act 1998 (Act No. 7 of 1998), I hereby amend (I) Declaration No. 320 of 2008, the section of the route from points L234 and R212 on sheet 19 of Plan No. P605/06 up to its end, (II) Declaration No. 266 of 2008 in its entirety, by substituting all sheets of their respective Plans with the accompanying sheets 1 to 49 of Plan No. P1110/18.

(National Road N2 Section 2: Strand – Caledon)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 812

9 September 2021


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N2 SEKSIE 2


WYSIGING VAN VERKLARING No.'s 320 VAN 2008 EN 266 VAN 2008.

Kragtens Artikel 40(1)(b) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No.7 van 1998), wysig ek hiermee **(I)** Verklaring No. 320 van 2008, die gedeelte van die roete vanaf punte L234 en R212 op vel 19 van Plan No. P605/06 tot op die einde, **(II)** Verklaring No. 266 van 2008 in sy geheel, deur alle velle van hulle respektiewelike Planne te vervang met meegaande velle 1 tot 49 van Plan No. P1110/18.


(Nasionale Pad N2 Seksie 2: Strand – Caledon)**MINISTER VAN VERVOER**



Vel Sheet 1 of 49 Plan P1110/18	2 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route Section	Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
---------------------------------------	---	---------------------------------------	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	2	van of	49
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	2	Plan	P1110/18	





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 3 of 49
			2	Plan P1110/18







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet	6 of	49
The South African National Roads Agency SOC Ltd	The figure shown			2	Plan	P1110/18







Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route Section	2	Plan P1110/18	Vel Sheet 8 of 49	van of 49
---	---------------------------------------	---	---	---------------	----------------------	--------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route N2	Vel Sheet 11 of 49 Plan P1110/18
---	---------------------------------------	---	-------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route


Seksie
Section

2


Plan P1110/18

Vel
Sheet


12 of 49









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion of Nasionale Roete N2 of National Route	Vel Sheet Plan	van 16 of 49	2 Sektie Section P1110/18
---	---------------------------------------	--	----------------------	-----------------------	------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 17 of 49 Plan P1110/18
---	---------------------------------------	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 18 of 49 Plan P1110/18
---	---------------------------------------	---	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	2	Section	Plan P1110/18	Vel Sheet 19 of 49
---	---------------------------------------	---	---	---------	---------------	-----------------------




Vel
Sheet 20 of 49
Plan P1110/18

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Sektie
of National Route Section 2




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 21 of 49 Plan P1110/18
---	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskop MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stiel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Sektie
of National Route Section


Vel
Sheet 22 of 49
Plan P1110/18




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route N2 Section	Vel Sheet 23 of 49 Plan P1110/18
---	---------------------------------------	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 24 of 49 Plan P1110/18
---	---------------------------------------	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	2	Vel Sheet 25 of 49	Plan P1110/18
---	---------------------------------------	--	---	-----------------------	---------------




Vel
Sheet 26 of 49
Plan P1110/18

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Sektie
of National Route Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 27 of 49
		2 Seksie Section	Plan P1110/18




Vel
Sheet 28 of 49
Plan P1110/18

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
Seksie Section
2




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	2	Sektie Section	van of	Vel Sheet	29 of	49 Plan	P1110/18
---	---------------------------------------	---	---	-------------------	-----------	--------------	----------	------------	----------



Die Suid Afrikaanse Nasionale Podagogeniskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	30 of	49
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	2	Plan	P1110/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	31 of	49
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	Plan	P1110/18	



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	2	Vel Sheet	32 of	49
The South African National Roads Agency SOC Ltd	The figure shown				Plan	P1110/18	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°	Y	X
L1	14 399.75	3 775 072.98		R1	14 458.89 3 775 137.64
L2	14 396.37	3 775 080.81		R2	14 455.53 3 775 145.43
L3	14 381.68	3 775 114.92		R3	14 454.00 3 775 149.00
L4	14 374.77	3 775 128.76		R4	14 450.30 3 775 159.34
L5	14 368.95	3 775 142.07		R5	14 429.10 3 775 218.50
L6	14 364.93	3 775 151.35		R6	14 410.71 3 775 261.70
L7	14 352.53	3 775 178.82		R7	14 394.02 3 775 298.70
L8	14 340.87	3 775 207.02		R8	14 386.94 3 775 315.15
L9	14 336.87	3 775 216.30		R9	14 376.93 3 775 338.41
L10	14 332.34	3 775 226.78		R10	14 376.83 3 775 347.20
L11	14 324.84	3 775 244.14		R11	14 372.83 3 775 356.54
L12	14 313.40	3 775 270.63		R12	14 357.78 3 775 391.52
L13	14 308.82	3 775 281.23		R13	14 351.87 3 775 407.28
L14	14 289.76	3 775 325.58		R14	14 341.61 3 775 425.26
L15	14 278.12	3 775 335.82		R15	14 322.03 3 775 459.56
L16	14 252.52	3 775 385.09		R16	14 308.41 3 775 483.43
L17	14 186.56	3 775 511.92		R17	14 291.70 3 775 512.71
L18	14 141.29	3 775 583.04		R18	14 132.98 3 775 744.56
L19	14 075.16	3 775 687.01		R19	13 935.74 3 776 032.69
L20	13 948.64	3 775 871.94		R20	13 762.57 3 776 285.65
L21	13 848.14	3 776 018.86		R21	13 630.09 3 776 478.34
L22	13 768.31	3 776 135.55		R22	13 589.96 3 776 539.51
L23	13 651.40	3 776 306.44		R23	13 572.89 3 776 565.67
L24	13 538.61	3 776 471.62		R24	13 494.05 3 776 685.84
L25	13 463.40	3 776 581.48		R25	13 390.48 3 776 892.97
L26	13 449.25	3 776 599.47		R26	13 352.64 3 776 997.88
L27	13 371.59	3 776 698.19		R27	13 487.17 3 777 089.91
L28	13 300.48	3 776 772.73		R28	13 430.71 3 777 172.45
L29	13 273.51	3 776 801.00		R29	13 402.47 3 777 213.59
L30	13 175.33	3 776 885.69		R30	13 391.59 3 777 228.68
L31	13 086.94	3 776 825.23		R31	13 329.35 3 777 319.63
L32	13 059.70	3 776 806.59		R32	13 303.37 3 777 301.85
L33	13 050.63	3 776 800.38		R33	13 277.38 3 777 284.07
L34	13 031.34	3 776 787.19		R34	13 266.99 3 777 276.95
L35	12 973.04	3 776 880.99		R35	13 188.39 3 777 223.16
L36	12 956.02	3 776 908.37		R36	13 178.53 3 777 231.69
L37	12 934.07	3 777 029.31		R37	13 166.67 3 777 241.92
L38	13 035.36	3 777 098.60		R38	13 154.32 3 777 252.57
L39	13 002.83	3 777 189.50		R39	13 142.05 3 777 263.17
L40	12 986.06	3 777 223.09		R40	13 129.67 3 777 273.85
L41	12 899.36	3 777 396.73		R41	13 117.35 3 777 284.49
L42	12 844.54	3 777 480.46		R42	13 106.20 3 777 295.94
L43	12 762.43	3 777 605.88		R43	13 095.06 3 777 307.39
L44	12 736.14	3 777 642.53		R44	13 083.92 3 777 318.84
L45	12 729.55	3 777 651.71		R45	13 072.78 3 777 330.29
L46	12 717.11	3 777 669.21		R46	13 061.63 3 777 341.73
L47	12 531.48	3 777 930.31		R47	13 050.49 3 777 353.18
L48	12 359.88	3 778 085.33		R48	13 039.81 3 777 364.15
L49	12 215.02	3 778 170.54		R49	12 930.07 3 777 502.20
L50	12 086.89	3 778 219.91		R50	12 802.81 3 777 688.16
L51	11 940.05	3 778 251.96		R51	12 796.56 3 777 697.57
			Vel Sheet 33	Van of 49	P1110/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L52	11 748.68	3	778 260.87		R52	12 607.25	3	777 974.08	
L53	11 558.94	3	778 230.67		R53	12 436.18	3	778 137.54	
L54	11 475.20	3	778 206.92		R54	12 305.25	3	778 225.43	
L55	11 464.15	3	778 203.80		R55	12 175.55	3	778 280.60	
L56	11 435.98	3	778 195.84		R56	12 054.70	3	778 317.25	
L57	11 402.08	3	778 159.64		R57	11 848.15	3	778 346.62	
L58	11 191.67	3	778 099.30		R58	11 639.85	3	778 334.38	
L59	11 138.88	3	778 111.87		R59	11 437.73	3	778 282.96	
L60	10 909.49	3	778 047.04		R60	11 426.68	3	778 279.81	
L61	10 599.83	3	777 959.53		R61	10 872.38	3	778 122.23	
L62	10 447.76	3	777 916.56		R62	10 571.10	3	778 036.58	
L63	10 422.17	3	777 913.57		R63	10 539.96	3	778 028.26	
L64	10 387.46	3	777 909.51		R64	10 474.33	3	778 011.07	
L65	10 189.66	3	777 886.36		R65	10 455.61	3	778 006.37	
L66	10 022.74	3	777 895.45		R66	10 227.84	3	777 976.88	
L67	10 003.36	3	777 898.07		R67	10 056.37	3	777 975.20	
L68	9 846.93	3	777 919.16		R68	10 036.76	3	777 977.28	
L69	9 727.12	3	777 948.31		R69	9 939.67	3	777 987.59	
L70	9 534.26	3	778 016.03		R70	9 805.95	3	778 013.02	
L71	9 514.31	3	778 023.01		R71	9 659.45	3	778 055.78	
L72	9 382.65	3	778 069.23		R72	9 639.89	3	778 062.84	
L73	9 157.47	3	778 135.49		R73	9 558.00	3	778 091.64	
L74	8 968.95	3	778 185.44		R74	9 412.68	3	778 144.75	
L75	8 941.05	3	778 189.36		R75	9 294.07	3	778 187.51	
L76	8 779.06	3	778 212.18		R76	9 271.76	3	778 200.65	
L77	8 763.81	3	778 214.31		R77	9 099.76	3	778 301.80	
L78	8 698.99	3	778 112.00		R78	9 030.07	3	778 342.77	
L79	8 671.31	3	778 068.37		R79	8 987.13	3	778 368.03	
L80	8 619.40	3	778 089.20		R80	8 962.38	3	778 382.63	
L81	8 657.07	3	778 152.49		R81	8 997.54	3	778 403.34	
L82	8 709.49	3	778 240.54		R82	9 023.96	3	778 418.90	
L83	8 655.37	3	778 277.86		R83	9 110.11	3	778 509.22	
L84	8 416.26	3	778 385.04		R84	9 118.30	3	778 517.81	
L85	8 412.64	3	778 388.53		R85	9 099.28	3	778 548.89	
L86	7 850.82	3	778 400.65		R86	8 828.67	3	778 723.08	
L87	7 770.31	3	778 409.66		R87	8 569.01	3	778 890.38	
L88	7 693.65	3	778 424.37		R88	8 385.21	3	778 613.15	
L89	7 661.62	3	778 437.29		R89	8 362.75	3	778 579.27	
L90	7 253.64	3	778 600.81		R90	8 469.82	3	778 473.95	
L91	7 173.27	3	778 619.27		R91	8 329.07	3	778 469.31	
L92	7 130.52	3	778 622.37		R92	7 975.53	3	778 457.67	
L93	7 050.00	3	778 616.82		R93	7 899.48	3	778 460.57	
L94	7 023.52	3	778 613.51		R94	7 768.23	3	778 467.47	
L95	6 995.07	3	778 605.32		R95	7 693.10	3	778 482.03	
L96	6 869.20	3	778 559.96		R96	7 231.29	3	778 660.82	
L97	6 803.93	3	778 536.45		R97	7 112.66	3	778 673.26	
L98	6 494.52	3	778 420.28		R98	7 008.63	3	778 664.88	
L99	6 436.70	3	778 382.11		R99	6 887.86	3	778 620.30	
L100	6 419.02	3	778 351.98		R100	6 513.98	3	778 482.28	
L101	6 372.66	3	778 253.49		R101	6 407.20	3	778 431.60	
L102	6 375.87	3	778 157.27		R102	6 343.91	3	778 330.52	
					Vel Sheet 34 Van of 49 P1110/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°		Y	X
L103	6 454.53	3 777 986.94		R103	6 324.67	3 778 271.19
L104	6 455.84	3 777 960.18		R104	6 317.98	3 778 209.18
L105	6 456.51	3 777 946.33		R105	6 326.35	3 778 143.99
L106	6 459.44	3 777 886.46		R106	6 343.95	3 778 098.68
L107	6 445.10	3 777 843.48		R107	6 386.86	3 778 006.11
L108	6 435.14	3 777 813.60		R108	6 385.29	3 778 003.96
L109	6 364.97	3 777 754.89		R109	6 392.32	3 777 994.33
L110	6 287.54	3 777 724.57		R110	6 399.02	3 777 979.87
L111	6 210.66	3 777 725.62		R111	6 399.71	3 777 978.38
L112	6 138.79	3 777 752.81		R112	6 402.52	3 777 972.32
L113	6 095.36	3 777 807.83		R113	6 402.56	3 777 898.51
L114	6 073.39	3 777 840.74		R114	6 383.73	3 777 850.43
L115	6 030.44	3 777 932.02		R115	6 338.48	3 777 805.03
L116	6 012.02	3 777 966.03		R116	6 291.62	3 777 784.47
L117	5 927.16	3 778 152.60		R117	6 251.26	3 777 779.15
L118	5 792.44	3 778 293.22		R118	6 202.18	3 777 787.36
L119	5 751.96	3 778 411.64		R119	6 172.06	3 777 800.74
L120	5 749.69	3 778 455.86		R120	6 171.30	3 777 801.31
L121	5 755.40	3 778 608.06		R121	6 115.88	3 777 882.02
L122	5 769.44	3 778 652.00		R122	6 009.47	3 778 102.18
L123	5 791.74	3 778 739.27		R123	5 946.46	3 778 209.84
L124	5 829.21	3 778 791.69		R124	5 870.87	3 778 296.14
L125	5 883.77	3 778 832.27		R125	5 838.82	3 778 330.89
L126	5 904.57	3 778 840.32		R126	5 831.05	3 778 349.67
L127	5 921.53	3 778 847.01		R127	5 811.35	3 778 401.92
L128	5 961.89	3 778 857.17		R128	5 799.38	3 778 433.67
L129	5 986.74	3 778 862.59		R129	5 793.99	3 778 447.97
L130	5 998.59	3 778 865.18		R130	5 805.61	3 778 661.42
L131	6 018.64	3 778 875.85		R131	5 809.10	3 778 676.81
L132	6 081.44	3 778 909.27		R132	5 823.18	3 778 673.23
L133	6 122.12	3 778 944.87		R133	5 839.63	3 778 737.58
L134	6 175.87	3 778 997.30		R134	5 881.74	3 778 777.33
L135	6 193.45	3 779 007.28		R135	5 900.14	3 778 784.51
L136	6 345.79	3 779 159.31		R136	5 919.45	3 778 792.04
L137	6 353.23	3 779 212.76		R137	6 027.06	3 778 823.21
L138	6 365.58	3 779 281.95		R138	6 029.34	3 778 824.45
L139	6 376.38	3 779 335.47		R139	6 075.54	3 778 849.73
L140	6 391.26	3 779 388.95		R140	6 109.78	3 778 869.95
L141	6 406.08	3 779 423.47		R141	6 316.17	3 779 055.22
L142	6 414.84	3 779 439.78		R142	6 371.04	3 779 120.96
L143	6 441.65	3 779 508.39		R143	6 384.66	3 779 155.34
L144	6 447.92	3 779 527.84		R144	6 396.48	3 779 209.39
L145	6 450.74	3 779 547.35		R145	6 405.88	3 779 302.27
L146	6 422.90	3 779 568.26		R146	6 413.31	3 779 346.34
L147	6 434.60	3 779 662.04		R147	6 426.09	3 779 391.54
L148	6 450.63	3 779 750.18		R148	6 461.86	3 779 452.70
L149	6 466.73	3 779 787.81		R149	6 488.62	3 779 519.49
L150	6 517.40	3 779 901.93		R150	6 490.98	3 779 560.14
L151	6 536.31	3 780 070.33		R151	6 482.18	3 779 579.12
L152	6 556.61	3 780 108.62		R152	6 467.28	3 779 599.97
L153	6 572.48	3 780 149.51		R153	6 462.39	3 779 638.98
				Vel Sheet 35	Van of 49	P1110/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°		Y	X
L154	6 575.85	3 780 256.60		R154	6 489.20	3 779 765.58
L155	6 544.23	3 780 348.11		R155	6 512.18	3 779 823.98
L156	6 519.93	3 780 374.30		R156	6 544.80	3 779 886.45
L157	6 513.48	3 780 379.56		R157	6 552.26	3 779 912.88
L158	6 504.30	3 780 387.05		R158	6 556.60	3 779 943.69
L159	6 485.34	3 780 396.71		R159	6 557.84	3 779 952.43
L160	6 464.25	3 780 402.44		R160	6 559.48	3 779 964.55
L161	6 444.44	3 780 403.58		R161	6 574.28	3 779 995.35
L162	6 361.07	3 780 365.11		R162	6 582.06	3 780 031.48
L163	6 309.50	3 780 326.03		R163	6 595.89	3 780 095.78
L164	6 271.11	3 780 302.33		R164	6 598.03	3 780 103.01
L165	6 225.31	3 780 283.10		R165	6 599.38	3 780 107.55
L166	6 224.62	3 780 282.81		R166	6 601.33	3 780 104.70
L167	6 175.58	3 780 275.98		R167	6 618.85	3 780 189.26
L168	6 137.43	3 780 276.04		R168	6 625.63	3 780 220.41
L169	6 099.16	3 780 277.45		R169	6 623.01	3 780 240.43
L170	6 059.10	3 780 294.78		R170	6 616.76	3 780 288.15
L171	6 031.58	3 780 308.19		R171	6 599.11	3 780 335.84
L172	5 998.68	3 780 329.24		R172	6 577.72	3 780 382.71
L173	5 656.66	3 780 556.39		R173	6 560.80	3 780 401.53
L174	5 633.52	3 780 570.55		R174	6 544.66	3 780 419.49
L175	5 603.67	3 780 585.64		R175	6 507.18	3 780 441.81
L176	5 566.06	3 780 600.23		R176	6 474.90	3 780 458.11
L177	5 526.71	3 780 610.77		R177	6 452.35	3 780 455.33
L178	5 507.85	3 780 613.73		R178	6 410.85	3 780 456.76
L179	5 402.31	3 780 615.66		R179	6 366.91	3 780 437.52
L180	5 397.77	3 780 615.22		R180	6 326.94	3 780 403.37
L181	5 371.63	3 780 611.13		R181	6 268.75	3 780 358.58
L182	4 434.42	3 780 461.86		R182	6 246.13	3 780 346.43
L183	4 380.82	3 780 453.32		R183	6 230.18	3 780 339.44
L184	4 334.76	3 780 446.88		R184	6 203.59	3 780 330.69
L185	4 282.98	3 780 441.75		R185	6 172.07	3 780 325.86
L186	4 224.92	3 780 438.63		R186	6 139.95	3 780 325.99
L187	4 177.44	3 780 438.12		R187	6 107.18	3 780 331.41
L188	4 131.80	3 780 439.37		R188	6 069.95	3 780 344.63
L189	4 094.48	3 780 441.66		R189	6 043.44	3 780 359.53
L190	4 054.66	3 780 445.37		R190	5 684.62	3 780 597.84
L191	4 011.30	3 780 450.91		R191	5 654.24	3 780 616.23
L192	3 326.64	3 780 550.80		R192	5 614.45	3 780 635.49
L193	3 291.87	3 780 555.87		R193	5 577.52	3 780 649.06
L194	3 244.20	3 780 564.58		R194	5 531.22	3 780 660.87
L195	3 178.42	3 780 582.59		R195	5 495.06	3 780 666.36
L196	3 120.77	3 780 604.52		R196	5 460.77	3 780 668.66
L197	3 059.70	3 780 634.75		R197	5 427.06	3 780 668.21
L198	3 021.47	3 780 657.83		R198	5 382.64	3 780 663.52
L199	2 993.16	3 780 677.93		R199	5 374.50	3 780 662.22
L200	2 976.39	3 780 689.84		R200	5 370.82	3 780 662.32
L201	2 192.58	3 781 295.98		R201	5 361.02	3 780 660.07
L202	2 148.34	3 781 327.23		R202	4 372.96	3 780 502.71
L203	2 132.63	3 781 336.24		R203	4 333.84	3 780 497.15
L204	2 093.49	3 781 358.70		R204	4 280.98	3 780 491.75
				Vel Sheet	36 Van of 49	P1110/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°	Y	X
L205	2 038.83	3 781 383.27		R205	4 247.47 3 780 489.89
L206	1 809.63	3 781 473.34		R206	4 226.05 3 780 488.69
L207	1 665.32	3 781 519.03		R207	4 176.79 3 780 488.14
L208	1 579.65	3 781 530.04		R208	4 132.57 3 780 489.40
L209	1 489.11	3 781 529.74		R209	4 061.12 3 780 494.97
L210	1 443.99	3 781 533.30		R210	4 018.52 3 780 500.39
L211	1 411.04	3 781 540.13		R211	3 333.81 3 780 600.28
L212	1 388.10	3 781 533.24		R212	3 299.08 3 780 605.35
L213	1 360.56	3 781 468.17		R213	3 253.78 3 780 613.67
L214	1 328.61	3 781 395.01		R214	3 204.62 3 780 626.71
L215	1 316.67	3 781 361.81		R215	3 147.36 3 780 647.53
L216	1 303.64	3 781 364.53		R216	3 125.09 3 780 658.15
L217	1 304.18	3 781 366.15		R217	3 093.92 3 780 673.02
L218	1 292.07	3 781 370.36		R218	3 047.19 3 780 700.76
L219	1 319.07	3 781 452.20		R219	3 006.98 3 780 729.39
L220	1 331.21	3 781 520.12		R220	2 223.17 3 781 335.53
L221	1 343.74	3 781 562.64		R221	2 175.74 3 781 369.05
L222	1 333.00	3 781 583.27		R222	2 159.90 3 781 378.14
L223	1 292.91	3 781 622.48		R223	2 114.32 3 781 404.29
L224	1 252.85	3 781 664.88		R224	2 057.12 3 781 429.80
L225	1 206.23	3 781 698.13		R225	1 808.76 3 781 527.40
L226	1 134.25	3 781 735.93		R226	1 726.91 3 781 562.10
L227	1 075.62	3 781 760.51		R227	1 603.34 3 781 614.56
L228	1 027.26	3 781 780.78		R228	1 561.40 3 781 638.91
L229	315.45	3 782 060.50		R229	1 514.88 3 781 675.98
L230	170.29	3 782 117.55		R230	1 475.78 3 781 723.17
L231	128.92	3 782 130.98		R231	1 461.44 3 781 751.53
L232	89.56	3 782 138.87		R232	1 475.12 3 781 802.14
L233	47.81	3 782 131.69		R233	1 477.25 3 781 810.42
L234	- 19.12	3 782 137.45		R234	1 485.81 3 781 843.66
L235	- 63.81	3 782 127.61		R235	1 475.63 3 781 877.60
L236	- 110.02	3 782 110.37		R236	1 456.41 3 781 941.66
L237	- 140.30	3 782 094.88		R237	1 413.78 3 781 994.64
L238	- 158.69	3 782 083.61		R238	1 389.27 3 781 969.00
L239	- 424.55	3 781 909.40		R239	1 395.64 3 781 964.23
L240	- 431.84	3 781 904.62		R240	1 425.63 3 781 920.44
L241	- 515.24	3 781 842.97		R241	1 439.73 3 781 869.16
L242	- 546.17	3 781 816.08		R242	1 437.20 3 781 832.81
L243	- 627.94	3 781 700.81		R243	1 418.25 3 781 786.98
L244	- 653.95	3 781 678.58		R244	1 405.35 3 781 780.28
L245	- 689.87	3 781 663.53		R245	1 354.56 3 781 797.88
L246	- 724.60	3 781 663.11		R246	1 318.46 3 781 803.43
L247	- 726.90	3 781 662.68		R247	1 237.71 3 781 801.94
L248	- 744.78	3 781 659.35		R248	1 175.08 3 781 801.35
L249	- 783.83	3 781 620.16		R249	1 130.25 3 781 806.69
L250	- 810.69	3 781 595.08		R250	1 030.54 3 781 833.22
L251	- 846.77	3 781 571.33		R251	565.43 3 782 016.00
L252	- 891.04	3 781 542.71		R252	188.58 3 782 164.09
L253	- 946.24	3 781 515.42		R253	157.12 3 782 175.00
L254	- 959.48	3 781 530.40		R254	119.37 3 782 184.67
L255	- 925.79	3 781 560.74		R255	71.16 3 782 202.56
			Vel Sheet	37 Van of 49	P1110/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°		Y	X
L256	- 925.61	3 781 564.27		R256	- 5.93	3 782 194.09
L257	- 912.23	3 781 576.31		R257	- 13.25	3 782 195.62
L258	- 908.70	3 781 576.13		R258	- 60.59	3 782 183.93
L259	- 893.10	3 781 590.19		R259	- 94.19	3 782 173.04
L260	- 850.07	3 781 624.15		R260	- 161.11	3 782 141.36
L261	- 830.69	3 781 635.54		R261	- 212.21	3 782 120.54
L262	- 810.84	3 781 657.20		R262	- 275.99	3 782 080.46
L263	- 793.20	3 781 676.45		R263	- 335.52	3 782 044.55
L264	- 799.70	3 781 683.97		R264	- 402.24	3 781 998.03
L265	- 825.70	3 781 687.39		R265	- 464.04	3 781 959.21
L266	- 858.21	3 781 683.63		R266	- 499.53	3 781 938.46
L267	- 908.16	3 781 677.47		R267	- 514.33	3 781 929.80
L268	- 927.66	3 781 673.73		R268	- 569.07	3 781 910.98
L269	- 935.63	3 781 672.20		R269	- 617.65	3 781 904.83
L270	- 950.92	3 781 669.26		R270	- 632.54	3 781 914.37
L271	-1 010.45	3 781 661.05		R271	- 620.77	3 781 967.52
L272	-1 070.91	3 781 652.81		R272	- 614.74	3 781 983.11
L273	-1 169.44	3 781 643.92		R273	- 603.79	3 782 011.46
L274	-1 230.00	3 781 645.63		R274	- 581.72	3 782 056.43
L275	-1 293.03	3 781 649.31		R275	- 563.63	3 782 082.81
L276	-1 330.11	3 781 652.07		R276	- 579.08	3 782 096.59
L277	-1 376.02	3 781 656.97		R277	- 648.06	3 781 996.03
L278	-1 410.59	3 781 661.76		R278	- 722.80	3 781 898.17
L279	-1 449.64	3 781 668.30		R279	- 769.87	3 781 875.71
L280	-1 491.69	3 781 676.71		R280	- 795.87	3 781 851.76
L281	-1 528.96	3 781 685.39		R281	- 820.84	3 781 809.69
L282	-1 571.33	3 781 696.66		R282	- 852.66	3 781 775.48
L283	-1 606.86	3 781 707.31		R283	- 888.11	3 781 752.77
L284	-1 645.22	3 781 720.06		R284	- 946.95	3 781 732.59
L285	-1 729.02	3 781 752.63		R285	-1 012.30	3 781 715.49
L286	-1 783.56	3 781 777.53		R286	-1 046.52	3 781 708.25
L287	-1 924.12	3 781 856.13		R287	-1 118.48	3 781 700.63
L288	-1 978.78	3 781 882.04		R288	-1 171.93	3 781 697.67
L289	-2 059.18	3 781 919.67		R289	-1 232.75	3 781 697.08
L290	-2 172.37	3 781 946.16		R290	-1 289.60	3 781 699.19
L291	-2 278.83	3 781 941.67		R291	-1 327.16	3 781 702.01
L292	-2 352.20	3 781 922.02		R292	-1 372.96	3 781 706.98
L293	-2 407.37	3 781 896.92		R293	-1 400.86	3 781 710.85
L294	-2 521.67	3 781 814.72		R294	-1 440.79	3 781 717.51
L295	-2 583.44	3 781 766.99		R295	-1 477.26	3 781 724.75
L296	-2 645.08	3 781 735.49		R296	-1 514.48	3 781 733.31
L297	-2 657.16	3 781 730.26		R297	-1 559.54	3 781 745.29
L298	-2 676.31	3 781 721.96		R298	-1 593.85	3 781 755.64
L299	-2 718.97	3 781 705.79		R299	-1 631.41	3 781 768.20
L300	-2 764.26	3 781 691.31		R300	-1 705.22	3 781 796.84
L301	-2 781.01	3 781 687.81		R301	-1 747.46	3 781 816.03
L302	-2 800.90	3 781 684.22		R302	-1 761.76	3 781 822.53
L303	-2 808.34	3 781 682.97		R303	-1 801.07	3 781 840.04
L304	-2 882.98	3 781 677.85		R304	-1 884.63	3 781 877.26
L305	-2 911.31	3 781 675.25		R305	-1 941.87	3 781 898.04
L306	-2 939.69	3 781 674.14		R306	-1 988.95	3 781 922.33
				Vel Sheet	38 of	49 P1110/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°		Y	X
L307	-2 980.58	3 781 675.27		R307	-1 993.69	3 781 923.47
L308	-3 030.44	3 781 682.59		R308	-1 998.93	3 781 926.11
L309	-3 086.77	3 781 687.55		R309	-2 003.94	3 781 928.63
L310	-3 129.31	3 781 680.46		R310	-2 060.74	3 781 952.55
L311	-3 161.58	3 781 663.26		R311	-2 107.92	3 781 965.55
L312	-3 163.83	3 781 662.07		R312	-2 122.39	3 781 969.00
L313	-3 168.36	3 781 647.50		R313	-2 144.15	3 781 973.86
L314	-3 134.20	3 781 620.29		R314	-2 164.88	3 781 977.34
L315	-3 087.89	3 781 578.15		R315	-2 191.44	3 781 977.94
L316	-3 070.66	3 781 562.47		R316	-2 230.26	3 781 977.65
L317	-3 025.17	3 781 505.03		R317	-2 267.95	3 781 975.87
L318	-2 999.24	3 781 479.75		R318	-2 287.38	3 781 971.58
L319	-2 996.93	3 781 476.82		R319	-2 319.54	3 781 964.76
L320	-3 025.28	3 781 466.27		R320	-2 321.25	3 781 964.30
L321	-3 035.06	3 781 468.24		R321	-2 357.86	3 781 952.90
L322	-3 061.30	3 781 512.46		R322	-2 391.18	3 781 935.66
L323	-3 112.59	3 781 569.31		R323	-2 409.65	3 781 925.00
L324	-3 199.31	3 781 630.55		R324	-2 465.38	3 781 893.05
L325	-3 256.82	3 781 680.20		R325	-2 619.58	3 781 783.36
L326	-3 304.27	3 781 734.84		R326	-2 654.66	3 781 765.39
L327	-3 327.81	3 781 772.26		R327	-2 690.48	3 781 749.16
L328	-3 336.43	3 781 793.42		R328	-2 708.28	3 781 743.14
L329	-3 343.61	3 781 837.71		R329	-2 721.06	3 781 738.82
L330	-3 367.95	3 781 876.62		R330	-2 723.87	3 781 737.87
L331	-3 425.66	3 781 951.06		R331	-2 773.73	3 781 725.35
L332	-3 658.89	3 782 145.72		R332	-2 822.04	3 781 718.00
L333	-3 723.23	3 782 191.66		R333	-2 872.97	3 781 715.14
L334	-3 730.53	3 782 195.45		R334	-2 894.40	3 781 715.41
L335	-4 387.70	3 782 600.49		R335	-2 933.86	3 781 720.83
L336	-4 875.59	3 782 905.81		R336	-2 979.24	3 781 728.88
L337	-4 879.83	3 782 908.30		R337	-3 021.12	3 781 738.22
L338	-5 025.89	3 782 997.13		R338	-3 064.93	3 781 751.69
L339	-5 266.80	3 783 143.31		R339	-3 109.87	3 781 770.16
L340	-5 541.94	3 783 283.32		R340	-3 150.55	3 781 791.42
L341	-5 646.56	3 783 326.37		R341	-3 160.45	3 781 797.72
L342	-5 728.48	3 783 352.12		R342	-3 160.73	3 781 797.90
L343	-5 812.93	3 783 367.21		R343	-3 168.63	3 781 802.93
L344	-5 873.67	3 783 374.53		R344	-3 185.56	3 781 813.69
L345	-5 993.50	3 783 381.11		R345	-3 219.52	3 781 838.71
L346	-5 995.61	3 783 376.71		R346	-3 242.17	3 781 856.19
L347	-6 000.14	3 783 377.01		R347	-3 246.69	3 781 859.68
L348	-6 002.00	3 783 381.46		R348	-3 322.14	3 781 922.55
L349	-6 040.46	3 783 383.62		R349	-3 321.79	3 782 044.29
L350	-6 751.11	3 783 423.23		R350	-3 323.21	3 782 100.45
L351	-6 828.94	3 783 425.54		R351	-3 323.70	3 782 139.34
L352	-6 947.56	3 783 406.43		R352	-3 324.32	3 782 188.69
L353	-6 993.87	3 783 431.59		R353	-3 322.97	3 782 309.35
L354	-7 037.08	3 783 465.99		R354	-3 343.95	3 782 311.54
L355	-7 163.28	3 783 508.87		R355	-3 354.75	3 782 112.92
L356	-7 274.09	3 783 565.01		R356	-3 378.50	3 782 103.63
L357	-7 311.97	3 783 591.46		R357	-3 449.14	3 782 102.56
				Vel Sheet	39 Van of	49 P1110/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°		Y	X
L358	-7 532.04	3 783 752.25		R358	-3 498.00	3 782 106.28
L359	-7 580.31	3 783 787.79		R359	-3 537.84	3 782 118.49
L360	-7 634.50	3 783 822.42		R360	-3 567.58	3 782 137.08
L361	-7 810.06	3 783 931.97		R361	-3 606.95	3 782 169.05
L362	-7 883.04	3 783 959.84		R362	-3 646.95	3 782 219.34
L363	-7 924.45	3 783 939.58		R363	-3 746.38	3 782 281.03
L364	-7 920.64	3 783 889.40		R364	-3 812.18	3 782 335.36
L365	-7 882.66	3 783 828.75		R365	-3 853.22	3 782 362.25
L366	-7 823.57	3 783 790.44		R366	-3 950.52	3 782 416.88
L367	-7 723.10	3 783 775.19		R367	-3 967.32	3 782 382.70
L368	-7 727.18	3 783 742.68		R368	-4 189.03	3 782 518.80
L369	-7 841.37	3 783 759.32		R369	-4 415.49	3 782 657.82
L370	-7 914.60	3 783 815.33		R370	-5 043.55	3 783 046.97
L371	-7 948.65	3 783 876.64		R371	-5 127.03	3 783 098.67
L372	-7 955.73	3 783 889.40		R372	-5 155.23	3 783 114.86
L373	-7 972.71	3 783 946.91		R373	-5 180.85	3 783 129.57
L374	-7 996.08	3 783 964.44		R374	-5 221.72	3 783 153.35
L375	-8 056.92	3 783 981.59		R375	-5 230.83	3 783 162.25
L376	-8 119.86	3 784 029.52		R376	-5 235.40	3 783 160.91
L377	-8 196.27	3 784 173.89		R377	-5 275.93	3 783 181.51
L378	-8 266.02	3 784 246.65		R378	-5 391.08	3 783 239.80
L379	-8 397.16	3 784 309.79		R379	-5 404.76	3 783 246.72
L380	-8 557.29	3 784 373.28		R380	-5 420.24	3 783 254.56
L381	-8 650.01	3 784 418.44		R381	-5 452.66	3 783 270.97
L382	-8 708.00	3 784 454.82		R382	-5 467.14	3 783 278.30
L383	-8 757.12	3 784 489.39		R383	-5 475.52	3 783 282.54
L384	-8 765.48	3 784 493.97		R384	-5 515.81	3 783 302.93
L385	-8 772.89	3 784 498.62		R385	-5 592.43	3 783 338.03
L386	-8 786.07	3 784 517.58		R386	-5 667.58	3 783 369.94
L387	-8 799.02	3 784 515.84		R387	-5 745.74	3 783 392.58
L388	-8 860.46	3 784 600.65		R388	-5 823.33	3 783 410.03
L389	-8 884.32	3 784 630.44		R389	-5 909.50	3 783 416.42
L390	-8 911.41	3 784 664.67		R390	-5 977.41	3 783 420.28
L391	-8 921.25	3 784 683.12		R391	-6 785.30	3 783 466.23
L392	-8 939.99	3 784 710.01		R392	-6 946.44	3 783 484.80
L393	-8 956.50	3 784 756.89		R393	-7 031.56	3 783 494.76
L394	-9 036.03	3 784 917.98		R394	-7 105.51	3 783 523.25
L395	-9 053.33	3 784 947.02		R395	-7 168.28	3 783 558.31
L396	-9 108.63	3 785 025.33		R396	-7 231.83	3 783 591.01
L397	-9 194.99	3 785 083.12		R397	-7 290.15	3 783 626.52
L398	-9 253.31	3 785 104.17		R398	-7 345.58	3 783 665.65
L399	-9 303.89	3 785 117.15		R399	-7 478.16	3 783 763.23
L400	-9 334.33	3 785 124.96		R400	-7 581.97	3 783 839.64
L401	-9 370.00	3 785 128.06		R401	-7 760.76	3 783 982.10
L402	-9 388.65	3 785 118.82		R402	-7 837.11	3 784 079.18
L403	-9 430.92	3 785 103.69		R403	-7 851.00	3 784 114.62
L404	-9 456.09	3 785 100.43		R404	-7 855.96	3 784 118.69
L405	-9 480.55	3 785 097.25		R405	-7 893.01	3 784 149.17
L406	-9 606.01	3 785 098.15		R406	-7 938.36	3 784 171.57
L407	-9 823.40	3 785 032.31		R407	-7 947.37	3 784 175.88
L408	-9 941.87	3 784 989.66		R408	-8 027.96	3 784 214.52
				Vel Sheet	40 Van of 49	P1110/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 19°			Y	X		
L409	-10 035.77	3 784 964.48		R409	-8 140.04	3 784 280.00			
L410	-10 106.61	3 784 941.56		R410	-8 146.81	3 784 282.79			
L411	-10 167.73	3 784 930.29		R411	-8 144.68	3 784 294.57			
L412	-10 235.34	3 784 924.65		R412	-8 569.94	3 784 446.42			
L413	-10 350.95	3 784 923.85		R413	-8 666.06	3 784 488.57			
L414	-10 429.72	3 784 918.15		R414	-8 741.53	3 784 547.52			
L415	-10 512.36	3 784 900.92		R415	-8 768.55	3 784 574.45			
L416	-10 607.87	3 784 877.38		R416	-8 784.29	3 784 595.29			
L417	-10 721.68	3 784 850.83		R417	-8 818.59	3 784 640.71			
L418	-10 816.24	3 784 827.23		R418	-8 817.62	3 784 645.07			
L419	-10 873.48	3 784 813.53		R419	-8 824.75	3 784 651.37			
L420	-10 893.29	3 784 808.79		R420	-8 875.94	3 784 729.44			
L421	-10 967.99	3 784 791.30		R421	-8 871.96	3 784 730.10			
L422	-11 099.74	3 784 762.75		R422	-8 878.14	3 784 740.65			
L423	-11 165.81	3 784 760.17		R423	-8 964.30	3 784 890.43			
L424	-11 239.22	3 784 768.53		R424	-8 985.57	3 784 928.74			
L425	-11 311.99	3 784 787.23		R425	-9 013.36	3 784 976.55			
L426	-11 384.11	3 784 823.31		R426	-9 017.96	3 784 984.15			
L427	-11 452.29	3 784 872.12		R427	-9 048.72	3 785 034.98			
L428	-11 518.17	3 784 936.41		R428	-9 109.52	3 785 108.91			
L429	-11 598.73	3 785 028.22		R429	-9 192.63	3 785 163.58			
L430	-11 649.93	3 785 089.16		R430	-9 294.23	3 785 194.42			
L431	-11 676.58	3 785 136.33		R431	-9 317.76	3 785 191.17			
L432	-11 707.05	3 785 190.27		R432	-9 386.64	3 785 181.64			
L433	-11 771.10	3 785 282.33		R433	-9 424.17	3 785 195.87			
L434	-11 831.41	3 785 370.71		R434	-9 454.98	3 785 189.13			
L435	-11 836.09	3 785 375.32		R435	-9 471.88	3 785 184.68			
L436	-11 850.32	3 785 389.31		R436	-9 482.49	3 785 181.89			
L437	-11 844.32	3 785 394.03		R437	-9 701.09	3 785 124.91			
L438	-11 927.68	3 785 522.19		R438	-9 758.82	3 785 106.81			
L439	-11 951.85	3 785 559.36		R439	-9 921.36	3 785 047.61			
L440	-11 966.66	3 785 575.58		R440	-10 106.56	3 784 993.58			
L441	-11 997.09	3 785 608.89		R441	-10 188.08	3 784 977.28			
L442	-12 037.86	3 785 637.71		R442	-10 266.23	3 784 971.01			
L443	-12 036.90	3 785 640.34		R443	-10 343.84	3 784 971.42			
L444	-12 072.24	3 785 654.78		R444	-10 414.79	3 784 969.60			
L445	-12 072.38	3 785 655.59		R445	-10 475.14	3 784 959.19			
L446	-12 072.86	3 785 658.40		R446	-10 580.60	3 784 933.02			
L447	-12 107.04	3 785 668.32		R447	-10 642.11	3 784 914.92			
L448	-12 163.15	3 785 678.27		R448	-10 752.57	3 784 894.19			
L449	-12 209.45	3 785 693.23		R449	-10 873.55	3 784 864.91			
L450	-12 371.42	3 785 735.38		R450	-10 953.86	3 784 845.85			
L451	-12 404.77	3 785 739.20		R451	-10 969.85	3 784 842.05			
L452	-12 504.70	3 785 750.63		R452	-11 084.36	3 784 818.90			
L453	-12 539.43	3 785 753.08		R453	-11 170.63	3 784 811.67			
L454	-12 663.31	3 785 748.14		R454	-11 209.02	3 784 817.68			
L455	-12 679.36	3 785 747.50		R455	-11 298.14	3 784 842.20			
L456	-12 737.56	3 785 749.95		R456	-11 382.14	3 784 885.69			
L457	-12 794.10	3 785 756.91		R457	-11 434.26	3 784 925.52			
L458	-12 856.75	3 785 770.82		R458	-11 515.12	3 785 011.36			
L459	-12 914.89	3 785 790.71		R459	-11 561.87	3 785 061.95			
					Vel Sheet	41	Van of	49	P1110/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L460	-12 968.51	3	785 815.01		R460	-11 602.18	3	785 106.43	
L461	-13 018.20	3	785 842.86		R461	-11 625.21	3	785 131.85	
L462	-13 064.81	3	785 876.22		R462	-11 616.82	3	785 145.67	
L463	-13 115.06	3	785 918.87		R463	-11 627.30	3	785 154.01	
L464	-13 169.26	3	785 967.51		R464	-11 688.77	3	785 218.54	
L465	-13 218.88	3	786 014.73		R465	-11 732.69	3	785 298.15	
L466	-13 264.92	3	786 060.53		R466	-11 803.65	3	785 418.37	
L467	-13 297.31	3	786 103.32		R467	-11 847.93	3	785 500.64	
L468	-13 368.18	3	786 163.35		R468	-11 899.97	3	785 560.59	
L469	-13 459.49	3	786 261.50		R469	-11 947.53	3	785 623.04	
L470	-13 516.47	3	786 322.74		R470	-12 014.68	3	785 669.43	
L471	-13 567.02	3	786 389.39		R471	-12 091.43	3	785 722.97	
L472	-13 586.97	3	786 408.35		R472	-12 109.66	3	785 740.09	
L473	-13 629.02	3	786 447.09		R473	-12 132.60	3	785 753.60	
L474	-13 725.78	3	786 531.72		R474	-12 171.29	3	785 765.43	
L475	-13 767.74	3	786 551.82		R475	-12 225.61	3	785 766.05	
L476	-13 776.26	3	786 533.78		R476	-12 292.35	3	785 765.76	
L477	-13 865.04	3	786 582.13		R477	-12 363.65	3	785 773.30	
L478	-13 923.98	3	786 613.82		R478	-12 393.58	3	785 776.47	
L479	-13 936.62	3	786 615.20		R479	-12 471.05	3	785 789.02	
L480	-13 948.81	3	786 607.68		R480	-12 555.99	3	785 796.46	
L481	-13 968.57	3	786 614.90		R481	-12 566.02	3	785 796.31	
L482	-13 971.89	3	786 620.02		R482	-12 653.59	3	785 810.03	
L483	-14 031.71	3	786 632.63		R483	-12 793.58	3	785 831.99	
L484	-14 072.57	3	786 630.90		R484	-13 130.80	3	786 002.20	
L485	-14 102.58	3	786 624.74		R485	-13 212.08	3	786 089.89	
L486	-14 144.31	3	786 625.86		R486	-13 286.95	3	786 158.98	
L487	-14 230.31	3	786 628.16		R487	-13 369.30	3	786 250.40	
L488	-14 289.79	3	786 653.11		R488	-13 384.31	3	786 266.95	
L489	-14 345.75	3	786 690.04		R489	-13 451.22	3	786 341.15	
L490	-14 412.57	3	786 744.59		R490	-13 482.88	3	786 376.48	
L491	-14 487.54	3	786 841.58		R491	-13 561.07	3	786 478.70	
L492	-14 577.25	3	786 937.09		R492	-13 606.96	3	786 520.69	
L493	-14 600.58	3	786 957.87		R493	-13 642.26	3	786 546.69	
L494	-14 684.97	3	787 004.36		R494	-13 693.94	3	786 584.76	
L495	-14 775.08	3	787 045.03		R495	-13 740.69	3	786 613.65	
L496	-14 833.73	3	787 078.80		R496	-13 794.73	3	786 645.78	
L497	-14 885.48	3	787 109.46		R497	-13 872.17	3	786 672.02	
L498	-14 929.66	3	787 155.85		R498	-13 897.15	3	786 680.48	
L499	-14 976.84	3	787 209.02		R499	-13 904.16	3	786 709.57	
L500	-15 095.68	3	787 313.49		R500	-13 805.51	3	786 812.34	
L501	-15 140.72	3	787 338.06		R501	-13 775.63	3	786 855.76	
L502	-15 275.12	3	787 328.61		R502	-13 760.77	3	786 882.14	
L503	-15 337.79	3	787 318.98		R503	-13 736.47	3	786 939.50	
L504	-15 387.90	3	787 319.58		R504	-13 776.51	3	786 947.34	
L505	-15 433.35	3	787 329.64		R505	-13 799.56	3	786 893.79	
L506	-15 538.82	3	787 372.97		R506	-13 817.10	3	786 863.45	
L507	-15 612.82	3	787 444.63		R507	-13 835.02	3	786 857.12	
L508	-15 649.23	3	787 462.65		R508	-13 896.75	3	786 870.84	
L509	-15 702.72	3	787 498.76		R509	-13 961.60	3	786 849.25	
L510	-15 781.09	3	787 486.45		R510	-14 002.06	3	786 835.78	
					Vel Sheet 42 Van of 49 P1110/18				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°		Y	X
L511	-15 799.15	3 787 500.66		R511	-14 065.03	3 786 782.13
L512	-15 812.88	3 787 571.71		R512	-14 078.38	3 786 773.38
L513	-15 877.22	3 787 614.92		R513	-14 119.53	3 786 746.43
L514	-15 919.88	3 787 648.45		R514	-14 187.46	3 786 731.98
L515	-15 954.22	3 787 686.95		R515	-14 261.03	3 786 751.70
L516	-15 989.08	3 787 716.38		R516	-14 341.87	3 786 814.77
L517	-16 024.99	3 787 784.33		R517	-14 387.48	3 786 868.62
L518	-16 035.47	3 787 855.22		R518	-14 429.14	3 786 921.99
L519	-16 042.42	3 787 857.35		R519	-14 469.45	3 786 955.15
L520	-16 043.00	3 787 864.55		R520	-14 543.38	3 787 004.69
L521	-16 037.10	3 787 866.57		R521	-14 560.39	3 787 010.47
L522	-16 050.56	3 787 958.03		R522	-14 649.46	3 787 056.58
L523	-16 051.62	3 787 965.29		R523	-14 787.70	3 787 118.67
L524	-16 054.61	3 788 095.92		R524	-14 821.91	3 787 162.26
L525	-16 080.83	3 788 162.06		R525	-14 846.27	3 787 175.00
L526	-16 151.46	3 788 210.59		R526	-14 888.59	3 787 224.79
L527	-16 219.59	3 788 228.13		R527	-14 927.25	3 787 283.34
L528	-16 342.41	3 788 209.70		R528	-14 957.43	3 787 351.89
L529	-16 431.68	3 788 197.44		R529	-15 007.96	3 787 385.68
L530	-16 511.16	3 788 213.17		R530	-15 030.11	3 787 397.13
L531	-16 596.77	3 788 251.98		R531	-15 040.58	3 787 402.84
L532	-16 636.66	3 788 263.23		R532	-15 081.22	3 787 408.51
L533	-16 661.00	3 788 262.62		R533	-15 092.57	3 787 409.76
L534	-16 715.09	3 788 279.73		R534	-15 138.36	3 787 414.12
L535	-16 769.54	3 788 269.84		R535	-15 194.36	3 787 411.62
L536	-16 827.87	3 788 242.93		R536	-15 247.07	3 787 408.42
L537	-16 884.33	3 788 194.06		R537	-15 294.64	3 787 402.25
L538	-16 944.34	3 788 127.53		R538	-15 376.86	3 787 413.42
L539	-16 953.43	3 788 116.06		R539	-15 411.14	3 787 422.41
L540	-16 974.81	3 788 089.10		R540	-15 435.37	3 787 434.45
L541	-17 010.93	3 788 043.95		R541	-15 483.56	3 787 464.32
L542	-17 019.17	3 788 033.64		R542	-15 506.74	3 787 481.27
L543	-17 047.89	3 788 006.69		R543	-15 516.77	3 787 488.89
L544	-17 074.98	3 787 978.35		R544	-15 549.62	3 787 520.99
L545	-17 103.46	3 787 922.72		R545	-15 615.08	3 787 604.66
L546	-17 118.16	3 787 884.32		R546	-15 622.16	3 787 621.33
L547	-17 126.74	3 787 861.40		R547	-15 636.63	3 787 653.18
L548	-17 152.68	3 787 830.04		R548	-15 668.51	3 787 688.00
L549	-17 175.06	3 787 798.54		R549	-15 733.52	3 787 707.65
L550	-17 234.46	3 787 796.46		R550	-15 776.10	3 787 724.88
L551	-17 254.38	3 787 764.57		R551	-15 824.41	3 787 745.75
L552	-17 255.29	3 787 704.68		R552	-15 859.11	3 787 763.86
L553	-17 281.83	3 787 697.52		R553	-15 911.57	3 787 808.96
L554	-17 314.58	3 787 702.01		R554	-15 952.94	3 787 859.01
L555	-17 335.58	3 787 720.28		R555	-15 966.07	3 787 922.19
L556	-17 373.36	3 787 771.31		R556	-15 966.81	3 787 951.08
L557	-17 402.56	3 787 781.16		R557	-15 967.40	3 787 974.31
L558	-17 418.44	3 787 786.47		R558	-15 957.75	3 788 019.00
L559	-17 437.68	3 787 792.77		R559	-15 945.53	3 788 064.95
L560	-17 448.79	3 787 796.40		R560	-15 934.42	3 788 067.55
L561	-17 458.60	3 787 806.94		R561	-15 932.03	3 788 071.00
				Vel Sheet	43 Van of	49 P1110/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L562	-17 462.14	3	787 823.24		R562	-15 933.80	3	788 091.38	
L563	-17 499.64	3	787 869.96		R563	-15 891.82	3	788 191.89	
L564	-17 508.29	3	787 886.33		R564	-15 882.00	3	788 232.98	
L565	-17 525.41	3	787 925.03		R565	-15 870.63	3	788 262.43	
L566	-17 524.77	3	787 956.77		R566	-15 859.10	3	788 284.88	
L567	-17 520.21	3	787 984.93		R567	-15 829.02	3	788 360.27	
L568	-17 512.36	3	788 038.92		R568	-15 826.14	3	788 379.52	
L569	-17 509.76	3	788 060.50		R569	-15 822.59	3	788 399.66	
L570	-17 492.30	3	788 099.67		R570	-15 820.99	3	788 425.97	
L571	-17 402.31	3	788 215.28		R571	-15 824.54	3	788 454.98	
L572	-17 399.66	3	788 230.49		R572	-15 831.35	3	788 476.41	
L573	-17 387.77	3	788 298.72		R573	-15 857.75	3	788 501.30	
L574	-17 382.20	3	788 375.24		R574	-15 888.10	3	788 528.50	
L575	-17 380.39	3	788 400.19		R575	-15 913.85	3	788 538.29	
L576	-17 344.01	3	788 398.91		R576	-15 947.57	3	788 545.45	
L577	-17 336.79	3	788 402.67		R577	-15 974.64	3	788 543.17	
L578	-17 336.48	3	788 403.87		R578	-16 003.36	3	788 536.09	
L579	-17 334.52	3	788 509.04		R579	-16 008.63	3	788 540.96	
L580	-17 337.06	3	788 569.38		R580	-16 012.17	3	788 538.04	
L581	-17 340.80	3	788 649.51		R581	-16 009.18	3	788 533.52	
L582	-17 345.31	3	788 749.42		R582	-16 032.26	3	788 523.81	
L583	-17 353.43	3	788 794.88		R583	-16 116.19	3	788 440.17	
L584	-17 359.82	3	788 823.57		R584	-16 140.09	3	788 410.98	
L585	-17 419.64	3	788 990.25		R585	-16 165.89	3	788 388.61	
L586	-17 400.53	3	789 136.27		R586	-16 196.23	3	788 371.33	
L587	-17 347.48	3	789 215.75		R587	-16 232.16	3	788 361.59	
L588	-17 334.53	3	789 235.32		R588	-16 272.93	3	788 354.08	
L589	-17 373.26	3	789 345.35		R589	-16 314.57	3	788 349.72	
L590	-17 416.24	3	789 433.55		R590	-16 356.80	3	788 346.23	
L591	-17 490.81	3	789 531.07		R591	-16 396.59	3	788 339.04	
L592	-17 600.75	3	789 622.03		R592	-16 475.51	3	788 332.34	
L593	-17 705.04	3	789 674.19		R593	-16 548.55	3	788 342.67	
L594	-17 722.91	3	789 683.14		R594	-16 662.47	3	788 363.27	
L595	-17 890.88	3	789 721.73		R595	-16 763.39	3	788 354.05	
L596	-17 920.39	3	789 703.92		R596	-16 827.56	3	788 328.96	
L597	-17 960.99	3	789 682.01		R597	-16 843.18	3	788 318.17	
L598	-18 140.92	3	789 688.60		R598	-16 885.03	3	788 288.01	
L599	-18 191.54	3	789 720.56		R599	-16 984.62	3	788 197.91	
L600	-18 259.42	3	789 726.86		R600	-17 020.30	3	788 153.49	
L601	-18 409.15	3	789 740.76		R601	-17 025.33	3	788 147.05	
L602	-18 452.98	3	789 734.47		R602	-17 038.06	3	788 130.74	
L603	-18 513.90	3	789 724.37		R603	-17 069.95	3	788 089.89	
L604	-18 537.02	3	789 719.42		R604	-17 119.82	3	788 030.43	
L605	-18 595.59	3	789 706.88		R605	-17 177.57	3	787 973.90	
L606	-18 657.46	3	789 693.69		R606	-17 275.81	3	787 898.32	
L607	-18 711.80	3	789 707.06		R607	-17 298.93	3	787 890.07	
L608	-18 722.26	3	789 703.74		R608	-17 322.46	3	787 881.67	
L609	-18 726.81	3	789 694.91		R609	-17 339.56	3	787 875.57	
L610	-18 752.18	3	789 701.12		R610	-17 372.81	3	787 876.37	
L611	-18 749.39	3	789 706.45		R611	-17 424.28	3	787 898.47	
L612	-18 755.41	3	789 715.96		R612	-17 447.25	3	787 937.92	
					Vel 44 Van of 49 P1110/18				
					Sheet				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L613	-18 965.85	3	789 762.90		R613	-17 454.84	3	787 961.93	
L614	-18 969.68	3	789 763.75		R614	-17 457.20	3	787 976.13	
L615	-18 977.11	3	789 764.53		R615	-17 429.63	3	788 053.47	
L616	-18 980.26	3	789 764.86		R616	-17 386.04	3	788 109.22	
L617	-19 033.80	3	789 770.45		R617	-17 327.93	3	788 186.40	
L618	-19 066.60	3	789 754.24		R618	-17 302.18	3	788 248.43	
L619	-19 068.14	3	789 773.98		R619	-17 282.01	3	788 320.86	
L620	-19 080.57	3	789 776.35		R620	-17 278.99	3	788 376.96	
L621	-19 593.74	3	789 792.91		R621	-17 278.86	3	788 382.07	
L622	-19 838.68	3	789 798.86		R622	-17 281.01	3	788 488.34	
L623	-19 857.24	3	789 799.14		R623	-17 282.53	3	788 544.94	
L624	-19 935.14	3	789 788.04		R624	-17 262.81	3	788 547.46	
L625	-20 205.02	3	789 753.75		R625	-17 260.93	3	788 582.89	
L626	-20 305.22	3	789 732.88		R626	-17 266.02	3	788 604.36	
L627	-20 512.36	3	789 707.41		R627	-17 283.43	3	788 604.82	
L628	-20 679.39	3	789 699.39		R628	-17 283.74	3	788 648.77	
L629	-20 891.67	3	789 671.24		R629	-17 283.42	3	788 666.53	
L630	-21 006.02	3	789 658.41		R630	-17 282.15	3	788 763.12	
L631	-21 005.17	3	789 648.17		R631	-17 278.56	3	788 840.51	
L632	-21 012.70	3	789 645.05		R632	-17 277.25	3	788 868.27	
L633	-21 024.74	3	789 656.64		R633	-17 277.01	3	788 879.04	
L634	-21 243.85	3	789 636.26		R634	-17 272.50	3	788 951.17	
L635	-21 322.89	3	789 644.56		R635	-17 269.54	3	788 981.74	
L636	-21 544.50	3	789 620.78		R636	-17 266.91	3	789 008.50	
L637	-21 623.90	3	789 598.95		R637	-17 263.94	3	789 035.76	
L638	-21 707.04	3	789 557.25		R638	-17 261.78	3	789 062.83	
L639	-21 823.11	3	789 472.54		R639	-17 258.85	3	789 093.91	
L640	-21 875.85	3	789 426.54		R640	-17 255.64	3	789 120.40	
L641	-21 931.62	3	789 395.97		R641	-17 247.89	3	789 160.23	
L642	-21 981.20	3	789 359.71		R642	-17 242.90	3	789 186.90	
L643	-22 132.40	3	789 376.37		R643	-17 237.78	3	789 213.65	
L644	-22 189.18	3	789 379.51		R644	-17 232.54	3	789 240.73	
L645	-22 209.84	3	789 384.32		R645	-17 226.88	3	789 267.38	
L646	-22 340.79	3	789 437.01		R646	-17 134.95	3	789 757.01	
L647	-22 664.54	3	789 539.11		R647	-17 118.29	3	789 843.86	
L648	-22 793.88	3	789 578.39		R648	-17 084.40	3	789 933.18	
L649	-22 974.28	3	789 633.17		R649	-17 037.05	3	789 953.59	
L650	-23 144.16	3	789 675.97		R650	-17 011.58	3	790 085.63	
L651	-23 251.99	3	789 717.57		R651	-17 048.69	3	790 129.71	
L652	-23 388.49	3	789 761.18		R652	-17 047.61	3	790 214.68	
L653	-23 537.51	3	789 773.35		R653	-17 030.18	3	790 306.18	
L654	-23 633.35	3	789 754.75		R654	-17 018.61	3	790 369.83	
L655	-23 692.03	3	789 738.35		R655	-17 015.56	3	790 387.94	
L656	-23 746.06	3	789 714.26		R656	-17 013.22	3	790 425.41	
L657	-23 820.66	3	789 669.66		R657	-17 012.20	3	790 443.94	
L658	-23 868.58	3	789 632.91		R658	-17 011.19	3	790 462.56	
L659	-24 188.68	3	789 366.08		R659	-17 009.88	3	790 481.23	
L660	-24 263.42	3	789 302.63		R660	-17 015.87	3	790 573.49	
L661	-24 358.13	3	789 234.55		R661	-17 019.96	3	790 598.59	
L662	-24 455.38	3	789 188.93		R662	-17 022.74	3	790 617.50	
L663	-24 555.58	3	789 161.04		R663	-17 025.26	3	790 634.92	
					Vel 45 Van of 49 P1110/18				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L664	-24 942.88	3	789 088.27		R664	-17 028.70	3	790 651.09	
L665	-25 030.00	3	789 027.84		R665	-17 031.80	3	790 665.01	
L666	-25 075.38	3	788 970.85		R666	-17 079.84	3	790 806.37	
L667	-25 132.66	3	788 855.40		R667	-17 182.53	3	791 034.08	
L668	-25 156.60	3	788 802.46		R668	-17 187.46	3	791 068.42	
L669	-25 205.33	3	788 741.74		R669	-17 197.56	3	791 067.01	
L670	-25 269.69	3	788 694.64		R670	-17 209.92	3	791 110.40	
L671	-25 328.72	3	788 663.05		R671	-17 245.24	3	791 189.33	
L672	-25 551.53	3	788 543.80		R672	-17 257.07	3	791 215.92	
L673	-25 650.01	3	788 492.53		R673	-17 274.36	3	791 265.95	
L674	-25 693.16	3	788 470.07		R674	-17 287.93	3	791 305.77	
L675	-25 794.70	3	788 383.95		R675	-17 302.41	3	791 384.71	
L676	-25 788.11	3	788 358.01		R676	-17 303.84	3	791 430.90	
L677	-25 809.62	3	788 345.31		R677	-17 343.87	3	791 452.01	
L678	-25 828.89	3	788 364.73		R678	-17 345.50	3	791 408.65	
L679	-25 916.77	3	788 369.28		R679	-17 356.96	3	791 399.64	
L680	-26 003.48	3	788 349.41		R680	-17 349.74	3	791 343.74	
L681	-26 086.28	3	788 350.58		R681	-17 336.21	3	791 353.38	
L682	-26 096.27	3	788 335.86		R682	-17 311.45	3	791 245.94	
L683	-26 107.14	3	788 338.30		R683	-17 305.07	3	791 231.78	
L684	-26 107.28	3	788 351.01		R684	-17 299.39	3	791 219.17	
L685	-26 157.00	3	788 360.76		R685	-17 098.94	3	790 787.01	
L686	-26 224.39	3	788 382.74		R686	-17 055.73	3	790 657.46	
L687	-26 501.89	3	788 493.59		R687	-17 040.84	3	790 570.48	
L688	-26 634.61	3	788 535.81		R688	-17 038.35	3	790 536.49	
L689	-26 707.20	3	788 565.45		R689	-17 037.26	3	790 517.88	
L690	-26 773.23	3	788 592.42		R690	-17 036.34	3	790 500.12	
L691	-26 868.06	3	788 631.15		R691	-17 035.24	3	790 480.93	
L692	-26 984.13	3	788 657.43		R692	-17 039.26	3	790 408.92	
L693	-27 124.66	3	788 649.05		R693	-17 040.25	3	790 391.08	
L694	-27 218.51	3	788 627.04		R694	-17 047.86	3	790 349.09	
L695	-27 504.15	3	788 531.16		R695	-17 060.94	3	790 279.14	
L696	-27 760.12	3	788 445.68		R696	-17 080.68	3	790 180.82	
L697	-27 807.83	3	788 432.36		R697	-17 120.42	3	790 090.97	
L698	-28 120.24	3	788 330.57		R698	-17 143.80	3	789 970.06	
L699	-28 263.22	3	788 219.27		R699	-17 146.91	3	789 857.85	
L700	-28 323.89	3	788 263.52		R700	-17 153.72	3	789 824.49	
L701	-28 643.01	3	788 156.15		R701	-17 157.21	3	789 807.36	
L702	-28 715.27	3	788 125.27		R702	-17 241.58	3	789 393.70	
L703	-28 759.32	3	788 096.62		R703	-17 285.27	3	789 304.56	
L704	-28 843.98	3	788 041.52		R704	-17 320.78	3	789 418.34	
L705	-29 071.30	3	787 885.30		R705	-17 394.01	3	789 536.46	
L706	-29 072.08	3	787 875.65		R706	-17 511.34	3	789 647.89	
L707	-29 078.53	3	787 871.39		R707	-17 616.82	3	789 714.42	
L708	-29 087.18	3	787 874.63		R708	-17 717.16	3	789 749.89	
L709	-29 274.60	3	787 745.18		R709	-17 764.84	3	789 766.74	
L710	-29 312.93	3	787 702.89		R710	-17 980.24	3	789 802.31	
L711	-29 409.14	3	787 619.20		R711	-18 145.18	3	789 806.65	
L712	-29 464.29	3	787 551.24		R712	-18 339.84	3	789 790.36	
L713	-29 541.65	3	787 414.85		R713	-18 472.76	3	789 807.80	
L714	-29 627.08	3	787 274.14		R714	-18 640.71	3	789 849.97	
					Vel 46 Van 49 of P1110/18 Sheet				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L715	-29 708.44	3	787 208.06		R715	-18 671.29	3	789 864.05	
L716	-29 802.45	3	787 160.60		R716	-18 716.06	3	789 871.94	
L717	-29 854.41	3	787 144.91		R717	-18 750.90	3	789 869.17	
L718	-29 936.40	3	787 140.77		R718	-18 770.23	3	789 866.15	
L719	-30 003.24	3	787 150.96		R719	-18 792.42	3	789 862.71	
L720	-30 031.76	3	787 165.59		R720	-18 844.04	3	789 854.95	
L721	-30 114.33	3	787 196.92		R721	-18 855.25	3	789 857.76	
L722	-30 161.94	3	787 212.86		R722	-18 869.97	3	789 856.80	
L723	-30 306.12	3	787 243.78		R723	-18 991.49	3	789 845.10	
L724	-30 372.51	3	787 243.36		R724	-19 086.17	3	789 836.30	
L725	-30 415.24	3	787 239.10		R725	-19 125.71	3	789 832.30	
L726	-30 800.52	3	787 180.15		R726	-19 233.70	3	789 829.62	
L727	-30 806.20	3	787 151.03		R727	-19 271.19	3	789 829.16	
L728	-30 832.31	3	787 146.41		R728	-19 626.47	3	789 841.60	
L729	-30 846.07	3	787 164.82		R729	-19 704.16	3	789 843.77	
L730	-31 024.60	3	787 144.27		R730	-19 740.05	3	789 841.95	
L731	-31 187.38	3	787 117.49		R731	-19 811.62	3	789 835.74	
L732	-31 212.65	3	787 107.04		R732	-19 858.18	3	789 835.57	
L733	-31 335.88	3	787 095.86		R733	-19 886.00	3	789 831.37	
L734	-31 396.54	3	787 078.08		R734	-19 922.30	3	789 825.76	
L735	-31 473.70	3	787 068.04		R735	-20 177.58	3	789 802.66	
L736	-31 515.20	3	787 066.09		R736	-20 229.62	3	789 799.13	
L737	-31 634.70	3	787 064.56		R737	-21 361.18	3	789 682.38	
L738	-31 663.90	3	787 062.53		R738	-21 534.49	3	789 664.43	
L739	-31 819.38	3	787 084.47		R739	-21 646.68	3	789 632.51	
L740	-32 056.35	3	787 120.12		R740	-21 693.73	3	789 610.59	
L741	-32 311.22	3	787 157.58		R741	-21 744.03	3	789 581.46	
L742	-32 324.29	3	787 159.50		R742	-21 876.22	3	789 483.42	
L743	-32 599.08	3	787 199.45		R743	-21 911.36	3	789 467.85	
L744	-32 677.08	3	787 208.26		R744	-21 948.75	3	789 463.63	
L745	-32 852.81	3	787 216.41		R745	-21 955.40	3	789 479.25	
L746	-33 011.33	3	787 210.12		R746	-21 996.12	3	789 467.74	
L747	-33 166.72	3	787 206.04		R747	-22 031.30	3	789 428.04	
L748	-33 211.07	3	787 207.88		R748	-22 157.76	3	789 433.15	
L749	-33 581.22	3	787 171.53		R749	-22 272.30	3	789 466.15	
L750	-34 302.25	3	787 102.63		R750	-22 607.43	3	789 572.69	
L751	-34 444.86	3	787 089.00		R751	-22 767.35	3	789 624.13	
L752	-34 467.82	3	787 083.07		R752	-22 853.88	3	789 651.96	
L753	-34 907.80	3	787 038.69		R753	-22 946.44	3	789 681.46	
L754	-35 070.22	3	787 019.73		R754	-23 040.21	3	789 710.54	
L755	-35 160.43	3	787 004.17		R755	-23 041.59	3	789 711.03	
L756	-35 326.36	3	786 971.41		R756	-23 052.31	3	789 714.83	
L757	-35 698.61	3	786 893.62		R757	-23 133.65	3	789 746.51	
L758	-35 845.46	3	786 860.34		R758	-23 246.38	3	789 774.03	
L759	-35 870.23	3	786 853.37		R759	-23 371.37	3	789 801.62	
L760	-35 954.78	3	786 841.73		R760	-23 514.69	3	789 816.30	
L761	-35 960.44	3	786 834.05		R761	-23 568.11	3	789 811.76	
L762	-35 985.98	3	786 839.98		R762	-23 673.25	3	789 791.64	
L763	-36 037.06	3	786 843.30		R763	-23 708.94	3	789 777.33	
L764	-36 137.38	3	786 851.82		R764	-23 807.93	3	789 732.10	
L765	-36 143.27	3	786 851.58		R765	-23 864.98	3	789 687.68	
					Vel	47	Van	49	P1110/18
					Sheet		of		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 19°		Y	X
L766	-36 228.74	3 786 872.79		R766	-24 000.71	3 789 574.09
L767	-36 339.62	3 786 900.57		R767	-24 278.02	3 789 342.46
L768	-36 408.64	3 786 927.11		R768	-24 297.67	3 789 327.24
L769	-36 477.66	3 786 953.65		R769	-24 365.13	3 789 276.87
L770	-36 547.85	3 786 993.77		R770	-24 415.77	3 789 248.97
L771	-36 620.47	3 787 048.74		R771	-24 498.70	3 789 216.02
L772	-36 649.63	3 787 072.56		R772	-24 574.78	3 789 198.63
L773	-36 726.74	3 787 145.78		R773	-24 931.40	3 789 135.66
L774	-36 754.06	3 787 164.26		R774	-24 990.95	3 789 111.34
L775	-36 817.08	3 787 248.78		R775	-25 078.96	3 789 043.22
L776	-36 845.96	3 787 293.89		R776	-25 116.25	3 788 990.74
L777	-36 864.81	3 787 333.64		R777	-25 150.34	3 788 920.96
L778	-36 896.49	3 787 415.85		R778	-25 177.17	3 788 853.95
L779	-36 913.41	3 787 519.10		R779	-25 189.64	3 788 835.52
L780	-36 926.89	3 787 575.83		R780	-25 227.21	3 788 795.51
L781	-36 940.77	3 787 608.68		R781	-25 295.54	3 788 723.94
L782	-36 986.75	3 787 692.89		R782	-25 378.65	3 788 680.03
L783	-37 031.13	3 787 746.31		R783	-25 646.93	3 788 538.28
L784	-37 143.43	3 787 884.44		R784	-25 678.87	3 788 523.00
L785	-37 236.04	3 787 986.76		R785	-25 808.58	3 788 460.93
L786	-37 281.04	3 788 046.39		R786	-25 872.17	3 788 422.85
L787	-37 304.40	3 788 055.79		R787	-25 939.18	3 788 397.43
L788	-37 310.28	3 788 080.13		R788	-25 985.03	3 788 389.77
L789	-37 384.45	3 788 160.76		R789	-26 023.95	3 788 385.74
L790	-37 428.90	3 788 203.96		R790	-26 047.33	3 788 389.42
L791	-37 433.66	3 788 208.41		R791	-26 091.74	3 788 385.29
L792	-37 496.32	3 788 267.06		R792	-26 143.17	3 788 391.84
L793	-37 649.38	3 788 362.13		R793	-26 223.21	3 788 415.89
L794	-37 897.47	3 788 491.45		R794	-26 275.86	3 788 437.83
L795	-38 055.23	3 788 568.52		R795	-26 589.15	3 788 565.53
L796	-38 196.76	3 788 649.41		R796	-26 654.79	3 788 592.18
L797	-38 241.82	3 788 672.02		R797	-26 800.38	3 788 651.29
L798	-38 310.89	3 788 703.80		R798	-26 853.93	3 788 673.04
L799	-38 329.98	3 788 712.58		R799	-26 890.29	3 788 685.21
L800	-38 365.45	3 788 728.91		R800	-26 963.74	3 788 694.97
L801	-38 456.21	3 788 778.90		R801	-27 036.25	3 788 700.57
L802	-38 523.40	3 788 812.81		R802	-27 095.31	3 788 698.29
L803	-38 657.35	3 788 846.09		R803	-27 180.71	3 788 682.47
L804	-38 887.55	3 788 899.86		R804	-27 229.10	3 788 693.52
L805	-38 901.80	3 788 902.34		R805	-27 258.16	3 788 687.15
L806	-38 992.12	3 788 923.05		R806	-27 318.63	3 788 638.38
L807	-39 054.60	3 788 937.87		R807	-27 610.60	3 788 540.91
L808	-39 241.64	3 788 981.75		R808	-28 009.34	3 788 407.80
L809	-39 262.16	3 788 976.80		R809	-28 143.17	3 788 435.67
L810	-39 446.56	3 788 949.70		R810	-28 198.28	3 788 344.47
L811	-39 514.28	3 788 936.49		R811	-28 360.50	3 788 290.22
				R812	-28 699.64	3 788 176.05
				R813	-28 737.27	3 788 156.96
				R814	-28 756.05	3 788 147.15
				R815	-28 789.12	3 788 127.39
				R816	-29 333.67	3 787 746.34
				Vel Sheet	48 Van of 49	P1110/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
REGTERKANT/RIGHT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
R817	-29 423.86	3	787	673.47	R868	-35 893.26	3	786	892.49
R818	-29 467.39	3	787	627.43	R869	-35 911.59	3	786	900.56
R819	-29 500.78	3	787	585.05	R870	-35 947.67	3	786	905.09
R820	-29 540.91	3	787	520.82	R871	-36 121.86	3	786	897.62
R821	-29 585.36	3	787	428.15	R872	-36 258.99	3	786	929.42
R822	-29 626.52	3	787	363.62	R873	-36 393.75	3	786	980.15
R823	-29 707.12	3	787	278.39	R874	-36 483.87	3	787	025.09
R824	-29 766.83	3	787	241.42	R875	-36 487.61	3	787	029.45
R825	-29 859.14	3	787	200.52	R876	-36 496.29	3	787	030.38
R826	-29 919.04	3	787	191.02	R877	-36 565.96	3	787	079.29
R827	-30 050.54	3	787	218.32	R878	-36 564.96	3	787	080.03
R828	-30 123.75	3	787	243.68	R879	-36 593.71	3	787	100.20
R829	-30 202.06	3	787	270.27	R880	-36 602.83	3	787	108.49
R830	-30 273.56	3	787	285.04	R881	-36 702.57	3	787	182.09
R831	-30 350.52	3	787	288.40	R882	-36 729.07	3	787	204.36
R832	-30 398.35	3	787	282.84	R883	-36 769.66	3	787	246.75
R833	-30 680.98	3	787	236.74	R884	-36 804.66	3	787	296.61
R834	-30 917.37	3	787	195.93	R885	-36 836.18	3	787	369.36
R835	-30 922.04	3	787	209.20	R886	-36 866.22	3	787	509.72
R836	-30 931.84	3	787	212.73	R887	-36 877.06	3	787	559.46
R837	-30 957.32	3	787	190.94	R888	-36 898.73	3	787	625.02
R838	-31 013.53	3	787	185.24	R889	-36 932.56	3	787	691.14
R839	-31 122.57	3	787	167.57	R890	-36 946.26	3	787	709.81
R840	-31 206.49	3	787	147.73	R891	-36 989.30	3	787	768.05
R841	-31 262.93	3	787	138.82	R892	-37 313.70	3	788	148.53
R842	-31 299.15	3	787	139.96	R893	-37 394.90	3	788	235.15
R843	-31 309.32	3	787	145.42	R894	-37 428.39	3	788	263.26
R844	-31 340.77	3	787	127.28	R895	-37 485.18	3	788	310.91
R845	-31 373.77	3	787	125.82	R896	-37 552.79	3	788	354.78
R846	-31 522.26	3	787	107.38	R897	-37 682.48	3	788	426.74
R847	-31 618.42	3	787	108.86	R898	-38 349.38	3	788	773.89
R848	-31 740.83	3	787	122.51	R899	-38 389.51	3	788	794.86
R849	-32 389.30	3	787	219.93	R900	-38 455.06	3	788	825.16
R850	-32 633.06	3	787	256.55	R901	-38 578.85	3	788	859.62
R851	-32 741.55	3	787	263.08	R902	-38 748.67	3	788	899.24
R852	-32 821.77	3	787	267.05	R903	-39 046.81	3	788	968.66
R853	-32 938.44	3	787	268.11	R904	-39 234.51	3	789	011.28
R854	-33 056.08	3	787	263.24	R905	-39 229.48	3	789	032.12
R855	-33 113.61	3	787	257.75	R906	-39 247.96	3	789	035.82
R856	-33 122.19	3	787	266.70	R907	-39 311.57	3	789	020.68
R857	-33 129.07	3	787	273.87	R908	-39 342.10	3	789	008.42
R858	-33 140.55	3	787	269.62	R909	-39 422.66	3	789	015.18
R859	-33 142.90	3	787	255.22	R910	-39 423.59	3	789	038.48
R860	-33 258.28	3	787	244.09	R911	-39 476.91	3	789	019.39
R861	-34 287.60	3	787	145.54	R912	-39 528.61	3	789	000.88
R862	-34 426.60	3	787	132.23					
R863	-34 958.94	3	787	081.33					
R864	-35 036.42	3	787	072.21					
R865	-35 246.22	3	787	036.55					
R866	-35 732.03	3	786	934.05					
R867	-35 878.93	3	786	902.63					
Vel Sheet					49	Van of		49	P1110/18