

DEPARTMENT OF TRANSPORT

NO. 813

9 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N5 SECTION 1

AMENDMENT OF DECLARATION 340 OF 2018.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 340 of 2018 by substituting it in its entirety with the accompanying sheets 1 to 19 of Plan No. P1128/19.

In the town of Senekal the N5 Section 1 enters the town from the south west and follows the street known as Boerbok Street, at time of declaration, up to its junction with street known as Kirchner Street, at time of declaration

(National Road N5 Section 1: Winburg – Senekal)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 813

9 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N5 SEKSIE 1

WYSIGING VAN VERKLARING 340 VAN 2018.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No.7 van 1998), wysig ek hiermee Verklaring No. 340 van 2018 deur dit in sy geheel te vervang, met meegaande velle 1 tot 19 van Plan No. P1128/19.


In die dorp Senekal kom die N5 Seksie 1 die dorp binne van uit die suidweste en volg dan die straat bekend as Boerbokstraat, tydens datum van verklaring, tot by die straat bekend as Kirchnerstraat, tydens datum van verklaring.

(Nasionale Pad N5 Seksie 1: Winburg – Senekal)**MINISTER VAN VERVOER**










Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N5
of National Route N5


Vel
Sheet 4 of 19
Plan P1128/19



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N5 of National Route	1	Vel Sheet 5 of 19	Plan P1128/19
---	---------------------------------------	--	---	----------------------	------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 6 of 19 Plan P1128/19
---	---------------------------------------	--	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown




stelsel padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N5
of National Route N5

1

Vel
Sheet 7 of 19
Plan P1128/19









PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	-182.37	3 153 667.09		R1	-188.80	3 153 705.88
L2	-335.81	3 153 641.37		R2	-256.35	3 153 694.86
L3	-440.14	3 153 627.75		R3	-302.26	3 153 696.65
L4	-797.22	3 153 568.44		R4	-298.34	3 153 714.44
L5	-1 163.42	3 153 507.39		R5	-333.88	3 153 701.57
L6	-1 331.48	3 153 479.68		R6	-335.79	3 153 693.02
L7	-1 369.10	3 153 469.37		R7	-336.24	3 153 691.27
L8	-1 399.10	3 153 466.90		R8	-382.52	3 153 672.05
L9	-1 411.88	3 153 466.42		R9	-445.41	3 153 659.40
L10	-1 457.36	3 153 458.92		R10	-802.72	3 153 599.87
L11	-1 760.71	3 153 408.40		R11	-1 144.78	3 153 543.21
L12	-1 820.11	3 153 398.55		R12	-1 346.95	3 153 509.52
L13	-1 838.37	3 153 392.36		R13	-1 375.77	3 153 507.60
L14	-2 021.21	3 153 356.28		R14	-1 395.84	3 153 501.37
L15	-2 045.75	3 153 361.15		R15	-1 455.51	3 153 491.43
L16	-2 118.13	3 153 349.15		R16	-1 759.69	3 153 440.69
L17	-2 153.34	3 153 343.30		R17	-2 133.74	3 153 378.69
L18	-2 203.53	3 153 328.22		R18	-2 243.63	3 153 360.47
L19	-2 240.45	3 153 320.79		R19	-2 283.59	3 153 358.43
L20	-2 332.91	3 153 306.89		R20	-2 322.26	3 153 347.43
L21	-2 649.09	3 153 255.82		R21	-2 380.74	3 153 337.74
L22	-2 788.08	3 153 235.96		R22	-2 420.45	3 153 334.45
L23	-2 816.79	3 153 233.08		R23	-2 578.53	3 153 309.54
L24	-3 285.18	3 153 157.37		R24	-2 657.34	3 153 295.53
L25	-3 390.03	3 153 147.29		R25	-2 686.06	3 153 287.17
L26	-3 410.24	3 153 130.21		R26	-2 827.16	3 153 263.81
L27	-3 412.33	3 153 123.69		R27	-3 150.44	3 153 211.51
L28	-3 414.56	3 153 116.71		R28	-3 336.06	3 153 207.69
L29	-3 443.67	3 153 137.21		R29	-3 376.19	3 153 222.47
L30	-3 442.92	3 153 140.25		R30	-3 406.50	3 153 231.92
L31	-3 441.22	3 153 149.03		R31	-3 441.15	3 153 220.41
L32	-3 526.96	3 153 161.12		R32	-3 486.62	3 153 221.26
L33	-3 625.28	3 153 179.58		R33	-3 616.24	3 153 242.91
L34	-3 724.25	3 153 208.52		R34	-3 660.64	3 153 252.46
L35	-3 795.72	3 153 238.04		R35	-3 757.40	3 153 278.16
L36	-3 817.89	3 153 247.20		R36	-3 814.15	3 153 298.22
L37	-3 899.40	3 153 291.13		R37	-3 869.60	3 153 320.24
L38	-3 940.39	3 153 314.49		R38	-3 879.93	3 153 325.04
L39	-4 350.09	3 153 551.28		R39	-3 889.60	3 153 329.57
L40	-4 389.84	3 153 572.64		R40	-3 924.40	3 153 345.84
L41	-4 425.89	3 153 590.30		R41	-3 978.59	3 153 373.68
L42	-4 474.14	3 153 612.44		R42	-4 314.54	3 153 565.45
L43	-4 525.12	3 153 633.82		R43	-4 374.38	3 153 598.31
L44	-4 584.54	3 153 656.05		R44	-4 412.73	3 153 617.95
L45	-4 656.37	3 153 679.02		R45	-4 459.50	3 153 639.52
L46	-4 716.22	3 153 694.90		R46	-4 502.23	3 153 657.27
L47	-4 790.98	3 153 711.88		R47	-4 538.57	3 153 671.73
L48	-4 873.11	3 153 725.44		R48	-4 581.69	3 153 687.21
L49	-5 406.26	3 153 783.19		R49	-4 622.88	3 153 700.83
L50	-5 939.39	3 153 840.94		R50	-4 660.69	3 153 711.93
L51	-6 366.15	3 153 887.37		R51	-4 710.80	3 153 724.91
				Vel Sheet	12 of	19 P1128/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-6 819.67	3	153	936.51	R52	-4 746.72	3	153	733.63
L53	-7 142.30	3	153	971.46	R53	-4 796.95	3	153	744.14
L54	-7 179.73	3	153	969.88	R54	-4 863.97	3	153	756.10
L55	-7 216.97	3	153	979.54	R55	-5 243.81	3	153	797.24
L56	-7 599.54	3	154	020.23	R56	-5 581.87	3	153	833.86
L57	-7 676.04	3	154	019.02	R57	-5 871.98	3	153	865.28
L58	-7 755.73	3	154	009.28	R58	-5 887.14	3	153	868.50
L59	-7 876.04	3	154	004.81	R59	-5 930.08	3	153	873.26
L60	-7 975.61	3	153	993.03	R60	-6 046.16	3	153	886.14
L61	-8 034.66	3	153	981.50	R61	-6 063.05	3	153	885.80
L62	-8 092.83	3	153	965.79	R62	-6 356.83	3	153	917.26
L63	-8 164.76	3	153	944.94	R63	-6 783.34	3	153	963.29
L64	-8 300.12	3	153	894.53	R64	-6 801.81	3	153	967.70
L65	-8 395.02	3	153	859.24	R65	-6 861.45	3	153	974.30
L66	-8 399.99	3	153	856.39	R66	-6 879.42	3	153	973.86
L67	-8 410.78	3	153	850.23	R67	-6 925.53	3	153	978.97
L68	-8 495.16	3	153	818.93	R68	-6 941.36	3	153	982.49
L69	-8 509.37	3	153	816.72	R69	-7 039.84	3	153	994.54
L70	-8 728.27	3	153	735.33	R70	-7 056.31	3	153	996.56
L71	-9 171.78	3	153	570.35	R71	-7 062.51	3	154	010.32
L72	-9 171.96	3	153	570.29	R72	-7 080.66	3	154	014.20
L73	-9 452.65	3	153	466.89	R73	-7 097.91	3	153	998.18
L74	-9 796.54	3	153	339.91	R74	-7 179.34	3	154	013.18
L75	-9 814.45	3	153	330.70	R75	-7 220.98	3	154	016.97
L76	-9 964.52	3	153	275.16	R76	-7 359.14	3	154	029.57
L77	-10 002.60	3	153	261.57	R77	-7 438.69	3	154	038.18
L78	-10 015.30	3	153	259.03	R78	-7 459.32	3	154	037.38
L79	-10 482.55	3	153	085.13	R79	-7 661.63	3	154	059.20
L80	-10 774.55	3	152	976.89	R80	-7 715.90	3	154	070.54
L81	-10 786.67	3	152	969.56	R81	-7 745.65	3	154	073.59
L82	-10 842.93	3	152	948.69	R82	-7 778.95	3	154	073.18
L83	-10 937.53	3	152	913.00	R83	-7 811.69	3	154	070.00
L84	-10 964.73	3	152	907.13	R84	-7 931.29	3	154	049.91
L85	-11 036.23	3	152	883.07	R85	-7 948.82	3	154	046.62
L86	-11 129.53	3	152	856.21	R86	-8 020.20	3	154	030.43
L87	-11 453.32	3	152	772.61	R87	-8 074.49	3	154	011.53
L88	-11 697.36	3	152	710.97	R88	-8 154.80	3	153	981.59
L89	-11 985.52	3	152	637.83	R89	-8 179.76	3	153	975.58
L90	-12 161.98	3	152	593.04	R90	-8 236.84	3	153	955.74
L91	-12 542.72	3	152	496.47	R91	-8 311.14	3	153	926.25
L92	-12 559.87	3	152	488.69	R92	-8 346.18	3	153	910.42
L93	-12 655.47	3	152	459.30	R93	-8 385.80	3	153	895.81
L94	-12 750.46	3	152	427.90	R94	-8 403.92	3	153	891.83
L95	-12 863.32	3	152	386.97	R95	-8 442.04	3	153	879.55
L96	-12 975.52	3	152	342.47	R96	-8 611.37	3	153	817.57
L97	-13 008.25	3	152	333.41	R97	-8 662.43	3	153	793.76
L98	-13 056.18	3	152	315.45	R98	-8 732.66	3	153	767.85
L99	-13 105.73	3	152	298.16	R99	-9 122.49	3	153	623.79
L100	-13 105.97	3	152	298.08	R100	-9 170.86	3	153	620.28
L101	-13 155.33	3	152	282.86	R101	-9 182.17	3	153	623.99
L102	-13 165.34	3	152	276.71	R102	-9 188.38	3	153	627.10
					Vel Sheet 13 Van of 19 P1128/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-13 242.57	3 152 247.19		R103	-9 195.49	3 153 631.40
L104	-13 282.82	3 152 242.75		R104	-9 224.33	3 153 614.24
L105	-13 591.13	3 152 156.92		R105	-9 209.99	3 153 602.33
L106	-13 727.52	3 152 120.03		R106	-9 212.94	3 153 590.40
L107	-13 756.25	3 152 116.31		R107	-9 468.24	3 153 495.48
L108	-13 768.87	3 152 112.85		R108	-9 998.96	3 153 298.12
L109	-14 245.34	3 151 979.47		R109	-10 482.73	3 153 118.01
L110	-14 635.33	3 151 871.92		R110	-10 952.77	3 152 943.27
L111	-15 159.58	3 151 728.33		R111	-11 044.26	3 152 912.06
L112	-15 592.43	3 151 609.67		R112	-11 150.36	3 152 882.08
L113	-15 699.86	3 151 580.07		R113	-11 464.57	3 152 802.00
L114	-16 063.79	3 151 479.78		R114	-11 712.02	3 152 739.42
L115	-16 067.27	3 151 478.82		R115	-11 979.01	3 152 671.70
L116	-16 522.76	3 151 352.02		R116	-12 168.00	3 152 623.77
L117	-16 948.10	3 151 229.31		R117	-12 666.18	3 152 497.28
L118	-17 457.55	3 151 081.95		R118	-12 771.56	3 152 457.04
L119	-17 901.70	3 150 953.34		R119	-12 818.38	3 152 444.25
L120	-18 308.25	3 150 835.51		R120	-12 911.77	3 152 408.28
L121	-18 840.49	3 150 681.33		R121	-12 948.65	3 152 392.41
L122	-18 841.33	3 150 681.08		R122	-12 968.15	3 152 381.98
L123	-19 212.16	3 150 574.13		R123	-13 065.78	3 152 344.70
L124	-19 733.22	3 150 427.82		R124	-13 104.36	3 152 334.03
L125	-19 817.75	3 150 404.78		R125	-13 196.31	3 152 304.68
L126	-20 079.03	3 150 333.56		R126	-13 219.79	3 152 297.15
L127	-20 574.54	3 150 198.77		R127	-13 237.41	3 152 288.65
L128	-21 098.08	3 150 055.55		R128	-13 273.52	3 152 278.71
L129	-21 570.94	3 149 925.47		R129	-13 294.01	3 152 279.34
L130	-22 105.65	3 149 778.85		R130	-13 448.05	3 152 234.25
L131	-22 361.29	3 149 711.12		R131	-13 476.30	3 152 223.25
L132	-22 393.53	3 149 688.81		R132	-13 778.63	3 152 140.64
L133	-22 424.96	3 149 678.79		R133	-14 254.79	3 152 010.82
L134	-22 466.43	3 149 682.48		R134	-14 644.86	3 151 904.28
L135	-22 820.87	3 149 585.26		R135	-15 169.26	3 151 760.68
L136	-22 877.49	3 149 565.42		R136	-15 598.97	3 151 641.47
L137	-22 915.40	3 149 552.26		R137	-15 781.37	3 151 590.61
L138	-22 974.04	3 149 537.09		R138	-16 066.20	3 151 511.21
L139	-23 032.43	3 149 521.33		R139	-16 073.01	3 151 509.31
L140	-23 083.67	3 149 507.06		R140	-16 349.46	3 151 432.13
L141	-23 140.17	3 149 486.04		R141	-16 401.94	3 151 433.09
L142	-23 153.99	3 149 479.13		R142	-16 417.90	3 151 428.68
L143	-23 202.12	3 149 460.54		R143	-16 455.15	3 151 402.62
L144	-23 220.88	3 149 453.60		R144	-16 535.31	3 151 380.24
L145	-23 237.95	3 149 449.68		R145	-16 961.44	3 151 257.09
L146	-23 310.82	3 149 422.57		R146	-17 470.25	3 151 109.53
L147	-23 695.55	3 149 277.71		R147	-17 915.50	3 150 980.67
L148	-23 977.97	3 149 168.17		R148	-18 307.75	3 150 867.40
L149	-23 978.19	3 149 168.01		R149	-18 826.98	3 150 717.26
L150	-24 294.28	3 148 948.31		R150	-19 745.88	3 150 456.07
L151	-24 497.40	3 148 803.54		R151	-20 082.73	3 150 364.09
L152	-24 858.98	3 148 544.03		R152	-20 577.63	3 150 229.23
L153	-24 860.64	3 148 542.69		R153	-20 622.82	3 150 232.19
				Vel Sheet	14 Van of 19	P1128/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L154	-24 950.15	3 148 470.37		R154	-20 651.40	3 150 224.39			
L155	-25 058.29	3 148 383.00		R155	-20 688.51	3 150 198.91			
L156	-25 438.56	3 148 073.82		R156	-21 101.91	3 150 085.88			
L157	-25 586.99	3 147 949.90		R157	-21 576.65	3 149 956.40			
L158	-25 587.02	3 147 949.88		R158	-22 103.87	3 149 812.35			
L159	-25 671.29	3 147 879.46		R159	-22 211.81	3 149 782.91			
L160	-25 676.94	3 147 874.27		R160	-22 230.18	3 149 779.29			
L161	-25 938.47	3 147 612.24		R161	-22 307.62	3 149 759.20			
L162	-26 242.70	3 147 306.62		R162	-22 346.27	3 149 748.91			
L163	-26 260.85	3 147 271.12		R163	-22 385.14	3 149 738.25			
L164	-26 264.58	3 147 263.74		R164	-22 422.67	3 149 739.08			
L165	-26 274.80	3 147 253.38		R165	-22 429.53	3 149 739.22			
L166	-26 315.82	3 147 233.17		R166	-22 454.50	3 149 732.41			
L167	-26 650.49	3 146 898.59		R167	-22 491.94	3 149 706.51			
L168	-27 079.31	3 146 534.65		R168	-22 837.58	3 149 612.26			
L169	-27 165.78	3 146 473.05		R169	-22 869.89	3 149 606.34			
L170	-27 255.35	3 146 415.70		R170	-22 929.11	3 149 595.39			
L171	-27 393.60	3 146 340.81		R171	-22 967.73	3 149 584.74			
L172	-27 450.96	3 146 313.97		R172	-23 005.71	3 149 571.95			
L173	-27 579.16	3 146 261.68		R173	-23 084.01	3 149 539.68			
L174	-27 579.37	3 146 261.62		R174	-23 313.89	3 149 453.96			
L175	-27 681.49	3 146 228.59		R175	-23 722.42	3 149 302.16			
L176	-28 060.36	3 146 120.68		R176	-23 944.66	3 149 219.23			
L177	-28 431.44	3 146 015.11		R177	-23 996.81	3 149 194.67			
L178	-28 792.58	3 145 912.08		R178	-23 996.89	3 149 194.63			
L179	-28 831.37	3 145 883.92		R179	-24 270.05	3 149 003.23			
L180	-28 819.53	3 145 848.25		R180	-24 510.14	3 148 831.90			
L181	-28 840.14	3 145 841.93		R181	-24 874.58	3 148 571.50			
L182	-28 849.04	3 145 856.21		R182	-24 876.32	3 148 570.09			
L183	-28 855.48	3 145 876.01		R183	-24 959.41	3 148 502.70			
L184	-28 902.91	3 145 876.43		R184	-25 075.14	3 148 408.86			
L185	-28 997.17	3 145 845.80		R185	-25 456.02	3 148 098.67			
L186	-29 006.06	3 145 844.93		R186	-25 605.23	3 147 977.49			
L187	-29 008.04	3 145 844.29		R187	-25 605.45	3 147 977.32			
L188	-29 053.94	3 145 829.45		R188	-25 691.76	3 147 901.46			
L189	-29 198.72	3 145 782.68		R189	-25 701.81	3 147 891.71			
L190	-29 310.03	3 145 740.81		R190	-25 960.59	3 147 632.99			
L191	-29 406.17	3 145 707.43		R191	-26 303.72	3 147 288.89			
L192	-29 481.33	3 145 683.80		R192	-26 304.13	3 147 288.48			
L193	-29 548.96	3 145 666.99		R193	-26 359.45	3 147 233.27			
L194	-29 654.69	3 145 630.52		R194	-26 373.05	3 147 222.36			
L195	-29 971.76	3 145 527.20		R195	-26 402.72	3 147 195.33			
L196	-30 006.52	3 145 521.74		R196	-26 457.34	3 147 136.77			
L197	-30 191.07	3 145 462.21		R197	-26 464.15	3 147 128.80			
L198	-30 211.53	3 145 455.25		R198	-26 695.92	3 146 897.52			
L199	-30 210.59	3 145 441.80		R199	-27 094.79	3 146 563.53			
L200	-30 219.61	3 145 450.37		R200	-27 167.58	3 146 510.17			
L201	-30 377.92	3 145 397.20		R201	-27 269.45	3 146 443.89			
L202	-30 519.18	3 145 346.67		R202	-27 327.59	3 146 411.60			
L203	-30 642.87	3 145 311.88		R203	-27 359.56	3 146 396.46			
L204	-30 721.90	3 145 279.33		R204	-27 431.06	3 146 360.59			
					Vel Sheet	15	Van of	19	P1128/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L205	-30 722.86	3 145 278.99		R205	-27 447.19	3 146 350.74
L206	-30 778.43	3 145 259.02		R206	-27 466.98	3 146 341.29
L207	-30 851.55	3 145 235.37		R207	-27 586.98	3 146 292.80
L208	-31 011.30	3 145 187.89		R208	-27 587.21	3 146 292.73
L209	-31 149.09	3 145 149.16		R209	-27 687.35	3 146 259.40
L210	-31 458.79	3 145 050.46		R210	-28 068.58	3 146 150.95
L211	-31 536.16	3 145 027.41		R211	-28 442.49	3 146 044.61
L212	-31 605.92	3 145 008.66		R212	-28 791.39	3 145 945.29
L213	-31 619.13	3 145 005.18		R213	-28 830.68	3 145 935.82
L214	-31 635.66	3 145 002.20		R214	-28 887.76	3 145 917.35
L215	-31 644.16	3 144 999.79		R215	-28 904.52	3 145 910.47
L216	-32 035.75	3 144 890.71		R216	-28 961.06	3 145 893.07
L217	-32 092.33	3 144 875.05		R217	-28 962.37	3 145 892.66
L218	-32 497.52	3 144 762.61		R218	-29 058.42	3 145 861.43
L219	-32 541.29	3 144 750.59		R219	-29 302.36	3 145 782.46
L220	-32 585.44	3 144 739.95		R220	-29 399.97	3 145 753.03
L221	-32 637.66	3 144 729.44		R221	-29 423.97	3 145 746.25
L222	-32 674.22	3 144 722.59		R222	-29 468.79	3 145 731.85
L223	-32 720.63	3 144 715.70		R223	-29 525.47	3 145 711.75
L224	-32 766.99	3 144 709.08		R224	-29 551.38	3 145 701.92
L225	-32 825.71	3 144 702.19		R225	-29 858.24	3 145 602.73
L226	-32 932.14	3 144 693.50		R226	-29 870.15	3 145 598.35
L227	-32 932.59	3 144 693.46		R227	-29 878.27	3 145 595.36
L228	-32 955.91	3 144 691.60		R228	-30 194.67	3 145 493.92
L229	-33 249.55	3 144 668.14		R229	-30 447.91	3 145 411.87
L230	-33 726.63	3 144 629.70		R230	-30 455.86	3 145 409.30
L231	-34 237.08	3 144 588.31		R231	-30 494.11	3 145 399.63
L232	-34 450.52	3 144 570.24		R232	-30 531.11	3 145 388.36
L233	-34 553.94	3 144 560.12		R233	-30 581.33	3 145 368.77
L234	-34 604.53	3 144 549.41		R234	-30 653.41	3 145 345.49
L235	-34 673.47	3 144 537.23		R235	-30 697.55	3 145 331.23
L236	-34 725.25	3 144 531.90		R236	-30 765.77	3 145 312.41
L237	-34 763.05	3 144 530.07		R237	-30 818.26	3 145 295.93
L238	-34 765.29	3 144 529.96		R238	-30 868.90	3 145 278.64
L239	-34 864.54	3 144 525.50		R239	-30 937.57	3 145 253.71
L240	-34 888.99	3 144 526.44		R240	-31 469.09	3 145 081.97
L241	-35 134.55	3 144 501.12		R241	-31 476.58	3 145 079.56
L242	-35 563.60	3 144 456.75		R242	-31 634.37	3 145 035.37
L243	-35 592.32	3 144 453.77		R243	-32 038.99	3 144 922.20
L244	-36 055.68	3 144 405.82		R244	-32 505.42	3 144 792.69
L245	-36 551.48	3 144 354.36		R245	-32 562.02	3 144 777.77
L246	-37 005.95	3 144 307.23		R246	-32 619.73	3 144 764.92
L247	-37 430.15	3 144 264.38		R247	-32 677.09	3 144 753.51
L248	-37 561.35	3 144 252.77		R248	-32 736.46	3 144 744.15
L249	-37 973.75	3 144 216.28		R249	-32 794.52	3 144 736.92
L250	-38 363.70	3 144 181.87		R250	-32 853.43	3 144 731.35
L251	-38 427.22	3 144 176.27		R251	-32 886.73	3 144 729.06
L252	-38 941.09	3 144 130.70		R252	-32 886.99	3 144 729.04
L253	-39 231.31	3 144 105.33		R253	-32 899.35	3 144 728.03
L254	-39 255.85	3 144 103.98		R254	-33 168.00	3 144 706.03
L255	-39 256.09	3 144 103.96		R255	-33 349.41	3 144 691.46
				Vel Sheet	16 of	19 P1128/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L256	-39 401.47	3 144 087.95		R256	-33 722.71	3 144 661.33			
L257	-39 496.10	3 144 072.44		R257	-33 933.29	3 144 644.50			
L258	-39 622.58	3 144 046.96		R258	-33 969.21	3 144 641.78			
L259	-39 631.79	3 144 045.15		R259	-34 240.12	3 144 619.68			
L260	-39 832.42	3 144 005.73		R260	-34 461.34	3 144 601.26			
L261	-40 010.94	3 143 970.67		R261	-34 566.57	3 144 590.83			
L262	-40 306.97	3 143 912.54		R262	-34 608.44	3 144 593.40			
L263	-40 788.31	3 143 816.26		R263	-34 669.63	3 144 590.62			
L264	-40 795.91	3 143 814.44		R264	-34 726.20	3 144 584.97			
L265	-41 126.35	3 143 735.13		R265	-34 750.14	3 144 582.57			
L266	-41 536.47	3 143 636.65		R266	-34 789.67	3 144 575.87			
L267	-41 649.21	3 143 609.61		R267	-34 866.27	3 144 560.41			
L268	-42 017.34	3 143 521.31		R268	-35 129.67	3 144 533.27			
L269	-42 203.22	3 143 476.92		R269	-35 552.88	3 144 489.40			
L270	-42 450.22	3 143 417.26		R270	-35 590.60	3 144 485.49			
L271	-42 691.09	3 143 359.84		R271	-36 059.36	3 144 436.74			
L272	-42 938.79	3 143 307.30		R272	-36 549.96	3 144 385.92			
L273	-43 425.70	3 143 205.42		R273	-37 007.05	3 144 338.49			
L274	-43 510.21	3 143 187.72		R274	-37 433.31	3 144 295.44			
L275	-43 886.62	3 143 108.91		R275	-37 555.61	3 144 285.24			
L276	-44 426.50	3 142 995.08		R276	-37 978.00	3 144 247.47			
L277	-44 667.49	3 142 944.84		R277	-38 430.24	3 144 207.77			
L278	-44 816.49	3 142 913.39		R278	-38 438.64	3 144 207.02			
L279	-44 973.49	3 142 877.84		R279	-38 943.71	3 144 162.41			
L280	-44 979.47	3 142 875.44		R280	-39 369.85	3 144 123.83			
L281	-45 058.04	3 142 858.01		R281	-39 466.32	3 144 109.39			
L282	-45 087.49	3 142 852.13		R282	-39 617.57	3 144 080.07			
L283	-45 094.67	3 142 851.31		R283	-39 620.02	3 144 079.59			
L284	-45 145.72	3 142 840.13		R284	-39 638.10	3 144 076.06			
L285	-45 238.00	3 142 814.21		R285	-39 644.54	3 144 074.81			
L286	-45 959.42	3 142 610.14		R286	-39 834.24	3 144 037.31			
L287	-46 291.77	3 142 515.54		R287	-40 017.19	3 144 001.21			
L288	-46 723.35	3 142 377.03		R288	-40 310.34	3 143 943.36			
L289	-47 149.39	3 142 238.35		R289	-40 806.71	3 143 844.15			
L290	-47 151.66	3 142 237.61		R290	-40 806.97	3 143 844.09			
L291	-47 191.04	3 142 223.66		R291	-41 104.37	3 143 772.81			
L292	-47 551.24	3 142 070.65		R292	-41 541.44	3 143 667.81			
L293	-47 995.20	3 141 880.03		R293	-41 555.32	3 143 664.48			
L294	-48 501.40	3 141 661.97		R294	-41 555.46	3 143 664.44			
L295	-48 909.26	3 141 487.74		R295	-42 022.13	3 143 552.21			
L296	-49 055.78	3 141 426.24		R296	-42 220.11	3 143 504.67			
L297	-49 063.29	3 141 423.40		R297	-42 429.15	3 143 454.47			
L298	-49 169.87	3 141 389.12		R298	-42 693.98	3 143 391.35			
L299	-49 658.86	3 141 239.00		R299	-42 946.40	3 143 337.99			
L300	-49 659.18	3 141 238.90		R300	-42 990.52	3 143 328.48			
L301	-49 941.90	3 141 152.39		R301	-43 031.70	3 143 322.94			
L302	-50 282.58	3 141 048.24		R302	-43 093.65	3 143 311.75			
L303	-50 381.59	3 141 013.43		R303	-43 166.15	3 143 291.95			
L304	-51 883.04	3 140 410.04		R304	-43 429.05	3 143 236.91			
L305	-52 106.56	3 140 320.58		R305	-43 517.16	3 143 218.29			
L306	-52 110.59	3 140 318.97		R306	-43 818.00	3 143 155.28			
					Vel Sheet	17	Van of	19	P1128/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	-52 125.50	3	140	313.00	R307	-43 883.59	3	143	141.54
L308	-52 248.51	3	140	266.75	R308	-44 380.55	3	143	037.30
L309	-52 361.03	3	140	221.38	R309	-44 381.98	3	143	045.30
L310	-52 897.37	3	139	978.82	R310	-44 453.82	3	143	032.53
L311	-53 077.47	3	139	892.19	R311	-44 452.14	3	143	022.01
L312	-53 316.99	3	139	789.38	R312	-44 676.43	3	142	975.14
L313	-53 404.49	3	139	742.49	R313	-44 824.03	3	142	943.90
L314	-53 478.55	3	139	710.74	R314	-45 110.40	3	142	883.29
L315	-53 534.70	3	139	689.41	R315	-45 242.17	3	142	845.91
L316	-53 715.69	3	139	608.03	R316	-45 613.94	3	142	740.74
L317	-53 870.90	3	139	534.82	R317	-45 642.80	3	142	732.66
L318	-54 289.55	3	139	327.32	R318	-45 729.29	3	142	708.06
L319	-54 716.32	3	139	115.72	R319	-45 965.47	3	142	641.09
L320	-55 185.08	3	138	883.34	R320	-46 320.67	3	142	539.88
L321	-55 525.53	3	138	712.05	R321	-46 731.25	3	142	407.44
L322	-55 753.48	3	138	573.65	R322	-47 164.04	3	142	266.92
L323	-56 033.09	3	138	402.66	R323	-47 219.70	3	142	246.53
L324	-56 157.32	3	138	326.69	R324	-47 221.48	3	142	245.88
L325	-56 590.49	3	138	060.88	R325	-47 564.96	3	142	099.46
L326	-56 591.12	3	138	060.50	R326	-48 000.98	3	141	911.38
L327	-56 751.31	3	137	953.75	R327	-48 518.44	3	141	688.71
L328	-56 810.03	3	137	914.61	R328	-48 927.44	3	141	513.02
L329	-56 935.79	3	137	819.61	R329	-49 067.56	3	141	455.41
L330	-57 204.73	3	137	608.27	R330	-49 171.76	3	141	422.38
L331	-57 275.77	3	137	552.44	R331	-49 660.31	3	141	271.91
L332	-57 344.68	3	137	497.18	R332	-49 661.19	3	141	271.64
L333	-57 677.35	3	137	230.14	R333	-49 941.04	3	141	185.96
L334	-57 952.96	3	137	008.60	R334	-50 271.85	3	141	085.00
L335	-58 151.32	3	136	849.13	R335	-50 385.83	3	141	046.04
L336	-58 324.73	3	136	709.69	R336	-50 394.69	3	141	042.48
L337	-58 379.19	3	136	665.66	R337	-50 725.19	3	140	909.54
L338	-58 420.95	3	136	623.33	R338	-51 152.43	3	140	737.59
L339	-58 477.63	3	136	554.46	R339	-51 640.23	3	140	541.26
L340	-58 527.64	3	136	481.12	R340	-51 968.46	3	140	409.17
L341	-58 558.66	3	136	428.23	R341	-52 109.38	3	140	352.47
L342	-58 590.06	3	136	358.12	R342	-52 273.74	3	140	291.04
L343	-58 631.81	3	136	255.21	R343	-52 277.93	3	140	291.98
L344	-58 729.59	3	136	011.29	R344	-52 282.32	3	140	294.43
L345	-58 731.69	3	135	999.38	R345	-52 350.83	3	140	269.42
L346	-58 759.48	3	135	922.95	R346	-52 348.86	3	140	263.30
L347	-58 803.46	3	135	811.51	R347	-52 835.89	3	140	080.21
L348	-58 813.00	3	135	781.88	R348	-52 987.14	3	140	023.46
L349	-58 813.45	3	135	766.29	R349	-53 051.95	3	139	997.08
L350	-58 783.88	3	135	705.86	R350	-53 061.65	3	139	993.13
L351	-58 820.29	3	135	709.67	R351	-53 097.48	3	139	978.55
L352	-58 827.16	3	135	710.38	R352	-53 150.70	3	139	951.39
L353	-58 827.61	3	135	710.32	R353	-53 371.67	3	139	832.79
L354	-58 841.98	3	135	708.25	R354	-53 433.95	3	139	793.55
L355	-58 882.33	3	135	615.33	R355	-53 541.68	3	139	733.74
L356	-58 917.71	3	135	533.86	R356	-53 881.35	3	139	564.88
L357	-58 989.63	3	135	352.44	R357	-54 002.91	3	139	504.62
					Vel Sheet 18 Van of 19 P1128/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L358	-59 017.21	3	135	282.53	R358	-54 055.92	3	139	481.70
L359	-59 079.39	3	135	114.32	R359	-54 121.04	3	139	446.11
L360	-59 077.02	3	135	110.87	R360	-54 300.48	3	139	357.24
L361	-59 030.58	3	135	114.56	R361	-54 717.56	3	139	150.25
L362	-59 027.46	3	135	090.07	R362	-55 191.68	3	138	915.14
L363	-59 035.05	3	135	086.34	R363	-55 519.07	3	138	752.03
L364	-59 094.32	3	135	072.91	R364	-55 539.10	3	138	739.99
L365	-59 109.66	3	135	040.02	R365	-55 577.72	3	138	716.79
L366	-59 140.15	3	134	963.94	R366	-55 769.78	3	138	601.38
L367	-59 214.46	3	134	800.46	R367	-56 168.10	3	138	357.08
L368	-59 234.01	3	134	764.47	R368	-56 629.14	3	138	074.49
L369	-59 266.40	3	134	718.24	R369	-56 631.58	3	138	073.00
L370	-59 295.34	3	134	680.22	R370	-56 828.96	3	137	940.34
L371	-59 301.98	3	134	671.10	R371	-56 959.90	3	137	841.67
L372	-59 323.81	3	134	646.71	R372	-57 292.53	3	137	580.09
L373	-59 328.36	3	134	644.43	R373	-57 359.66	3	137	526.13
					R374	-57 696.93	3	137	255.01
					R375	-57 980.26	3	137	027.43
					R376	-58 328.24	3	136	747.65
					R377	-58 401.57	3	136	686.25
					R378	-58 430.24	3	136	657.55
					R379	-58 443.97	3	136	643.81
					R380	-58 503.31	3	136	573.42
					R381	-58 554.76	3	136	498.63
					R382	-58 588.28	3	136	440.39
					R383	-58 622.80	3	136	364.61
					R384	-58 660.24	3	136	272.61
					R385	-58 845.07	3	135	809.98
					R386	-58 856.87	3	135	798.00
					R387	-58 858.09	3	135	798.40
					R388	-58 862.76	3	135	803.92
					R389	-58 871.18	3	135	814.02
					R390	-58 887.42	3	135	784.26
					R391	-58 878.97	3	135	773.76
					R392	-58 870.43	3	135	763.04
					R393	-58 869.30	3	135	754.89
					R394	-58 871.31	3	135	744.09
					R395	-58 934.00	3	135	586.79
					R396	-59 050.01	3	135	295.38
					R397	-59 101.93	3	135	166.26
					R398	-59 157.69	3	135	027.63
					R399	-59 208.48	3	134	898.30
					R400	-59 249.38	3	134	808.80
					R401	-59 287.78	3	134	749.37
					R402	-59 318.28	3	134	702.17
					R403	-59 377.10	3	134	642.25