

DEPARTMENT OF TRANSPORT

NO. 814


9 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 3

AMENDMENT OF DECLARATION No. 146 OF 2008.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 146 of 2008 by substituting it in its entirety, with the accompanying sheets 1 to 25 of Plan No. P1116/18.

(National Road N4 Section 3: Spitzkop – Rhenosterfontein)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 814

9 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N4 SEKSIE 3


WYSIGING VAN VERKLARING No. 146 VAN 2008.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 146 van 2008 deur dit in sy geheel te vervang, met bygaande velle 1 tot 25 van Plan No. P1116/18.

(Nasionale Pad N4 Seksie 3: Spitzkop – Rhenosterfontein)**MINISTER VAN VERVOER**












Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 4 of 25
		3	Seksie Section	P1116/18












Die Suid Afrikaanse Nasionale Padogenitskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet 8 of 25
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete N4 of National Route Section	Plan P1116/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet	9 of	25
The South African National Roads Agency SOC Ltd	The figure shown			3	Plan	P1115/18




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 10 of 25 Plan P1116/18
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 11 of 25 Plan P1116/18
---	---------------------------------------	--	--






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 13 of 25
The South African National Roads Agency SOC Ltd	The figure shown			3 Plan P1116/18








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown





steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4
of National Route

Vel
Sheet
16 of 25
Plan
P1116/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 17 of 25
			3 Seksie Section	Plan P1116/18





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 19 of 25 Plan P1116/18
---	---------------------------------------	--	--

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°		Y	X	
L1	5 920.25	2 863 222.61		R1	5 935.05	2 863 291.06	
L2	5 875.37	2 863 238.96		R2	5 900.03	2 863 304.48	
L3	5 818.97	2 863 258.46		R3	5 840.10	2 863 325.14	
L4	5 762.17	2 863 274.96		R4	5 718.84	2 863 357.05	
L5	5 704.47	2 863 288.66		R5	5 657.11	2 863 368.56	
L6	5 646.37	2 863 299.46		R6	5 594.72	2 863 375.26	
L7	5 587.87	2 863 308.86		R7	5 532.52	2 863 378.78	
L8	5 531.62	2 863 315.14		R8	5 469.84	2 863 380.98	
L9	5 472.04	2 863 317.06		R9	5 407.20	2 863 379.82	
L10	5 414.55	2 863 316.31		R10	5 344.80	2 863 375.53	
L11	5 353.71	2 863 312.30		R11	5 282.87	2 863 368.12	
L12	5 291.80	2 863 305.25		R12	5 221.34	2 863 357.86	
L13	5 233.43	2 863 295.26		R13	5 160.27	2 863 344.34	
L14	5 175.31	2 863 282.60		R14	5 072.18	2 863 319.09	
L15	5 089.78	2 863 257.92		R15	4 792.39	2 863 230.66	
L16	4 873.35	2 863 187.44		R16	4 791.76	2 863 227.74	
L17	4 776.20	2 863 155.76		R17	4 546.03	2 863 147.61	
L18	4 530.47	2 863 075.63		R18	4 287.65	2 863 063.35	
L19	4 307.36	2 863 002.88		R19	4 170.23	2 863 030.10	
L20	4 194.36	2 862 956.17		R20	4 054.06	2 862 990.78	
L21	4 046.50	2 862 917.74		R21	4 026.70	2 862 978.16	
L22	4 030.08	2 862 912.40		R22	3 736.65	2 862 883.60	
L23	3 365.09	2 862 695.50		R23	3 274.06	2 862 739.73	
L24	3 173.84	2 862 618.79		R24	3 159.75	2 862 713.33	
L25	3 058.83	2 862 557.27		R25	3 006.40	2 862 704.94	
L26	2 896.55	2 862 442.25		R26	2 943.57	2 862 701.43	
L27	2 884.33	2 862 426.44		R27	2 933.55	2 862 711.12	
L28	2 882.40	2 862 417.38		R28	2 952.10	2 862 839.73	
L29	2 836.62	2 862 195.70		R29	2 914.84	2 862 846.22	
L30	2 803.84	2 862 197.37		R30	2 889.18	2 862 718.96	
L31	2 839.17	2 862 434.64		R31	2 876.87	2 862 702.80	
L32	2 829.69	2 862 443.81		R32	2 725.22	2 862 595.17	
L33	2 736.09	2 862 436.41		R33	2 677.81	2 862 570.32	
L34	2 559.18	2 862 422.46		R34	2 579.85	2 862 518.81	
L35	2 432.09	2 862 396.18		R35	2 418.17	2 862 464.02	
L36	2 385.77	2 862 388.48		R36	2 374.19	2 862 455.96	
L37	2 339.45	2 862 382.13		R37	2 330.01	2 862 449.07	
L38	2 292.95	2 862 377.70		R38	2 285.53	2 862 443.50	
L39	2 244.70	2 862 374.73		R39	2 240.88	2 862 439.28	
L40	2 233.80	2 862 374.40		R40	2 229.51	2 862 438.55	
L41	2 199.40	2 862 372.91		R41	2 196.17	2 862 436.40	
L42	2 152.77	2 862 371.35		R42	2 151.48	2 862 434.85	
L43	2 124.71	2 862 371.11		R43	2 124.65	2 862 434.57	
L44	1 551.43	2 862 370.45		R44	1 534.62	2 862 434.02	
L45	1 531.95	2 862 370.43		R45	1 514.02	2 862 434.00	
L46	889.38	2 862 369.82		R46	909.30	2 862 433.43	
L47	617.26	2 862 369.28		R47	874.82	2 862 433.38	
L48	368.79	2 862 362.84		R48	617.08	2 862 432.88	
L49	311.41	2 862 361.03		R49	312.27	2 862 440.23	
L50	7.07	2 862 368.49		R50	7.03	2 862 432.24	
L51	-1 134.02	2 862 367.66		R51	-1 021.33	2 862 431.23	
				Vel 20 Van of 25 P1116/18			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L52	-2 576.32	2 862 365.64		R52	-5 701.57 2 862 425.83
L53	-3 384.69	2 862 364.64		R53	-6 048.08 2 862 425.52
L54	-6 041.20	2 862 361.77		R54	-6 392.73 2 862 424.81
L55	-6 392.77	2 862 361.22		R55	-6 571.01 2 862 427.02
L56	-6 482.86	2 862 361.16		R56	-6 660.01 2 862 431.01
L57	-6 573.27	2 862 363.56		R57	-6 998.03 2 862 455.64
L58	-6 663.43	2 862 367.50		R58	-7 297.96 2 862 490.46
L59	-6 753.64	2 862 374.15		R59	-7 417.36 2 862 527.58
L60	-7 002.75	2 862 392.22		R60	-7 534.35 2 862 607.43
L61	-7 329.04	2 862 397.63		R61	-7 597.79 2 862 667.43
L62	-7 458.17	2 862 368.70		R62	-7 655.85 2 862 723.41
L63	-7 728.75	2 862 242.09		R63	-7 663.40 2 862 752.18
L64	-7 787.97	2 862 214.25		R64	-7 637.91 2 862 871.59
L65	-7 804.37	2 862 194.18		R65	-7 673.36 2 862 880.46
L66	-7 838.76	2 862 076.93		R66	-7 707.64 2 862 763.48
L67	-7 874.18	2 862 086.20		R67	-7 723.99 2 862 743.46
L68	-7 848.71	2 862 205.36		R68	-7 742.57 2 862 735.83
L69	-7 853.97	2 862 234.06		R69	-7 808.62 2 862 702.90
L70	-7 904.49	2 862 281.23		R70	-8 053.58 2 862 588.39
L71	-7 979.18	2 862 351.39		R71	-8 182.78 2 862 559.59
L72	-8 095.28	2 862 432.69		R72	-8 365.68 2 862 555.09
L73	-8 213.48	2 862 470.39		R73	-8 803.28 2 862 587.20
L74	-8 370.28	2 862 491.49		R74	-9 522.00 2 862 639.92
L75	-8 715.49	2 862 516.60		R75	-9 625.00 2 862 648.42
L76	-8 736.19	2 862 518.10		R76	-9 779.61 2 862 660.12
L77	-8 755.09	2 862 397.30		R77	-9 923.41 2 862 668.92
L78	-8 764.19	2 862 397.90		R78	-10 364.11 2 862 700.72
L79	-8 745.39	2 862 518.70		R79	-11 010.22 2 862 747.35
L80	-9 526.70	2 862 575.52		R80	-11 102.62 2 862 758.65
L81	-9 630.20	2 862 581.82		R81	-11 861.71 2 862 817.28
L82	-9 784.21	2 862 593.32		R82	-12 046.19 2 862 830.28
L83	-9 927.71	2 862 604.72		R83	-12 166.71 2 862 838.78
L84	-10 150.11	2 862 620.73		R84	-12 469.92 2 862 857.78
L85	-10 076.31	2 862 535.42		R85	-12 835.11 2 862 899.59
L86	-10 083.21	2 862 529.42		R86	-13 125.66 2 862 915.67
L87	-10 162.91	2 862 621.73		R87	-13 125.03 2 862 924.06
L88	-10 390.51	2 862 638.22		R88	-13 157.07 2 862 926.46
L89	-11 017.02	2 862 683.75		R89	-13 157.74 2 862 917.45
L90	-11 069.18	2 862 684.90		R90	-13 185.11 2 862 919.00
L91	-11 107.22	2 862 685.75		R91	-13 299.11 2 862 935.70
L92	-11 866.31	2 862 737.38		R92	-13 354.21 2 862 954.40
L93	-11 934.17	2 862 742.29		R93	-13 473.85 2 862 995.08
L94	-12 171.21	2 862 759.59		R94	-13 497.32 2 863 003.05
L95	-12 231.81	2 862 764.62		R95	-13 536.96 2 863 016.51
L96	-12 475.61	2 862 784.89		R96	-13 527.10 2 863 077.54
L97	-12 840.11	2 862 795.79		R97	-13 502.54 2 863 107.24
L98	-12 864.25	2 862 797.91		R98	-13 498.12 2 863 112.59
L99	-13 118.30	2 862 819.95		R99	-13 454.29 2 863 134.57
L100	-13 119.43	2 862 814.97		R100	-13 401.25 2 863 131.20
L101	-13 145.93	2 862 817.27		R101	-13 298.92 2 863 090.39
L102	-13 145.99	2 862 822.35		R102	-13 288.78 2 863 122.97
			Vel Sheet	21 Van of 25	P1116/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L103	-13 196.22	2 862 826.71		R103	-13 405.50 2 863 172.37
L104	-13 315.92	2 862 821.41		R104	-13 461.60 2 863 175.98
L105	-13 448.82	2 862 804.71		R105	-13 505.09 2 863 158.37
L106	-13 483.61	2 862 765.72		R106	-13 529.80 2 863 148.38
L107	-13 466.54	2 862 719.70		R107	-13 573.65 2 863 085.52
L108	-13 440.94	2 862 689.49		R108	-13 580.80 2 863 003.88
L109	-13 368.34	2 862 638.04		R109	-13 645.88 2 862 986.41
L110	-13 315.48	2 862 607.93		R110	-14 029.40 2 862 967.07
L111	-13 329.82	2 862 580.71		R111	-14 089.58 2 862 971.46
L112	-13 346.80	2 862 590.86		R112	-14 117.14 2 862 973.71
L113	-13 383.96	2 862 612.91		R113	-14 213.63 2 862 981.59
L114	-13 462.60	2 862 666.97		R114	-14 335.91 2 862 993.88
L115	-13 492.70	2 862 701.37		R115	-14 398.00 2 863 000.12
L116	-13 525.00	2 862 751.97		R116	-14 504.23 2 863 012.81
L117	-13 584.80	2 862 795.28		R117	-14 605.51 2 863 024.91
L118	-13 693.72	2 862 846.32		R118	-14 843.90 2 863 082.34
L119	-13 843.30	2 862 884.22		R119	-15 120.66 2 863 165.48
L120	-13 995.12	2 862 898.22		R120	-15 269.05 2 863 203.32
L121	-14 080.42	2 862 904.42		R121	-15 325.34 2 863 225.12
L122	-14 098.91	2 862 905.61		R122	-15 338.84 2 863 229.12
L123	-14 315.03	2 862 921.97		R123	-15 908.44 2 863 401.53
L124	-14 496.15	2 862 936.64		R124	-16 165.84 2 863 485.83
L125	-14 615.44	2 862 946.31		R125	-16 273.94 2 863 535.53
L126	-14 620.19	2 862 946.69		R126	-16 362.84 2 863 586.23
L127	-14 924.82	2 863 037.41		R127	-16 397.45 2 863 605.95
L128	-15 023.29	2 863 066.81		R128	-16 434.56 2 863 646.01
L129	-15 257.44	2 863 134.16		R129	-16 432.77 2 863 702.98
L130	-15 332.30	2 863 155.70		R130	-16 421.02 2 863 779.05
L131	-15 399.89	2 863 175.13		R131	-16 456.14 2 863 788.22
L132	-15 928.17	2 863 337.23		R132	-16 468.43 2 863 709.08
L133	-16 219.77	2 863 421.84		R133	-16 482.70 2 863 654.18
L134	-16 383.70	2 863 436.06		R134	-16 504.54 2 863 643.13
L135	-16 441.04	2 863 428.46		R135	-16 524.74 2 863 632.74
L136	-16 475.44	2 863 395.94		R136	-16 549.44 2 863 627.24
L137	-16 484.07	2 863 365.19		R137	-16 611.14 2 863 613.24
L138	-16 501.11	2 863 250.31		R138	-16 800.74 2 863 619.24
L139	-16 537.79	2 863 256.80		R139	-17 070.55 2 863 660.23
L140	-16 520.62	2 863 370.89		R140	-17 252.15 2 863 684.33
L141	-16 534.06	2 863 444.33		R141	-17 555.85 2 863 728.74
L142	-16 608.20	2 863 479.16		R142	-17 773.35 2 863 757.94
L143	-16 671.04	2 863 508.44		R143	-18 095.97 2 863 801.52
L144	-16 749.30	2 863 533.22		R144	-18 304.35 2 863 827.35
L145	-17 731.96	2 863 675.55		R145	-18 416.45 2 863 841.23
L146	-17 738.61	2 863 688.77		R146	-18 425.76 2 863 842.39
L147	-18 105.13	2 863 738.44		R147	-18 472.26 2 863 848.15
L148	-18 177.46	2 863 747.20		R148	-18 762.75 2 863 882.34
L149	-18 412.24	2 863 775.71		R149	-18 795.52 2 863 887.32
L150	-18 480.01	2 863 783.94		R150	-18 868.47 2 863 898.42
L151	-18 771.88	2 863 819.29		R151	-18 905.41 2 863 904.12
L152	-19 030.51	2 863 852.35		R152	-19 026.69 2 863 922.22
L153	-19 224.73	2 863 888.96		R153	-19 149.13 2 863 948.15
			Vel Sheet	22 Van of 25	P1116/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L154	-19 238.44	2 863 892.09		R154	-19 189.65	2 863 956.37			
L155	-19 282.72	2 863 902.15		R155	-19 209.27	2 863 960.37			
L156	-19 642.33	2 863 981.25		R156	-19 375.13	2 863 990.76			
L157	-19 820.12	2 864 020.86		R157	-19 406.00	2 863 997.72			
L158	-20 028.15	2 864 054.71		R158	-19 627.83	2 864 047.73			
L159	-20 157.65	2 864 060.66		R159	-19 688.36	2 864 062.10			
L160	-20 257.05	2 864 058.17		R160	-19 806.11	2 864 090.16			
L161	-20 296.71	2 864 057.26		R161	-20 021.60	2 864 124.19			
L162	-20 444.88	2 864 049.26		R162	-20 159.79	2 864 129.33			
L163	-20 541.70	2 864 036.55		R163	-20 198.55	2 864 129.74			
L164	-20 605.23	2 864 031.36		R164	-20 239.47	2 864 130.20			
L165	-20 661.34	2 864 009.23		R165	-20 413.52	2 864 132.18			
L166	-20 765.56	2 863 952.55		R166	-20 516.79	2 864 147.71			
L167	-20 791.47	2 863 928.21		R167	-20 589.77	2 864 154.33			
L168	-20 817.58	2 863 890.67		R168	-20 575.98	2 864 246.31			
L169	-20 849.87	2 863 788.33		R169	-20 689.47	2 864 296.73			
L170	-20 879.86	2 863 798.42		R170	-20 726.87	2 864 308.21			
L171	-20 864.80	2 863 863.13		R171	-20 762.69	2 864 214.33			
L172	-20 844.93	2 863 945.64		R172	-20 792.88	2 864 189.84			
L173	-20 860.21	2 863 979.74		R173	-20 947.92	2 864 140.75			
L174	-20 993.79	2 864 032.61		R174	-21 007.15	2 864 134.76			
L175	-21 091.95	2 864 049.55		R175	-21 063.70	2 864 130.59			
L176	-21 159.86	2 864 061.54		R176	-21 146.23	2 864 124.44			
L177	-21 335.13	2 864 078.04		R177	-21 158.28	2 864 124.13			
L178	-21 579.85	2 864 091.05		R178	-21 226.12	2 864 122.20			
L179	-21 669.96	2 864 104.12		R179	-21 332.46	2 864 128.82			
L180	-21 724.64	2 864 113.39		R180	-21 483.55	2 864 144.33			
L181	-21 812.01	2 864 129.43		R181	-21 572.61	2 864 151.99			
L182	-21 896.92	2 864 154.92		R182	-21 660.69	2 864 162.36			
L183	-21 915.03	2 864 161.28		R183	-21 706.10	2 864 169.37			
L184	-21 973.05	2 864 181.36		R184	-21 725.11	2 864 174.61			
L185	-22 083.47	2 864 231.32		R185	-21 796.68	2 864 194.35			
L186	-22 443.45	2 864 356.52		R186	-21 866.31	2 864 215.25			
L187	-22 447.09	2 864 355.61		R187	-21 885.61	2 864 221.83			
L188	-22 453.05	2 864 338.80		R188	-22 210.84	2 864 332.15			
L189	-22 457.49	2 864 340.31		R189	-22 312.67	2 864 366.69			
L190	-22 463.07	2 864 341.89		R190	-22 346.18	2 864 378.05			
L191	-22 473.46	2 864 355.03		R191	-22 430.46	2 864 406.62			
L192	-22 689.85	2 864 430.59		R192	-22 428.61	2 864 412.24			
L193	-22 807.12	2 864 471.54		R193	-22 433.70	2 864 414.05			
L194	-22 918.73	2 864 505.01		R194	-22 442.59	2 864 417.23			
L195	-22 929.61	2 864 507.21		R195	-22 456.21	2 864 407.73			
L196	-23 063.76	2 864 534.33		R196	-22 790.66	2 864 522.58			
L197	-23 196.85	2 864 527.48		R197	-22 919.25	2 864 568.96			
L198	-23 240.89	2 864 515.63		R198	-22 943.72	2 864 586.54			
L199	-23 302.64	2 864 378.93		R199	-22 956.34	2 864 595.55			
L200	-23 348.82	2 864 360.11		R200	-23 119.31	2 864 700.08			
L201	-23 354.96	2 864 362.51		R201	-23 148.63	2 864 754.15			
L202	-23 306.19	2 864 512.63		R202	-23 122.64	2 864 859.17			
L203	-23 303.48	2 864 520.03		R203	-23 149.48	2 864 867.49			
L204	-23 331.90	2 864 574.57		R204	-23 156.22	2 864 869.53			
					Vel Sheet	23	Van of	25	P1116/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L205	-23 429.60	2 864 659.31		R205	-23 193.40 2 864 789.32
L206	-23 539.46	2 864 723.94		R206	-23 247.66 2 864 765.57
L207	-23 719.90	2 864 786.79		R207	-23 356.51 2 864 768.41
L208	-24 454.37	2 865 044.50		R208	-23 475.21 2 864 785.81
L209	-24 893.54	2 865 197.40		R209	-23 590.66 2 864 815.14
L210	-25 066.19	2 865 245.98		R210	-23 694.30 2 864 851.24
L211	-25 209.35	2 865 265.59		R211	-23 793.87 2 864 881.51
L212	-25 244.75	2 865 270.33		R212	-24 428.79 2 865 102.82
L213	-25 424.81	2 865 270.83		R213	-24 685.79 2 865 192.39
L214	-25 603.32	2 865 247.35		R214	-25 163.84 2 865 358.42
L215	-25 748.09	2 865 209.94		R215	-25 265.82 2 865 394.49
L216	-25 877.58	2 865 168.66		R216	-25 260.83 2 865 408.89
L217	-26 034.38	2 865 110.31		R217	-25 416.47 2 865 463.05
L218	-26 169.95	2 865 045.10		R218	-25 279.12 2 865 721.86
L219	-26 287.22	2 864 977.19		R219	-25 195.90 2 865 861.39
L220	-26 392.25	2 864 909.84		R220	-25 115.12 2 865 965.18
L221	-26 685.50	2 864 721.65		R221	-25 104.55 2 865 977.65
L222	-26 735.95	2 864 689.29		R222	-25 170.30 2 865 998.52
L223	-26 908.71	2 864 562.15		R223	-25 387.98 2 865 743.70
L224	-26 940.33	2 864 531.98		R224	-25 477.28 2 865 646.49
L225	-26 965.37	2 864 495.97		R225	-25 606.59 2 865 528.49
L226	-26 991.66	2 864 444.52		R226	-25 623.72 2 865 534.46
L227	-27 037.46	2 864 360.11		R227	-25 694.63 2 865 479.14
L228	-27 055.73	2 864 326.43		R228	-25 841.06 2 865 372.49
L229	-27 133.46	2 864 271.52		R229	-25 832.10 2 865 360.18
L230	-27 173.87	2 864 265.73		R230	-25 958.03 2 865 268.51
L231	-27 351.26	2 864 256.83		R231	-26 044.88 2 865 208.98
L232	-27 397.94	2 864 246.77		R232	-26 310.82 2 865 037.69
L233	-27 439.95	2 864 226.85		R233	-26 321.64 2 865 030.68
L234	-27 665.32	2 864 089.18		R234	-26 613.40 2 864 843.50
L235	-27 786.95	2 864 015.09		R235	-26 693.33 2 864 792.22
L236	-28 183.91	2 863 760.75		R236	-26 766.37 2 864 748.10
L237	-28 227.09	2 863 731.85		R237	-27 036.71 2 864 585.16
L238	-28 248.28	2 863 698.50		R238	-27 079.05 2 864 565.12
L239	-28 359.78	2 863 623.60		R239	-27 123.06 2 864 556.00
L240	-28 610.77	2 863 476.50		R240	-27 300.83 2 864 545.99
L241	-28 689.67	2 863 439.30		R241	-27 338.03 2 864 543.98
L242	-28 724.47	2 863 423.41		R242	-27 416.84 2 864 484.77
L243	-28 807.07	2 863 392.81		R243	-27 435.30 2 864 451.11
L244	-28 799.20	2 863 412.50		R244	-27 511.57 2 864 311.76
L245	-28 847.27	2 863 394.51		R245	-27 534.11 2 864 279.54
L246	-28 966.97	2 863 360.61		R246	-27 565.77 2 864 250.05
L247	-29 089.07	2 863 336.41		R247	-27 748.41 2 864 116.48
L248	-29 158.07	2 863 328.31		R248	-27 757.37 2 864 109.92
L249	-29 212.67	2 863 321.91		R249	-28 144.38 2 863 862.04
L250	-29 336.97	2 863 317.51		R250	-28 124.58 2 863 893.20
L251	-29 495.17	2 863 325.91		R251	-28 226.77 2 863 827.60
L252	-30 309.97	2 863 411.92		R252	-28 422.28 2 863 709.60
L253	-30 371.57	2 863 413.32		R253	-28 534.78 2 863 629.90
L254	-30 425.37	2 863 414.52		R254	-28 654.38 2 863 561.01
L255	-30 601.87	2 863 426.38		R255	-28 759.38 2 863 512.01
			Vel Sheet	24 Van of 25	P1116/18

This gazette is also available free online at www.gpwonline.co.za