

DEPARTMENT OF TRANSPORT

NO. 816

9 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 5X

AMENDMENT OF DECLARATION No. 320 OF 2018.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 320 of 2018 by substituting it in its entirety, with the accompanying sheets 1 to 18 of Plan No. P1102/18.

(National Road N4 Section 5X: Wonderfontein – Schoongezicht)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 816

9 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N4 SEKSIE 5X

WYSIGING VAN VERKLARING No. 320 VAN 2018.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 320 van 2018 deur dit in sy geheel te vervang, met bygaande velle 1 tot 18 van Plan No. P1102/18.

(Nasionale Pad N4 Seksie 5X: Wonderfontein – Schoongezicht)**MINISTER VAN VERVOER**





Vel
Sheet 2 of 18
Plan P1102/18


5X
Seksie
Section


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4
of National Route



Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 4 of 18 Plan P1102/18
---	---------------------------------------	---	---








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 7 of 18 Plan P1102/18
---	---------------------------------------	--	---



Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stelde podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 8 of 18 Plan P1102/18
---	---------------------------------------	--	---



Vel
Sheet 9 of 18
Plan P1102/18

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4
of National Route N4
Seksie
Section 5X



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L1	-89 766.94	2 855 887.02		R1	-89 794.97	2 855 931.85
L2	-89 863.84	2 855 815.45		R2	-90 100.30	2 855 700.30
L3	-89 942.57	2 855 755.74		R3	-90 145.16	2 855 684.99
L4	-90 044.26	2 855 678.64		R4	-90 165.55	2 855 669.37
L5	-90 305.96	2 855 480.77		R5	-90 192.34	2 855 630.35
L6	-91 056.34	2 854 912.40		R6	-90 211.33	2 855 610.97
L7	-91 129.63	2 854 851.37		R7	-90 237.56	2 855 595.91
L8	-91 464.94	2 854 598.42		R8	-90 355.17	2 855 505.95
L9	-91 498.53	2 854 549.76		R9	-90 514.11	2 855 371.10
L10	-91 530.58	2 854 525.48		R10	-90 609.52	2 855 298.62
L11	-91 537.91	2 854 523.26		R11	-90 703.61	2 855 223.81
L12	-91 585.97	2 854 508.67		R12	-91 564.05	2 854 573.02
L13	-91 991.88	2 854 222.84		R13	-92 100.06	2 854 195.42
L14	-92 095.10	2 854 150.15		R14	-92 258.71	2 854 083.66
L15	-92 305.85	2 854 001.68		R15	-92 891.77	2 853 638.08
L16	-92 580.97	2 853 808.08		R16	-93 219.64	2 853 407.30
L17	-93 206.37	2 853 367.82		R17	-93 689.12	2 853 076.85
L18	-93 666.11	2 853 044.18		R18	-93 697.48	2 853 078.30
L19	-93 667.57	2 853 035.82		R19	-93 710.56	2 853 069.09
L20	-93 680.65	2 853 026.61		R20	-93 712.01	2 853 060.73
L21	-93 689.01	2 853 028.05		R21	-94 278.38	2 852 662.07
L22	-94 268.86	2 852 619.86		R22	-94 768.50	2 852 317.09
L23	-94 745.46	2 852 284.36		R23	-94 776.86	2 852 318.55
L24	-94 746.91	2 852 276.00		R24	-94 789.94	2 852 309.34
L25	-94 759.99	2 852 266.79		R25	-94 791.39	2 852 300.98
L26	-94 768.35	2 852 268.24		R26	-95 401.15	2 851 871.78
L27	-95 394.74	2 851 827.29		R27	-95 670.77	2 851 681.34
L28	-95 592.46	2 851 688.10		R28	-95 819.75	2 851 577.66
L29	-95 805.39	2 851 538.07		R29	-95 862.51	2 851 563.48
L30	-95 838.17	2 851 496.74		R30	-95 887.78	2 851 545.51
L31	-95 863.52	2 851 478.77		R31	-95 921.85	2 851 506.60
L32	-95 906.96	2 851 466.50		R32	-96 180.19	2 851 326.80
L33	-96 066.01	2 851 354.44		R33	-96 250.71	2 851 287.54
L34	-96 181.68	2 851 280.54		R34	-96 319.21	2 851 255.78
L35	-96 193.23	2 851 273.16		R35	-96 364.91	2 851 237.15
L36	-96 354.14	2 851 198.45		R36	-96 371.93	2 851 234.29
L37	-96 524.03	2 851 147.24		R37	-96 428.74	2 851 215.02
L38	-96 583.37	2 851 136.63		R38	-96 585.69	2 851 176.57
L39	-96 647.20	2 851 128.17		R39	-96 663.35	2 851 166.49
L40	-96 678.81	2 851 124.71		R40	-96 682.59	2 851 164.00
L41	-96 845.64	2 851 110.07		R41	-96 825.45	2 851 151.96
L42	-96 933.51	2 851 102.53		R42	-97 161.84	2 851 122.82
L43	-97 154.79	2 851 083.55		R43	-97 209.01	2 851 133.80
L44	-97 197.24	2 851 064.86		R44	-97 238.97	2 851 118.95
L45	-97 222.21	2 851 063.37		R44X	-97 281.04	2 851 112.49
L45X	-97 266.70	2 851 073.15		R45	-97 399.99	2 851 102.19
L46	-97 474.58	2 851 052.82		R46	-97 542.55	2 851 080.85
L47	-97 482.32	2 851 051.61		R47	-97 599.11	2 851 067.89
L48	-97 564.03	2 851 031.40		R48	-97 676.17	2 851 045.52
L49	-97 698.35	2 850 996.09		R49	-97 791.36	2 851 001.76
L50	-97 711.69	2 850 994.05		R50	-97 890.28	2 850 953.64
				Vel Sheet	11	Van of 18
				P1102/18		

This gazette is also available free online at www.gpwonline.co.za

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L71	100 277.11	2	849 423.48		R71	100 033.89	2	849 152.49	
L72	100 129.11	2	849 216.49		R72	100 000.19	2	849 104.22	
L73	100 126.34	2	849 212.32		R73	99 916.96	2	848 953.12	
L74	100 087.22	2	849 153.45		R74	99 699.55	2	848 536.47	
L75	100 039.26	2	849 094.14		R75	99 633.56	2	848 440.26	
L76	99 998.84	2	849 026.89		R76	99 581.66	2	848 380.66	
L77	99 731.66	2	848 506.88		R77	99 495.63	2	848 299.03	
L78	99 655.64	2	848 392.21		R77X	99 481.88	2	848 287.79	
L79	99 561.19	2	848 302.89		R78	99 399.45	2	848 225.71	
L80	99 321.96	2	848 122.29		R78X	99 345.88	2	848 207.91	
L81	98 954.55	2	847 844.91		R79	99 321.90	2	848 189.86	
L82	98 676.24	2	847 634.80		R79X	99 290.31	2	848 143.51	
L83	98 442.06	2	847 458.01		R80	98 937.84	2	847 878.05	
L84	98 211.13	2	847 283.67		R81	98 652.50	2	847 663.15	
L85	98 131.35	2	847 229.93		R82	98 408.41	2	847 479.32	
L86	98 043.63	2	847 190.24		R83	98 351.73	2	847 436.64	
L87	97 834.08	2	847 110.98		R84	98 280.19	2	847 381.65	
L88	97 443.89	2	846 965.91		R85	98 214.91	2	847 333.78	
L89	97 046.45	2	846 818.15		R86	98 171.07	2	847 302.80	
L90	96 869.56	2	846 732.99		R87	98 111.75	2	847 267.18	
L91	96 821.89	2	846 709.47		R88	98 086.19	2	847 253.51	
L92	96 186.99	2	846 396.26		R89	98 015.79	2	847 218.36	
L93	95 961.00	2	846 282.27		R90	97 938.13	2	847 186.57	
L94	95 530.07	2	846 064.91		R91	97 820.26	2	847 143.12	
L95	95 512.30	2	846 056.23		R92	97 424.24	2	846 997.16	
L96	95 381.73	2	845 992.41		R93	97 062.83	2	846 863.95	
L97	95 006.69	2	845 776.58		R94	96 956.00	2	846 819.20	
L98	94 884.69	2	845 681.72		R95	96 853.92	2	846 768.31	
L99	94 846.48	2	845 634.48		R96	96 662.70	2	846 672.99	
L100	94 845.96	2	845 601.85		R97	96 628.65	2	846 656.61	
L101	94 892.92	2	845 545.99		R98	96 229.81	2	846 458.06	
L102	94 920.07	2	845 513.70		R99	96 162.21	2	846 424.42	
L103	94 991.29	2	845 437.37		R100	95 955.47	2	846 321.54	
L104	94 996.78	2	845 431.48		R101	95 939.98	2	846 313.28	
L105	94 973.66	2	845 404.01		R102	95 594.52	2	846 141.45	
L106	94 930.69	2	845 443.79		R103	95 465.74	2	846 078.47	
L107	94 877.15	2	845 501.16		R104	95 451.19	2	846 076.51	
L108	94 851.87	2	845 525.71		R105	95 042.90	2	845 889.93	
L109	94 799.30	2	845 576.75		R106	95 023.78	2	845 881.45	
L110	94 765.79	2	845 586.29		R107	94 920.04	2	845 867.23	
L111	94 528.20	2	845 531.72		R108	94 770.20	2	845 898.96	
L112	94 308.93	2	845 432.75		R109	94 689.12	2	845 885.76	
L113	94 167.84	2	845 389.51		R110	94 644.38	2	845 846.55	
L114	94 156.96	2	845 388.02		R111	94 626.81	2	845 860.63	
L115	93 991.13	2	845 365.39		R112	94 510.97	2	845 953.47	
L116	93 736.28	2	845 384.51		R113	94 479.82	2	845 978.43	
L117	93 421.70	2	845 410.99		R114	94 467.71	2	845 967.04	
L118	93 223.36	2	845 460.54		R115	94 455.99	2	845 956.00	
L119	93 180.67	2	845 476.54		R116	94 484.06	2	845 924.26	
L120	92 977.35	2	845 599.22		R117	94 566.71	2	845 830.81	
L121	92 947.68	2	845 575.72		R118	94 567.53	2	845 829.89	
					Vel Sheet 13 Van of 18 P1102/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L122	92 935.13	2 845 587.69		R119	94 625.15	2 845 766.02	
L123	92 168.36	2 846 319.04		R120	94 629.03	2 845 761.94	
L124	92 131.06	2 846 350.39		R121	94 674.68	2 845 713.96	
L125	92 026.60	2 846 422.95		R122	94 670.73	2 845 690.06	
L126	91 833.09	2 846 542.21		R123	94 352.97	2 845 526.62	
L127	91 386.02	2 846 817.75		R124	94 236.08	2 845 478.74	
L128	91 193.74	2 846 936.21		R125	94 218.61	2 845 473.75	
L129	91 129.82	2 846 965.88		R126	94 148.76	2 845 453.78	
L130	91 049.18	2 846 999.54		R127	93 988.33	2 845 428.64	
L131	90 828.77	2 847 082.89		R128	93 490.26	2 845 495.21	
L132	90 657.24	2 847 147.76		R129	93 380.65	2 845 511.43	
L133	90 411.32	2 847 239.95		R130	93 273.06	2 845 537.95	
L134	89 882.09	2 847 436.29		R131	93 168.47	2 845 574.53	
L135	89 851.80	2 847 447.47		R132	93 067.80	2 845 620.83	
L136	89 730.57	2 847 493.15		R133	92 972.51	2 845 677.30	
L137	89 731.71	2 847 499.09		R134	92 881.83	2 845 740.90	
L138	89 733.60	2 847 508.89		R135	92 798.19	2 845 813.57	
L139	89 729.16	2 847 510.38		R136	92 551.61	2 846 049.23	
L140	89 692.47	2 847 522.63		R137	92 237.05	2 846 350.31	
L141	89 662.79	2 847 528.97		R138	92 201.73	2 846 379.93	
L142	89 459.65	2 847 551.98		R139	92 173.85	2 846 403.29	
L143	89 455.19	2 847 609.00		R140	92 107.36	2 846 452.06	
L144	89 317.72	2 847 634.18		R141	92 072.42	2 846 473.95	
L145	89 240.82	2 847 642.31		R142	91 854.08	2 846 613.22	
L146	89 151.75	2 847 646.15		R143	91 763.37	2 846 671.06	
L147	88 877.41	2 847 630.16		R144	91 442.77	2 846 875.56	
L148	88 752.30	2 847 620.70		R145	91 394.50	2 846 924.10	
L149	88 591.00	2 847 608.52		R146	91 374.44	2 846 990.03	
L150	88 568.89	2 847 607.78		R147	91 352.90	2 846 998.33	
L151	88 328.85	2 847 590.15		R148	91 341.19	2 846 953.42	
L152	88 109.16	2 847 561.94		R149	91 295.62	2 846 959.44	
L153	87 971.12	2 847 534.06		R150	91 244.01	2 846 983.57	
L154	87 782.78	2 847 480.99		R151	91 204.95	2 846 998.47	
L155	87 760.80	2 847 474.80		R152	90 944.86	2 847 101.02	
L156	87 724.91	2 847 451.40		R153	90 702.28	2 847 194.58	
L157	87 550.97	2 847 377.94		R154	90 685.10	2 847 201.17	
L158	87 453.24	2 847 332.39		R155	90 417.78	2 847 305.58	
L159	87 287.38	2 847 255.08		R156	90 009.91	2 847 464.69	
L160	87 216.92	2 847 219.03		R157	89 938.36	2 847 492.61	
L161	87 099.47	2 847 124.32		R158	89 603.28	2 847 623.33	
L162	87 109.84	2 847 083.05		R159	89 550.89	2 847 644.56	
L163	87 103.49	2 847 046.53		R160	89 442.34	2 847 676.13	
L164	87 083.64	2 847 015.21		R161	89 331.41	2 847 697.92	
L165	87 053.33	2 846 993.88		R162	89 218.99	2 847 709.78	
L166	86 910.56	2 846 930.65		R163	89 105.95	2 847 711.59	
L167	86 883.87	2 846 990.91		R164	89 049.63	2 847 706.74	
L168	86 556.88	2 846 928.03		R165	88 978.16	2 847 701.51	
L169	86 501.11	2 846 903.34		R166	88 577.98	2 847 672.27	
L170	86 392.87	2 846 876.15		R167	88 457.18	2 847 663.46	
L171	86 377.92	2 846 872.39		R168	88 426.23	2 847 661.16	
L172	86 254.86	2 846 818.21		R169	88 239.51	2 847 648.20	
				Vel Sheet	14	Van of	18
				P1102/18			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L173	86 145.15	2 846 759.77		R170	88 082.54	2 847 625.82
L174	86 087.53	2 846 716.92		R171	87 927.48	2 847 592.70
L175	86 030.16	2 846 666.38		R172	87 788.10	2 847 552.76
L176	86 009.52	2 846 649.22		R173	87 775.05	2 847 549.02
L177	86 003.16	2 846 642.32		R174	87 661.83	2 847 513.31
L178	85 934.16	2 846 550.15		R175	87 652.20	2 847 509.89
L179	85 809.85	2 846 356.11		R176	87 581.24	2 847 484.74
L180	85 597.92	2 846 025.82		R177	87 548.90	2 847 473.27
L181	85 535.87	2 845 918.31		R178	87 473.49	2 847 438.81
L182	85 448.75	2 845 743.71		R179	87 406.89	2 847 397.31
L183	85 335.64	2 845 516.99		R180	87 272.21	2 847 335.33
L184	85 330.64	2 845 507.05		R181	87 187.11	2 847 297.12
L185	85 290.25	2 845 447.69		R182	87 172.17	2 847 294.25
L186	85 224.46	2 845 367.53		R183	86 999.13	2 847 260.98
L187	85 134.71	2 845 284.93		R184	86 928.27	2 847 325.03
L188	85 093.20	2 845 257.06		R185	86 866.88	2 847 380.52
L189	85 041.16	2 845 236.44		R186	86 846.93	2 847 358.62
L190	85 000.27	2 845 215.38		R187	86 860.97	2 847 333.53
L191	84 914.66	2 845 183.43		R188	86 870.07	2 847 317.25
L192	84 810.91	2 845 158.10		R189	86 849.90	2 847 295.20
L193	84 673.12	2 845 149.73		R190	86 830.42	2 847 254.03
L194	84 590.41	2 845 155.77		R191	86 826.10	2 847 232.53
L195	84 456.96	2 845 185.89		R192	86 818.81	2 847 211.95
L196	83 910.27	2 845 434.88		R193	86 491.78	2 846 992.34
L197	83 788.16	2 845 485.43		R194	86 412.86	2 846 957.42
L198	83 718.44	2 845 504.27		R195	86 393.67	2 846 965.60
L199	83 672.76	2 845 512.90		R196	86 386.42	2 846 945.72
L200	83 544.83	2 845 520.33		R197	86 173.24	2 846 852.12
L201	83 389.64	2 845 497.46		R198	86 095.42	2 846 806.14
L202	83 350.21	2 845 485.99		R199	86 023.49	2 846 751.40
L203	83 268.08	2 845 454.04		R200	85 958.65	2 846 688.84
L204	83 255.96	2 845 448.41		R201	85 901.18	2 846 618.69
L205	83 219.88	2 845 431.63		R202	85 733.88	2 846 361.51
L206	83 178.07	2 845 410.82		R203	85 706.32	2 846 316.17
L207	82 866.16	2 845 255.55		R204	85 666.34	2 846 250.38
L208	82 127.03	2 844 887.62		R205	85 463.44	2 845 937.33
L209	81 873.61	2 844 757.84		R206	85 396.44	2 845 793.20
L210	81 714.90	2 844 642.27		R207	85 319.10	2 845 626.84
L211	81 580.22	2 844 515.19		R208	84 915.66	2 845 256.55
L212	81 423.35	2 844 364.40		R209	84 805.51	2 845 232.28
L213	81 343.82	2 844 301.46		R210	84 796.23	2 845 230.24
L214	81 207.85	2 844 204.41		R211	84 656.74	2 845 213.98
L215	81 009.42	2 844 062.77		R212	84 572.89	2 845 225.50
L216	80 591.54	2 843 764.48		R213	84 486.58	2 845 247.69
L217	80 586.00	2 843 760.54		R214	84 404.00	2 845 279.82
L218	79 725.56	2 843 147.70		R215	84 139.45	2 845 399.79
L219	79 306.27	2 842 848.85		R216	83 968.98	2 845 479.07
L220	79 228.43	2 842 792.11		R217	83 858.21	2 845 530.59
L221	79 066.26	2 842 677.37		R218	83 775.22	2 845 558.45
L222	78 914.10	2 842 569.72		R219	83 689.64	2 845 576.85
L223	78 886.59	2 842 549.33		R220	83 602.54	2 845 585.56
				Vel Sheet	15 Van of	18 P1102/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L224	78 765.65	2 842 459.65		R221	83 515.01	2 845 584.47	
L225	78 643.66	2 842 362.84		R222	83 428.15	2 845 573.59	
L226	78 202.71	2 841 975.17		R223	83 343.06	2 845 553.05	
L227	78 137.53	2 841 917.86		R224	83 260.80	2 845 523.13	
L228	77 738.19	2 841 565.02		R225	83 240.76	2 845 516.54	
L229	77 703.76	2 841 534.60		R226	83 073.34	2 845 461.52	
L230	77 644.09	2 841 481.88		R227	82 965.43	2 845 409.03	
L231	77 228.88	2 841 117.16		R228	82 926.37	2 845 367.45	
L232	77 100.69	2 840 988.13		R229	82 907.13	2 845 346.58	
L233	77 035.07	2 840 922.07		R230	82 879.41	2 845 332.84	
L234	77 009.98	2 840 891.20		R231	82 405.60	2 845 097.44	
L235	76 991.50	2 840 855.98		R232	82 189.33	2 844 993.35	
L236	76 980.35	2 840 817.79		R233	82 101.11	2 844 946.17	
L237	76 976.98	2 840 778.16		R234	81 927.88	2 844 860.12	
L238	76 977.66	2 840 731.60		R235	81 885.69	2 844 839.26	
L239	76 978.35	2 840 685.04		R236	81 804.90	2 844 790.96	
L240	76 967.64	2 840 646.80		R237	81 728.09	2 844 736.55	
L241	76 946.52	2 840 613.18		R238	81 655.74	2 844 676.33	
L242	76 925.51	2 840 594.41		R239	81 622.07	2 844 643.45	
L243	76 904.50	2 840 575.64		R240	81 594.83	2 844 616.93	
L244	76 859.02	2 840 536.42		R241	81 452.63	2 844 478.55	
L245	76 840.74	2 840 521.83		R242	81 383.29	2 844 416.04	
L246	76 789.71	2 840 573.25		R243	81 367.81	2 844 402.08	
L247	76 788.74	2 840 581.74		R244	81 277.41	2 844 332.29	
L248	76 776.84	2 840 596.28		R245	81 179.69	2 844 262.61	
L249	76 741.57	2 840 639.37		R246	81 008.31	2 844 140.43	
L250	76 721.06	2 840 656.70		R247	80 925.76	2 844 081.57	
L251	76 633.40	2 840 573.92		R248	80 557.33	2 843 818.89	
L252	76 531.40	2 840 497.12		R249	79 715.93	2 843 218.95	
L253	76 506.00	2 840 480.07		R250	79 704.40	2 843 210.78	
L254	76 485.06	2 840 457.37		R251	79 241.90	2 842 880.99	
L255	76 426.84	2 840 394.25		R252	79 117.57	2 842 793.61	
L256	76 365.82	2 840 301.52		R253	78 740.64	2 842 523.68	
L257	76 352.91	2 840 281.89		R254	78 621.84	2 842 429.41	
L258	76 329.09	2 840 203.07		R255	78 143.92	2 842 008.36	
L259	76 256.96	2 840 036.87		R256	78 119.83	2 841 987.18	
L260	76 184.56	2 839 870.05		R257	77 789.66	2 841 696.34	
L261	76 160.69	2 839 782.99		R258	77 755.01	2 841 668.18	
L262	76 116.65	2 839 665.95		R259	77 711.98	2 841 633.25	
L263	76 093.02	2 839 594.51		R260	77 603.76	2 841 537.82	
L264	76 028.94	2 839 435.12		R261	77 365.16	2 841 326.89	
L265	76 000.46	2 839 354.47		R262	77 140.31	2 841 136.75	
L266	75 947.26	2 839 157.73		R263	77 055.67	2 841 069.22	
L267	75 891.08	2 838 939.11		R264	77 021.29	2 841 048.42	
L268	75 881.69	2 838 902.56		R265	76 979.01	2 841 034.38	
L269	75 871.68	2 838 863.93		R266	76 934.67	2 841 030.04	
L270	75 836.65	2 838 728.79		R267	76 875.86	2 841 030.87	
L271	75 796.62	2 838 572.89		R268	76 833.87	2 841 031.46	
L272	75 743.47	2 838 343.44		R269	76 793.16	2 841 024.47	
L273	75 704.81	2 838 222.95		R270	76 612.75	2 840 865.55	
L274	75 637.69	2 838 107.41		R271	76 578.83	2 840 832.35	
Vel Sheet 16				Van of 18		P1102/18	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L275	75 578.58	2 838 039.55		R272	76 546.85	2 840 804.17
L276	75 477.32	2 837 938.13		R273	76 574.88	2 840 780.44
L277	75 445.56	2 837 902.06		R274	76 550.96	2 840 767.81
L278	75 334.66	2 837 783.47		R275	76 523.92	2 840 738.49
L279	75 261.37	2 837 709.04		R276	76 503.50	2 840 704.23
L280	75 206.43	2 837 617.28		R277	76 490.59	2 840 666.49
L281	75 133.56	2 837 387.12		R278	76 466.90	2 840 563.43
L282	75 095.89	2 837 111.43		R279	76 452.79	2 840 529.53
L283	75 089.41	2 837 038.16		R280	76 433.19	2 840 498.47
L284	75 085.90	2 837 038.38		R281	76 400.14	2 840 461.63
L285	75 072.24	2 836 938.42		R282	76 380.68	2 840 439.94
L286	75 067.33	2 836 888.12		R283	76 321.75	2 840 356.32
L287	75 049.21	2 836 806.65		R284	76 311.84	2 840 337.10
L288	75 028.22	2 836 728.71		R285	76 253.82	2 840 224.59
L289	74 996.77	2 836 633.31		R286	76 242.54	2 840 200.06
L290	74 947.82	2 836 500.23		R287	76 236.68	2 840 187.32
L291	74 892.93	2 836 393.84		R288	76 189.64	2 840 069.22
L292	74 854.86	2 836 321.71		R289	76 186.94	2 840 060.47
L293	74 764.67	2 836 179.16		R290	76 125.66	2 839 908.62
L294	74 704.57	2 836 093.69		R291	76 093.29	2 839 813.87
L295	74 564.30	2 835 809.46		R292	76 053.76	2 839 731.87
L296	74 633.75	2 835 760.30		R293	76 026.40	2 839 666.49
L297	74 570.11	2 835 670.55		R294	76 002.51	2 839 589.13
L298	74 509.67	2 835 713.19		R295	75 991.78	2 839 537.90
L299	74 479.15	2 835 691.33		R296	75 938.23	2 839 361.10
L300	74 406.77	2 835 637.85		R297	75 823.70	2 838 915.50
				R298	75 816.08	2 838 885.87
				R299	75 719.20	2 838 504.56
				R300	75 685.58	2 838 359.40
				R301	75 649.66	2 838 247.47
				R302	75 588.69	2 838 142.50
				R303	75 534.77	2 838 080.61
				R304	75 426.11	2 837 973.68
				R305	75 311.17	2 837 863.07
				R306	75 248.67	2 837 812.64
				R307	75 185.30	2 837 754.70
				R308	75 178.83	2 837 746.37
				R309	75 152.01	2 837 711.82
				R310	75 117.81	2 837 667.77
				R311	75 098.95	2 837 615.68
				R312	75 080.04	2 837 534.27
				R313	75 064.28	2 837 541.55
				R314	75 049.56	2 837 475.79
				R315	75 028.91	2 837 440.20
				R316	74 996.70	2 837 358.43
				R317	75 008.60	2 837 197.08
				R318	74 988.65	2 837 023.04
				R319	74 969.33	2 836 850.18
				R320	74 944.79	2 836 712.73
				R321	74 896.57	2 836 575.89
				R322	74 839.69	2 836 442.21
				Vel Sheet	17 Van of 18	P1102/18

This gazette is also available free online at www.gpwonline.co.za