

DEPARTMENT OF TRANSPORT

NO. 820

9 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 15

AMENDMENT OF DECLARATION No. 752 OF 2007.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 752 of 2007 by substituting it in its entirety with the accompanying sheets 1 to 21 of Plan No. P1135/19.

In the town of Zeerust the N4 Section 15 enters the town from the east and follows the streets known as Hoofd Street and Church Street, at time of declaration.

(National Road N4 Section 15: Sterkstroom – Kameeldoorn)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 820

9 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N4 SEKSIE 15

WYSIGING VAN VERKLARING No. 752 VAN 2007.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 752 van 2007 deur dit in sy geheel te vervang met bygaande velle 1 tot 21 van Plan No. P1135/19.

In die dorp Zeerust kom die N4 Seksie 15 die dorp binne vanuit die ooste en volg dan die strate bekend as Hoofdstraat en Kerkstraat, tydens datum van verklaring.


(Nasionale Pad N4 Seksie 15: Sterkstroom – Kameeldoorn)**MINISTER VAN VERVOER**





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Section 15	Plan P1135/19	Vel Sheet 1 of 21
---	---------------------------------------	---	---------------	------------------	----------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 2 of 21 Plan P1135/19
---	---------------------------------------	---	--








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 Sektie of National Route N4 Section	15	Plan P1135/19	Vel Sheet 5 of 21
---	---------------------------------------	---	----	---------------	-------------------










Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserve voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	15	8 of 21	Plan P1135/19
---	---------------------------------------	---	--	----	---------	---------------






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 10 of 21 Plan P1135/19
---	---------------------------------------	---	--





Die Suid Afrikaanse Nasionale Podogentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet	12 of	21
The South African National Roads Agency SOC Ltd	The figure shown			15	Plan	P1135/19



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		ste die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet 13 van of 21
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete N4 of National Route	Plan 15 P1135/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	49 047.35	2 837 497.02		R1	49 046.46	2 837 462.44
L2	49 418.03	2 837 583.50		R2	49 370.19	2 837 536.75
L3	49 561.67	2 837 602.57		R3	49 493.99	2 837 563.69
L4	49 582.23	2 837 605.30		R4	49 551.86	2 837 565.93
L5	49 644.20	2 837 606.20		R5	49 634.55	2 837 568.78
L6	49 644.99	2 837 606.19		R6	49 635.99	2 837 568.86
L7	49 809.74	2 837 597.98		R7	49 758.80	2 837 566.43
L8	49 849.25	2 837 587.41		R8	49 842.77	2 837 552.48
L9	49 894.45	2 837 575.33		R9	49 842.54	2 837 551.20
L10	50 084.47	2 837 524.77		R10	49 887.98	2 837 540.46
L11	50 202.01	2 837 476.21		R11	49 888.57	2 837 543.60
L12	50 282.72	2 837 425.90		R12	50 049.58	2 837 499.30
L13	50 550.35	2 837 257.17		R13	50 199.81	2 837 436.16
L14	50 621.97	2 837 212.28		R14	50 214.60	2 837 429.88
L15	50 710.29	2 837 156.91		R15	50 341.72	2 837 352.24
L16	50 867.68	2 837 057.36		R16	50 492.17	2 837 254.91
L17	50 992.05	2 836 972.48		R17	50 546.46	2 837 221.06
L18	51 053.82	2 836 956.29		R18	50 549.70	2 837 219.14
L19	51 071.41	2 836 951.68		R19	50 618.11	2 837 176.27
L20	51 069.42	2 836 936.54		R20	50 706.41	2 837 120.76
L21	51 067.24	2 836 919.73		R21	50 854.20	2 837 027.76
L22	51 065.59	2 836 907.06		R22	50 996.76	2 836 919.88
L23	51 134.48	2 836 829.50		R23	51 059.24	2 836 858.41
L24	51 211.39	2 836 720.11		R24	51 116.41	2 836 802.40
L25	51 235.78	2 836 681.72		R25	51 130.16	2 836 788.29
L26	51 328.92	2 836 528.40		R26	51 524.22	2 836 148.45
L27	51 556.73	2 836 158.91		R27	51 547.93	2 836 110.17
L28	51 794.49	2 835 772.16		R28	51 714.66	2 835 842.67
L29	51 796.33	2 835 769.67		R29	51 786.50	2 835 728.65
L30	51 872.24	2 835 681.12		R30	51 786.75	2 835 728.26
L31	51 906.68	2 835 641.08		R31	51 846.75	2 835 656.95
L32	51 961.61	2 835 588.97		R32	51 863.42	2 835 639.52
L33	51 983.12	2 835 568.51		R33	51 937.71	2 835 561.21
L34	52 044.06	2 835 521.59		R34	51 954.41	2 835 547.45
L35	52 046.97	2 835 519.39		R35	52 019.20	2 835 494.37
L36	52 127.40	2 835 466.78		R36	52 038.09	2 835 482.74
L37	52 214.24	2 835 410.17		R37	52 122.58	2 835 431.19
L38	52 230.84	2 835 399.36		R38	52 171.75	2 835 401.19
L39	52 314.62	2 835 347.10		R39	52 210.24	2 835 374.92
L40	52 318.92	2 835 344.41		R40	52 218.76	2 835 369.14
L41	52 425.65	2 835 277.06		R41	52 316.02	2 835 308.98
L42	52 501.50	2 835 229.47		R42	52 423.95	2 835 242.02
L43	52 587.42	2 835 175.50		R43	52 500.73	2 835 194.19
L44	52 677.13	2 835 119.20		R44	52 587.38	2 835 139.63
L45	52 805.24	2 835 038.93		R45	52 678.11	2 835 083.00
L46	52 898.24	2 834 980.75		R46	52 808.03	2 835 001.97
L47	53 010.71	2 834 910.44		R47	52 901.71	2 834 943.50
L48	53 151.89	2 834 822.28		R48	53 016.32	2 834 871.76
L49	53 161.45	2 834 816.42		R49	53 170.82	2 834 774.02
L50	53 184.80	2 834 802.91		R50	53 743.02	2 834 416.50
L51	53 717.54	2 834 468.90		R51	53 746.70	2 834 414.14
				Vel Sheet	14 Van of 21	P1135/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	53 720.06	2 834 467.50		R52	53 910.20	2 834 311.10
L53	53 738.56	2 834 455.92		R53	54 112.50	2 834 185.79
L54	53 932.61	2 834 336.28		R54	54 121.22	2 834 180.38
L55	54 102.73	2 834 229.31		R55	54 200.55	2 834 129.49
L56	54 138.70	2 834 207.70		R56	54 229.54	2 834 107.92
L57	54 219.76	2 834 159.22		R57	54 265.95	2 834 096.31
L58	54 256.85	2 834 137.07		R58	54 303.01	2 834 079.87
L59	54 318.52	2 834 107.11		R59	54 430.67	2 834 024.00
L60	54 341.85	2 834 097.04		R60	54 805.36	2 833 883.78
L61	54 446.81	2 834 051.98		R61	54 969.73	2 833 819.54
L62	54 620.60	2 833 986.69		R62	55 301.44	2 833 686.09
L63	54 788.89	2 833 922.62		R63	55 304.26	2 833 684.89
L64	54 981.66	2 833 848.14		R64	55 428.53	2 833 634.55
L65	55 064.35	2 833 814.95		R65	55 765.58	2 833 499.14
L66	55 148.55	2 833 781.24		R66	55 920.76	2 833 425.29
L67	55 379.45	2 833 688.07		R67	56 001.20	2 833 392.74
L68	55 456.80	2 833 656.91		R68	56 113.69	2 833 345.52
L69	55 801.78	2 833 518.40		R69	56 123.80	2 833 357.86
L70	55 966.29	2 833 461.36		R70	56 256.93	2 833 301.61
L71	56 026.88	2 833 435.31		R71	56 294.11	2 833 286.48
L72	56 147.59	2 833 383.43		R72	56 456.43	2 833 210.93
L73	56 146.18	2 833 381.91		R73	56 511.43	2 833 176.15
L74	56 268.62	2 833 331.46		R74	56 565.49	2 833 143.60
L75	56 309.40	2 833 315.44		R75	56 628.88	2 833 105.21
L76	56 457.56	2 833 249.17		R76	56 659.45	2 833 082.88
L77	56 460.81	2 833 247.70		R77	56 854.12	2 832 929.94
L78	56 582.83	2 833 182.20		R78	56 995.95	2 832 817.59
L79	56 692.09	2 833 108.15		R79	57 278.85	2 832 589.68
L80	56 773.28	2 833 045.81		R80	57 559.56	2 832 362.79
L81	57 193.95	2 832 706.30		R81	57 709.98	2 832 242.10
L82	57 301.12	2 832 619.76		R82	57 841.42	2 832 140.50
L83	57 575.02	2 832 398.53		R83	58 147.00	2 831 912.26
L84	57 721.98	2 832 280.10		R84	58 352.88	2 831 758.17
L85	57 835.15	2 832 194.09		R85	58 426.28	2 831 701.52
L86	57 866.15	2 832 170.51		R86	58 566.54	2 831 616.91
L87	57 909.33	2 832 138.11		R87	58 731.06	2 831 542.68
L88	58 201.49	2 831 918.42		R88	58 751.76	2 831 534.33
L89	58 399.51	2 831 770.53		R89	58 901.10	2 831 476.22
L90	58 493.12	2 831 702.53		R90	58 934.60	2 831 446.74
L91	58 607.93	2 831 635.94		R91	58 960.01	2 831 436.82
L92	58 785.49	2 831 561.82		R92	58 981.94	2 831 435.36
L93	59 061.87	2 831 454.87		R93	59 008.62	2 831 433.85
L94	59 157.92	2 831 417.55		R94	59 048.26	2 831 416.24
L95	59 273.50	2 831 381.17		R95	59 146.86	2 831 374.06
L96	59 367.97	2 831 376.40		R96	59 224.15	2 831 347.66
L97	59 458.30	2 831 396.14		R97	59 303.40	2 831 332.58
L98	59 489.60	2 831 405.66		R98	59 409.84	2 831 325.13
L99	59 541.44	2 831 421.43		R99	59 481.84	2 831 343.26
L100	59 549.28	2 831 423.92		R100	59 545.69	2 831 359.23
L101	59 676.66	2 831 491.65		R101	59 587.29	2 831 382.40
L102	59 708.14	2 831 508.41		R102	59 615.89	2 831 398.17
				Vel Sheet	15 of	21 P1135/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L103	59 813.79	2	831 564.37		R103	59 624.54	2	831 384.83	
L104	59 911.67	2	831 608.27		R104	59 641.69	2	831 358.10	
L105	59 944.95	2	831 617.98		R105	59 647.35	2	831 364.23	
L106	59 985.09	2	831 629.69		R106	59 668.50	2	831 387.69	
L107	60 024.92	2	831 657.07		R107	59 681.05	2	831 401.60	
L108	60 040.15	2	831 661.23		R108	59 667.47	2	831 427.15	
L109	60 086.66	2	831 659.96		R109	59 758.53	2	831 481.55	
L110	60 147.47	2	831 678.56		R110	59 788.60	2	831 499.24	
L111	60 324.13	2	831 732.29		R111	59 892.74	2	831 552.22	
L112	60 482.30	2	831 779.75		R112	59 923.38	2	831 564.71	
L113	60 641.92	2	831 828.22		R113	60 018.70	2	831 598.03	
L114	60 705.09	2	831 846.68		R114	60 045.27	2	831 610.01	
L115	60 827.25	2	831 882.85		R115	60 152.38	2	831 643.27	
L116	60 934.40	2	831 917.90		R116	60 278.94	2	831 682.42	
L117	60 966.73	2	831 929.39		R117	60 317.69	2	831 694.33	
L118	61 097.86	2	831 978.27		R118	60 527.00	2	831 756.32	
L119	61 266.90	2	832 042.66		R119	60 940.96	2	831 879.97	
L120	61 285.38	2	832 050.01		R120	61 030.98	2	831 911.98	
L121	61 317.76	2	832 078.03		R121	61 567.14	2	832 119.14	
L122	61 346.63	2	832 089.27		R122	61 730.19	2	832 179.61	
L123	61 391.48	2	832 090.86		R123	61 897.26	2	832 243.52	
L124	61 980.06	2	832 318.54		R124	62 044.05	2	832 305.83	
L125	62 033.82	2	832 339.34		R125	62 173.75	2	832 351.58	
L126	62 159.51	2	832 387.54		R126	62 389.03	2	832 434.29	
L127	62 224.69	2	832 412.48		R127	62 550.47	2	832 472.11	
L128	62 307.42	2	832 443.38		R128	63 167.75	2	832 566.45	
L129	62 396.29	2	832 473.31		R129	64 995.78	2	832 830.07	
L130	62 506.27	2	832 501.43		R130	65 196.78	2	832 843.89	
L131	62 598.52	2	832 519.36		R131	65 364.60	2	832 845.53	
L132	63 133.95	2	832 600.47		R132	66 385.98	2	832 867.18	
L133	63 169.16	2	832 605.77		R133	66 392.25	2	832 867.32	
L134	64 063.81	2	832 740.59		R134	66 589.63	2	832 870.27	
L135	64 941.06	2	832 872.59		R135	66 683.84	2	832 871.05	
L136	65 040.07	2	832 883.68		R136	66 910.29	2	832 873.63	
L137	65 366.97	2	832 888.20		R137	67 137.98	2	832 859.10	
L138	65 957.93	2	832 898.69		R138	67 232.81	2	832 850.40	
L139	66 309.66	2	832 904.17		R139	67 395.86	2	832 835.26	
L140	66 315.73	2	832 904.28		R140	67 642.51	2	832 788.25	
L141	66 544.10	2	832 907.32		R141	67 806.86	2	832 732.55	
L142	66 692.92	2	832 909.45		R142	67 849.54	2	832 712.32	
L143	66 842.31	2	832 910.85		R143	67 977.17	2	832 650.06	
L144	67 004.31	2	832 907.70		R144	68 038.88	2	832 612.66	
L145	67 130.25	2	832 897.06		R145	68 766.76	2	832 067.53	
L146	67 489.97	2	832 861.88		R146	69 006.47	2	831 884.05	
L147	67 629.41	2	832 831.29		R147	69 140.93	2	831 781.28	
L148	67 631.75	2	832 830.67		R148	69 241.12	2	831 710.70	
L149	67 760.07	2	832 791.21		R149	69 290.34	2	831 678.29	
L150	67 803.39	2	832 773.57		R150	69 328.01	2	831 660.78	
L151	67 850.77	2	832 754.06		R151	69 331.49	2	831 659.88	
L152	67 937.82	2	832 713.53		R152	69 489.10	2	831 622.56	
L153	67 998.98	2	832 680.84		R153	69 835.19	2	831 602.93	
					Vel Sheet 16 Van of 21 P1135/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L154	68 065.62	2 832 640.92		R154	69 870.54	2 831 601.24			
L155	68 160.57	2 832 575.57		R155	70 200.72	2 831 583.41			
L156	69 147.56	2 831 824.81		R156	70 258.43	2 831 580.16			
L157	69 246.05	2 831 749.96		R157	70 379.39	2 831 573.21			
L158	69 352.38	2 831 693.73		R158	70 391.59	2 831 572.15			
L159	69 390.73	2 831 683.16		R159	70 518.66	2 831 561.79			
L160	69 394.53	2 831 682.11		R160	70 562.29	2 831 539.74			
L161	69 445.47	2 831 667.90		R161	70 580.87	2 831 537.68			
L162	69 516.10	2 831 659.65		R162	70 627.17	2 831 546.23			
L163	69 682.55	2 831 650.45		R163	70 985.60	2 831 485.36			
L164	69 808.35	2 831 643.36		R164	71 102.67	2 831 462.09			
L165	69 863.82	2 831 639.49		R165	71 179.37	2 831 442.74			
L166	70 197.32	2 831 621.76		R166	71 270.59	2 831 418.09			
L167	70 397.07	2 831 610.90		R167	71 431.60	2 831 374.35			
L168	70 439.04	2 831 608.49		R168	71 570.51	2 831 335.99			
L169	70 490.83	2 831 603.79		R169	71 749.85	2 831 273.51			
L170	70 570.26	2 831 594.76		R170	71 818.06	2 831 250.89			
L171	70 673.49	2 831 577.33		R171	71 912.68	2 831 219.56			
L172	70 728.84	2 831 567.84		R172	72 074.76	2 831 183.74			
L173	71 112.34	2 831 503.36		R173	72 103.95	2 831 180.77			
L174	71 279.47	2 831 456.75		R174	72 269.68	2 831 163.37			
L175	71 440.26	2 831 412.02		R175	72 375.09	2 831 150.77			
L176	71 578.99	2 831 372.68		R176	72 433.90	2 831 145.58			
L177	71 670.15	2 831 343.44		R177	72 504.69	2 831 138.31			
L178	71 827.12	2 831 288.24		R178	72 567.88	2 831 131.94			
L179	71 832.84	2 831 286.25		R179	72 647.39	2 831 121.01			
L180	71 953.08	2 831 253.53		R180	72 740.92	2 831 095.35			
L181	72 002.80	2 831 237.44		R181	72 801.77	2 831 073.35			
L182	72 109.33	2 831 217.49		R182	72 951.58	2 830 978.59			
L183	72 156.89	2 831 211.60		R183	72 999.41	2 830 932.53			
L184	72 308.44	2 831 196.55		R184	73 054.66	2 830 873.31			
L185	72 424.62	2 831 184.34		R185	73 150.75	2 830 770.08			
L186	72 515.08	2 831 175.33		R186	73 167.54	2 830 752.05			
L187	72 628.46	2 831 163.41		R187	73 183.92	2 830 734.18			
L188	72 740.17	2 831 134.91		R188	73 382.94	2 830 514.69			
L189	72 795.04	2 831 117.24		R189	73 460.78	2 830 434.53			
L190	72 846.98	2 831 089.46		R190	73 538.93	2 830 392.86			
L191	72 958.10	2 831 020.15		R191	73 601.89	2 830 369.44			
L192	73 030.71	2 830 951.01		R192	73 663.55	2 830 359.03			
L193	73 097.04	2 830 883.38		R193	73 732.46	2 830 359.31			
L194	73 151.98	2 830 824.22		R194	73 776.90	2 830 367.24			
L195	73 162.65	2 830 813.06		R195	73 837.68	2 830 385.56			
L196	73 213.09	2 830 758.36		R196	73 928.83	2 830 431.27			
L197	73 397.28	2 830 560.09		R197	73 959.40	2 830 448.64			
L198	73 471.71	2 830 493.42		R198	74 109.92	2 830 494.13			
L199	73 551.29	2 830 448.60		R199	74 212.63	2 830 498.21			
L200	73 637.09	2 830 423.96		R200	74 366.53	2 830 453.56			
L201	73 699.13	2 830 416.69		R201	74 833.37	2 830 263.24			
L202	73 766.64	2 830 416.28		R202	74 889.26	2 830 240.11			
L203	73 830.49	2 830 434.34		R203	74 914.86	2 830 229.55			
L204	73 888.29	2 830 456.39		R204	75 082.90	2 830 162.78			
					Vel Sheet	17	Van of	21	P1135/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L205	73 921.16	2 830 471.18			R205	75 419.40	2 830 024.18		
L206	74 007.26	2 830 517.28			R206	75 582.35	2 829 957.73		
L207	74 039.90	2 830 529.25			R207	75 691.63	2 829 908.95		
L208	74 085.46	2 830 541.79			R208	75 920.75	2 829 813.18		
L209	74 154.77	2 830 549.20			R209	76 014.70	2 829 754.00		
L210	74 170.42	2 830 548.13			R210	76 223.79	2 829 611.08		
L211	74 186.38	2 830 547.04			R211	76 274.26	2 829 577.22		
L212	74 218.04	2 830 544.88			R212	76 274.83	2 829 576.87		
L213	74 280.28	2 830 529.97			R213	76 341.65	2 829 534.99		
L214	74 368.05	2 830 495.07			R214	76 387.23	2 829 506.48		
L215	74 855.27	2 830 294.28			R215	76 545.62	2 829 414.82		
L216	74 911.36	2 830 271.16			R216	76 558.72	2 829 408.26		
L217	75 445.72	2 830 051.38			R217	76 734.68	2 829 319.20		
L218	75 556.97	2 830 005.26			R218	76 937.82	2 829 213.21		
L219	75 625.05	2 829 976.93			R219	76 984.91	2 829 188.11		
L220	75 789.78	2 829 909.14			R220	77 055.93	2 829 143.07		
L221	75 923.69	2 829 852.26			R221	77 141.10	2 829 077.95		
L222	75 974.22	2 829 825.02			R222	77 214.89	2 829 010.49		
L223	76 017.27	2 829 798.02			R223	77 527.16	2 828 712.12		
L224	76 027.42	2 829 791.40			R224	77 575.72	2 828 667.90		
L225	76 294.91	2 829 607.13			R225	77 659.02	2 828 618.38		
L226	76 424.80	2 829 523.58			R226	77 721.46	2 828 576.26		
L227	76 438.70	2 829 516.46			R227	77 934.78	2 828 450.68		
L228	76 504.19	2 829 478.73			R228	78 033.71	2 828 392.44		
L229	76 567.61	2 829 445.54			R229	78 066.92	2 828 373.80		
L230	76 665.01	2 829 395.96			R230	78 199.05	2 828 297.85		
L231	76 746.17	2 829 354.35			R231	78 362.37	2 828 203.57		
L232	76 759.29	2 829 347.57			R232	78 531.86	2 828 103.88		
L233	76 777.64	2 829 337.75			R233	78 548.62	2 828 086.07		
L234	76 966.85	2 829 241.02			R234	78 566.66	2 828 066.85		
L235	77 003.28	2 829 221.57			R235	78 581.48	2 828 058.93		
L236	77 071.91	2 829 179.41			R236	78 627.57	2 828 048.84		
L237	77 075.48	2 829 176.56			R237	78 667.83	2 828 024.57		
L238	77 134.95	2 829 133.52			R238	78 757.88	2 827 963.93		
L239	77 172.79	2 829 101.18			R239	78 965.92	2 827 801.16		
L240	77 238.95	2 829 038.91			R240	78 989.00	2 827 782.06		
L241	77 469.75	2 828 818.23			R241	79 072.60	2 827 715.58		
L242	77 598.72	2 828 698.49			R242	79 078.59	2 827 710.56		
L243	77 658.52	2 828 656.79			R243	79 164.22	2 827 643.01		
L244	77 666.41	2 828 652.15			R244	79 357.97	2 827 488.77		
L245	77 727.39	2 828 616.27			R245	79 499.15	2 827 368.02		
L246	77 924.27	2 828 502.14			R246	79 513.43	2 827 353.64		
L247	77 961.73	2 828 502.68			R247	79 517.01	2 827 350.23		
L248	77 973.43	2 828 513.84			R248	79 631.43	2 827 232.26		
L249	77 991.44	2 828 502.93			R249	79 764.23	2 827 097.17		
L250	77 989.23	2 828 480.47			R250	80 035.00	2 826 821.71		
L251	78 017.97	2 828 447.96			R251	80 140.57	2 826 716.10		
L252	78 631.21	2 828 091.38			R252	80 214.53	2 826 648.18		
L253	78 702.57	2 828 047.66			R253	80 368.35	2 826 526.23		
L254	78 821.24	2 827 962.69			R254	80 424.83	2 826 480.17		
L255	78 881.19	2 827 910.62			R255	80 450.66	2 826 454.88		
					Vel Sheet 18 Van of 21 P1135/19				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L256	78 996.79	2 827 822.81		R256	80 498.91	2 826 407.19
L257	79 014.19	2 827 808.56		R257	80 598.12	2 826 283.15
L258	79 028.09	2 827 796.92		R258	80 608.82	2 826 265.65
L259	79 057.34	2 827 771.68		R259	80 707.32	2 826 119.84
L260	79 102.61	2 827 736.24		R260	80 794.11	2 825 989.76
L261	79 184.50	2 827 673.39		R261	81 228.80	2 825 354.01
L262	79 436.97	2 827 472.00		R262	81 261.55	2 825 291.79
L263	79 533.70	2 827 385.86		R263	81 285.92	2 825 211.72
L264	79 538.47	2 827 381.47		R264	81 301.49	2 825 133.52
L265	79 646.19	2 827 272.51		R265	81 311.52	2 825 087.30
L266	79 773.03	2 827 143.60		R266	81 315.14	2 825 068.45
L267	80 118.37	2 826 791.43		R267	81 331.71	2 824 981.95
L268	80 169.14	2 826 741.12		R268	81 380.67	2 824 860.15
L269	80 230.84	2 826 683.70		R269	81 455.63	2 824 759.40
L270	80 293.35	2 826 633.66		R270	81 465.26	2 824 750.55
L271	80 431.03	2 826 526.97		R271	81 515.22	2 824 704.71
L272	80 482.74	2 826 478.28		R272	81 534.11	2 824 692.69
L273	80 547.56	2 826 409.55		R273	81 595.78	2 824 653.55
L274	80 560.09	2 826 393.09		R274	81 624.28	2 824 617.27
L275	80 631.98	2 826 297.98		R275	81 647.64	2 824 604.28
L276	80 707.49	2 826 186.82		R276	81 703.80	2 824 590.71
L277	80 736.71	2 826 143.35		R277	81 819.42	2 824 522.97
L278	80 811.71	2 826 031.66		R278	82 040.83	2 824 394.97
L279	80 819.42	2 826 019.83		R279	82 120.41	2 824 348.56
L280	81 154.13	2 825 530.08		R280	82 161.94	2 824 226.67
L281	81 276.99	2 825 344.21		R281	82 277.53	2 824 144.11
L282	81 333.91	2 825 240.02		R282	82 522.15	2 823 969.89
L283	81 335.85	2 825 236.73		R283	82 528.96	2 824 110.81
L284	81 361.93	2 825 089.59		R284	82 800.99	2 823 952.01
L285	81 365.55	2 825 048.54		R285	82 827.90	2 823 936.20
L286	81 388.10	2 824 940.41		R286	82 921.17	2 823 887.65
L287	81 402.02	2 824 902.40		R287	83 110.28	2 823 824.79
L288	81 429.68	2 824 853.95		R288	83 297.27	2 823 773.28
L289	81 476.37	2 824 792.37		R289	83 360.50	2 823 754.85
L290	81 481.83	2 824 787.07		R290	83 532.20	2 823 707.28
L291	81 531.90	2 824 739.93		R291	83 702.00	2 823 660.80
L292	81 609.92	2 824 689.47		R292	83 822.09	2 823 645.44
L293	81 618.34	2 824 684.55		R293	83 878.31	2 823 646.48
L294	81 815.71	2 824 569.03		R294	83 890.20	2 823 646.36
L295	81 802.78	2 824 729.54		R295	83 966.68	2 823 659.02
L296	82 032.50	2 824 561.43		R296	84 032.27	2 823 677.18
L297	82 275.54	2 824 383.56		R297	84 102.21	2 823 705.94
L298	82 533.03	2 824 195.12		R298	84 160.66	2 823 738.72
L299	82 558.25	2 824 177.42		R299	84 265.80	2 823 820.28
L300	82 620.37	2 824 131.76		R300	84 419.21	2 823 951.21
L301	82 682.52	2 824 086.08		R301	84 448.87	2 823 976.93
L302	82 806.40	2 823 995.04		R302	84 654.99	2 824 144.41
L303	82 806.01	2 823 991.96		R303	84 850.60	2 824 290.15
L304	82 873.89	2 823 953.12		R304	85 030.32	2 824 420.52
L305	83 020.81	2 823 888.71		R305	85 031.02	2 824 421.06
L306	83 118.51	2 823 860.50		R306	85 129.37	2 824 491.65
				Vel Sheet	19 Van of 21	P1135/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L307	83 306.28	2 823 809.05			R307	85 160.31	2 824 513.50		
L308	83 382.05	2 823 789.52			R308	85 274.54	2 824 596.14		
L309	83 562.86	2 823 739.72			R309	85 422.95	2 824 701.87		
L310	83 650.44	2 823 715.42			R310	85 577.01	2 824 802.66		
L311	83 733.93	2 823 693.34			R311	85 846.38	2 824 977.06		
L312	83 800.30	2 823 684.83			R312	85 929.92	2 825 025.69		
L313	83 864.08	2 823 683.70			R313	86 058.63	2 825 086.29		
L314	83 930.28	2 823 691.23			R314	86 073.93	2 825 093.50		
L315	83 989.49	2 823 703.67			R315	86 434.64	2 825 230.58		
L316	83 999.84	2 823 706.46			R316	86 438.87	2 825 235.80		
L317	84 042.19	2 823 722.43			R317	86 472.37	2 825 247.44		
L318	84 077.61	2 823 736.47			R318	86 489.62	2 825 250.52		
L319	84 111.48	2 823 754.77			R319	86 640.22	2 825 307.39		
L320	84 137.10	2 823 768.81			R320	86 666.45	2 825 317.44		
L321	84 211.21	2 823 824.05			R321	86 803.73	2 825 369.13		
L322	84 496.65	2 824 066.29			R322	87 103.16	2 825 482.31		
L323	84 505.68	2 824 073.96			R323	87 195.43	2 825 522.33		
L324	84 588.27	2 824 141.85			R324	87 282.98	2 825 572.25		
L325	84 677.40	2 824 210.84			R325	87 325.38	2 825 602.77		
L326	84 774.16	2 824 282.39			R326	87 512.64	2 825 749.56		
L327	85 371.11	2 824 713.62			R327	87 619.38	2 825 820.23		
L328	85 464.85	2 824 778.30			R328	87 773.70	2 825 894.14		
L329	85 788.75	2 824 982.71			R329	87 928.56	2 825 961.16		
L330	85 903.62	2 825 054.60			R330	87 967.87	2 825 982.69		
L331	85 973.34	2 825 091.98			R331	88 126.28	2 826 079.82		
L332	86 034.53	2 825 115.84			R332	88 281.47	2 826 182.44		
L333	86 058.21	2 825 125.03			R333	88 375.92	2 826 245.78		
L334	86 145.27	2 825 158.27			R334	88 404.96	2 826 262.78		
L335	86 307.27	2 825 220.10			R335	88 473.55	2 826 297.32		
L336	86 411.78	2 825 260.26			R336	90 077.89	2 826 398.28		
L337	86 631.76	2 825 344.73			R337	90 496.16	2 826 461.74		
L338	87 087.42	2 825 518.84			R338	90 629.42	2 826 458.15		
L339	87 126.59	2 825 533.68			R339	90 716.96	2 826 429.04		
L340	87 164.09	2 825 549.46			R340	90 842.73	2 826 367.48		
L341	87 205.03	2 825 569.34			R341	90 922.81	2 826 336.02		
L342	87 236.68	2 825 588.41			R342	93 115.03	2 826 936.34		
L343	87 264.19	2 825 602.95			R343	93 131.94	2 826 954.50		
L344	87 297.70	2 825 624.74			R344	93 161.13	2 827 034.94		
L345	87 338.81	2 825 654.58			R345	93 161.13	2 827 074.19		
L346	87 539.38	2 825 816.44			R346	93 161.13	2 827 090.04		
L347	87 561.40	2 825 833.79			R347	93 160.64	2 827 160.14		
L348	87 584.38	2 825 849.74			R348	93 167.41	2 827 210.58		
L349	87 611.29	2 825 864.14			R349	93 185.84	2 827 270.80		
L350	87 639.04	2 825 876.51			R350	93 195.34	2 827 289.37		
L351	87 874.52	2 825 973.78			R351	93 227.99	2 827 323.22		
L352	87 907.50	2 825 987.59			R352	93 239.89	2 827 345.21		
L353	87 938.83	2 826 002.08			R353	93 247.73	2 827 391.75		
L354	87 964.79	2 826 016.65			R354	93 278.33	2 827 451.56		
L355	87 989.82	2 826 031.87			R355	93 287.54	2 827 468.29		
L356	88 010.47	2 826 045.52			R356	93 303.66	2 827 497.59		
L357	88 031.04	2 826 060.83			R357	93 307.76	2 827 505.04		
					Vel Sheet 20 Van of 21 P1135/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L358	88 293.28	2	826 261.45		R358	93 324.32	2	827 535.14	
L359	88 319.70	2	826 279.96		R359	93 358.96	2	827 566.99	
L360	88 355.90	2	826 302.98		R360	93 373.40	2	827 558.54	
L361	88 395.43	2	826 325.51		R361	93 385.56	2	827 551.42	
L362	88 411.96	2	826 334.18		R362	93 395.70	2	827 574.46	
L363	88 450.98	2	826 352.80		R363	93 371.02	2	827 588.91	
L364	90 109.07	2	826 438.56		R364	93 381.53	2	827 639.00	
L365	90 455.58	2	826 491.20		R365	93 414.55	2	827 686.93	
L366	90 580.24	2	826 503.39		R366	93 485.87	2	827 759.26	
L367	90 671.48	2	826 487.46		R367	93 571.85	2	827 842.97	
L368	90 743.73	2	826 458.09		R368	93 832.58	2	828 094.56	
L369	90 858.09	2	826 401.14		R369	93 851.56	2	828 112.87	
L370	90 910.73	2	826 380.46		R370	93 924.58	2	828 182.84	
L371	93 077.29	2	826 950.66		R371	94 196.50	2	828 443.41	
L372	93 099.89	2	826 973.96						
L373	93 119.03	2	827 032.71						
L374	93 122.03	2	827 099.16						
L375	93 123.23	2	827 162.84						
L376	93 130.87	2	827 219.02						
L377	93 152.46	2	827 287.88						
L378	93 168.59	2	827 352.34						
L379	93 155.24	2	827 359.17						
L380	93 166.63	2	827 381.43						
L381	93 179.98	2	827 374.59						
L382	93 213.83	2	827 407.82						
L383	93 239.38	2	827 457.74						
L384	93 254.99	2	827 486.92						
L385	93 295.56	2	827 560.66						
L386	93 303.39	2	827 574.89						
L387	93 348.31	2	827 656.53						
L388	93 351.03	2	827 660.49						
L389	93 370.58	2	827 688.94						
L390	93 385.45	2	827 710.59						
L391	93 440.72	2	827 770.48						
L392	93 472.05	2	827 800.59						
L393	93 481.60	2	827 809.77						
L394	93 525.43	2	827 851.88						
L395	93 527.94	2	827 854.29						
L396	93 680.62	2	827 999.27						
L397	94 004.52	2	828 311.38						
L398	94 130.61	2	828 432.53						
L399	94 207.48	2	828 506.40						