DEPARTMENT OF TRANSPORT

NO. 821 **9 September 2021**

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N2 SECTION 21X

AMENDMENT OF DECLARATION No. 830 OF 2018.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 830 of 2018 by substituting it in its entirety, with the accompanying sheets 1 to 54 of Plan No. P1148/19.

(National Road N2 Section 21X: Brook's Nek – Willson's Cutting)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 821 **9 September 2021**

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N2 SEKSIE 21X

WYSIGING VAN VERKLARING No. 830 VAN 2018.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 830 van 2018 deur dit in sy geheel te vervang, met bygaande velle 1 tot 54 van Plan No. P1148/19.

(Nasionale Pad N2 Seksie 21X: Brook's Nek – Willson's Cutting)

MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route N2 Section 21X

Vel 1 van 54
Sheet 1 of 54
Plan P1148/19



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section

Vel 2 van 54
Sheet 2 of 54
Plan P1148/19



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section

Vel Sheet 3	van of 54
Plan P114B/19	


STRYD FONTEIN 255
ONVERWACHT 254
REM
PTN 1
PTN 4
PTN 5
PTN 7
PTN 8
PTN 9
REM PTN 2
REM PTN 3
X +3 380 000
X +3 379 500
X +3 379 000
X +3 378 500
X +3 378 000
X +3 377 500
Y -50 000
Y -50 500
Y -51 500
Y -52 000
Y -52 500
L104 L105 L106 L107 L108 L109 L110 L111 L112 L113 L114 L115 L116 L117 L118 L119 L120 L121 L122 L123 L124 L125 L126 L127 L128 L129
R79 R80 R81 R82 R83 R84 R85 R86 R87 R88 R89 R90 R91 R92 R93 R94 R95 R96 R97 R98 R99 R100 R101 R102 R103 R104 R105 R106 R107 R108 R109
7
8
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Die figuur getoon
The figure shown
Vel 4 van 54
Sheet 4 of 54
Plan P1148/19
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


9
ZAMEN LOOP 250
ZUURFONTEIN 253
ONVERWACHT 254
REM
REM PTN 1
REM PTN 2
REM PTN 3
PTN 1
PTN 4
PTN 5
PTN 6
PTN 8
PTN 9
CL OF ROW SERV 11M WIDE
Y -55 000
Y -54 500
X +3 376 500
X +3 378 000
L129 L130 L131 L132 L133 L134 L135 L136 L137 L138 L139 L140 L141 L142 L143 L144 L145 L146 L147 L148 L149 L150 L151 L152
R107 R108 R109 R110 R111 R112 R113 R114 R115 R116 R117 R118 R119 R120 R121 R122 R123 R124 R125 R126 R127 R128 R129 R130 R131 R132 R133 R134 R135 R136 R137
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Vel Sheet 5 van of 54
Plan P1148/19


10
KALK FONTEIN 252
REM
ZUURFONTEIN 253
REM PTN 2
REM PTN 1
REM PTN 1
REM
PTN 1
PTN 4
PTN 5
PTN 6
REM PTN 2
X +3 377 500
X +3 378 000
X +3 378 500
Y -57 500
Y -57 000
Y -56 500
Y -56 000
L149
L150
L151
L152
L153
L154
L155
L156
L157
L158
L159
L160
L161
L162
L163
L164
L165
L166
L167
L168
L169
L170
L171
L172
R137
R138
R139
R140
R141
R142
R143
R144
R145
R146
R147
R148
R149
R150
R151
R152
R153
R154
R155
R156
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Vel Sheet 6 van of 54
Plan P1148/19


DRAAI KLOOF 251
LANGGEWACHT 18208
BEESTE KRAAL 18209
KALK FONTEIN 252
REM
PTN 1
PTN 2
PTN 3
PTN 4
PTN 5
PTN 6
PTN 7
X +3 376 000
X +3 376 500
X +3 377 000
Y -58 500
Y -59 000
Y -59 500
Y -60 000
Vel Sheet 7 van of 54
Plan P1148/19
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 Seksie 21X of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


12
13
INGELI 18210
REM PTN 1
LANGGEWACHT 18208
REM
DRAAI KLOOF 251
KLIP SPRUIT 18207
LANGGEWACHT 18208
REM LOT A
INGELI 3590
REM LOT A
FARM 17288
PTN 1
PTN 2
PTN 3
PTN 4
PTN 5
PTN 6
Y -61 000
Y -60 500
Y -63 500
Y -62 500
Y -62 000
X +3 377 500
X +3 377 000
X +3 376 500
X +3 378 000
X +3 378 500
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Vel 8 van 54
Sheet of
Plan P114/8/19


14
LOT C1
5167
REM
PTN 1
REM
PTN 2
PTN 4
PTN 3
FARM 17288
REM
MACKTON 15617
REM PTN 2
RESERVOIR
SERV.
CL OF A WPL
SERV 2M WIDE
PTN 1
REM
Y -66 000
Y -65 500
Y -65 000
X +3 378 000
X +3 378 500
X +3 379 000
X +3 379 500
Vel Sheet 9 van of 54
Plan P1148/19
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


15
16
LOT F1 5714
LOT B1 5110
FARM 17288
LOT C1 5167
MACKTON 15617
LOT GB1 6501
CROWNLANDS F 5017
GAYTON 7834
BERKSHIRE 7835
STAFFORD 4530
REM
PTN 1
PTN 2
PTN 3
PTN 4
PTN 7
REM PTN 1
REM PTN 2
REM PTN 3
REM PTN 4
X +3 379 500
X +3 380 000
X +3 379 000
X +3 378 500
Y -68 000
Y -67 500
Y -66 500
Y -70 000
Y -69 000
Y -68 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Vel Sheet 10 van of 54
Plan P1148/19


17
18
BOSH HOEK 18212
STAFFORD 4530
FRONTIER 14111
STAFFORD A 2 8161
STAFFORD 4530
18212
REM
PTN 1
PTN 2
PTN 3
PTN 7
PTN 11
PTN 14
PTN 15
PTN 16
PTN 17
PTN 18
PTN 19
PTN 21
PTN 22
PTN 23
PTN 24
PTN 25
PTN 26
PTN 27
REM PTN 1
REM PTN 2
REM PTN 3
REM PTN 5
X +3 377 500
X +3 378 000
X +3 378 500
Y -70 500
Y -71 000
Y -71 500
Y -73 000
Y -74 000
Y -74 500
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Vel Sheet 11 van of 54
Plan P1148/19


LOT CL 6731
LOT J 5040
LOT LA 7473
STAFFORD 6944
LYDSTONE 5196
LOT LB 9285
LOT L 4925
LOT LA 7473
LYDSTONE 5196
PHOENIX PARK NO. 2 5402
REMNANT 6839
LOT M 5195
LOT LB 9285
UMZIMKULWANA RIVER
Vel 12 van 54
Sheet 12 of 54
Plan P1148/19
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route N2 Section 21X
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


BRICKFIELD 9240
GLENORA 5777
UMZIMKULWANA RIVER
CL OF AN EPTL SERV
HOLMAN 4449
PHOENIX PARK NO.2 5402
LOT 647 HARDING
HARDING TOWNSHIP 8057
WILLOWDENE 16383
KENTON 12128
MARCHLANDS 9627
LOT FR9241
GLENORA 5777
REM
PTN 1
PTN 2
PTN 3
PTN 5
Y -80 500
Y -80 000
Y -79 500
X +3 384 000
X +3 385 000
X +3 384 500
Y -83 000
Y -82 500
Y -82 000
Y -81 500
Vel Sheet 13 van of 54
Plan P1148/19
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
N2
Seksie Section
21X
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


24
25
HARDING TOWNSHIP 8057
LOT 647 HARDING
PTN 1
REM
LOT 655
HARDING-ES
8057
CL OF AN EPT SERV
CL OF AN EPTL SERV
604
656
1301
823
1298
LIVINGSTONE ST
MURCHISON ST
Vel Sheet 14 van of 54
Plan P1148/19
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 Seksie 21X of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


26
27
LOT PH2 7116 REM
DIEUDONNE 18535
LOT PHA 5295
BETHEL 18534
HEBRON 18533
IHLUKU SCHOOL 6876 REM
UMZIMKULWANA RIVER
HARDING TOWNSHIP 8057 REM
CL OF AN EPT SERV 55M WIDE
LOT W 4989 REM
HLUKU 18278 REM
LOT JH 5354 REM
CLIFFDALE 7509
LOT FHA 7115 REM
DIEUDONNE 18535
LOT PH2 7116 REM
Y +102 500
Y +103 000
Y +100 500
Y +101 000
Y +104 000
X +3 385 000
X +3 385 500
X +3 384 500
X +3 385 000
Vel van 54
Sheet 15 of
Plan P1148/19
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete Seksie 21X
of National Route Section N2
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


LOT Z1 6766
MOUNT NERO 8178
LOT V 5530
LOT W 4989
REM
PTN 1
PTN 5
PTN 22
PTN 9
PTN 6
PTN 13
PTN 7
Y +99 000
Y +99 500
Y +98 000
Y +97 500
X +3 387 500
X +3 386 500
X +3 386 000
X +3 389 500
28
29
Vel 16 van 54
Sheet of
Plan P1148/19
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


30
31
KEITHDALE 12703
REM
LOT 5A
UMZIMKULWANA
9330
LOT 5B
UMZIMKULWANA
9341
LOT 2 8720
LOT V 5530
LOT 10
UMZIMKULWANA
9329
CL OF OLD
MAIN ROAD
PIPELINE
SERV.
PTN 1
PTN 2
PTN 3
PTN 4
PTN 5
PTN 6
PTN 7
PTN 9
PTN 10
PTN 11
PTN 12
PTN 13
REM PTN 2
REM PTN 3
REM PTN 4
REM PTN 5
REM PTN 6
Y +96 500
Y +97 000
Y +95 000
Y +95 500
Y +96 000
X +3 391 500
X +3 390 500
X +3 393 000
X +3 392 500
X +3 390 000
X +3 392 000
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route
N2
Seksie
Section
21X
Vel
Sheet
17 van
of 54
Plan
P114 8/19
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


LOT 10 UMZIMKULWANA 9329
REM
REM PTN 1
REM PTN 1
REM
REM PTN 2
REM PTN 2
REM PTN 3
REM PTN 3
REM
PTN 6
PTN 7
PTN 8
PTN 5
LOT 5B
UMZIMKULWANA
9341
CL OF EPTL SERV
Y +93 000
Y +93 500
Y +94 000
Y +94 500
X +3 395 000
X +3 394 500
X +3 394 000
Vel Sheet 18 van of 54
Plan P1148/19
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


LOT 10
UMZIMKULWANA
9329
SOPOLO
6861
CLOTHIER
1 6850
SLEXEL
4558
LOT F.T
7658
CLOTHIER
3836
REM PTN 1
REM PTN 2
REM PTN 3
REM PTN 4
PTN 1
PTN 3
PTN 4
PTN 5
PTN 6
PTN 7
PTN 8
REM
CL OF EPTL SERV
Y +93 000
Y +92 500
Y +92 000
Y +91 500
Y +91 000
Y +90 500
X +3 395 500
X +3 396 000
X +3 397 000
X +3 397 500
X +3 398 000
X +3 398 500
33
34
Vel Sheet 19 van of 54
Plan P1148/19
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
N2 Seksie Section 21X
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


ITEMBA 9817
NORHAM 11795
ENQABENI 9624
ENQABENI 9625
LOT 4 ENQABENI 9754
VANDYCKE 8932
LOT 3 ENQABENI 7158
ENQABENI 13601
SLEXEL 4558
LOT F.T 7658
LOT 1 ENQABENI 8066
BROOKSIDE 13829
REM
PTN 1
PTN 2
PTN 3
LOT 6
REM LOT 2
Y +89 000
Y +89 500
Y +90 000
X +3 401 000
X +3 399 500
35
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route N2 Section 21X
Vel Sheet 20 van of 54
Plan P1148/19


36
37
RIVERSIDES 7200
ITEMBA B 9803
D.F.A. 8971
LOCATION 8 15848
UNION 7605
MOGUNTIA 2 7020
THE RIDGE 15388
NEW VALLEYS 15713
ENQABENI 9624
LOT 6 9625
9817
REM
PTN 1
PTN 2
PTN 4
PTN 5
Y +88 500
Y +87 500
Y +87 000
Y +86 500
Y +86 000
Y +85 500
X +3 400 500
X +3 401 000
X +3 401 500
X +3 402 500
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Vel 21 van 54
Sheet of
Plan P1148/19


38
39
ALFRED LOCATION 3 15843
NEW VALLEYS 15713
MOGUNTIA 2 7020
MOGUNTIA 7019
MONGUNTIA-A
THE RIDGE 15388
ALFRED LOCATION 3 15843
REM
PTN 1
PTN 2
PTN 3
PTN 6
PTN 13
PTN 14
PTN 18
PTN 20
PTN 21
PTN 22
PTN 23
PTN 24
PTN 25
PTN 26
PTN 27
PTN 28
ROAD
SITE 1
PUMP STATION SERV.
X +3 405 500
X +3 404 000
X +3 406 500
X +3 406 000
Y +84 000
Y +84 500
Y +85 000
Y +85 500
Y +86 000
Vel Sheet 22 van of 54
Plan P1148/19
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion von Nasionale Roete of National Route
N2
Seksie Section
21X
Die figuur getoon
The figure shown
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


40
41
ALFRED LOCATION 3 15843
REM
PUMP STATION SERV.
RESERVOIR SERV.
MINING LEASE
3613
Y +81 500
Y +82 000
Y +82 500
X +3 407 000
X +3 407 500
X +3 406 500
Y +79 500
Y +80 000
Y +81 000
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd
Die figuur getoon
The figure shown
stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section
Vel Sheet 23 van of 54
Plan P114 8/19



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2 Seksie 21X
of National Route Section

Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vel Sheet 24 van of 54
Plan P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L1	-45 312.12	3 389 429.41	R1	-45 361.94	3 389 420.69
L2	-45 323.24	3 389 347.26	R2	-45 370.20	3 389 326.99
L3	-45 311.27	3 389 254.66	R3	-45 374.23	3 389 284.48
L4	-45 280.88	3 389 165.19	R4	-45 368.96	3 389 244.06
L5	-45 255.93	3 389 115.00	R5	-45 330.18	3 389 143.73
L6	-45 221.33	3 389 046.16	R6	-45 260.06	3 389 023.10
L7	-45 206.80	3 389 017.12	R7	-45 256.28	3 388 947.32
L8	-45 186.18	3 388 879.18	R8	-45 219.06	3 388 784.76
L9	-45 177.00	3 388 823.57	R9	-45 129.74	3 388 649.18
L10	-45 164.98	3 388 807.24	R10	-45 084.95	3 388 642.47
L11	-45 103.10	3 388 731.63	R11	-45 068.04	3 388 640.31
L12	-45 024.84	3 388 700.63	R12	-44 877.72	3 388 612.39
L13	-44 993.30	3 388 701.10	R13	-44 788.81	3 388 610.08
L14	-44 974.32	3 388 701.23	R14	-44 754.52	3 388 572.37
L15	-44 887.17	3 388 702.58	R15	-44 723.64	3 388 529.18
L16	-44 838.82	3 388 690.25	R16	-44 695.53	3 388 417.50
L17	-44 727.71	3 388 616.63	R17	-44 692.84	3 388 348.89
L18	-44 663.49	3 388 526.90	R18	-44 674.93	3 388 231.86
L19	-44 656.61	3 388 435.45	R19	-44 624.58	3 388 136.22
L20	-44 655.17	3 388 421.87	R20	-44 521.70	3 388 051.12
L21	-44 649.52	3 388 351.90	R21	-44 446.95	3 388 001.35
L22	-44 629.55	3 388 249.22	R22	-44 409.76	3 387 961.33
L23	-44 584.74	3 388 166.67	R23	-44 337.03	3 387 882.90
L24	-44 506.78	3 388 091.67	R24	-43 966.64	3 387 231.15
L25	-44 497.90	3 388 083.38	R25	-43 941.81	3 387 187.55
L26	-44 449.00	3 388 051.15	R26	-43 882.23	3 387 072.78
L27	-44 368.02	3 387 998.21	R27	-43 835.08	3 386 964.02
L28	-44 348.26	3 387 985.26	R28	-43 790.40	3 386 836.03
L29	-43 906.06	3 387 207.72	R29	-43 786.43	3 386 819.60
L30	-43 846.06	3 387 089.85	R30	-43 666.57	3 386 422.78
L31	-43 795.11	3 386 979.82	R31	-43 630.42	3 386 315.10
L32	-43 752.08	3 386 847.65	R32	-43 540.06	3 386 153.37
L33	-43 748.20	3 386 834.84	R33	-43 516.03	3 386 127.29
L34	-43 675.74	3 386 592.17	R34	-43 429.67	3 386 033.07
L35	-43 654.63	3 386 521.89	R35	-43 309.98	3 385 915.43
L36	-43 628.23	3 386 434.24	R36	-43 248.99	3 385 849.32
L37	-43 590.09	3 386 332.60	R37	-43 191.22	3 385 770.83
L38	-43 552.99	3 386 260.35	R38	-43 142.61	3 385 686.38
L39	-43 545.58	3 386 246.12	R39	-43 109.48	3 385 616.28
L40	-43 467.22	3 386 133.66	R40	-43 077.06	3 385 522.34
L41	-43 401.15	3 386 061.12	R41	-43 021.01	3 385 332.65
L42	-43 281.87	3 385 943.89	R42	-42 960.26	3 385 127.06
L43	-43 215.53	3 385 877.11	R43	-42 896.20	3 384 910.30
L44	-43 156.73	3 385 793.88	R44	-42 878.71	3 384 853.87
L45	-43 102.80	3 385 707.33	R45	-42 859.39	3 384 797.00
L46	-43 080.29	3 385 660.42	R46	-42 800.97	3 384 632.91
L47	-43 067.34	3 385 633.44	R47	-42 723.58	3 384 365.82
L48	-43 035.97	3 385 541.90	R48	-42 713.84	3 384 275.79
L49	-42 981.81	3 385 364.67	R49	-42 740.99	3 384 220.40
L50	-42 981.16	3 385 360.25	R50	-42 781.19	3 384 181.69
L51	-42 858.07	3 384 922.35	R51	-42 873.96	3 384 141.84

Vel Sheet	25	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L52	-42 819.90	3 384 807.57	R52	-42 905.87	3 384 120.10
L53	-42 790.50	3 384 724.38	R53	-42 929.80	3 384 073.16
L54	-42 741.31	3 384 584.99	R54	-42 902.61	3 384 000.02
L55	-42 652.94	3 384 356.71	R55	-42 870.64	3 383 980.75
L56	-42 628.33	3 384 284.74	R56	-42 992.65	3 383 836.32
L57	-42 625.43	3 384 255.62	R57	-43 040.24	3 383 798.90
L58	-42 488.38	3 383 864.05	R58	-43 107.54	3 383 713.46
L59	-42 476.33	3 383 815.26	R59	-43 211.99	3 383 652.56
L60	-42 416.87	3 383 681.23	R60	-44 162.97	3 383 215.04
L61	-42 402.17	3 383 660.01	R61	-44 260.85	3 383 177.05
L62	-42 366.85	3 383 608.93	R62	-44 353.74	3 383 152.17
L63	-42 313.56	3 383 548.04	R63	-44 463.25	3 383 135.59
L64	-42 267.13	3 383 505.33	R64	-44 951.63	3 383 092.38
L65	-42 179.86	3 383 431.73	R65	-45 110.46	3 383 050.34
L66	-42 206.68	3 383 399.40	R66	-45 204.37	3 383 018.75
L67	-42 256.40	3 383 441.48	R67	-45 330.10	3 382 962.59
L68	-42 328.78	3 383 492.46	R68	-45 740.76	3 382 775.65
L69	-42 364.71	3 383 515.02	R69	-45 879.29	3 382 709.53
L70	-42 410.82	3 383 539.28	R70	-46 050.42	3 382 603.10
L71	-42 450.78	3 383 557.37	R71	-46 213.47	3 382 484.23
L72	-42 479.59	3 383 578.92	R72	-47 169.91	3 381 570.36
L73	-42 514.83	3 383 587.84	R73	-47 300.58	3 381 453.98
L74	-42 562.32	3 383 532.97	R74	-47 460.75	3 381 337.33
L75	-42 769.50	3 383 698.50	R75	-47 630.65	3 381 235.35
L76	-42 854.84	3 383 714.52	R76	-47 809.38	3 381 148.99
L77	-42 967.24	3 383 763.97	R77	-47 945.60	3 381 097.94
L78	-43 078.94	3 383 674.96	R78	-48 487.02	3 380 912.17
L79	-43 193.10	3 383 617.30	R79	-49 844.95	3 380 446.32
L80	-44 145.76	3 383 178.76	R80	-49 905.55	3 380 424.57
L81	-44 247.25	3 383 135.73	R81	-50 534.69	3 380 165.37
L82	-44 337.72	3 383 111.98	R82	-50 583.03	3 380 177.89
L83	-44 346.19	3 383 109.52	R83	-50 879.12	3 380 056.26
L84	-44 459.78	3 383 095.96	R84	-50 923.09	3 380 004.71
L85	-44 813.02	3 383 066.48	R85	-51 018.55	3 379 958.67
L86	-44 943.75	3 383 050.11	R86	-51 089.81	3 379 880.11
L87	-45 078.35	3 383 016.79	R87	-51 118.72	3 379 823.60
L88	-45 128.47	3 383 000.00	R88	-51 140.06	3 379 772.19
L89	-45 190.17	3 382 979.22	R89	-51 267.14	3 379 394.68
L90	-45 313.39	3 382 926.25	R90	-51 306.07	3 379 295.85
L91	-45 724.02	3 382 739.32	R91	-51 347.44	3 379 218.05
L92	-45 858.48	3 382 671.91	R92	-51 449.49	3 379 047.71
L93	-46 026.94	3 382 568.28	R93	-52 058.03	3 378 031.94
L94	-46 184.77	3 382 449.57	R94	-52 099.80	3 377 962.21
L95	-46 298.46	3 382 348.45	R95	-52 164.71	3 377 883.92
L96	-47 143.35	3 381 540.73	R96	-52 188.29	3 377 867.88
L97	-47 221.84	3 381 467.64	R97	-52 243.36	3 377 830.39
L98	-47 273.00	3 381 419.69	R98	-52 332.93	3 377 800.01
L99	-47 436.35	3 381 300.64	R99	-52 415.85	3 377 794.03
L100	-47 610.07	3 381 197.02	R100	-52 508.59	3 377 812.18
L101	-47 791.36	3 381 109.39	R101	-52 630.08	3 377 783.78
L102	-47 932.82	3 381 060.04	R102	-52 728.29	3 377 747.80

Vel Sheet	26	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L103	-48 471.98	3 380 875.10	R103	-52 815.43	3 377 691.39
L104	-49 832.25	3 380 408.38	R104	-52 892.77	3 377 621.37
L105	-49 954.29	3 380 362.22	R105	-52 952.41	3 377 509.63
L106	-50 907.07	3 379 968.09	R106	-52 960.03	3 377 491.69
L107	-50 987.68	3 379 920.18	R107	-53 081.27	3 377 206.23
L108	-51 053.54	3 379 853.52	R108	-53 139.23	3 377 069.82
L109	-51 102.23	3 379 759.15	R109	-53 172.23	3 376 999.34
L110	-51 229.54	3 379 381.16	R110	-53 315.76	3 376 875.38
L111	-51 266.71	3 379 277.39	R111	-53 470.45	3 376 790.65
L112	-51 313.18	3 379 197.34	R112	-53 557.82	3 376 751.65
L113	-51 399.14	3 379 053.85	R113	-53 632.89	3 376 734.19
L114	-51 867.98	3 378 271.31	R114	-53 670.88	3 376 738.50
L115	-52 065.81	3 377 941.11	R115	-53 707.07	3 376 748.99
L116	-52 135.37	3 377 851.88	R116	-53 740.57	3 376 766.31
L117	-52 223.68	3 377 791.58	R117	-53 772.18	3 376 787.73
L118	-52 259.62	3 377 778.04	R118	-53 800.25	3 376 811.43
L119	-52 314.80	3 377 757.27	R119	-53 834.36	3 376 840.23
L120	-52 417.41	3 377 750.70	R120	-53 879.79	3 376 877.48
L121	-52 528.16	3 377 754.62	R121	-53 928.35	3 376 912.43
L122	-52 620.56	3 377 737.04	R122	-54 030.16	3 376 978.43
L123	-52 705.75	3 377 700.36	R123	-54 084.75	3 377 009.96
L124	-52 790.13	3 377 660.40	R124	-54 103.06	3 377 020.54
L125	-52 856.66	3 377 592.84	R125	-54 185.43	3 377 040.37
L126	-52 912.02	3 377 499.66	R126	-54 379.50	3 377 014.19
L127	-52 916.20	3 377 492.63	R127	-54 501.36	3 377 015.86
L128	-53 050.64	3 377 176.07	R128	-54 596.16	3 377 054.35
L129	-53 102.46	3 377 054.06	R129	-54 764.66	3 377 144.72
L130	-53 149.27	3 376 935.06	R130	-54 850.74	3 377 195.80
L131	-53 291.73	3 376 831.50	R131	-55 025.15	3 377 285.24
L132	-53 446.47	3 376 746.79	R132	-55 103.81	3 377 341.96
L133	-53 546.62	3 376 713.21	R133	-55 162.52	3 377 415.47
L134	-53 655.37	3 376 691.04	R134	-55 198.55	3 377 498.39
L135	-53 756.95	3 376 736.16	R135	-55 295.97	3 377 864.42
L136	-53 824.20	3 376 780.94	R136	-55 307.53	3 377 907.84
L137	-54 055.57	3 376 934.99	R137	-55 354.40	3 378 042.40
L138	-54 116.29	3 376 975.42	R138	-55 413.92	3 378 169.77
L139	-54 189.37	3 376 992.54	R139	-55 471.30	3 378 259.47
L140	-54 268.92	3 376 990.64	R140	-55 566.54	3 378 315.56
L141	-54 373.78	3 376 974.61	R141	-55 675.71	3 378 321.67
L142	-54 511.17	3 376 967.89	R142	-55 776.50	3 378 277.67
L143	-54 614.40	3 377 018.75	R143	-55 875.43	3 378 172.36
L144	-54 841.50	3 377 129.95	R144	-55 920.74	3 378 119.31
L145	-55 049.09	3 377 241.35	R145	-55 983.89	3 378 061.05
L146	-55 134.11	3 377 311.42	R146	-56 050.03	3 378 022.83
L147	-55 201.69	3 377 393.29	R147	-56 117.26	3 378 002.97
L148	-55 237.24	3 377 488.19	R148	-56 122.04	3 378 001.55
L149	-55 309.66	3 377 721.65	R149	-56 231.05	3 378 000.99
L150	-55 339.51	3 377 865.42	R150	-56 504.82	3 378 036.30
L151	-55 346.15	3 377 897.42	R151	-56 655.18	3 378 055.68
L152	-55 390.69	3 378 025.56	R152	-56 758.24	3 378 050.50
L153	-55 449.38	3 378 151.22	R153	-56 858.54	3 378 028.18

Vel Sheet	27	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L154	-55 511.35	3 378 218.94	R154	-56 952.76	3 377 987.08
L155	-55 582.78	3 378 260.91	R155	-57 042.04	3 377 935.74
L156	-55 666.16	3 378 259.32	R156	-57 109.31	3 377 874.13
L157	-55 741.13	3 378 229.22	R157	-57 916.96	3 377 078.76
L158	-55 845.04	3 378 146.31	R158	-58 105.39	3 376 906.10
L159	-55 891.22	3 378 092.61	R159	-58 259.93	3 376 780.63
L160	-55 957.43	3 378 024.69	R160	-58 421.58	3 376 662.92
L161	-56 052.52	3 377 975.30	R161	-58 655.67	3 376 512.65
L162	-56 057.89	3 377 974.30	R162	-58 663.38	3 376 499.12
L163	-56 157.83	3 377 955.76	R163	-58 675.61	3 376 490.70
L164	-56 237.82	3 377 961.57	R164	-58 690.86	3 376 480.48
L165	-56 495.35	3 377 996.74	R165	-58 733.61	3 376 451.59
L166	-56 589.04	3 378 009.53	R166	-58 814.34	3 376 421.40
L167	-56 656.02	3 378 014.68	R167	-58 858.95	3 376 402.17
L168	-56 752.11	3 378 008.95	R168	-58 874.45	3 376 384.70
L169	-56 845.81	3 377 987.65	R169	-58 918.09	3 376 378.96
L170	-56 934.83	3 377 951.31	R170	-58 970.40	3 376 375.77
L171	-57 016.58	3 377 901.08	R171	-59 013.69	3 376 376.39
L172	-57 081.09	3 377 845.77	R172	-59 056.65	3 376 377.10
L173	-57 889.05	3 377 050.12	R173	-59 104.07	3 376 377.61
L174	-58 077.73	3 376 873.81	R174	-59 178.10	3 376 378.58
L175	-58 235.14	3 376 747.98	R175	-59 254.00	3 376 379.42
L176	-58 398.27	3 376 630.00	R176	-59 375.85	3 376 376.44
L177	-58 583.32	3 376 510.58	R177	-59 406.77	3 376 371.04
L178	-58 716.06	3 376 407.35	R178	-59 441.58	3 376 360.61
L179	-58 748.52	3 376 399.64	R179	-59 471.72	3 376 347.57
L180	-58 782.85	3 376 385.60	R180	-59 500.33	3 376 330.75
L181	-58 802.77	3 376 368.70	R181	-59 512.03	3 376 321.98
L182	-58 829.54	3 376 366.52	R182	-59 544.45	3 376 294.00
L183	-58 849.02	3 376 358.56	R183	-59 569.77	3 376 264.27
L184	-58 885.12	3 376 351.05	R184	-59 630.50	3 376 190.06
L185	-58 905.01	3 376 342.71	R185	-59 694.71	3 376 111.82
L186	-58 925.83	3 376 337.59	R186	-59 762.70	3 376 030.05
L187	-58 935.77	3 376 335.98	R187	-59 773.21	3 376 019.55
L188	-58 947.88	3 376 336.13	R188	-59 779.76	3 376 014.11
L189	-58 968.58	3 376 339.38	R189	-59 784.87	3 376 009.87
L190	-58 988.04	3 376 341.12	R190	-59 798.89	3 376 000.83
L191	-58 995.38	3 376 340.98	R191	-59 812.61	3 375 993.52
L192	-59 068.08	3 376 338.54	R192	-59 826.69	3 375 988.49
L193	-59 088.17	3 376 335.56	R193	-59 841.46	3 375 984.90
L194	-59 108.29	3 376 334.21	R194	-59 856.19	3 375 983.12
L195	-59 208.40	3 376 331.97	R195	-59 871.03	3 375 985.05
L196	-59 220.15	3 376 331.46	R196	-59 913.92	3 375 998.07
L197	-59 328.07	3 376 333.75	R197	-59 942.09	3 376 011.49
L198	-59 429.61	3 376 319.40	R198	-59 952.88	3 376 018.29
L199	-59 515.53	3 376 274.67	R199	-59 963.75	3 376 027.96
L200	-59 537.07	3 376 250.28	R200	-59 974.86	3 376 040.99
L201	-59 543.44	3 376 243.04	R201	-59 998.04	3 376 075.57
L202	-59 574.00	3 376 203.49	R202	-60 075.40	3 376 200.15
L203	-59 604.71	3 376 164.83	R203	-60 077.26	3 376 235.50
L204	-59 626.56	3 376 144.78	R204	-60 102.79	3 376 272.66

Vel Sheet	28	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L205	-59 664.26	3 376 098.80	R205	-60 150.24	3 376 331.22
L206	-59 722.01	3 376 028.66	R206	-60 168.31	3 376 389.18
L207	-59 753.02	3 375 995.55	R207	-60 196.64	3 376 467.45
L208	-59 774.90	3 375 976.93	R208	-60 222.93	3 376 505.14
L209	-59 777.28	3 375 976.34	R209	-60 244.99	3 376 525.12
L210	-59 794.34	3 375 972.06	R210	-60 270.88	3 376 541.09
L211	-59 796.84	3 375 970.60	R211	-60 298.63	3 376 552.38
L212	-59 796.34	3 375 961.37	R212	-60 328.53	3 376 558.88
L213	-59 825.55	3 375 949.56	R213	-60 358.70	3 376 561.94
L214	-59 857.95	3 375 944.13	R214	-60 415.19	3 376 563.28
L215	-59 894.62	3 375 944.22	R215	-60 477.18	3 376 563.37
L216	-59 933.57	3 375 950.94	R216	-60 509.00	3 376 564.25
L217	-59 968.93	3 375 974.42	R217	-60 531.11	3 376 566.66
L218	-60 004.41	3 376 012.60	R218	-60 536.12	3 376 586.45
L219	-60 008.06	3 376 032.40	R219	-60 554.11	3 376 619.77
L220	-60 031.85	3 376 049.36	R220	-60 574.13	3 376 661.06
L221	-60 072.10	3 376 084.58	R221	-60 598.03	3 376 710.12
L222	-60 100.86	3 376 139.51	R222	-60 643.33	3 376 721.46
L223	-60 103.76	3 376 148.77	R223	-60 657.85	3 376 725.10
L224	-60 103.53	3 376 172.79	R224	-60 657.63	3 376 750.17
L225	-60 125.21	3 376 202.91	R225	-60 665.56	3 376 786.47
L226	-60 163.87	3 376 264.26	R226	-60 664.48	3 376 792.99
L227	-60 180.24	3 376 307.23	R227	-60 669.81	3 376 815.04
L228	-60 190.49	3 376 345.32	R228	-60 687.32	3 376 874.39
L229	-60 209.79	3 376 385.55	R229	-60 703.49	3 376 948.45
L230	-60 254.23	3 376 438.17	R230	-60 702.88	3 376 970.00
L231	-60 279.78	3 376 499.80	R231	-60 752.51	3 377 076.25
L232	-60 320.22	3 376 518.79	R232	-60 769.82	3 377 129.60
L233	-60 349.12	3 376 525.48	R233	-60 819.54	3 377 284.22
L234	-60 393.85	3 376 520.58	R234	-60 858.79	3 377 400.61
L235	-60 444.81	3 376 493.63	R235	-60 926.01	3 377 619.81
L236	-60 486.34	3 376 510.43	R236	-60 954.29	3 377 699.90
L237	-60 527.67	3 376 526.61	R237	-60 973.18	3 377 735.30
L238	-60 598.74	3 376 549.35	R238	-60 997.58	3 377 767.34
L239	-60 668.23	3 376 579.29	R239	-61 026.03	3 377 795.58
L240	-60 684.92	3 376 602.10	R240	-61 058.14	3 377 819.21
L241	-60 691.34	3 376 623.69	R241	-61 094.47	3 377 836.88
L242	-60 688.98	3 376 677.72	R242	-61 116.47	3 377 848.77
L243	-60 694.82	3 376 723.51	R243	-61 121.94	3 377 851.73
L244	-60 717.84	3 376 775.26	R244	-61 172.74	3 377 856.34
L245	-60 723.69	3 376 833.97	R245	-61 267.74	3 377 851.42
L246	-60 732.29	3 376 869.90	R246	-61 309.77	3 377 829.56
L247	-60 737.50	3 376 881.12	R247	-61 350.14	3 377 810.35
L248	-60 765.27	3 376 953.10	R248	-61 349.48	3 377 797.85
L249	-60 768.21	3 376 964.95	R249	-61 392.49	3 377 777.38
L250	-60 780.26	3 377 013.52	R250	-61 425.36	3 377 789.53
L251	-60 811.02	3 377 114.40	R251	-61 479.37	3 377 755.76
L252	-60 837.16	3 377 172.38	R252	-61 518.88	3 377 731.60
L253	-60 855.42	3 377 218.77	R253	-61 567.66	3 377 727.74
L254	-60 860.58	3 377 232.79	R254	-61 617.89	3 377 724.29
L255	-60 872.27	3 377 298.97	R255	-61 684.66	3 377 766.13

Vel Sheet	29	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29º

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L256	-60 879.95	3 377 353.33	R256	-61 701.10	3 377 808.17
L257	-60 890.20	3 377 378.59	R257	-61 707.82	3 377 824.88
L258	-60 901.29	3 377 415.49	R258	-61 727.10	3 377 875.87
L259	-60 917.31	3 377 467.64	R259	-61 737.19	3 377 919.66
L260	-60 937.42	3 377 538.22	R260	-61 742.02	3 377 949.19
L261	-60 961.96	3 377 623.95	R261	-61 746.30	3 377 973.73
L262	-60 982.61	3 377 681.36	R262	-61 754.53	3 378 018.05
L263	-61 004.67	3 377 727.76	R263	-61 771.14	3 378 029.62
L264	-61 058.97	3 377 778.78	R264	-61 828.56	3 378 064.77
L265	-61 110.94	3 377 807.01	R265	-61 851.11	3 378 078.37
L266	-61 161.46	3 377 825.85	R266	-61 883.12	3 378 087.53
L267	-61 194.03	3 377 822.08	R267	-61 994.81	3 378 078.60
L268	-61 223.51	3 377 818.66	R268	-62 123.43	3 378 068.17
L269	-61 287.67	3 377 799.18	R269	-62 199.94	3 378 061.42
L270	-61 348.42	3 377 770.41	R270	-62 283.67	3 378 054.44
L271	-61 359.69	3 377 765.07	R271	-62 428.50	3 378 044.98
L272	-61 413.13	3 377 733.98	R272	-62 577.02	3 378 038.33
L273	-61 425.73	3 377 715.83	R273	-62 595.97	3 378 037.85
L274	-61 477.62	3 377 695.34	R274	-62 666.44	3 378 054.07
L275	-61 511.99	3 377 658.02	R275	-62 751.77	3 378 075.48
L276	-61 586.57	3 377 646.79	R276	-62 834.99	3 378 107.93
L277	-61 631.10	3 377 671.67	R277	-62 913.04	3 378 138.36
L278	-61 644.26	3 377 679.03	R278	-62 942.83	3 378 196.21
L279	-61 658.19	3 377 686.65	R279	-63 067.93	3 378 197.35
L280	-61 713.67	3 377 725.06	R280	-63 093.05	3 378 191.42
L281	-61 717.26	3 377 727.54	R281	-63 110.99	3 378 199.28
L282	-61 733.39	3 377 724.83	R282	-63 133.69	3 378 209.21
L283	-61 755.50	3 377 794.13	R283	-63 177.43	3 378 233.84
L284	-61 773.17	3 377 833.78	R284	-63 231.26	3 378 279.79
L285	-61 802.88	3 377 894.98	R285	-63 268.99	3 378 310.87
L286	-61 787.95	3 377 905.74	R286	-63 292.20	3 378 329.99
L287	-61 778.51	3 377 912.54	R287	-63 321.23	3 378 351.31
L288	-61 806.54	3 377 950.90	R288	-63 345.02	3 378 361.35
L289	-61 826.79	3 377 982.74	R289	-63 368.48	3 378 369.82
L290	-61 890.85	3 378 008.56	R290	-63 448.67	3 378 397.89
L291	-61 957.49	3 378 035.36	R291	-63 475.83	3 378 400.30
L292	-62 250.29	3 378 014.40	R292	-63 495.33	3 378 400.05
L293	-62 396.62	3 377 994.48	R293	-63 530.98	3 378 403.88
L294	-62 573.91	3 377 991.25	R294	-63 671.77	3 378 419.42
L295	-62 580.70	3 377 991.10	R295	-63 710.01	3 378 422.79
L296	-62 627.55	3 377 995.27	R296	-63 740.21	3 378 419.65
L297	-62 692.61	3 378 013.14	R297	-63 809.36	3 378 393.69
L298	-62 759.67	3 378 027.00	R298	-63 880.12	3 378 377.40
L299	-62 801.69	3 378 049.46	R299	-63 947.54	3 378 367.61
L300	-63 080.43	3 378 141.25	R300	-64 004.06	3 378 362.41
L301	-63 161.48	3 378 188.50	R301	-64 044.96	3 378 360.48
L302	-63 175.70	3 378 203.87	R302	-64 141.93	3 378 364.68
L303	-63 222.29	3 378 243.88	R303	-64 203.19	3 378 372.00
L304	-63 248.26	3 378 265.96	R304	-64 285.76	3 378 373.08
L305	-63 276.00	3 378 284.29	R305	-64 339.30	3 378 381.77
L306	-63 289.07	3 378 295.09	R306	-64 384.95	3 378 402.62

Vel Sheet	30	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29º

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L307	-63 309.02	3 378 311.55	R307	-64 430.54	3 378 420.17
L308	-63 364.87	3 378 326.34	R308	-64 514.75	3 378 462.48
L309	-63 365.05	3 378 341.59	R309	-64 548.44	3 378 485.19
L310	-63 412.78	3 378 346.03	R310	-64 588.83	3 378 503.69
L311	-63 475.63	3 378 363.87	R311	-64 618.97	3 378 516.55
L312	-63 503.08	3 378 366.04	R312	-64 647.49	3 378 525.48
L313	-63 560.43	3 378 373.04	R313	-64 711.55	3 378 529.83
L314	-63 585.85	3 378 376.08	R314	-64 729.40	3 378 528.51
L315	-63 661.74	3 378 378.67	R315	-64 753.13	3 378 535.01
L316	-63 718.99	3 378 379.62	R316	-64 785.93	3 378 524.58
L317	-63 772.37	3 378 371.15	R317	-64 843.81	3 378 519.28
L318	-63 804.46	3 378 360.48	R318	-64 960.04	3 378 505.60
L319	-63 840.07	3 378 353.92	R319	-65 057.09	3 378 486.88
L320	-63 936.34	3 378 336.58	R320	-65 141.50	3 378 461.90
L321	-63 971.71	3 378 333.69	R321	-65 184.42	3 378 454.98
L322	-64 010.80	3 378 331.54	R322	-65 235.99	3 378 454.77
L323	-64 083.42	3 378 333.25	R323	-65 256.70	3 378 458.07
L324	-64 159.38	3 378 335.21	R324	-65 275.88	3 378 474.97
L325	-64 258.37	3 378 339.97	R325	-65 324.24	3 378 499.33
L326	-64 351.20	3 378 353.79	R326	-65 341.38	3 378 506.33
L327	-64 384.01	3 378 363.36	R327	-65 359.50	3 378 527.04
L328	-64 436.70	3 378 383.23	R328	-65 365.94	3 378 543.71
L329	-64 507.86	3 378 424.94	R329	-65 391.34	3 378 612.81
L330	-64 561.08	3 378 456.35	R330	-65 394.20	3 378 731.15
L331	-64 572.86	3 378 465.38	R331	-65 396.57	3 378 745.29
L332	-64 629.68	3 378 485.19	R332	-65 396.72	3 378 787.15
L333	-64 661.35	3 378 489.85	R333	-65 399.44	3 378 831.17
L334	-64 704.75	3 378 497.04	R334	-65 418.01	3 378 893.19
L335	-64 746.07	3 378 497.61	R335	-65 418.28	3 378 915.66
L336	-64 785.02	3 378 493.16	R336	-65 421.85	3 378 934.86
L337	-64 814.62	3 378 491.21	R337	-65 437.78	3 378 973.60
L338	-64 846.40	3 378 484.63	R338	-65 469.40	3 379 003.86
L339	-64 877.63	3 378 480.23	R339	-65 512.05	3 379 054.96
L340	-64 907.36	3 378 478.17	R340	-65 537.98	3 379 081.64
L341	-64 946.78	3 378 476.70	R341	-65 606.03	3 379 142.88
L342	-65 017.37	3 378 461.65	R342	-65 623.03	3 379 164.62
L343	-65 056.43	3 378 450.20	R343	-65 643.16	3 379 189.40
L344	-65 102.90	3 378 444.33	R344	-65 665.85	3 379 221.04
L345	-65 207.45	3 378 418.23	R345	-65 676.05	3 379 259.04
L346	-65 256.96	3 378 426.19	R346	-65 681.82	3 379 331.85
L347	-65 323.52	3 378 455.77	R347	-65 679.69	3 379 365.30
L348	-65 353.05	3 378 478.21	R348	-65 673.20	3 379 421.19
L349	-65 376.90	3 378 498.00	R349	-65 671.75	3 379 449.81
L350	-65 406.26	3 378 539.66	R350	-65 669.52	3 379 493.84
L351	-65 421.94	3 378 601.67	R351	-65 664.94	3 379 516.67
L352	-65 421.14	3 378 688.35	R352	-65 661.91	3 379 531.80
L353	-65 432.36	3 378 803.26	R353	-65 673.34	3 379 568.08
L354	-65 452.34	3 378 884.00	R354	-65 706.76	3 379 648.35
L355	-65 483.02	3 378 965.54	R355	-65 744.80	3 379 705.71
L356	-65 498.40	3 378 989.48	R356	-65 803.01	3 379 765.70
L357	-65 526.52	3 379 022.88	R357	-65 853.23	3 379 810.93

Vel Sheet	31	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L358	-65 591.94	3 379 085.15	R358	-65 882.50	3 379 827.33
L359	-65 665.79	3 379 141.73	R359	-65 906.03	3 379 825.23
L360	-65 680.97	3 379 188.01	R360	-65 913.97	3 379 826.67
L361	-65 692.77	3 379 213.44	R361	-65 939.89	3 379 837.89
L362	-65 702.49	3 379 240.65	R362	-65 961.88	3 379 846.30
L363	-65 712.75	3 379 307.15	R363	-65 992.75	3 379 852.77
L364	-65 708.75	3 379 378.74	R364	-66 020.37	3 379 856.18
L365	-65 709.57	3 379 438.36	R365	-66 100.23	3 379 849.39
L366	-65 704.71	3 379 515.87	R366	-66 123.36	3 379 844.28
L367	-65 707.93	3 379 526.21	R367	-66 150.06	3 379 839.64
L368	-65 729.40	3 379 595.06	R368	-66 243.87	3 379 829.17
L369	-65 776.73	3 379 679.59	R369	-66 265.56	3 379 823.67
L370	-65 810.38	3 379 719.43	R370	-66 303.05	3 379 812.98
L371	-65 830.63	3 379 738.42	R371	-66 503.85	3 379 777.17
L372	-65 864.71	3 379 767.57	R372	-66 690.14	3 379 744.11
L373	-65 935.23	3 379 804.13	R373	-66 750.79	3 379 733.35
L374	-65 954.08	3 379 809.05	R374	-66 891.14	3 379 705.76
L375	-66 078.41	3 379 822.31	R375	-66 919.65	3 379 700.54
L376	-66 340.66	3 379 779.54	R376	-67 159.34	3 379 656.63
L377	-66 424.50	3 379 759.56	R377	-67 166.23	3 379 658.79
L378	-66 469.38	3 379 754.53	R378	-67 254.97	3 379 642.71
L379	-66 616.95	3 379 727.87	R379	-67 313.96	3 379 630.04
L380	-66 622.34	3 379 726.90	R380	-67 320.38	3 379 630.45
L381	-66 673.30	3 379 713.85	R381	-67 423.53	3 379 610.42
L382	-66 762.41	3 379 705.59	R382	-67 529.46	3 379 589.61
L383	-66 843.41	3 379 687.29	R383	-67 540.50	3 379 588.09
L384	-66 916.95	3 379 674.49	R384	-67 632.96	3 379 575.35
L385	-67 147.80	3 379 634.34	R385	-67 663.08	3 379 577.37
L386	-67 421.56	3 379 580.53	R386	-67 734.11	3 379 573.32
L387	-67 520.47	3 379 563.57	R387	-67 804.26	3 379 572.45
L388	-67 617.95	3 379 548.29	R388	-67 961.03	3 379 570.51
L389	-67 740.23	3 379 543.12	R389	-67 971.29	3 379 567.13
L390	-67 847.17	3 379 540.35	R390	-68 005.37	3 379 567.41
L391	-67 850.79	3 379 540.08	R391	-68 070.17	3 379 562.65
L392	-67 910.35	3 379 535.58	R392	-68 246.84	3 379 558.30
L393	-68 020.06	3 379 532.75	R393	-68 335.19	3 379 560.31
L394	-68 085.84	3 379 530.97	R394	-68 435.53	3 379 556.41
L395	-68 424.00	3 379 521.24	R395	-68 525.93	3 379 544.94
L396	-68 469.90	3 379 518.83	R396	-68 612.67	3 379 520.62
L397	-68 555.37	3 379 502.55	R397	-68 694.69	3 379 486.30
L398	-68 593.52	3 379 490.30	R398	-68 725.46	3 379 469.12
L399	-68 648.33	3 379 469.79	R399	-68 877.34	3 379 401.33
L400	-68 713.26	3 379 440.56	R400	-68 983.90	3 379 352.59
L401	-68 876.68	3 379 366.32	R401	-69 102.32	3 379 298.68
L402	-69 030.99	3 379 296.56	R402	-69 264.44	3 379 225.46
L403	-69 137.42	3 379 248.91	R403	-69 277.52	3 379 219.56
L404	-69 263.04	3 379 191.82	R404	-69 404.58	3 379 162.79
L405	-69 346.14	3 379 154.06	R405	-69 445.31	3 379 144.66
L406	-69 465.62	3 379 099.83	R406	-69 452.55	3 379 142.78
L407	-69 540.44	3 379 065.88	R407	-69 471.71	3 379 130.33
L408	-69 599.32	3 379 027.13	R408	-69 471.68	3 379 135.46

Vel Sheet	32	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29º

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L409	-69 649.33	3 378 989.42	R409	-69 478.40	3 379 133.69
L410	-69 665.88	3 378 970.17	R410	-69 501.11	3 379 126.89
L411	-69 708.00	3 378 913.28	R411	-69 577.71	3 379 079.61
L412	-69 729.02	3 378 870.37	R412	-69 637.79	3 379 039.53
L413	-69 731.33	3 378 865.65	R413	-69 674.44	3 379 010.75
L414	-69 750.20	3 378 792.00	R414	-69 702.71	3 378 974.85
L415	-69 769.63	3 378 728.86	R415	-69 714.88	3 378 952.24
L416	-69 822.57	3 378 512.75	R416	-69 720.03	3 378 942.68
L417	-69 855.30	3 378 377.76	R417	-69 749.82	3 378 893.32
L418	-69 873.45	3 378 315.58	R418	-69 761.45	3 378 865.54
L419	-69 888.96	3 378 264.45	R419	-69 774.13	3 378 829.32
L420	-69 914.68	3 378 207.39	R420	-69 795.05	3 378 751.87
L421	-69 967.15	3 378 122.44	R421	-69 809.85	3 378 697.55
L422	-70 027.09	3 378 051.44	R422	-69 823.81	3 378 640.92
L423	-70 085.04	3 378 010.91	R423	-69 839.80	3 378 581.21
L424	-70 136.77	3 377 968.08	R424	-69 851.13	3 378 520.46
L425	-70 240.18	3 377 911.40	R425	-69 854.01	3 378 506.96
L426	-70 294.32	3 377 893.12	R426	-69 862.84	3 378 474.40
L427	-70 345.19	3 377 879.86	R427	-69 880.43	3 378 410.00
L428	-70 427.03	3 377 864.70	R428	-69 895.66	3 378 350.69
L429	-70 711.99	3 377 813.63	R429	-69 923.66	3 378 284.05
L430	-70 837.69	3 377 791.88	R430	-69 946.07	3 378 232.44
L431	-71 056.92	3 377 753.94	R431	-69 970.92	3 378 178.22
L432	-71 415.21	3 377 690.64	R432	-70 016.09	3 378 121.96
L433	-71 648.08	3 377 649.25	R433	-70 069.10	3 378 056.64
L434	-71 722.64	3 377 636.15	R434	-70 116.94	3 378 016.37
L435	-71 864.03	3 377 613.31	R435	-70 171.06	3 377 980.55
L436	-71 950.93	3 377 599.40	R436	-70 191.90	3 377 968.76
L437	-71 963.07	3 377 595.58	R437	-70 237.54	3 377 946.32
L438	-71 990.84	3 377 590.71	R438	-70 287.10	3 377 928.27
L439	-72 026.24	3 377 585.82	R439	-70 342.08	3 377 912.90
L440	-72 098.71	3 377 575.80	R440	-70 719.53	3 377 844.88
L441	-72 110.23	3 377 565.66	R441	-70 964.43	3 377 800.96
L442	-72 141.38	3 377 566.89	R442	-71 060.76	3 377 783.68
L443	-72 249.47	3 377 545.44	R443	-71 420.55	3 377 721.51
L444	-72 274.96	3 377 541.02	R444	-71 563.19	3 377 697.04
L445	-72 305.56	3 377 533.91	R445	-71 785.70	3 377 670.02
L446	-72 370.49	3 377 518.83	R446	-71 810.96	3 377 666.96
L447	-72 473.75	3 377 498.00	R447	-71 863.75	3 377 658.71
L448	-72 524.96	3 377 487.67	R448	-71 955.55	3 377 636.48
L449	-72 601.69	3 377 449.95	R449	-71 968.66	3 377 634.63
L450	-72 810.51	3 377 347.31	R450	-71 997.54	3 377 629.16
L451	-72 814.59	3 377 377.91	R451	-72 072.49	3 377 639.36
L452	-72 808.86	3 377 394.87	R452	-72 092.98	3 377 632.80
L453	-72 802.05	3 377 458.21	R453	-72 110.45	3 377 613.49
L454	-72 819.27	3 377 466.59	R454	-72 125.05	3 377 606.92
L455	-72 992.15	3 377 488.81	R455	-72 161.05	3 377 603.69
L456	-73 040.24	3 377 495.72	R456	-72 255.52	3 377 592.10
L457	-73 082.68	3 377 496.75	R457	-72 276.65	3 377 587.27
L458	-73 115.79	3 377 500.79	R458	-72 286.82	3 377 586.44
L459	-73 133.05	3 377 502.64	R459	-72 316.47	3 377 581.23

Vel Sheet	33	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L511	-76 169.60	3 380 357.12	R511	-73 560.09	3 377 761.84
L512	-76 237.90	3 380 405.56	R512	-73 587.75	3 377 785.79
L513	-76 271.77	3 380 439.16	R513	-73 648.56	3 377 841.23
L514	-76 311.02	3 380 478.11	R514	-73 713.68	3 377 903.99
L515	-76 406.55	3 380 598.24	R515	-73 819.78	3 377 996.75
L516	-76 490.87	3 380 699.60	R516	-73 937.52	3 378 104.38
L517	-76 516.57	3 380 743.48	R517	-73 945.01	3 378 111.17
L518	-76 591.40	3 380 842.25	R518	-74 087.87	3 378 240.74
L519	-76 673.66	3 380 950.72	R519	-74 212.11	3 378 353.83
L520	-76 741.04	3 381 039.69	R520	-74 378.44	3 378 504.70
L521	-76 812.94	3 381 134.29	R521	-74 487.38	3 378 601.12
L522	-76 868.46	3 381 207.97	R522	-74 557.25	3 378 669.04
L523	-76 922.90	3 381 273.65	R523	-74 663.21	3 378 795.94
L524	-76 933.33	3 381 281.85	R524	-74 710.96	3 378 829.94
L525	-76 944.25	3 381 293.75	R525	-74 721.44	3 378 837.11
L526	-76 946.38	3 381 299.90	R526	-74 734.01	3 378 846.42
L527	-77 032.02	3 381 379.70	R527	-74 766.15	3 378 870.22
L528	-77 133.34	3 381 454.59	R528	-74 788.46	3 378 898.16
L529	-77 143.48	3 381 461.21	R529	-74 833.62	3 378 941.26
L530	-77 218.95	3 381 510.47	R530	-74 851.74	3 378 950.48
L531	-77 595.11	3 381 754.29	R531	-74 895.55	3 378 975.62
L532	-77 662.55	3 381 793.55	R532	-74 949.44	3 379 023.77
L533	-77 718.26	3 381 832.12	R533	-75 022.81	3 379 093.83
L534	-77 760.09	3 381 863.67	R534	-75 056.12	3 379 129.96
L535	-77 800.54	3 381 893.56	R535	-75 088.54	3 379 160.60
L536	-77 836.81	3 381 921.56	R536	-75 107.07	3 379 188.98
L537	-77 902.74	3 381 983.36	R537	-75 137.05	3 379 230.73
L538	-77 936.19	3 382 018.45	R538	-75 149.00	3 379 253.65
L539	-77 964.01	3 382 064.25	R539	-75 154.16	3 379 262.62
L540	-77 994.00	3 382 108.16	R540	-75 175.17	3 379 305.60
L541	-77 993.34	3 382 115.28	R541	-75 231.70	3 379 436.72
L542	-78 004.61	3 382 135.13	R542	-75 247.12	3 379 470.09
L543	-78 008.87	3 382 135.20	R543	-75 255.90	3 379 497.01
L544	-78 043.17	3 382 212.78	R544	-75 269.66	3 379 539.24
L545	-78 047.05	3 382 222.49	R545	-75 269.41	3 379 553.47
L546	-78 054.80	3 382 241.86	R546	-75 306.36	3 379 631.47
L547	-78 058.49	3 382 250.39	R547	-75 348.37	3 379 704.01
L548	-78 092.68	3 382 342.58	R548	-75 377.05	3 379 770.99
L549	-78 118.53	3 382 396.74	R549	-75 388.81	3 379 803.75
L550	-78 141.29	3 382 456.81	R550	-75 431.76	3 379 873.33
L551	-78 189.24	3 382 625.95	R551	-75 460.40	3 379 909.55
L552	-78 204.09	3 382 670.92	R552	-75 494.61	3 379 948.25
L553	-78 228.21	3 382 724.94	R553	-75 544.01	3 379 975.62
L554	-78 284.16	3 382 873.73	R554	-75 643.20	3 380 043.89
L555	-78 304.74	3 382 948.46	R555	-75 657.64	3 380 061.80
L556	-78 377.11	3 383 127.97	R556	-75 665.44	3 380 074.61
L557	-78 398.40	3 383 187.15	R557	-75 715.78	3 380 098.76
L558	-78 426.12	3 383 274.49	R558	-75 786.99	3 380 143.58
L559	-78 444.91	3 383 338.09	R559	-75 843.32	3 380 169.96
L560	-78 451.04	3 383 355.00	R560	-75 986.91	3 380 278.37
L561	-78 453.33	3 383 357.52	R561	-76 078.02	3 380 346.30

Vel Sheet	34	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L460	-73 153.38	3 377 505.67	R460	-72 355.85	3 377 575.09
L461	-73 183.75	3 377 510.19	R461	-72 385.42	3 377 569.99
L462	-73 195.60	3 377 513.21	R462	-72 405.03	3 377 566.84
L463	-73 215.54	3 377 519.16	R463	-72 414.86	3 377 565.47
L464	-73 235.19	3 377 525.57	R464	-72 484.27	3 377 558.09
L465	-73 254.61	3 377 532.23	R465	-72 496.77	3 377 556.51
L466	-73 293.09	3 377 545.88	R466	-72 503.99	3 377 555.60
L467	-73 312.17	3 377 553.06	R467	-72 530.78	3 377 552.54
L468	-73 331.04	3 377 560.81	R468	-72 569.37	3 377 549.30
L469	-73 349.64	3 377 569.11	R469	-72 592.71	3 377 551.26
L470	-73 368.06	3 377 577.81	R470	-72 612.00	3 377 552.27
L471	-73 386.16	3 377 587.18	R471	-72 621.54	3 377 553.76
L472	-73 421.49	3 377 607.39	R472	-72 640.97	3 377 557.75
L473	-73 459.14	3 377 632.05	R473	-72 644.21	3 377 558.89
L474	-73 510.90	3 377 674.78	R474	-72 646.37	3 377 571.76
L475	-73 601.83	3 377 757.61	R475	-72 634.83	3 377 593.70
L476	-73 741.66	3 377 884.79	R476	-72 629.62	3 377 600.13
L477	-74 007.13	3 378 126.11	R477	-72 654.16	3 377 623.96
L478	-74 028.82	3 378 145.79	R478	-72 655.14	3 377 622.63
L479	-74 244.62	3 378 341.55	R479	-72 689.34	3 377 577.56
L480	-74 504.80	3 378 577.99	R480	-72 690.33	3 377 577.05
L481	-74 541.14	3 378 601.62	R481	-72 695.15	3 377 576.94
L482	-74 587.38	3 378 636.28	R482	-72 700.41	3 377 577.98
L483	-74 656.94	3 378 687.38	R483	-72 711.14	3 377 580.61
L484	-74 685.19	3 378 720.27	R484	-72 732.94	3 377 584.33
L485	-74 741.44	3 378 784.43	R485	-72 754.97	3 377 583.39
L486	-74 749.01	3 378 793.06	R486	-72 776.10	3 377 578.68
L487	-74 778.82	3 378 822.87	R487	-72 796.96	3 377 570.44
L488	-74 820.32	3 378 862.75	R488	-72 813.94	3 377 564.31
L489	-74 863.77	3 378 903.08	R489	-72 833.22	3 377 558.22
L490	-74 929.35	3 378 950.99	R490	-72 858.73	3 377 552.82
L491	-74 997.55	3 379 011.25	R491	-72 878.60	3 377 549.63
L492	-75 073.29	3 379 090.19	R492	-72 902.03	3 377 548.18
L493	-75 108.48	3 379 138.29	R493	-72 948.83	3 377 547.35
L494	-75 167.51	3 379 212.35	R494	-72 968.02	3 377 556.18
L495	-75 217.61	3 379 313.82	R495	-72 988.07	3 377 562.18
L496	-75 271.59	3 379 398.17	R496	-73 008.14	3 377 566.68
L497	-75 298.54	3 379 451.50	R497	-73 028.29	3 377 569.04
L498	-75 314.53	3 379 483.15	R498	-73 086.04	3 377 572.83
L499	-75 326.03	3 379 556.28	R499	-73 111.69	3 377 572.75
L500	-75 362.99	3 379 661.96	R500	-73 131.73	3 377 572.63
L501	-75 414.55	3 379 768.45	R501	-73 166.17	3 377 570.32
L502	-75 462.46	3 379 842.76	R502	-73 188.63	3 377 570.22
L503	-75 500.96	3 379 891.32	R503	-73 217.31	3 377 572.55
L504	-75 527.33	3 379 920.46	R504	-73 241.12	3 377 574.49
L505	-75 601.81	3 379 976.35	R505	-73 283.43	3 377 585.53
L506	-75 686.83	3 380 034.80	R506	-73 338.65	3 377 605.68
L507	-75 799.49	3 380 110.45	R507	-73 392.26	3 377 631.45
L508	-75 892.08	3 380 170.23	R508	-73 443.01	3 377 662.27
L509	-75 994.73	3 380 238.86	R509	-73 491.75	3 377 699.06
L510	-76 097.88	3 380 309.55	R510	-73 534.78	3 377 740.18

Vel Sheet	35	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L562	-78 454.94	3 383 359.29	R562	-76 142.00	3 380 381.32
L563	-78 482.11	3 383 437.24	R563	-76 221.06	3 380 441.56
L564	-78 488.89	3 383 470.87	R564	-76 284.19	3 380 502.29
L565	-78 496.69	3 383 508.01	R565	-76 417.47	3 380 672.96
L566	-78 519.24	3 383 562.14	R566	-76 419.98	3 380 675.90
L567	-78 519.72	3 383 563.29	R567	-76 477.27	3 380 743.07
L568	-78 535.53	3 383 610.21	R568	-76 511.32	3 380 786.62
L569	-78 546.28	3 383 638.79	R569	-76 562.23	3 380 862.38
L570	-78 560.35	3 383 676.16	R570	-76 609.54	3 380 920.38
L571	-78 567.54	3 383 708.81	R571	-76 639.44	3 380 957.17
L572	-78 590.36	3 383 778.01	R572	-76 657.16	3 380 980.94
L573	-78 611.44	3 383 835.57	R573	-76 700.83	3 381 038.03
L574	-78 620.24	3 383 868.48	R574	-76 751.32	3 381 104.42
L575	-78 617.07	3 383 873.37	R575	-76 807.62	3 381 180.43
L576	-78 618.44	3 383 883.38	R576	-76 843.73	3 381 226.63
L577	-78 627.66	3 383 887.75	R577	-76 862.37	3 381 248.89
L578	-78 637.91	3 383 916.51	R578	-76 921.59	3 381 318.87
L579	-78 652.66	3 383 950.00	R579	-76 961.84	3 381 356.86
L580	-78 663.96	3 383 974.89	R580	-76 979.50	3 381 373.53
L581	-78 683.82	3 384 030.15	R581	-77 018.25	3 381 404.89
L582	-78 697.69	3 384 073.93	R582	-77 087.66	3 381 458.22
L583	-78 701.70	3 384 091.45	R583	-77 108.30	3 381 474.08
L584	-78 725.69	3 384 158.76	R584	-77 129.77	3 381 488.71
L585	-78 761.14	3 384 260.44	R585	-77 208.59	3 381 540.35
L586	-78 757.18	3 384 276.13	R586	-77 495.53	3 381 726.79
L587	-78 763.03	3 384 293.58	R587	-77 583.22	3 381 790.38
L588	-78 772.32	3 384 295.24	R588	-77 640.59	3 381 832.03
L589	-78 801.72	3 384 352.64	R589	-77 690.08	3 381 860.96
L590	-78 832.39	3 384 403.66	R590	-77 749.82	3 381 892.53
L591	-78 868.24	3 384 450.33	R591	-77 890.38	3 382 021.07
L592	-78 886.13	3 384 469.10	R592	-77 900.79	3 382 038.83
L593	-78 923.33	3 384 505.15	R593	-77 945.81	3 382 094.59
L594	-78 950.92	3 384 534.75	R594	-77 996.29	3 382 181.05
L595	-79 050.44	3 384 599.73	R595	-78 004.39	3 382 203.01
L596	-79 055.61	3 384 599.32	R596	-78 034.59	3 382 284.89
L597	-79 092.32	3 384 615.35	R597	-78 051.73	3 382 326.10
L598	-79 130.07	3 384 629.05	R598	-78 059.35	3 382 356.61
L599	-79 166.86	3 384 637.46	R599	-78 087.10	3 382 445.08
L600	-79 203.06	3 384 645.82	R600	-78 123.09	3 382 547.57
L601	-79 267.34	3 384 649.39	R601	-78 190.83	3 382 728.95
L602	-79 371.56	3 384 656.78	R602	-78 232.59	3 382 893.45
L603	-79 429.50	3 384 661.63	R603	-78 263.16	3 382 950.26
L604	-79 522.83	3 384 662.15	R604	-78 305.02	3 383 054.87
L605	-79 550.75	3 384 667.64	R605	-78 317.31	3 383 099.77
L606	-79 608.83	3 384 685.25	R606	-78 331.68	3 383 143.20
L607	-79 641.87	3 384 696.57	R607	-78 342.03	3 383 177.54
L608	-79 730.79	3 384 727.00	R608	-78 371.52	3 383 269.97
L609	-79 753.06	3 384 734.62	R609	-78 392.14	3 383 321.78
L610	-79 791.11	3 384 746.56	R610	-78 416.42	3 383 377.00
L611	-79 816.00	3 384 754.24	R611	-78 424.53	3 383 400.14
L612	-79 859.29	3 384 758.03	R612	-78 461.70	3 383 506.26

Vel Sheet	36	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29º

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L613	-79 901.83	3 384 761.84	R613	-78 473.81	3 383 551.09
L614	-79 914.98	3 384 759.79	R614	-78 483.95	3 383 576.50
L615	-79 961.20	3 384 753.04	R615	-78 487.46	3 383 585.30
L616	-79 992.64	3 384 745.52	R616	-78 502.42	3 383 628.58
L617	-80 029.25	3 384 735.78	R617	-78 521.20	3 383 682.91
L618	-80 060.54	3 384 725.44	R618	-78 536.49	3 383 718.42
L619	-80 100.89	3 384 712.48	R619	-78 559.77	3 383 789.79
L620	-80 178.10	3 384 675.87	R620	-78 587.96	3 383 863.49
L621	-80 212.35	3 384 658.79	R621	-78 601.63	3 383 894.07
L622	-80 284.66	3 384 621.73	R622	-78 611.15	3 383 940.12
L623	-80 306.54	3 384 609.92	R623	-78 614.50	3 383 975.15
L624	-80 363.47	3 384 571.44	R624	-78 622.58	3 384 023.23
L625	-80 454.08	3 384 513.99	R625	-78 630.41	3 384 059.71
L626	-80 507.97	3 384 486.00	R626	-78 640.47	3 384 089.62
L627	-80 535.21	3 384 471.84	R627	-78 656.06	3 384 106.10
L628	-80 560.91	3 384 461.54	R628	-78 674.17	3 384 118.97
L629	-80 603.72	3 384 445.76	R629	-78 700.32	3 384 183.93
L630	-80 627.43	3 384 443.04	R630	-78 716.33	3 384 225.36
L631	-80 661.82	3 384 432.88	R631	-78 718.62	3 384 247.97
L632	-80 732.02	3 384 421.06	R632	-78 751.04	3 384 333.38
L633	-80 797.39	3 384 411.80	R633	-78 784.29	3 384 392.37
L634	-80 885.54	3 384 398.77	R634	-78 804.49	3 384 423.79
L635	-80 943.86	3 384 390.29	R635	-78 833.21	3 384 461.54
L636	-81 061.40	3 384 369.56	R636	-78 861.95	3 384 493.31
L637	-81 100.48	3 384 365.97	R637	-78 882.11	3 384 513.95
L638	-81 142.87	3 384 360.88	R638	-78 906.57	3 384 535.44
L639	-81 196.81	3 384 353.40	R639	-78 932.79	3 384 558.27
L640	-81 234.22	3 384 347.91	R640	-78 981.94	3 384 596.56
L641	-81 448.30	3 384 315.93	R641	-79 031.75	3 384 623.29
L642	-81 643.44	3 384 287.29	R642	-79 062.18	3 384 639.46
L643	-81 686.31	3 384 281.29	R643	-79 081.78	3 384 647.63
L644	-81 903.79	3 384 249.43	R644	-79 120.25	3 384 661.59
L645	-81 947.82	3 384 242.98	R645	-79 163.02	3 384 673.49
L646	-82 081.45	3 384 223.41	R646	-79 191.46	3 384 694.99
L647	-82 460.28	3 384 168.03	R647	-79 215.84	3 384 700.56
L648	-82 693.32	3 384 133.69	R648	-79 227.20	3 384 703.27
L649	-82 785.18	3 384 123.15	R649	-79 241.05	3 384 703.46
L650	-83 034.40	3 384 104.30	R650	-79 280.86	3 384 703.90
L651	-83 041.96	3 384 103.73	R651	-79 301.62	3 384 699.24
L652	-83 121.81	3 384 096.32	R652	-79 318.84	3 384 695.95
L653	-83 200.70	3 384 089.15	R653	-79 370.31	3 384 691.52
L654	-83 369.37	3 384 035.12	R654	-79 427.65	3 384 697.56
L655	-83 436.77	3 383 996.03	R655	-79 526.91	3 384 704.74
L656	-83 518.60	3 383 930.43	R656	-79 579.08	3 384 715.82
L657	-83 941.04	3 383 499.42	R657	-79 640.18	3 384 734.59
L658	-84 006.97	3 383 448.06	R658	-79 731.77	3 384 768.05
L659	-84 077.32	3 383 407.54	R659	-79 750.95	3 384 775.06
L660	-84 152.87	3 383 376.57	R660	-79 807.56	3 384 783.84
L661	-85 069.74	3 383 159.93	R661	-79 851.85	3 384 788.68
L662	-85 152.75	3 383 145.10	R662	-79 915.02	3 384 796.56
L663	-85 256.89	3 383 156.65	R663	-79 935.41	3 384 798.50

Vel Sheet	37	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L664	-85 822.76	3 383 284.05	R664	-79 978.70	3 384 798.33
L665	-85 880.79	3 383 300.03	R665	-79 993.22	3 384 798.16
L666	-85 919.57	3 383 313.06	R666	-80 004.79	3 384 796.74
L667	-85 976.64	3 383 336.53	R667	-80 029.72	3 384 790.93
L668	-86 242.60	3 383 477.82	R668	-80 043.63	3 384 787.30
L669	-86 283.64	3 383 499.78	R669	-80 073.69	3 384 777.90
L670	-86 305.42	3 383 506.94	R670	-80 087.15	3 384 772.95
L671	-86 339.45	3 383 528.42	R671	-80 146.22	3 384 748.12
L672	-86 368.72	3 383 542.20	R672	-80 176.10	3 384 733.60
L673	-86 437.75	3 383 598.95	R673	-80 186.91	3 384 725.39
L674	-86 441.26	3 383 602.40	R674	-80 214.59	3 384 708.16
L675	-86 479.03	3 383 644.90	R675	-80 331.95	3 384 633.41
L676	-86 501.93	3 383 677.96	R676	-80 364.54	3 384 613.92
L677	-86 521.31	3 383 713.15	R677	-80 418.25	3 384 580.26
L678	-86 538.23	3 383 752.77	R678	-80 434.71	3 384 566.52
L679	-86 546.06	3 383 774.35	R679	-80 487.01	3 384 532.67
L680	-86 551.59	3 383 794.38	R680	-80 535.96	3 384 506.54
L681	-86 561.70	3 383 860.22	R681	-80 599.30	3 384 483.54
L682	-86 561.97	3 383 899.91	R682	-80 658.11	3 384 467.25
L683	-86 548.56	3 384 174.64	R683	-80 709.31	3 384 455.68
L684	-86 549.88	3 384 214.54	R684	-80 827.24	3 384 438.45
L685	-86 558.56	3 384 282.12	R685	-80 884.30	3 384 429.99
L686	-86 592.25	3 384 367.31	R686	-80 968.27	3 384 417.82
L687	-86 628.21	3 384 426.39	R687	-81 030.92	3 384 408.69
L688	-86 729.21	3 384 560.35	R688	-81 042.65	3 384 407.00
L689	-86 834.76	3 384 718.72	R689	-81 112.90	3 384 396.70
L690	-86 867.93	3 384 744.50	R690	-81 234.68	3 384 378.69
L691	-86 883.75	3 384 770.27	R691	-81 356.12	3 384 366.48
L692	-86 895.91	3 384 789.16	R692	-81 418.16	3 384 358.52
L693	-86 953.07	3 384 848.59	R693	-81 462.48	3 384 345.39
L694	-86 969.59	3 384 873.64	R694	-81 558.53	3 384 331.50
L695	-86 979.33	3 384 902.20	R695	-81 655.66	3 384 317.32
L696	-87 007.60	3 384 956.84	R696	-81 689.60	3 384 312.06
L697	-87 061.15	3 384 998.28	R697	-81 897.77	3 384 281.71
L698	-87 097.48	3 385 063.28	R698	-82 086.02	3 384 254.26
L699	-87 109.67	3 385 105.35	R699	-82 251.66	3 384 229.84
L700	-87 155.43	3 385 142.13	R700	-82 465.61	3 384 198.31
L701	-87 204.82	3 385 172.75	R701	-82 677.14	3 384 167.65
L702	-87 258.74	3 385 193.78	R702	-82 811.71	3 384 151.72
L703	-87 295.98	3 385 189.78	R703	-83 047.36	3 384 133.38
L704	-87 356.64	3 385 185.44	R704	-83 065.34	3 384 131.98
L705	-87 430.53	3 385 195.02	R705	-83 111.23	3 384 128.10
L706	-87 484.64	3 385 174.86	R706	-83 313.63	3 384 113.33
L707	-87 532.67	3 385 142.66	R707	-83 388.35	3 384 117.63
L708	-87 547.58	3 385 129.53	R708	-83 428.28	3 384 125.29
			R709	-83 430.61	3 384 093.85
			R710	-83 464.52	3 384 104.18
			R711	-83 430.49	3 384 085.90
			R712	-83 459.01	3 384 028.25
			R713	-83 547.92	3 383 958.52
			R714	-83 673.46	3 383 829.62

Vel Sheet	38	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 29º

REGTERKANT/RIGHT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
R715	-83 910.44	3 383 586.31	R766	-87 342.24	3 385 244.74
R716	-83 952.45	3 383 543.17	R767	-87 376.26	3 385 242.75
R717	-84 112.59	3 383 435.63	R768	-87 439.29	3 385 225.74
R718	-84 359.83	3 383 366.29	R769	-87 499.67	3 385 206.41
R719	-84 612.55	3 383 307.72	R770	-87 528.17	3 385 193.05
R720	-85 057.26	3 383 204.25	R771	-87 546.07	3 385 181.62
R721	-85 117.50	3 383 191.42			
R722	-85 173.65	3 383 187.77			
R723	-85 814.63	3 383 323.67			
R724	-85 851.76	3 383 333.21			
R725	-85 959.16	3 383 372.52			
R726	-86 269.71	3 383 538.45			
R727	-86 274.72	3 383 540.82			
R728	-86 304.42	3 383 557.46			
R729	-86 379.05	3 383 601.55			
R730	-86 418.79	3 383 637.10			
R731	-86 445.00	3 383 667.28			
R732	-86 467.52	3 383 699.07			
R733	-86 486.81	3 383 733.89			
R734	-86 500.87	3 383 767.88			
R735	-86 511.86	3 383 804.42			
R736	-86 519.05	3 383 842.39			
R737	-86 521.89	3 383 878.19			
R738	-86 508.50	3 384 177.35			
R739	-86 509.66	3 384 208.78			
R740	-86 510.01	3 384 218.26			
R741	-86 511.22	3 384 232.49			
R742	-86 511.81	3 384 239.41			
R743	-86 518.20	3 384 280.87			
R744	-86 551.36	3 384 400.39			
R745	-86 600.16	3 384 486.98			
R746	-86 673.46	3 384 585.31			
R747	-86 671.26	3 384 589.64			
R748	-86 577.40	3 384 537.21			
R749	-86 458.71	3 384 532.04			
R750	-86 457.78	3 384 544.46			
R751	-86 494.71	3 384 552.40			
R752	-86 608.42	3 384 598.46			
R753	-86 755.87	3 384 694.46			
R754	-86 822.55	3 384 755.67			
R755	-86 840.17	3 384 801.42			
R756	-86 863.16	3 384 833.23			
R757	-86 885.90	3 384 853.41			
R758	-86 947.65	3 384 923.26			
R759	-86 981.41	3 384 974.19			
R760	-87 007.25	3 385 029.31			
R761	-87 042.97	3 385 078.96			
R762	-87 088.74	3 385 125.18			
R763	-87 187.86	3 385 206.04			
R764	-87 215.61	3 385 218.66			
R765	-87 312.13	3 385 241.79			

Vel Sheet	39	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L709	104 279.04	3 385 268.34	R772	104 261.92	3 385 304.41
L710	104 266.69	3 385 255.27	R773	104 231.93	3 385 280.25
L711	104 185.54	3 385 169.36	R774	104 204.84	3 385 253.66
L712	104 173.08	3 385 136.15	R775	104 144.24	3 385 196.63
L713	104 131.29	3 385 102.54	R776	104 078.00	3 385 132.71
L714	104 113.65	3 385 086.71	R777	104 038.28	3 385 093.45
L715	104 060.44	3 385 051.27	R778	104 005.40	3 385 070.61
L716	104 049.67	3 385 046.32	R779	103 965.01	3 385 042.26
L717	104 020.44	3 385 034.81	R780	103 892.57	3 385 016.96
L718	103 966.89	3 385 001.93	R781	103 822.39	3 384 999.32
L719	103 917.70	3 384 983.93	R782	103 741.70	3 384 979.09
L720	103 749.74	3 384 947.96	R783	103 676.61	3 384 972.90
L721	103 617.30	3 384 908.76	R784	103 643.31	3 384 971.57
L722	103 520.97	3 384 889.54	R785	103 610.87	3 384 966.27
L723	103 501.03	3 384 885.73	R786	103 497.67	3 384 928.89
L724	103 491.67	3 384 863.86	R787	103 470.01	3 384 914.45
L725	103 470.52	3 384 845.63	R788	103 451.44	3 384 912.78
L726	103 426.05	3 384 842.08	R789	103 436.17	3 384 911.18
L727	103 402.30	3 384 854.89	R790	103 409.05	3 384 907.10
L728	103 396.00	3 384 870.10	R791	103 344.99	3 384 908.81
L729	103 316.36	3 384 879.58	R792	103 312.88	3 384 914.97
L730	103 015.82	3 384 885.09	R793	103 170.12	3 384 918.08
L731	102 977.23	3 384 883.86	R794	103 072.39	3 384 917.67
L732	102 939.02	3 384 878.17	R795	103 016.24	3 384 918.95
L733	102 880.90	3 384 871.57	R796	102 948.59	3 384 916.16
L734	102 871.41	3 384 868.91	R797	102 909.79	3 384 910.68
L735	102 830.55	3 384 857.46	R798	102 871.89	3 384 902.31
L736	102 732.04	3 384 803.08	R799	102 870.97	3 384 902.10
L737	102 649.13	3 384 762.21	R800	102 833.11	3 384 891.89
L738	102 531.56	3 384 721.29	R801	102 793.77	3 384 881.28
L739	102 442.65	3 384 681.75	R802	102 756.83	3 384 868.00
L740	102 423.26	3 384 674.78	R803	102 711.22	3 384 852.66
L741	102 396.63	3 384 668.65	R804	102 643.34	3 384 809.50
L742	102 341.27	3 384 661.16	R805	102 578.86	3 384 780.04
L743	102 301.51	3 384 651.02	R806	102 547.15	3 384 778.57
L744	102 280.69	3 384 647.73	R807	102 498.42	3 384 764.68
L745	102 259.76	3 384 646.18	R808	102 458.63	3 384 730.45
L746	102 239.48	3 384 645.67	R809	102 421.13	3 384 715.98
L747	102 149.75	3 384 650.34	R810	102 381.95	3 384 704.43
L748	102 093.84	3 384 650.82	R811	102 344.03	3 384 695.39
L749	101 979.53	3 384 651.82	R812	102 303.92	3 384 694.55
L750	101 959.49	3 384 649.72	R813	102 283.75	3 384 703.26
L751	101 919.12	3 384 646.22	R814	102 222.91	3 384 703.19
L752	101 898.66	3 384 646.42	R815	102 188.55	3 384 700.96
L753	101 819.81	3 384 653.88	R816	102 173.02	3 384 698.70
L754	101 755.19	3 384 649.13	R817	102 153.27	3 384 695.84
L755	101 699.85	3 384 644.19	R818	102 125.28	3 384 702.46
L756	101 415.40	3 384 660.29	R819	102 074.98	3 384 699.69
L757	101 396.70	3 384 662.62	R820	102 065.58	3 384 686.47
L758	101 376.00	3 384 665.60	R821	101 514.20	3 384 691.82
L759	101 355.48	3 384 668.99	R822	101 416.48	3 384 701.50

Vel Sheet	40	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L760	101 345.87	3 384 670.55	R823	101 376.90	3 384 707.05
L761	101 334.08	3 384 672.46	R824	101 338.92	3 384 717.02
L762	101 294.59	3 384 686.43	R825	101 304.18	3 384 729.72
L763	101 272.74	3 384 692.06	R826	101 300.75	3 384 730.97
L764	101 239.37	3 384 703.30	R827	101 255.18	3 384 753.39
L765	101 215.50	3 384 718.35	R828	101 221.50	3 384 773.67
L766	101 196.78	3 384 732.07	R829	101 190.85	3 384 798.18
L767	101 153.28	3 384 770.06	R830	101 161.46	3 384 825.35
L768	101 143.39	3 384 796.93	R831	101 140.01	3 384 848.77
L769	101 116.50	3 384 829.48	R832	101 062.64	3 384 947.96
L770	101 037.42	3 384 930.44	R833	100 924.92	3 385 123.64
L771	100 900.95	3 385 103.62	R834	100 905.59	3 385 155.77
L772	100 876.56	3 385 129.31	R835	100 876.81	3 385 178.11
L773	100 855.73	3 385 147.68	R836	100 846.04	3 385 207.21
L774	100 818.85	3 385 182.24	R837	100 819.17	3 385 228.93
L775	100 804.28	3 385 199.68	R838	100 786.30	3 385 257.19
L776	100 777.41	3 385 212.44	R839	100 753.32	3 385 277.92
L777	100 760.05	3 385 220.82	R840	100 717.86	3 385 297.15
L778	100 724.71	3 385 237.06	R841	100 683.83	3 385 313.03
L779	100 689.55	3 385 255.27	R842	100 646.76	3 385 327.60
L780	100 639.29	3 385 283.85	R843	100 610.24	3 385 339.90
L781	100 623.48	3 385 291.05	R844	100 576.86	3 385 348.41
L782	100 601.56	3 385 278.78	R845	100 523.41	3 385 364.72
L783	100 590.06	3 385 296.34	R846	100 481.04	3 385 375.66
L784	100 596.67	3 385 301.58	R847	100 422.15	3 385 388.44
L785	100 578.32	3 385 306.57	R848	100 364.53	3 385 400.44
L786	100 415.92	3 385 347.00	R849	100 339.17	3 385 409.71
L787	100 367.95	3 385 359.00	R850	100 303.27	3 385 421.47
L788	100 334.00	3 385 368.39	R851	100 294.78	3 385 424.94
L789	100 297.97	3 385 380.67	R852	100 287.26	3 385 428.01
L790	100 270.54	3 385 391.94	R853	100 266.68	3 385 437.25
L791	100 261.92	3 385 395.48	R854	100 174.41	3 385 494.02
L792	100 222.59	3 385 414.71	R855	100 143.29	3 385 517.36
L793	100 186.51	3 385 435.55	R856	100 108.39	3 385 547.70
L794	100 152.87	3 385 458.02	R857	100 081.28	3 385 576.16
L795	100 113.51	3 385 488.47	R858	100 055.31	3 385 606.94
L796	100 082.88	3 385 516.00	R859	100 031.63	3 385 638.75
L797	100 046.47	3 385 553.90	R860	100 009.90	3 385 672.69
L798	100 022.83	3 385 582.30	R861	99 991.41	3 385 706.48
L799	100 000.28	3 385 613.06	R862	99 974.30	3 385 743.30
L800	99 977.95	3 385 649.39	R863	99 953.63	3 385 785.24
L801	99 964.63	3 385 677.90	R864	99 940.04	3 385 814.89
L802	99 941.05	3 385 731.00	R865	99 901.71	3 385 908.65
L803	99 919.58	3 385 771.80	R866	99 877.86	3 385 962.15
L804	99 874.62	3 385 854.70	R867	99 838.84	3 386 029.19
L805	99 848.24	3 385 913.13	R868	99 821.23	3 386 065.06
L806	99 821.09	3 385 984.71	R869	99 802.27	3 386 100.29
L807	99 797.89	3 386 029.02	R870	99 779.17	3 386 133.01
L808	99 783.23	3 386 055.86	R871	99 752.22	3 386 162.56
L809	99 769.52	3 386 076.11	R872	99 721.80	3 386 188.81
L810	99 746.26	3 386 104.89	R873	99 691.56	3 386 214.81

Vel Sheet	41	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L811	99 727.02	3 386 126.75	R874	99 660.99	3 386 240.56
L812	99 696.80	3 386 157.74	R875	99 647.39	3 386 246.12
L813	99 677.85	3 386 175.30	R876	99 596.81	3 386 291.33
L814	99 621.07	3 386 223.99	R877	99 573.78	3 386 315.27
L815	99 601.82	3 386 237.18	R878	99 548.10	3 386 345.79
L816	99 581.81	3 386 255.65	R879	99 524.11	3 386 377.10
L817	99 536.66	3 386 290.28	R880	99 503.75	3 386 407.90
L818	99 510.30	3 386 312.59	R881	99 488.64	3 386 443.36
L819	99 485.71	3 386 347.23	R882	99 476.12	3 386 480.40
L820	99 462.53	3 386 386.78	R883	99 465.12	3 386 516.89
L821	99 442.70	3 386 428.95	R884	99 457.36	3 386 557.57
L822	99 428.05	3 386 468.92	R885	99 444.13	3 386 655.26
L823	99 416.85	3 386 509.76	R886	99 437.39	3 386 696.48
L824	99 402.94	3 386 576.13	R887	99 429.19	3 386 741.69
L825	99 402.48	3 386 649.07	R888	99 411.47	3 386 791.40
L826	99 400.66	3 386 712.76	R889	99 392.10	3 386 835.39
L827	99 367.52	3 386 776.42	R890	99 380.42	3 386 853.74
L828	99 338.57	3 386 819.90	R891	99 353.11	3 386 885.90
L829	99 307.07	3 386 863.97	R892	99 326.35	3 386 916.83
L830	99 273.36	3 386 908.26	R893	99 301.75	3 386 939.75
L831	99 243.23	3 386 945.41	R894	99 247.24	3 386 982.12
L832	99 208.47	3 386 970.83	R895	99 217.18	3 387 001.09
L833	99 176.07	3 386 986.14	R896	99 182.33	3 387 019.85
L834	99 136.68	3 387 002.68	R897	99 137.21	3 387 039.42
L835	99 096.48	3 387 015.43	R898	99 100.00	3 387 053.77
L836	98 974.16	3 387 051.30	R899	99 001.58	3 387 089.79
L837	98 822.46	3 387 103.30	R900	98 960.33	3 387 105.14
L838	98 798.53	3 387 094.44	R901	98 929.99	3 387 116.21
L839	98 785.32	3 387 122.71	R902	98 890.29	3 387 128.53
L840	98 642.38	3 387 178.28	R903	98 875.16	3 387 138.95
L841	98 601.46	3 387 192.41	R904	98 827.83	3 387 149.06
L842	98 558.38	3 387 206.49	R905	98 818.37	3 387 152.60
L843	98 530.30	3 387 220.66	R906	98 759.64	3 387 177.22
L844	98 507.19	3 387 235.83	R907	98 725.40	3 387 187.70
L845	98 505.45	3 387 241.82	R908	98 682.50	3 387 199.15
L846	98 502.54	3 387 238.88	R909	98 612.25	3 387 223.57
L847	98 472.35	3 387 258.68	R910	98 556.08	3 387 251.67
L848	98 453.18	3 387 274.35	R911	98 537.98	3 387 262.70
L849	98 423.74	3 387 302.21	R912	98 523.61	3 387 271.47
L850	98 392.10	3 387 338.79	R913	98 492.60	3 387 294.36
L851	98 367.19	3 387 374.44	R914	98 464.68	3 387 318.28
L852	98 351.17	3 387 408.36	R915	98 437.17	3 387 345.20
L853	98 349.42	3 387 412.19	R916	98 400.52	3 387 392.77
L854	98 332.13	3 387 450.13	R917	98 381.12	3 387 426.64
L855	98 320.92	3 387 480.36	R918	98 363.15	3 387 475.51
L856	98 315.18	3 387 496.86	R919	98 355.31	3 387 511.46
L857	98 298.23	3 387 588.99	R920	98 350.99	3 387 531.26
L858	98 300.30	3 387 621.35	R921	98 343.42	3 387 587.23
L859	98 304.20	3 387 676.75	R922	98 341.84	3 387 643.70
L860	98 359.89	3 387 906.97	R923	98 346.93	3 387 699.27
L861	98 366.34	3 387 923.93	R924	98 360.98	3 387 754.97

Vel Sheet	42	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L862	98 389.94	3 387 987.13	R925	98 390.51	3 387 850.28
L863	98 404.57	3 388 079.27	R926	98 405.78	3 387 889.41
L864	98 407.83	3 388 163.77	R927	98 419.11	3 387 933.23
L865	98 396.75	3 388 264.35	R928	98 428.15	3 387 967.37
L866	98 372.20	3 388 483.27	R929	98 436.28	3 388 010.30
L867	98 364.08	3 388 548.23	R930	98 439.53	3 388 048.73
L868	98 347.62	3 388 613.94	R931	98 440.73	3 388 090.77
L869	98 326.99	3 388 677.64	R932	98 443.20	3 388 212.83
L870	98 278.78	3 388 778.23	R933	98 445.43	3 388 234.04
L871	98 213.92	3 388 877.42	R934	98 434.77	3 388 274.44
L872	98 156.35	3 388 940.66	R935	98 430.37	3 388 313.11
L873	98 110.70	3 388 977.98	R936	98 412.61	3 388 466.82
L874	97 982.77	3 389 081.65	R937	98 410.43	3 388 488.00
L875	97 877.22	3 389 161.82	R938	98 407.96	3 388 509.37
L876	97 835.10	3 389 206.55	R939	98 401.28	3 388 551.88
L877	97 805.66	3 389 237.90	R940	98 392.88	3 388 590.83
L878	97 783.72	3 389 267.31	R941	98 382.54	3 388 629.40
L879	97 747.14	3 389 316.04	R942	98 372.82	3 388 663.12
L880	97 701.34	3 389 397.77	R943	98 355.86	3 388 707.64
L881	97 684.85	3 389 445.81	R944	98 346.70	3 388 728.31
L882	97 653.39	3 389 535.72	R945	98 320.96	3 388 778.44
L883	97 644.45	3 389 561.51	R946	98 298.17	3 388 817.90
L884	97 643.56	3 389 564.09	R947	98 276.25	3 388 851.27
L885	97 610.15	3 389 668.78	R948	98 248.67	3 388 885.29
L886	97 609.23	3 389 673.64	R949	98 221.16	3 388 919.61
L887	97 602.28	3 389 710.19	R950	98 195.28	3 388 946.27
L888	97 599.93	3 389 716.27	R951	98 165.84	3 388 975.04
L889	97 563.42	3 389 824.12	R952	98 120.24	3 389 013.35
L890	97 560.53	3 389 828.96	R953	98 077.60	3 389 048.91
L891	97 542.61	3 389 858.94	R954	97 998.44	3 389 117.49
L892	97 520.70	3 389 903.19	R955	97 892.59	3 389 193.38
L893	97 432.98	3 390 068.96	R956	97 855.42	3 389 226.86
L894	97 407.83	3 390 116.43	R957	97 830.29	3 389 253.00
L895	97 407.20	3 390 117.62	R958	97 805.17	3 389 282.62
L896	97 373.53	3 390 181.26	R959	97 781.92	3 389 313.99
L897	97 356.14	3 390 207.79	R960	97 759.68	3 389 348.50
L898	97 320.23	3 390 275.56	R961	97 742.04	3 389 380.34
L899	97 318.07	3 390 286.11	R962	97 724.48	3 389 417.29
L900	97 240.05	3 390 433.54	R963	97 710.42	3 389 452.91
L901	97 201.52	3 390 502.73	R964	97 702.84	3 389 475.40
L902	97 196.21	3 390 516.43	R965	97 686.89	3 389 526.15
L903	97 145.19	3 390 612.86	R966	97 673.29	3 389 570.46
L904	97 134.22	3 390 633.52	R967	97 654.63	3 389 630.02
L905	96 982.87	3 390 919.54	R968	97 632.94	3 389 697.35
L906	96 959.80	3 390 963.15	R969	97 619.58	3 389 742.84
L907	96 946.40	3 390 988.47	R970	97 588.48	3 389 819.14
L908	96 915.13	3 391 048.66	R971	97 569.61	3 389 872.09
L909	96 886.26	3 391 095.71	R972	97 547.20	3 389 917.25
L910	96 864.50	3 391 131.19	R973	97 453.64	3 390 094.07
L911	96 859.04	3 391 144.32	R974	97 440.74	3 390 120.25
L912	96 831.34	3 391 195.21	R975	97 452.31	3 390 121.77

Vel Sheet	43	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L913	96 801.28	3 391 242.88	R976	97 442.96	3 390 141.85
L914	96 779.15	3 391 274.63	R977	97 337.12	3 390 369.26
L915	96 729.53	3 391 335.05	R978	97 224.94	3 390 550.23
L916	96 694.41	3 391 375.80	R979	96 889.82	3 391 166.24
L917	96 675.78	3 391 395.67	R980	96 836.32	3 391 264.57
L918	96 657.25	3 391 414.31	R981	96 779.16	3 391 323.56
L919	96 628.67	3 391 441.49	R982	96 754.15	3 391 353.99
L920	96 608.24	3 391 459.89	R983	96 728.77	3 391 383.55
L921	96 588.74	3 391 479.97	R984	96 701.65	3 391 412.21
L922	96 510.11	3 391 537.33	R985	96 673.21	3 391 439.87
L923	96 503.40	3 391 541.91	R986	96 644.33	3 391 467.99
L924	96 464.24	3 391 568.65	R987	96 615.06	3 391 493.68
L925	96 439.64	3 391 584.09	R988	96 596.40	3 391 509.17
L926	96 403.02	3 391 602.11	R989	96 584.60	3 391 518.95
L927	96 369.67	3 391 620.29	R990	96 577.00	3 391 524.99
L928	96 256.67	3 391 676.27	R991	96 541.64	3 391 546.75
L929	96 209.53	3 391 705.65	R992	96 536.66	3 391 550.92
L930	96 163.04	3 391 733.85	R993	96 511.02	3 391 572.41
L931	96 124.78	3 391 750.86	R994	96 478.45	3 391 594.22
L932	96 075.31	3 391 768.63	R995	96 445.15	3 391 614.81
L933	96 042.51	3 391 780.26	R996	96 411.40	3 391 635.25
L934	95 963.70	3 391 829.15	R997	96 375.75	3 391 654.08
L935	95 926.14	3 391 856.72	R998	96 262.01	3 391 715.08
L936	95 844.28	3 391 903.69	R999	96 209.30	3 391 743.21
L937	95 807.81	3 391 921.42	R1000	96 147.44	3 391 782.59
L938	95 765.79	3 391 950.44	R1001	96 121.99	3 391 803.65
L939	95 740.46	3 391 974.75	R1002	96 065.99	3 391 847.20
L940	95 715.64	3 391 997.32	R1003	95 999.01	3 391 860.18
L941	95 659.90	3 392 059.52	R1004	95 985.36	3 391 863.06
L942	95 638.55	3 392 088.99	R1005	95 971.78	3 391 871.10
L943	95 626.99	3 392 106.74	R1006	95 901.39	3 391 915.85
L944	95 607.74	3 392 133.70	R1007	95 849.90	3 391 947.63
L945	95 592.40	3 392 168.87	R1008	95 822.32	3 391 964.92
L946	95 560.98	3 392 237.20	R1009	95 791.47	3 391 985.63
L947	95 533.97	3 392 295.78	R1010	95 764.96	3 392 005.52
L948	95 518.33	3 392 323.82	R1011	95 741.15	3 392 024.87
L949	95 504.66	3 392 365.51	R1012	95 685.85	3 392 077.12
L950	95 477.64	3 392 410.74	R1013	95 664.97	3 392 103.51
L951	95 471.04	3 392 425.82	R1014	95 653.47	3 392 120.98
L952	95 470.84	3 392 434.79	R1015	95 637.39	3 392 148.26
L953	95 451.58	3 392 473.66	R1016	95 621.94	3 392 182.50
L954	95 441.30	3 392 496.67	R1017	95 598.98	3 392 252.64
L955	95 426.97	3 392 537.07	R1018	95 573.47	3 392 313.01
L956	95 412.43	3 392 554.59	R1019	95 533.65	3 392 382.08
L957	95 412.71	3 392 571.03	R1020	95 338.02	3 392 822.36
L958	95 404.91	3 392 588.65	R1021	95 301.47	3 392 905.54
L959	95 389.02	3 392 620.18	R1022	95 301.93	3 392 918.14
L960	95 376.31	3 392 652.79	R1023	95 296.48	3 392 931.53
L961	95 372.73	3 392 670.52	R1024	95 291.19	3 392 963.48
L962	95 366.55	3 392 685.27	R1025	95 268.37	3 393 003.28
L963	95 355.69	3 392 700.77	R1026	95 257.91	3 393 025.03

Vel Sheet	44	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L964	95 341.19	3 392 730.98	R1027	95 252.05	3 393 032.12
L965	95 310.52	3 392 810.38	R1028	95 239.71	3 393 066.92
L966	95 257.64	3 392 930.35	R1029	95 227.03	3 393 076.20
L967	95 233.39	3 392 967.11	R1030	95 219.76	3 393 085.14
L968	95 183.31	3 393 092.87	R1031	95 219.39	3 393 090.68
L969	95 141.10	3 393 189.90	R1032	95 229.15	3 393 094.69
L970	95 096.55	3 393 280.02	R1033	95 217.13	3 393 124.27
L971	95 061.12	3 393 353.14	R1034	95 196.18	3 393 156.33
L972	95 042.38	3 393 411.06	R1035	95 154.23	3 393 270.70
L973	95 024.09	3 393 438.39	R1036	95 130.19	3 393 328.81
L974	94 996.69	3 393 476.66	R1037	95 108.89	3 393 369.65
L975	94 992.51	3 393 481.91	R1038	95 104.23	3 393 387.59
L976	94 963.78	3 393 518.04	R1039	95 051.67	3 393 457.25
L977	94 920.46	3 393 552.85	R1040	95 045.57	3 393 465.26
L978	94 876.24	3 393 590.71	R1041	95 024.48	3 393 493.66
L979	94 856.53	3 393 604.21	R1042	95 014.85	3 393 507.41
L980	94 826.73	3 393 618.30	R1043	95 009.61	3 393 513.20
L981	94 814.59	3 393 624.26	R1044	94 996.23	3 393 528.02
L982	94 818.51	3 393 636.41	R1045	94 968.97	3 393 559.07
L983	94 774.87	3 393 649.79	R1046	94 951.15	3 393 579.41
L984	94 712.66	3 393 665.12	R1047	94 924.01	3 393 602.51
L985	94 678.33	3 393 676.64	R1048	94 882.15	3 393 636.83
L986	94 602.40	3 393 684.10	R1049	94 743.38	3 393 712.03
L987	94 552.58	3 393 683.66	R1050	94 679.13	3 393 717.84
L988	94 494.77	3 393 688.10	R1051	94 602.35	3 393 721.66
L989	94 474.56	3 393 678.87	R1052	94 531.75	3 393 723.11
L990	94 384.08	3 393 690.13	R1053	94 505.44	3 393 725.22
L991	94 267.91	3 393 690.97	R1054	94 480.00	3 393 724.55
L992	94 178.45	3 393 688.42	R1055	94 315.48	3 393 725.81
L993	94 166.43	3 393 688.01	R1056	94 239.12	3 393 727.34
L994	94 117.78	3 393 686.32	R1057	94 225.70	3 393 727.54
L995	94 009.74	3 393 672.98	R1058	94 195.92	3 393 727.99
L996	93 947.47	3 393 674.79	R1059	94 101.82	3 393 742.70
L997	93 879.36	3 393 712.93	R1060	94 020.45	3 393 750.77
L998	93 843.88	3 393 729.07	R1061	93 947.93	3 393 754.58
L999	93 796.95	3 393 750.78	R1062	93 903.33	3 393 765.53
L1000	93 720.78	3 393 788.23	R1063	93 854.52	3 393 778.26
L1001	93 714.50	3 393 791.32	R1064	93 806.78	3 393 796.03
L1002	93 670.90	3 393 816.41	R1065	93 734.66	3 393 837.85
L1003	93 613.72	3 393 874.29	R1066	93 719.41	3 393 847.75
L1004	93 570.35	3 393 915.19	R1067	93 712.90	3 393 843.57
L1005	93 551.78	3 393 935.31	R1068	93 703.06	3 393 850.84
L1006	93 513.22	3 393 980.06	R1069	93 678.97	3 393 868.63
L1007	93 489.20	3 394 007.38	R1070	93 647.32	3 393 892.04
L1008	93 464.57	3 394 047.20	R1071	93 617.29	3 393 914.26
L1009	93 422.96	3 394 118.46	R1072	93 589.85	3 393 939.44
L1010	93 399.09	3 394 166.22	R1073	93 563.43	3 393 967.23
L1011	93 381.90	3 394 229.64	R1074	93 539.50	3 393 999.79
L1012	93 362.46	3 394 280.29	R1075	93 517.50	3 394 029.28
L1013	93 337.67	3 394 358.62	R1076	93 497.22	3 394 064.05
L1014	93 333.51	3 394 390.54	R1077	93 453.52	3 394 141.19

Vel Sheet	45	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L1015	93 295.91	3 394 580.51	R1078	93 440.12	3 394 199.72
L1016	93 267.25	3 394 683.68	R1079	93 403.46	3 394 290.22
L1017	93 265.53	3 394 689.85	R1080	93 383.57	3 394 352.10
L1018	93 259.51	3 394 758.43	R1081	93 378.21	3 394 401.80
L1019	93 241.28	3 394 812.63	R1082	93 338.70	3 394 584.34
L1020	93 238.10	3 394 830.51	R1083	93 309.86	3 394 685.30
L1021	93 237.83	3 394 858.77	R1084	93 302.10	3 394 712.47
L1022	93 198.17	3 395 028.57	R1085	93 295.55	3 394 742.52
L1023	93 163.83	3 395 093.87	R1086	93 316.15	3 394 784.39
L1024	93 131.10	3 395 146.23	R1087	93 272.53	3 394 849.83
L1025	93 094.03	3 395 201.51	R1088	93 273.12	3 394 964.20
L1026	92 959.19	3 395 373.23	R1089	93 256.69	3 395 013.98
L1027	92 944.43	3 395 385.13	R1090	93 218.87	3 395 060.02
L1028	92 835.19	3 395 520.42	R1091	93 198.12	3 395 114.34
L1029	92 783.36	3 395 576.94	R1092	93 182.90	3 395 140.27
L1030	92 650.38	3 395 653.64	R1093	93 159.15	3 395 170.81
L1031	92 583.58	3 395 682.68	R1094	93 128.99	3 395 209.89
L1032	92 579.11	3 395 684.62	R1095	93 115.21	3 395 231.28
L1033	92 537.76	3 395 706.62	R1096	93 063.52	3 395 336.10
L1034	92 497.92	3 395 735.03	R1097	93 043.28	3 395 363.55
L1035	92 466.70	3 395 767.47	R1098	92 979.24	3 395 407.54
L1036	92 432.38	3 395 815.30	R1099	92 865.70	3 395 550.86
L1037	92 398.12	3 395 888.41	R1100	92 826.98	3 395 592.17
L1038	92 380.30	3 395 935.26	R1101	92 759.91	3 395 643.07
L1039	92 376.58	3 395 963.57	R1102	92 686.43	3 395 671.84
L1040	92 375.53	3 395 971.60	R1103	92 589.90	3 395 729.96
L1041	92 373.64	3 396 057.54	R1104	92 585.41	3 395 732.66
L1042	92 372.60	3 396 084.21	R1105	92 531.31	3 395 783.17
L1043	92 365.57	3 396 151.21	R1106	92 482.49	3 395 834.14
L1044	92 360.00	3 396 192.50	R1107	92 422.74	3 395 925.61
L1045	92 347.45	3 396 221.04	R1108	92 407.84	3 396 060.05
L1046	92 332.16	3 396 254.76	R1109	92 407.18	3 396 065.69
L1047	92 316.62	3 396 286.90	R1110	92 398.22	3 396 156.77
L1048	92 290.75	3 396 320.98	R1111	92 395.32	3 396 177.04
L1049	92 271.19	3 396 345.21	R1112	92 394.76	3 396 180.96
L1050	92 264.09	3 396 353.68	R1113	92 377.73	3 396 231.49
L1051	92 256.28	3 396 363.02	R1114	92 362.41	3 396 271.52
L1052	92 216.27	3 396 396.10	R1115	92 342.67	3 396 305.56
L1053	92 179.40	3 396 422.43	R1116	92 320.36	3 396 340.81
L1054	92 137.60	3 396 445.41	R1117	92 289.32	3 396 372.49
L1055	92 041.96	3 396 480.06	R1118	92 276.62	3 396 384.40
L1056	91 957.66	3 396 498.59	R1119	92 268.23	3 396 392.28
L1057	91 917.30	3 396 509.98	R1120	92 227.97	3 396 429.13
L1058	91 884.17	3 396 522.60	R1121	92 195.45	3 396 451.12
L1059	91 842.60	3 396 541.20	R1122	92 127.07	3 396 496.58
L1060	91 811.27	3 396 558.92	R1123	92 047.01	3 396 514.47
L1061	91 774.03	3 396 580.95	R1124	91 963.45	3 396 535.39
L1062	91 755.95	3 396 591.47	R1125	91 928.02	3 396 546.16
L1063	91 749.06	3 396 597.97	R1126	91 892.98	3 396 558.00
L1064	91 726.91	3 396 618.88	R1127	91 855.89	3 396 574.41
L1065	91 705.98	3 396 641.61	R1128	91 822.96	3 396 590.72

Vel Sheet	46	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L1066	91 683.25	3 396 666.31	R1129	91 789.80	3 396 612.15
L1067	91 658.44	3 396 697.64	R1130	91 747.38	3 396 644.46
L1068	91 559.12	3 396 827.85	R1131	91 740.70	3 396 649.55
L1069	91 463.15	3 396 952.30	R1132	91 718.58	3 396 674.49
L1070	91 396.42	3 397 037.20	R1133	91 684.82	3 396 716.44
L1071	91 316.07	3 397 142.85	R1134	91 584.27	3 396 844.58
L1072	91 288.73	3 397 173.42	R1135	91 572.93	3 396 859.13
L1073	91 265.55	3 397 207.28	R1136	91 509.80	3 396 951.99
L1074	91 243.60	3 397 244.32	R1137	91 463.69	3 397 013.67
L1075	91 210.60	3 397 314.15	R1138	91 429.97	3 397 058.01
L1076	91 201.43	3 397 338.53	R1139	91 345.76	3 397 159.74
L1077	91 174.59	3 397 398.86	R1140	91 317.75	3 397 194.19
L1078	91 155.12	3 397 471.39	R1141	91 296.60	3 397 225.86
L1079	91 117.86	3 397 572.07	R1142	91 276.75	3 397 259.53
L1080	91 113.55	3 397 583.71	R1143	91 258.19	3 397 292.21
L1081	91 042.95	3 397 780.66	R1144	91 240.53	3 397 328.36
L1082	90 989.38	3 397 943.58	R1145	91 230.58	3 397 354.66
L1083	90 975.95	3 397 984.41	R1146	91 197.68	3 397 441.90
L1084	90 932.97	3 398 113.63	R1147	91 175.34	3 397 505.15
L1085	90 887.29	3 398 243.60	R1148	91 168.70	3 397 524.22
L1086	90 867.88	3 398 303.65	R1149	91 145.97	3 397 597.04
L1087	90 849.22	3 398 353.17	R1150	91 142.18	3 397 609.20
L1088	90 734.26	3 398 684.33	R1151	91 077.34	3 397 793.27
L1089	90 684.22	3 398 833.39	R1152	91 024.52	3 397 939.20
L1090	90 680.91	3 398 843.25	R1153	91 009.98	3 397 979.35
L1091	90 670.35	3 398 861.83	R1154	90 905.57	3 398 274.44
L1092	90 644.68	3 398 904.56	R1155	90 894.76	3 398 313.44
L1093	90 643.88	3 398 919.95	R1156	90 878.15	3 398 361.32
L1094	90 636.79	3 398 940.96	R1157	90 764.57	3 398 693.00
L1095	90 622.15	3 398 978.01	R1158	90 719.87	3 398 829.11
L1096	90 602.06	3 399 034.98	R1159	90 710.89	3 398 856.46
L1097	90 586.10	3 399 071.90	R1160	90 706.54	3 398 870.07
L1098	90 566.02	3 399 133.34	R1161	90 682.58	3 398 929.91
L1099	90 540.80	3 399 205.93	R1162	90 627.70	3 399 093.65
L1100	90 530.10	3 399 244.11	R1163	90 604.47	3 399 159.95
L1101	90 521.67	3 399 285.83	R1164	90 597.78	3 399 183.76
L1102	90 521.46	3 399 287.45	R1165	90 589.09	3 399 216.16
L1103	90 516.95	3 399 323.91	R1166	90 578.75	3 399 254.03
L1104	90 519.16	3 399 369.75	R1167	90 570.23	3 399 291.72
L1105	90 526.60	3 399 410.20	R1168	90 564.87	3 399 326.18
L1106	90 532.98	3 399 448.61	R1169	90 564.60	3 399 328.50
L1107	90 540.85	3 399 509.15	R1170	90 559.82	3 399 369.59
L1108	90 544.98	3 399 553.54	R1171	90 560.05	3 399 410.04
L1109	90 553.84	3 399 593.23	R1172	90 565.17	3 399 446.23
L1110	90 567.62	3 399 630.86	R1173	90 571.28	3 399 488.14
L1111	90 577.97	3 399 690.14	R1174	90 576.52	3 399 525.61
L1112	90 585.11	3 399 730.22	R1175	90 619.61	3 399 691.41
L1113	90 591.27	3 399 762.34	R1176	90 628.55	3 399 712.85
L1114	90 596.48	3 399 789.51	R1177	90 638.34	3 399 757.71
L1115	90 604.71	3 399 827.31	R1178	90 640.60	3 399 768.45
L1116	90 617.12	3 399 887.18	R1179	90 648.98	3 399 808.32

Vel Sheet	47	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L1117	90 624.61	3 399 926.58	R1180	90 659.65	3 399 888.20
L1118	90 639.34	3 399 970.19	R1181	90 663.46	3 399 922.03
L1119	90 649.79	3 400 041.68	R1182	90 666.57	3 399 931.15
L1120	90 652.45	3 400 098.38	R1183	90 666.41	3 399 964.25
L1121	90 649.73	3 400 135.86	R1184	90 679.70	3 400 014.08
L1122	90 645.67	3 400 173.30	R1185	90 689.57	3 400 058.90
L1123	90 636.29	3 400 209.48	R1186	90 694.17	3 400 085.90
L1124	90 625.82	3 400 246.51	R1187	90 696.86	3 400 116.21
L1125	90 605.17	3 400 289.88	R1188	90 691.36	3 400 166.47
L1126	90 586.53	3 400 309.83	R1189	90 679.66	3 400 234.88
L1127	90 564.28	3 400 333.15	R1190	90 666.27	3 400 268.13
L1128	90 545.90	3 400 350.22	R1191	90 630.84	3 400 314.71
L1129	90 516.43	3 400 373.70	R1192	90 608.38	3 400 346.50
L1130	90 488.55	3 400 398.18	R1193	90 597.95	3 400 359.35
L1131	90 439.40	3 400 427.15	R1194	90 567.76	3 400 382.91
L1132	90 399.07	3 400 438.92	R1195	90 531.20	3 400 410.53
L1133	90 368.44	3 400 444.77	R1196	90 464.53	3 400 455.80
L1134	90 362.00	3 400 445.39	R1197	90 426.55	3 400 472.70
L1135	90 350.83	3 400 446.47	R1198	90 368.52	3 400 482.25
L1136	90 256.70	3 400 447.96	R1199	90 356.17	3 400 483.34
L1137	90 204.26	3 400 438.61	R1200	90 310.83	3 400 487.34
L1138	90 168.52	3 400 424.77	R1201	90 267.97	3 400 484.26
L1139	90 023.43	3 400 365.30	R1202	90 239.18	3 400 482.19
L1140	89 931.60	3 400 326.74	R1203	90 192.50	3 400 472.29
L1141	89 811.12	3 400 277.07	R1204	90 157.89	3 400 458.45
L1142	89 754.28	3 400 253.21	R1205	90 097.17	3 400 435.90
L1143	89 757.38	3 400 245.47	R1206	90 008.55	3 400 400.76
L1144	89 720.11	3 400 230.06	R1207	90 005.79	3 400 396.66
L1145	89 683.05	3 400 215.00	R1208	89 884.59	3 400 348.69
L1146	89 595.12	3 400 179.27	R1209	89 778.43	3 400 304.21
L1147	89 590.88	3 400 179.35	R1210	89 723.94	3 400 283.87
L1148	89 575.07	3 400 179.64	R1211	89 673.86	3 400 263.02
L1149	89 529.66	3 400 164.71	R1212	89 643.71	3 400 250.17
L1150	89 491.45	3 400 156.22	R1213	89 624.92	3 400 242.16
L1151	89 449.49	3 400 150.95	R1214	89 594.31	3 400 229.12
L1152	89 413.70	3 400 150.07	R1215	89 552.62	3 400 212.18
L1153	89 366.98	3 400 153.52	R1216	89 519.31	3 400 202.00
L1154	89 243.26	3 400 174.45	R1217	89 486.07	3 400 194.36
L1155	89 155.23	3 400 189.08	R1218	89 445.02	3 400 189.66
L1156	89 036.14	3 400 209.42	R1219	89 407.89	3 400 188.39
L1157	89 030.07	3 400 211.02	R1220	89 370.41	3 400 191.56
L1158	89 007.37	3 400 215.48	R1221	89 329.89	3 400 197.78
L1159	88 971.81	3 400 210.90	R1222	89 198.03	3 400 221.35
L1160	88 942.30	3 400 207.52	R1223	89 142.41	3 400 230.60
L1161	88 894.33	3 400 220.76	R1224	89 058.74	3 400 245.55
L1162	88 836.97	3 400 236.73	R1225	88 993.58	3 400 255.19
L1163	88 729.26	3 400 266.48	R1226	88 834.80	3 400 282.44
L1164	88 681.47	3 400 265.01	R1227	88 717.54	3 400 311.00
L1165	88 661.48	3 400 258.24	R1228	88 623.18	3 400 325.57
L1166	88 641.33	3 400 261.70	R1229	88 587.25	3 400 335.27
L1167	88 539.23	3 400 288.51	R1230	88 531.63	3 400 339.11

Vel Sheet	48	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L1168	88 495.12	3 400 288.68	R1231	88 488.34	3 400 333.97
L1169	88 448.63	3 400 269.79	R1232	88 415.92	3 400 293.11
L1170	88 398.90	3 400 240.53	R1233	88 323.87	3 400 241.33
L1171	88 344.70	3 400 211.38	R1234	88 243.96	3 400 174.64
L1172	88 339.19	3 400 206.87	R1235	88 200.46	3 400 138.74
L1173	88 261.60	3 400 138.36	R1236	88 151.44	3 400 109.50
L1174	88 175.04	3 400 077.99	R1237	88 098.40	3 400 097.91
L1175	88 137.81	3 400 058.65	R1238	87 987.47	3 400 073.66
L1176	88 116.04	3 400 047.35	R1239	87 934.41	3 400 066.29
L1177	88 039.86	3 400 029.26	R1240	87 886.34	3 400 071.45
L1178	87 983.10	3 400 022.87	R1241	87 828.20	3 400 085.22
L1179	87 922.03	3 400 022.76	R1242	87 773.69	3 400 103.38
L1180	87 860.70	3 400 025.74	R1243	87 723.01	3 400 129.63
L1181	87 811.52	3 400 040.21	R1244	87 678.66	3 400 164.59
L1182	87 762.19	3 400 059.42	R1245	87 637.69	3 400 208.76
L1183	87 704.43	3 400 097.55	R1246	87 600.17	3 400 253.14
L1184	87 605.12	3 400 187.03	R1247	87 563.16	3 400 296.92
L1185	87 578.81	3 400 212.51	R1248	87 525.00	3 400 340.36
L1186	87 500.23	3 400 303.45	R1249	87 482.04	3 400 378.62
L1187	87 477.51	3 400 324.28	R1250	87 432.79	3 400 409.03
L1188	87 414.87	3 400 359.73	R1251	87 325.68	3 400 451.62
L1189	87 390.48	3 400 377.19	R1252	87 270.29	3 400 465.24
L1190	87 360.66	3 400 391.49	R1253	87 234.31	3 400 475.57
L1191	87 248.18	3 400 425.51	R1254	87 200.73	3 400 486.55
L1192	87 184.92	3 400 457.06	R1255	87 166.50	3 400 508.59
L1193	87 124.50	3 400 495.98	R1256	87 086.42	3 400 591.30
L1194	87 060.10	3 400 552.91	R1257	87 048.60	3 400 633.98
L1195	87 007.03	3 400 614.70	R1258	86 976.75	3 400 724.65
L1196	86 963.85	3 400 658.50	R1259	86 932.52	3 400 761.29
L1197	86 954.53	3 400 666.21	R1260	86 880.59	3 400 786.47
L1198	86 857.46	3 400 734.78	R1261	86 827.40	3 400 796.78
L1199	86 815.10	3 400 755.68	R1262	86 752.03	3 400 808.79
L1200	86 795.81	3 400 759.91	R1263	86 722.73	3 400 812.93
L1201	86 768.36	3 400 760.85	R1264	86 677.03	3 400 808.87
L1202	86 751.14	3 400 761.44	R1265	86 589.00	3 400 781.72
L1203	86 690.42	3 400 752.18	R1266	86 496.72	3 400 752.03
L1204	86 637.77	3 400 739.85	R1267	86 451.80	3 400 748.17
L1205	86 600.40	3 400 732.58	R1268	86 405.55	3 400 748.33
L1206	86 551.22	3 400 725.21	R1269	86 357.67	3 400 753.19
L1207	86 494.45	3 400 715.85	R1270	86 310.43	3 400 767.70
L1208	86 490.95	3 400 719.55	R1271	86 266.71	3 400 780.49
L1209	86 470.13	3 400 715.93	R1272	86 187.93	3 400 843.99
L1210	86 466.12	3 400 706.39	R1273	86 181.75	3 400 850.61
L1211	86 436.48	3 400 702.33	R1274	86 138.34	3 400 915.95
L1212	86 416.36	3 400 700.40	R1275	86 120.44	3 400 972.79
L1213	86 364.77	3 400 703.45	R1276	86 121.49	3 401 023.87
L1214	86 306.46	3 400 713.57	R1277	86 118.31	3 401 087.45
L1215	86 268.97	3 400 728.23	R1278	86 122.00	3 401 143.17
L1216	86 238.03	3 400 744.62	R1279	86 128.75	3 401 177.36
L1217	86 205.81	3 400 766.65	R1280	86 138.80	3 401 264.48
L1218	86 183.08	3 400 785.91	R1281	86 154.67	3 401 540.75

Vel Sheet	49	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L1219	86 159.57	3 400 810.57	R1282	86 162.52	3 401 741.99
L1220	86 144.99	3 400 830.27	R1283	86 152.82	3 401 835.62
L1221	86 103.76	3 400 909.86	R1284	86 144.40	3 401 874.21
L1222	86 084.88	3 400 998.82	R1285	86 120.40	3 401 952.59
L1223	86 083.58	3 401 041.48	R1286	86 106.78	3 402 007.07
L1224	86 085.13	3 401 077.61	R1287	86 042.89	3 402 129.62
L1225	86 091.84	3 401 121.30	R1288	85 677.08	3 402 546.17
L1226	86 090.41	3 401 159.04	R1289	85 669.71	3 402 569.30
L1227	86 105.41	3 401 407.84	R1290	85 651.13	3 402 641.34
L1228	86 107.87	3 401 458.58	R1291	85 642.04	3 402 705.09
L1229	86 111.25	3 401 549.92	R1292	85 647.52	3 402 762.06
L1230	86 119.87	3 401 687.63	R1293	85 666.67	3 402 838.64
L1231	86 112.35	3 401 809.77	R1294	85 668.36	3 402 885.03
L1232	86 096.05	3 401 857.41	R1295	85 664.47	3 402 932.36
L1233	86 072.81	3 401 883.17	R1296	85 671.58	3 402 967.46
L1234	86 060.90	3 401 965.18	R1297	85 719.84	3 403 097.03
L1235	86 050.99	3 401 988.32	R1298	85 766.03	3 403 208.82
L1236	86 029.09	3 402 018.04	R1299	85 783.02	3 403 255.70
L1237	86 001.52	3 402 036.44	R1300	85 792.99	3 403 305.08
L1238	85 973.48	3 402 082.47	R1301	85 800.75	3 403 404.57
L1239	85 918.39	3 402 132.87	R1302	85 800.64	3 403 461.49
L1240	85 890.50	3 402 166.97	R1303	85 790.42	3 403 539.96
L1241	85 840.40	3 402 229.47	R1304	85 737.72	3 403 651.22
L1242	85 741.95	3 402 343.69	R1305	85 716.73	3 403 697.84
L1243	85 695.06	3 402 400.06	R1306	85 700.71	3 403 703.21
L1244	85 671.91	3 402 437.86	R1307	85 595.92	3 403 854.47
L1245	85 640.62	3 402 510.47	R1308	85 555.54	3 403 912.74
L1246	85 597.30	3 402 607.43	R1309	85 507.75	3 404 000.66
L1247	85 587.78	3 402 647.85	R1310	85 469.87	3 404 092.97
L1248	85 590.98	3 402 690.10	R1311	85 442.11	3 404 188.54
L1249	85 590.17	3 402 727.29	R1312	85 425.09	3 404 286.08
L1250	85 591.33	3 402 757.85	R1313	85 418.27	3 404 385.95
L1251	85 596.33	3 402 889.46	R1314	85 427.19	3 404 485.84
L1252	85 627.25	3 402 973.69	R1315	85 436.29	3 404 554.64
L1253	85 636.34	3 402 998.89	R1316	85 449.87	3 404 627.36
L1254	85 656.35	3 403 053.42	R1317	85 446.89	3 404 628.10
L1255	85 695.02	3 403 137.27	R1318	85 457.28	3 404 658.07
L1256	85 714.79	3 403 186.35	R1319	85 474.21	3 404 728.57
L1257	85 750.70	3 403 291.68	R1320	85 478.53	3 404 738.17
L1258	85 760.59	3 403 325.49	R1321	85 493.84	3 404 760.57
L1259	85 759.77	3 403 411.04	R1322	85 552.44	3 404 804.53
L1260	85 756.52	3 403 455.51	R1323	85 736.19	3 404 958.94
L1261	85 745.16	3 403 510.35	R1324	85 739.60	3 404 961.81
L1262	85 699.57	3 403 622.59	R1325	85 783.35	3 404 976.13
L1263	85 661.73	3 403 683.31	R1326	85 826.15	3 404 983.68
L1264	85 656.78	3 403 704.57	R1327	85 819.38	3 405 025.85
L1265	85 556.39	3 403 849.12	R1328	85 781.93	3 405 019.87
L1266	85 550.85	3 403 857.44	R1329	85 744.48	3 405 006.81
L1267	85 526.25	3 403 894.37	R1330	85 731.40	3 404 999.05
L1268	85 487.53	3 403 963.06	R1331	85 707.90	3 404 985.09
L1269	85 456.45	3 404 030.23	R1332	85 522.76	3 404 832.57

Vel Sheet	50	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L1270	85 437.42	3 404 079.57	R1333	85 495.57	3 404 866.48
L1271	85 425.27	3 404 116.81	R1334	85 496.13	3 404 873.38
L1272	85 413.82	3 404 156.83	R1335	85 490.83	3 404 906.56
L1273	85 405.36	3 404 192.46	R1336	85 489.65	3 404 915.78
L1274	85 396.71	3 404 236.84	R1337	85 486.34	3 404 969.67
L1275	85 391.54	3 404 270.95	R1338	85 425.79	3 405 517.58
L1276	85 386.83	3 404 316.03	R1339	85 416.78	3 405 563.51
L1277	85 384.44	3 404 353.56	R1340	85 402.32	3 405 609.62
L1278	85 383.72	3 404 396.20	R1341	85 383.85	3 405 653.68
L1279	85 384.84	3 404 444.14	R1342	85 360.84	3 405 696.52
L1280	85 387.03	3 404 475.64	R1343	85 335.54	3 405 736.32
L1281	85 392.82	3 404 528.44	R1344	85 305.51	3 405 773.51
L1282	85 400.86	3 404 587.90	R1345	84 968.40	3 406 109.56
L1283	85 408.10	3 404 637.74	R1346	84 666.74	3 406 410.24
L1284	85 431.77	3 404 740.53	R1347	84 633.76	3 406 448.47
L1285	85 439.81	3 404 781.00	R1348	84 598.58	3 406 505.66
L1286	85 445.81	3 404 818.08	R1349	84 572.56	3 406 568.80
L1287	85 448.65	3 404 856.87	R1350	84 551.72	3 406 608.02
L1288	85 449.61	3 404 905.62	R1351	84 534.34	3 406 638.13
L1289	85 448.25	3 404 930.28	R1352	84 532.41	3 406 641.49
L1290	85 441.63	3 404 955.76	R1353	84 508.90	3 406 680.81
L1291	85 442.98	3 404 996.20	R1354	84 491.30	3 406 704.31
L1292	85 413.28	3 405 279.71	R1355	84 477.56	3 406 724.50
L1293	85 357.42	3 405 318.17	R1356	84 449.49	3 406 749.59
L1294	85 287.86	3 405 270.66	R1357	84 440.71	3 406 756.30
L1295	85 243.84	3 405 249.07	R1358	84 428.47	3 406 766.47
L1296	85 195.76	3 405 237.51	R1359	84 394.81	3 406 779.84
L1297	85 145.73	3 405 235.27	R1360	84 384.03	3 406 783.31
L1298	85 089.77	3 405 248.67	R1361	84 327.47	3 406 812.05
L1299	85 100.44	3 405 287.52	R1362	84 192.42	3 406 957.09
L1300	85 146.26	3 405 276.82	R1363	84 143.85	3 407 061.57
L1301	85 190.80	3 405 277.55	R1364	84 115.90	3 407 109.31
L1302	85 231.81	3 405 287.57	R1365	84 091.02	3 407 143.88
L1303	85 269.73	3 405 307.51	R1366	84 043.93	3 407 195.26
L1304	85 358.79	3 405 367.56	R1367	84 001.22	3 407 231.55
L1305	85 393.07	3 405 447.65	R1368	83 952.93	3 407 262.90
L1306	85 388.97	3 405 478.70	R1369	83 901.48	3 407 287.51
L1307	85 358.20	3 405 610.74	R1370	83 846.93	3 407 303.53
L1308	85 346.81	3 405 637.24	R1371	83 790.87	3 407 313.04
L1309	85 325.77	3 405 675.32	R1372	83 733.85	3 407 315.89
L1310	85 302.82	3 405 710.62	R1373	83 677.76	3 407 312.64
L1311	85 276.75	3 405 743.86	R1374	83 622.68	3 407 302.06
L1312	84 938.67	3 406 081.77	R1375	83 578.25	3 407 287.68
L1313	84 628.69	3 406 391.58	R1376	83 538.39	3 407 279.67
L1314	84 602.30	3 406 422.99	R1377	83 501.98	3 407 266.90
L1315	84 578.29	3 406 455.57	R1378	83 415.30	3 407 242.20
L1316	84 556.90	3 406 490.55	R1379	83 357.18	3 407 219.32
L1317	84 538.88	3 406 527.57	R1380	83 350.06	3 407 219.37
L1318	84 518.70	3 406 573.76	R1381	83 328.25	3 407 220.78
L1319	84 498.43	3 406 617.13	R1382	83 316.14	3 407 222.44
L1320	84 452.03	3 406 674.17	R1383	83 310.94	3 407 219.38

Vel Sheet	51	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X		Y	X
L1321	84 406.01	3 406 715.78	R1384	83 242.52	3 407 246.99
L1322	84 335.17	3 406 759.15	R1385	83 169.08	3 407 291.18
L1323	84 293.99	3 406 782.19	R1386	83 074.36	3 407 350.94
L1324	84 253.72	3 406 800.99	R1387	83 074.39	3 407 351.07
L1325	84 214.47	3 406 821.51	R1388	83 073.11	3 407 351.82
L1326	84 196.30	3 406 836.75	R1389	83 052.21	3 407 364.96
L1327	84 179.68	3 406 855.27	R1390	83 031.90	3 407 382.80
L1328	84 168.43	3 406 880.67	R1391	82 941.98	3 407 439.81
L1329	84 172.64	3 406 883.85	R1392	82 906.53	3 407 456.26
L1330	84 151.25	3 406 940.83	R1393	82 856.01	3 407 488.12
L1331	84 109.21	3 407 038.40	R1394	82 811.87	3 407 514.99
L1332	84 105.32	3 407 046.59	R1395	82 751.36	3 407 543.30
L1333	84 074.46	3 407 096.89	R1396	82 688.45	3 407 561.29
L1334	84 051.59	3 407 128.43	R1397	82 624.11	3 407 570.89
L1335	84 015.64	3 407 165.93	R1398	82 551.43	3 407 575.99
L1336	83 977.86	3 407 199.09	R1399	82 496.54	3 407 589.89
L1337	83 944.92	3 407 220.46	R1400	82 436.85	3 407 587.16
L1338	83 933.42	3 407 227.93	R1401	82 295.37	3 407 596.37
L1339	83 886.59	3 407 250.30	R1402	82 284.88	3 407 603.95
L1340	83 837.09	3 407 266.00	R1403	82 237.20	3 407 614.23
L1341	83 787.31	3 407 275.02	R1404	82 196.90	3 407 608.78
L1342	83 778.98	3 407 275.47	R1405	82 162.76	3 407 599.94
L1343	83 778.42	3 407 273.11	R1406	82 131.76	3 407 585.65
L1344	83 724.25	3 407 272.62	R1407	82 114.58	3 407 580.38
L1345	83 679.84	3 407 270.85	R1408	82 080.96	3 407 573.82
L1346	83 629.29	3 407 262.03	R1409	82 078.68	3 407 574.06
L1347	83 592.17	3 407 248.47	R1410	82 010.85	3 407 564.85
L1348	83 533.80	3 407 219.87	R1411	81 976.67	3 407 555.89
L1349	83 519.63	3 407 212.48	R1412	81 933.51	3 407 549.71
L1350	83 512.37	3 407 208.69	R1413	81 877.34	3 407 550.15
L1351	83 452.01	3 407 193.54	R1414	81 844.97	3 407 557.40
L1352	83 429.00	3 407 185.67	R1415	81 810.55	3 407 572.36
L1353	83 375.01	3 407 176.64	R1416	81 758.04	3 407 599.03
L1354	83 318.12	3 407 177.61	R1417	81 729.91	3 407 609.52
L1355	83 263.44	3 407 190.75	R1418	81 716.61	3 407 613.45
L1356	83 253.52	3 407 195.60	R1419	81 682.76	3 407 629.17
L1357	83 221.74	3 407 203.64	R1420	81 629.45	3 407 654.12
L1358	83 155.17	3 407 238.41	R1421	81 572.78	3 407 667.93
L1359	83 126.64	3 407 260.57	R1422	81 514.45	3 407 669.07
L1360	83 056.03	3 407 290.77	R1423	81 455.92	3 407 657.39
L1361	83 015.08	3 407 335.60	R1424	81 399.99	3 407 633.89
L1362	82 985.94	3 407 353.38	R1425	81 393.36	3 407 629.83
L1363	82 961.80	3 407 368.03	R1426	81 373.13	3 407 621.51
L1364	82 892.71	3 407 411.86	R1427	81 340.88	3 407 602.63
L1365	82 887.44	3 407 415.01	R1428	81 300.37	3 407 574.69
L1366	82 823.67	3 407 455.97	R1429	81 263.74	3 407 550.35
L1367	82 804.03	3 407 472.89	R1430	81 109.83	3 407 455.99
L1368	82 792.42	3 407 479.73	R1431	81 066.41	3 407 420.41
L1369	82 747.77	3 407 500.59	R1432	81 029.82	3 407 380.18
L1370	82 722.30	3 407 508.30	R1433	81 000.63	3 407 333.68
L1371	82 649.86	3 407 515.82	R1434	80 976.94	3 407 282.01

Vel Sheet	52	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

WG 31°

LINKERKANT/LEFT HAND SIDE	Y	X	REGTERKANT/RIGHT HAND SIDE	Y	X
L1372	82 581.28	3 407 528.90	R1435	80 918.53	3 407 091.04
L1373	82 482.95	3 407 537.24	R1436	80 914.60	3 407 083.61
L1374	82 429.26	3 407 538.26	R1437	80 896.79	3 407 046.21
L1375	82 387.36	3 407 544.89	R1438	80 840.52	3 406 969.01
L1376	82 361.16	3 407 549.10	R1439	80 837.71	3 406 966.30
L1377	82 341.76	3 407 550.68	R1440	80 796.87	3 406 930.81
L1378	82 310.98	3 407 550.50	R1441	80 750.44	3 406 908.47
L1379	82 283.01	3 407 556.66	R1442	80 700.87	3 406 898.02
L1380	82 214.35	3 407 555.85	R1443	80 684.63	3 406 897.69
L1381	82 190.47	3 407 543.66	R1444	80 532.85	3 406 934.26
L1382	82 152.47	3 407 539.95	R1445	80 493.38	3 406 951.59
L1383	82 117.03	3 407 534.99	R1446	80 438.24	3 406 975.38
L1384	82 097.78	3 407 528.65	R1447	80 433.37	3 406 976.80
L1385	82 066.52	3 407 514.93	R1448	80 408.03	3 406 987.37
L1386	82 046.54	3 407 500.27	R1449	80 382.64	3 406 991.45
L1387	81 986.06	3 407 483.79	R1450	80 380.88	3 406 991.94
L1388	81 941.31	3 407 488.01	R1451	80 322.37	3 407 000.42
L1389	81 882.16	3 407 488.75	R1452	79 389.65	3 407 074.09
L1390	81 827.73	3 407 507.37	R1453	79 330.97	3 407 071.22
L1391	81 814.71	3 407 508.91	R1454	79 272.28	3 407 056.58
L1392	81 750.59	3 407 538.79	R1455	79 218.70	3 407 029.93
L1393	81 665.39	3 407 591.54	R1456	79 195.91	3 407 012.12
L1394	81 640.62	3 407 603.91	R1457	79 185.50	3 407 005.90
L1395	81 606.73	3 407 614.18	R1458	79 151.95	3 406 979.91
L1396	81 552.21	3 407 621.21	R1459	79 125.00	3 406 970.12
L1397	81 480.79	3 407 615.90	R1460	79 117.90	3 406 954.07
L1398	81 441.84	3 407 605.02	R1461	79 101.24	3 406 953.92
L1399	81 367.94	3 407 559.99	R1462	79 095.48	3 406 943.01
L1400	81 338.19	3 407 523.14	R1463	79 096.18	3 406 929.85
L1401	81 326.88	3 407 516.21	R1464	79 092.64	3 406 917.65
L1402	81 280.46	3 407 497.60	R1465	79 080.61	3 406 904.86
L1403	81 169.92	3 407 443.16	R1466	79 045.07	3 406 886.09
L1404	81 105.86	3 407 396.87	R1467	79 017.40	3 406 889.71
L1405	81 064.01	3 407 347.32	R1468	79 018.40	3 406 861.31
L1406	80 992.71	3 407 135.37	R1469	78 967.75	3 406 846.71
L1407	80 944.47	3 407 037.71	R1470	78 921.62	3 406 844.04
L1408	80 935.12	3 407 022.20	R1471	78 875.58	3 406 849.56
L1409	80 892.28	3 406 950.18	R1472	78 840.99	3 406 859.81
L1410	80 847.39	3 406 903.12	R1473	78 814.50	3 406 871.49
L1411	80 799.45	3 406 873.49	R1474	78 795.88	3 406 882.29
L1412	80 768.07	3 406 863.83	R1475	78 766.18	3 406 903.09
L1413	80 712.92	3 406 845.16	R1476	78 718.80	3 406 935.18
L1414	80 650.56	3 406 856.36	R1477	78 693.08	3 406 979.93
L1415	80 592.62	3 406 865.87	R1478	78 660.48	3 407 281.92
L1416	80 536.87	3 406 883.02			
L1417	80 479.98	3 406 912.53			
L1418	80 379.82	3 406 949.63			
L1419	80 152.01	3 406 967.41			
L1420	80 010.59	3 406 984.26			
L1421	79 816.40	3 406 995.77			
L1422	79 743.21	3 407 005.44			

Vel Sheet	53	Van of	54	P1148/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE	
	Y	X WG 31°	Y	X
L1423	79 597.56	3 407 015.57		
L1424	79 527.51	3 407 020.83		
L1425	79 447.56	3 407 023.43		
L1426	79 384.71	3 407 025.67		
L1427	79 315.49	3 407 014.72		
L1428	79 246.63	3 406 983.86		
L1429	79 191.35	3 406 939.15		
L1430	79 121.72	3 406 876.89		
L1431	79 095.98	3 406 849.08		
L1432	79 091.50	3 406 798.10		
L1433	79 062.47	3 406 789.43		
L1434	79 031.17	3 406 796.00		
L1435	79 017.55	3 406 787.87		
L1436	78 966.07	3 406 772.47		
L1437	78 914.96	3 406 768.46		
L1438	78 883.16	3 406 773.07		
L1439	78 872.61	3 406 771.54		
L1440	78 862.99	3 406 776.06		
L1441	78 862.41	3 406 776.20		
L1442	78 795.75	3 406 791.37		
L1443	78 736.06	3 406 818.88		
L1444	78 719.06	3 406 834.10		
L1445	78 707.63	3 406 844.33		
L1446	78 682.93	3 406 874.86		
L1447	78 662.37	3 406 914.30		
L1448	78 642.67	3 406 957.87		
L1449	78 628.31	3 407 001.54		
L1450	78 618.42	3 407 031.32		
L1451	78 615.65	3 407 048.57		
L1452	78 600.68	3 407 091.08		

Vel Sheet	54	Van of	54	P1148/19