
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 892

21 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N8 SECTION 9

AMENDMENT OF DECLARATION No. 194 OF 2009.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 194 of 2009 by substituting it in its entirety, with the accompanying sheets 1 to 23 of Plan No. P1151/19.

(National Road N8 Section 9: Alexanderfontein – Petrusburg)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 892

21 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N8 SEKSIE 9


WYSIGING VAN VERKLARING No. 194 VAN 2009.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 194 van 2009 deur dit in sy geheel te vervang, met bygaande velle 1 tot 23 van Plan No. P1151/19.


(Nasionale Pad N8 Seksie 9: Alexanderfontein – Petrusburg)




MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route of National Route	Vel Sheet 1 of 23 Plan P1151/19
---	---------------------------------------	---	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 2 of 23 Plan P1151/19
---	---------------------------------------	---	---	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	9	Vel Sheet	van 3	of 23
					Plan	P1151/19	




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	9	Vel Sheet 4 of 23	Plan P1151/19
---	---------------------------------------	---	---	---	----------------------	------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	5 of	23
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	Plan	P1151/19	




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
Vel Sheet	6 of	9	Plan P1151/19




Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 7 of 23	Plan P1151/19
---	---------------------------------------	--	-------------------------	------------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 9 of 23	Plan P1151/19
---	---------------------------------------	--	--	----------------------	------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 10 of 23 Plan P1151/19
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route Section
Vel Sheet	11 of	23 of	9 of
Plan	P1151/19	N8	Section



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route 8	Vel Sheet 12 of 23 Plan P1151/19
---	---------------------------------------	---	--	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route 9	Vel Sheet 13 of 23 Plan P1151/19
---	---------------------------------------	--	--



Vel
Sheet 14 of 23


Plan
P1151/19

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8
Seksie 9
Section




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 15 of 23 Plan P1151/19
---	---------------------------------------	--	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route Section	Vel Sheet 16 of 23 Plan P1151/19
---	---------------------------------------	---	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete NB of National Route	Vel Sheet 17 of 23 Plan P1151/19
---	---------------------------------------	--	-------------------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L1	22 800.56	3	184 801.35		R1	22 819.74	3	184 802.98	
L2	22 749.77	3	184 824.71		R2	22 705.54	3	185 003.06	
L3	22 662.46	3	184 977.30		R3	22 646.74	3	185 089.56	
L4	22 588.09	3	185 083.74		R4	22 578.04	3	185 165.87	
L5	22 516.80	3	185 155.04		R5	22 482.87	3	185 241.35	
L6	22 454.69	3	185 199.92		R6	22 406.91	3	185 281.33	
L7	22 386.56	3	185 235.53		R7	22 330.37	3	185 310.59	
L8	22 313.89	3	185 263.28		R8	21 987.02	3	185 420.98	
L9	21 971.66	3	185 373.35		R9	21 875.32	3	185 460.51	
L10	21 857.04	3	185 413.98		R10	21 766.71	3	185 507.50	
L11	21 745.39	3	185 462.32		R11	21 661.55	3	185 561.70	
L12	21 637.07	3	185 517.94		R12	21 560.29	3	185 622.74	
L13	21 532.99	3	185 580.76		R13	21 370.75	3	185 764.45	
L14	21 338.59	3	185 726.01		R14	21 283.57	3	185 844.40	
L15	21 248.42	3	185 808.64		R15	21 201.71	3	185 930.81	
L16	21 165.29	3	185 896.64		R16	21 187.74	3	185 946.96	
L17	21 124.70	3	185 942.58		R17	21 058.00	3	186 095.76	
L18	21 019.96	3	186 063.45		R18	20 881.48	3	186 311.93	
L19	20 842.19	3	186 280.97		R19	20 235.50	3	187 152.26	
L20	20 196.12	3	187 121.40		R20	20 158.74	3	187 246.41	
L21	20 121.34	3	187 213.38		R21	20 074.49	3	187 334.71	
L22	20 039.79	3	187 298.71		R22	19 983.71	3	187 416.25	
L23	19 951.69	3	187 377.31		R23	19 886.65	3	187 489.46	
L24	19 857.61	3	187 448.61		R24	19 783.67	3	187 555.15	
L25	19 758.25	3	187 512.14		R25	19 676.22	3	187 612.41	
L26	19 653.57	3	187 567.60		R26	19 536.26	3	187 680.27	
L27	19 614.51	3	187 586.68		R27	18 992.48	3	187 944.96	
L28	19 540.73	3	187 622.57		R28	18 366.53	3	188 249.40	
L29	19 020.46	3	187 875.64		R29	17 534.98	3	188 653.70	
L30	18 344.59	3	188 204.41		R30	17 395.15	3	188 712.58	
L31	17 513.96	3	188 608.40		R31	17 253.23	3	188 760.93	
L32	17 377.47	3	188 665.84		R32	16 307.31	3	189 023.94	
L33	17 236.88	3	188 712.96		R33	16 205.35	3	189 059.55	
L34	16 292.74	3	188 976.22		R34	16 107.29	3	189 103.82	
L35	16 186.81	3	189 013.08		R35	16 059.71	3	189 130.71	
L36	16 084.45	3	189 059.27		R36	16 013.51	3	189 156.97	
L37	16 015.50	3	189 098.35		R37	15 925.05	3	189 218.39	
L38	15 987.07	3	189 114.41		R38	15 842.46	3	189 287.85	
L39	15 894.52	3	189 178.69		R39	15 766.04	3	189 364.51	
L40	15 808.59	3	189 250.91		R40	14 309.27	3	190 965.06	
L41	15 729.65	3	189 330.28		R41	14 208.66	3	191 080.92	
L42	14 272.06	3	190 931.87		R42	14 139.20	3	191 176.75	
L43	14 168.66	3	191 051.57		R43	14 077.66	3	191 277.45	
L44	14 097.61	3	191 148.99		R44	14 047.39	3	191 337.04	
L45	14 033.99	3	191 253.11		R45	14 024.30	3	191 382.83	
L46	13 979.74	3	191 360.20		R46	13 979.62	3	191 492.52	
L47	13 978.93	3	191 361.56		R47	13 283.36	3	193 457.43	
L48	13 932.78	3	191 474.44		R48	13 243.21	3	193 555.90	
L49	13 918.84	3	191 515.28		R49	13 191.14	3	193 665.70	
L50	13 239.78	3	193 429.02		R50	13 127.45	3	193 780.94	
L51	13 197.42	3	193 535.95		R51	13 062.12	3	193 883.41	
					Vel Sheet 18 Van of 23 P1151/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	13 146.70	3	193 642.83		R52	13 002.94	3	193 965.36	
L53	13 084.55	3	193 755.32		R53	11 850.95	3	195 483.23	
L54	13 020.66	3	193 855.22		R54	11 701.31	3	195 680.54	
L55	12 962.66	3	193 935.55		R55	11 598.39	3	195 804.93	
L56	11 828.24	3	195 430.47		R56	11 489.06	3	195 923.68	
L57	11 752.02	3	195 530.90		R57	10 499.41	3	196 901.39	
L58	11 661.91	3	195 649.72		R58	10 581.13	3	196 996.45	
L59	11 560.59	3	195 772.20		R59	10 568.45	3	197 005.95	
L60	11 453.38	3	195 888.57		R60	10 487.90	3	196 912.63	
L61	10 468.28	3	196 861.60		R61	9 589.18	3	197 800.53	
L62	10 409.45	3	196 792.61		R62	9 517.36	3	197 871.47	
L63	10 400.87	3	196 802.86		R63	9 423.25	3	197 949.23	
L64	10 457.22	3	196 872.53		R64	9 323.67	3	198 019.72	
L65	9 554.34	3	197 764.61		R65	9 218.63	3	198 081.41	
L66	9 483.23	3	197 833.71		R66	9 118.44	3	198 131.70	
L67	9 392.91	3	197 909.36		R67	9 037.46	3	198 165.26	
L68	9 296.50	3	197 977.75		R68	9 030.99	3	198 167.95	
L69	9 212.33	3	198 028.33		R69	9 030.53	3	198 158.66	
L70	9 098.06	3	198 086.08		R70	6 232.72	3	199 325.23	
L71	9 074.61	3	198 095.81		R71	6 233.76	3	199 323.40	
L72	9 028.37	3	198 115.00		R72	6 195.79	3	199 340.75	
L73	9 028.83	3	198 124.41		R73	3 744.71	3	200 367.84	
L74	6 252.09	3	199 282.74		R74	3 730.53	3	200 370.34	
L75	3 715.61	3	200 335.28		R75	3 731.67	3	200 373.50	
L76	3 500.03	3	200 432.26		R76	3 659.93	3	200 398.56	
L77	3 450.00	3	200 451.45		R77	3 438.57	3	200 490.94	
L78	3 413.05	3	200 466.94		R78	3 333.28	3	200 537.97	
L79	3 362.43	3	200 488.65		R79	3 293.48	3	200 556.80	
L80	3 240.44	3	200 546.49		R80	3 126.68	3	200 644.82	
L81	3 105.80	3	200 617.95		R81	2 948.35	3	200 753.99	
L82	3 005.11	3	200 679.78		R82	2 866.51	3	200 810.21	
L83	2 931.50	3	200 726.76		R83	2 754.75	3	200 894.32	
L84	2 847.81	3	200 784.15		R84	2 661.69	3	200 969.88	
L85	2 733.94	3	200 869.64		R85	2 544.24	3	201 075.70	
L86	2 645.69	3	200 942.19		R86	2 331.68	3	201 286.67	
L87	2 523.41	3	201 051.42		R87	2 230.38	3	201 388.03	
L88	2 308.69	3	201 264.49		R88	1 482.15	3	202 135.10	
L89	1 474.47	3	202 098.51		R89	1 270.62	3	202 346.67	
L90	1 250.17	3	202 322.15		R90	1 058.37	3	202 558.56	
L91	1 035.32	3	202 536.44		R91	778.94	3	202 837.68	
L92	755.72	3	202 815.65		R92	689.02	3	202 925.33	
L93	646.28	3	202 921.60		R93	600.63	3	203 007.34	
L94	534.15	3	203 023.82		R94	525.82	3	203 073.75	
L95	506.72	3	203 047.61		R95	478.52	3	203 114.37	
L96	398.91	3	203 139.28		R96	417.44	3	203 165.38	
L97	334.50	3	203 189.90		R97	355.89	3	203 215.07	
L98	259.57	3	203 248.40		R98	314.33	3	203 248.91	
L99	213.36	3	203 284.54		R99	265.58	3	203 285.17	
L100	96.05	3	203 369.13		R100	231.20	3	203 311.12	
L101	21.65	3	203 420.60		R101	145.04	3	203 373.70	
L102	- 14.65	3	203 440.05		R102	60.86	3	203 431.57	
					Vel 19 Van 23 Sheet of P1151/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°		Y	X			
L103	- 103.80	3 203	492.93	R103	14.09	3 203	471.69		
L104	- 186.75	3 203	549.08	R104	- 82.59	3 203	533.84		
L105	- 267.93	3 203	601.66	R105	- 186.24	3 203	595.41		
L106	- 429.89	3 203	697.74	R106	- 256.68	3 203	632.71		
L107	- 574.07	3 203	783.28	R107	- 600.89	3 203	836.58		
L108	-1 632.19	3 204	410.98	R108	- 944.89	3 204	040.70		
L109	-2 520.39	3 204	937.89	R109	-1 288.85	3 204	244.70		
L110	-2 765.56	3 205	083.64	R110	-1 629.35	3 204	446.74		
L111	-2 951.34	3 205	197.01	R111	-1 873.83	3 204	591.74		
L112	-3 091.61	3 205	287.39	R112	-2 149.16	3 204	754.87		
L113	-3 110.43	3 205	299.46	R113	-2 501.93	3 204	964.22		
L114	-3 349.88	3 205	471.07	R114	-2 748.82	3 205	110.64		
L115	-3 473.19	3 205	562.77	R115	-2 922.92	3 205	216.51		
L116	-3 510.99	3 205	595.80	R116	-3 089.47	3 205	324.85		
L117	-3 643.85	3 205	703.18	R117	-3 326.65	3 205	493.22		
L118	-3 948.02	3 205	947.98	R118	-3 620.43	3 205	724.93		
L119	-4 241.08	3 206	185.55	R119	-3 932.14	3 205	976.01		
L120	-4 542.15	3 206	425.50	R120	-4 245.92	3 206	228.36		
L121	-4 840.43	3 206	665.67	R121	-4 526.19	3 206	453.57		
L122	-5 116.45	3 206	887.60	R122	-4 549.85	3 206	473.31		
L123	-5 320.30	3 207	051.42	R123	-4 853.68	3 206	717.90		
L124	-5 417.06	3 207	129.52	R124	-5 095.57	3 206	912.37		
L125	-5 609.57	3 207	284.75	R125	-5 196.80	3 206	994.57		
L126	-5 783.99	3 207	413.46	R126	-5 397.49	3 207	155.70		
L127	-5 897.12	3 207	510.38	R127	-5 596.86	3 207	315.71		
L128	-5 944.89	3 207	554.08	R128	-5 768.22	3 207	453.50		
L129	-6 077.63	3 207	660.87	R129	-5 834.07	3 207	513.38		
L130	-6 280.90	3 207	823.69	R130	-6 144.06	3 207	758.84		
L131	-6 406.89	3 207	923.85	R131	-6 264.05	3 207	852.32		
L132	-6 505.68	3 207	997.10	R132	-6 390.66	3 207	952.89		
L133	-6 673.88	3 208	105.69	R133	-6 486.14	3 208	023.32		
L134	-6 739.86	3 208	143.72	R134	-6 640.93	3 208	124.14		
L135	-6 954.05	3 208	249.74	R135	-6 757.29	3 208	189.80		
L136	-6 961.39	3 208	253.02	R136	-6 850.93	3 208	237.92		
L137	-7 188.90	3 208	320.47	R137	-6 941.09	3 208	279.19		
L138	-7 280.65	3 208	341.90	R138	-6 980.48	3 208	297.29		
L139	-7 336.82	3 208	355.79	R139	-7 073.14	3 208	334.33		
L140	-7 426.71	3 208	378.12	R140	-7 193.16	3 208	377.50		
L141	-7 629.65	3 208	432.81	R141	-7 280.90	3 208	418.63		
L142	-7 708.55	3 208	453.53	R142	-7 304.56	3 208	426.50		
L143	-7 776.74	3 208	465.46	R143	-7 397.55	3 208	435.28		
L144	-7 836.72	3 208	476.22	R144	-7 452.46	3 208	447.97		
L145	-7 877.48	3 208	483.54	R145	-7 519.06	3 208	461.98		
L146	-7 916.25	3 208	489.66	R146	-7 626.91	3 208	481.10		
L147	-8 112.51	3 208	516.97	R147	-7 784.28	3 208	507.26		
L148	-8 149.57	3 208	522.10	R148	-7 861.93	3 208	515.35		
L149	-8 546.78	3 208	577.25	R149	-7 883.79	3 208	517.63		
L150	-8 920.09	3 208	630.11	R150	-7 903.92	3 208	519.93		
L151	-9 403.73	3 208	695.54	R151	-8 135.86	3 208	551.78		
L152	-9 502.18	3 208	709.18	R152	-8 174.10	3 208	557.03		
L153	-9 744.22	3 208	745.21	R153	-8 506.77	3 208	604.26		
					Vel Sheet	20	Van of	23	P1151/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L154	-9 771.80	3 208 750.62		R154	-8 512.52	3 208 618.08			
L155	-9 776.96	3 208 742.20		R155	-8 537.85	3 208 620.41			
L156	-9 790.27	3 208 739.64		R156	-8 546.83	3 208 609.83			
L157	-9 793.26	3 208 718.19		R157	-8 923.37	3 208 662.53			
L158	-9 842.72	3 208 645.44		R158	-9 398.24	3 208 729.84			
L159	-9 827.26	3 208 675.50		R159	-9 496.06	3 208 743.63			
L160	-9 821.00	3 208 700.27		R160	-9 752.19	3 208 777.84			
L161	-9 815.04	3 208 743.04		R161	-10 076.77	3 208 823.30			
L162	-9 853.29	3 208 761.66		R162	-10 207.44	3 208 841.63			
L163	-10 082.40	3 208 792.53		R163	-10 309.76	3 208 855.84			
L164	-10 314.31	3 208 823.86		R164	-10 631.20	3 208 900.48			
L165	-10 666.73	3 208 873.16		R165	-10 752.27	3 208 917.32			
L166	-10 777.71	3 208 888.85		R166	-10 798.22	3 208 923.87			
L167	-10 941.66	3 208 913.27		R167	-10 935.57	3 208 944.17			
L168	-11 122.57	3 208 952.27		R168	-11 003.17	3 208 959.32			
L169	-11 219.85	3 208 977.94		R169	-11 041.86	3 208 969.73			
L170	-11 311.57	3 209 008.13		R170	-11 204.65	3 209 007.41			
L171	-11 403.69	3 209 040.68		R171	-11 301.70	3 209 037.62			
L172	-11 503.59	3 209 079.16		R172	-11 396.85	3 209 071.16			
L173	-11 592.50	3 209 118.38		R173	-11 491.28	3 209 107.72			
L174	-11 690.85	3 209 165.29		R174	-11 583.61	3 209 148.39			
L175	-11 780.58	3 209 211.43		R175	-11 674.77	3 209 191.93			
L176	-11 867.14	3 209 261.66		R176	-11 749.04	3 209 231.43			
L177	-11 993.97	3 209 342.99		R177	-11 849.19	3 209 288.21			
L178	-12 103.95	3 209 421.95		R178	-11 945.44	3 209 348.51			
L179	-12 195.23	3 209 494.10		R179	-12 042.26	3 209 415.80			
L180	-12 287.12	3 209 574.16		R180	-12 112.32	3 209 468.33			
L181	-12 439.66	3 209 717.31		R181	-12 172.59	3 209 516.86			
L182	-12 464.89	3 209 740.95		R182	-12 268.70	3 209 599.85			
L183	-12 710.10	3 209 973.12		R183	-12 395.98	3 209 719.74			
L184	-12 894.02	3 210 147.46		R184	-12 467.17	3 209 787.46			
L185	-13 012.55	3 210 259.79		R185	-12 588.31	3 209 902.06			
L186	-13 303.45	3 210 535.09		R186	-12 871.88	3 210 170.77			
L187	-13 587.33	3 210 804.10		R187	-12 996.14	3 210 288.56			
L188	-13 878.54	3 211 079.22		R188	-13 280.47	3 210 557.52			
L189	-14 100.45	3 211 289.42		R189	-13 566.08	3 210 827.98			
L190	-14 347.63	3 211 524.41		R190	-13 856.62	3 211 102.52			
L191	-14 640.30	3 211 801.12		R191	-14 079.48	3 211 313.60			
L192	-15 090.54	3 212 227.21		R192	-14 315.58	3 211 536.56			
L193	-15 380.93	3 212 501.82		R193	-14 805.25	3 212 000.07			
L194	-15 679.90	3 212 784.21		R194	-16 933.56	3 214 014.67			
L195	-16 354.88	3 213 422.15		R195	-17 393.33	3 214 450.34			
L196	-16 803.36	3 213 845.44		R196	-17 580.45	3 214 623.84			
L197	-16 959.21	3 213 992.49		R197	-17 691.69	3 214 720.48			
L198	-17 524.46	3 214 529.84		R198	-17 760.46	3 214 776.68			
L199	-17 673.98	3 214 665.59		R199	-17 765.23	3 214 780.73			
L200	-17 859.25	3 214 812.14		R200	-17 794.90	3 214 804.93			
L201	-17 879.83	3 214 828.31		R201	-17 923.95	3 214 904.74			
L202	-18 009.08	3 214 927.20		R202	-17 988.27	3 214 951.70			
L203	-18 147.33	3 215 022.20		R203	-18 127.25	3 215 048.05			
L204	-18 343.69	3 215 148.19		R204	-18 142.60	3 215 058.05			
					Vel Sheet 21 Van of 23 P1151/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L205	-18 543.36	3 215 274.62		R205	-18 327.22	3 215 176.69			
L206	-18 756.91	3 215 409.08		R206	-18 543.08	3 215 312.31			
L207	-18 973.40	3 215 546.24		R207	-18 684.57	3 215 401.81			
L208	-19 151.02	3 215 657.72		R208	-19 008.84	3 215 605.87			
L209	-19 346.79	3 215 781.00		R209	-19 122.59	3 215 677.63			
L210	-19 584.08	3 215 930.53		R210	-19 341.15	3 215 815.49			
L211	-19 983.64	3 216 182.69		R211	-19 522.44	3 215 929.64			
L212	-20 327.37	3 216 399.80		R212	-19 984.00	3 216 220.70			
L213	-20 363.38	3 216 422.42		R213	-20 311.66	3 216 427.53			
L214	-20 610.13	3 216 577.94		R214	-20 337.77	3 216 445.07			
L215	-20 700.23	3 216 614.66		R215	-20 726.56	3 216 694.83			
L216	-20 811.88	3 216 697.24		R216	-20 904.13	3 216 807.57			
L217	-20 934.07	3 216 770.10		R217	-21 219.70	3 217 000.01			
L218	-21 205.35	3 216 953.77		R218	-21 472.64	3 217 159.84			
L219	-21 513.71	3 217 147.52		R219	-21 475.63	3 217 161.78			
L220	-21 545.68	3 217 167.72		R220	-21 755.12	3 217 337.56			
L221	-22 139.12	3 217 542.60		R221	-22 084.47	3 217 545.78			
L222	-22 799.29	3 217 958.58		R222	-22 744.46	3 217 962.19			
L223	-23 131.98	3 218 168.59		R223	-23 073.93	3 218 169.95			
L224	-23 745.90	3 218 555.65		R224	-23 405.69	3 218 379.20			
L225	-24 234.31	3 218 865.59		R225	-23 746.64	3 218 594.13			
L226	-24 407.24	3 218 974.29		R226	-23 935.49	3 218 713.21			
L227	-24 616.70	3 219 104.75		R227	-24 171.63	3 218 862.11			
L228	-24 882.09	3 219 272.18		R228	-24 828.32	3 219 276.27			
L229	-25 252.01	3 219 505.42		R229	-25 157.48	3 219 484.01			
L230	-25 656.58	3 219 760.54		R230	-25 489.75	3 219 693.75			
L231	-25 896.98	3 219 912.10		R231	-25 815.12	3 219 898.66			
L232	-26 085.78	3 220 031.26		R232	-25 981.62	3 220 003.56			
L233	-26 397.73	3 220 228.13		R233	-26 203.22	3 220 143.38			
L234	-26 632.10	3 220 376.04		R234	-26 530.59	3 220 350.09			
L235	-26 969.86	3 220 589.31		R235	-26 857.24	3 220 555.88			
L236	-26 984.02	3 220 598.47		R236	-26 862.52	3 220 563.64			
L237	-27 067.66	3 220 650.72		R237	-26 896.48	3 220 584.54			
L238	-27 200.83	3 220 734.33		R238	-26 916.28	3 220 592.86			
L239	-27 375.62	3 220 839.37		R239	-26 976.01	3 220 631.13			
L240	-27 560.72	3 220 938.83		R240	-27 023.22	3 220 660.99			
L241	-27 818.43	3 221 059.29		R241	-27 169.55	3 220 753.35			
L242	-28 002.88	3 221 133.40		R242	-27 369.91	3 220 873.97			
L243	-28 067.24	3 221 157.04		R243	-27 530.60	3 220 960.66			
L244	-28 095.71	3 221 167.09		R244	-27 709.33	3 221 046.90			
L245	-28 125.05	3 221 178.33		R245	-27 905.22	3 221 130.67			
L246	-28 301.01	3 221 232.42		R246	-27 989.62	3 221 163.85			
L247	-28 442.28	3 221 275.05		R247	-28 057.58	3 221 188.74			
L248	-28 674.29	3 221 330.25		R248	-28 082.01	3 221 199.33			
L249	-28 871.40	3 221 366.84		R249	-28 213.60	3 221 243.15			
L250	-29 065.17	3 221 394.02		R250	-28 385.92	3 221 294.75			
L251	-29 165.12	3 221 405.09		R251	-28 492.50	3 221 324.31			
L252	-29 284.50	3 221 417.27		R252	-28 614.43	3 221 350.33			
L253	-29 577.17	3 221 444.67		R253	-28 794.46	3 221 386.33			
L254	-29 671.91	3 221 455.77		R254	-29 065.41	3 221 426.64			
L255	-30 266.87	3 221 520.61		R255	-29 163.58	3 221 437.06			
Vel Sheet 22					Van of 23		P1151/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L256	-30 563.26	3	221 551.61		R256	-29 555.26	3	221 479.32	
L257	-30 836.22	3	221 580.23		R257	-29 578.96	3	221 482.56	
L258	-31 220.14	3	221 620.58		R258	-29 718.77	3	221 505.01	
L259	-31 603.17	3	221 660.66		R259	-29 846.57	3	221 516.80	
L260	-31 727.94	3	221 673.66		R260	-29 940.24	3	221 518.79	
L261	-31 901.34	3	221 691.74		R261	-30 051.46	3	221 530.23	
L262	-31 911.28	3	221 692.78		R262	-30 265.07	3	221 552.49	
L263	-32 324.48	3	221 735.86		R263	-30 513.31	3	221 578.69	
L264	-32 623.33	3	221 767.13		R264	-30 832.31	3	221 612.19	
L265	-32 709.77	3	221 776.83		R265	-31 216.57	3	221 652.19	
L266	-32 950.39	3	221 802.24		R266	-31 464.17	3	221 678.17	
L267	-33 104.06	3	221 813.46		R267	-31 704.68	3	221 703.48	
L268	-33 191.39	3	221 827.31		R268	-32 320.69	3	221 768.33	
L269	-33 293.03	3	221 838.21		R269	-32 642.58	3	221 803.52	
L270	-33 379.84	3	221 847.28		R270	-32 704.83	3	221 808.59	
L271	-33 494.87	3	221 856.10		R271	-33 003.45	3	221 839.96	
L272	-33 629.50	3	221 869.72		R272	-33 301.93	3	221 871.06	
L273	-33 837.76	3	221 891.48		R273	-33 674.85	3	221 910.50	
L274	-33 922.92	3	221 900.19		R274	-33 766.97	3	221 925.77	
L275	-33 939.61	3	221 900.81		R275	-33 885.72	3	221 934.58	
L276	-34 088.30	3	221 918.23		R276	-33 914.28	3	221 944.85	
L277	-34 165.30	3	221 929.63		R277	-33 997.66	3	221 948.27	
L278	-34 620.80	3	221 977.16		R278	-34 335.91	3	221 979.76	
L279	-34 625.40	3	221 977.67		R279	-34 616.84	3	222 009.03	
L280	-34 907.47	3	222 007.51		R280	-34 621.11	3	222 009.39	
L281	-35 139.64	3	222 031.83		R281	-34 901.67	3	222 039.00	
L282	-35 257.10	3	222 044.03		R282	-35 262.28	3	222 076.46	
L283	-35 611.20	3	222 081.22		R283	-35 506.79	3	222 102.37	
L284	-35 932.84	3	222 115.77		R284	-35 622.21	3	222 114.58	
L285	-35 942.38	3	222 116.79		R285	-35 807.96	3	222 133.94	
L286	-36 011.60	3	222 125.45		R286	-35 954.15	3	222 149.10	
L287	-36 094.74	3	222 135.84		R287	-36 095.72	3	222 168.33	
L288	-36 188.36	3	222 148.78		R288	-36 126.73	3	222 172.66	
L289	-36 288.18	3	222 163.39		R289	-36 184.30	3	222 180.62	
L290	-36 340.03	3	222 168.14		R290	-36 339.29	3	222 202.64	
L291	-36 418.08	3	222 181.56		R291	-36 447.04	3	222 218.15	
L292	-36 464.38	3	222 188.55		R292	-36 540.87	3	222 231.74	
L293	-36 565.30	3	222 202.97		R293	-36 785.08	3	222 266.67	
L294	-36 789.56	3	222 235.10		R294	-37 269.85	3	222 336.10	
L295	-37 251.79	3	222 301.31		R295	-37 289.85	3	222 338.92	
L296	-37 284.12	3	222 305.89		R296	-37 794.72	3	222 411.21	
L297	-37 843.58	3	222 386.06		R297	-38 342.35	3	222 489.91	
L298	-38 346.36	3	222 458.12		R298	-38 758.08	3	222 549.38	
L299	-38 762.73	3	222 517.65		R299	-38 953.47	3	222 577.15	
L300	-38 958.61	3	222 545.71		R300	-39 233.23	3	222 617.39	
L301	-39 178.24	3	222 577.15		R301	-39 567.69	3	222 665.28	
L302	-39 303.91	3	222 595.06		R302	-39 628.48	3	222 678.24	
L303	-39 632.20	3	222 638.10		R303	-39 660.71	3	222 697.81	
L304	-39 675.49	3	222 629.54		R304	-39 693.39	3	222 708.39	
L305	-39 704.65	3	222 633.50		R305	-39 707.63	3	222 688.31	
L306	-39 715.98	3	222 651.08						
					Vel Sheet 23 Van of 23 P1151/19				