

DEPARTMENT OF TRANSPORT

NO. 893

21 September 2021


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N17 SECTION 4

AMENDMENT OF DECLARATION No. 1040 OF 2012.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1040 of 2012 by substituting it with the subjoined sheets 1 to 18 of Plan No. P948/17.

In the town of Bethal the N17 Section 4 enters the town from the North and follows the street known as Moses Kotane Street at the time of declaration.

(National Road N17 Section 4: Bethal – Ermelo (Junction with N17 Section 5))

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 893

21 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N17 SEKSIE 4


WYSIGING VAN VERKLARING No. 1040 VAN 2012.

Kragtens Artikel 40(1)(b) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet no.7 van 1998), wysig ek hiermee Verklaring No. 1040 van 2012 deur dit te vervang met meegaande velle 1 tot 18 van Plan No. P948/17.


In die dorp van Bethal kom die N17 Seksie 4 die dorp binne vanuit die Noorde en volg die straat bekend as Moses Kotane straat tydens datum van verklaring.


(Nasionale Pad N17 Seksie 4: Bethal – Ermelo (Aansluiting met N17 Seksie 5))
MINISTER VAN VERVOER






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N17 of National Route Section	Vel Sheet 2 of 18	Plan P948/17
---	---------------------------------------	---	----------------------	-----------------






Vel
Sheet 4
of 18
Plan P948/17


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N17
of National Route Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd







Die Suid Afrikaanse Nasionale Podagentskap WSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N17 of National Route	Vel Sheet	6 of	18
The South African National Roads Agency SOC Ltd	The figure shown			4	Plan	P948/17





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N17 of National Route	Vel Sheet	7 of	18
				Plan	P948/17	



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N17 of National Route	4	Plan P948/17	Vel Sheet 8 of 18	Plan P948/17
---	---	---	----------	---------------------	--------------------------	---------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N17 of National Route	Vel Sheet 9 of 18 Plan P948/17
---	---------------------------------------	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N17 Sektie
of National Route Section




Die figuur getoon
The figure shown

Vel Sheet 10 of 18
Plan P948/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N17 Seksie Section	4	Vel Sheet 11 of 18
						Plan P948/17



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L1	-47 039.50	2 928 281.90		R1	-47 018.19	2 928 292.03
L2	-47 058.54	2 928 295.31		R2	-47 024.80	2 928 315.05
L3	-47 097.01	2 928 365.34		R3	-47 083.40	2 928 413.59
L4	-47 181.22	2 928 485.71		R4	-47 159.15	2 928 532.22
L5	-47 290.39	2 928 637.09		R5	-47 197.27	2 928 584.00
L6	-47 319.69	2 928 681.79		R6	-47 243.93	2 928 647.24
L7	-47 374.64	2 928 756.69		R7	-47 215.33	2 928 668.62
L8	-47 389.83	2 928 774.11		R8	-47 241.72	2 928 704.39
L9	-47 392.65	2 928 778.08		R9	-47 307.17	2 928 749.56
L10	-47 400.36	2 928 791.21		R10	-47 350.87	2 928 790.86
L11	-47 640.95	2 929 113.32		R11	-47 425.95	2 928 891.29
L12	-47 674.31	2 929 157.85		R12	-47 500.59	2 928 991.47
L13	-47 782.81	2 929 267.21		R13	-47 551.37	2 929 057.01
L14	-47 906.94	2 929 359.51		R14	-47 565.22	2 929 072.31
L15	-47 973.27	2 929 399.21		R15	-47 612.13	2 929 135.01
L16	-47 979.51	2 929 402.95		R16	-47 646.11	2 929 180.22
L17	-48 076.88	2 929 448.71		R17	-47 757.97	2 929 295.27
L18	-48 170.90	2 929 482.25		R18	-47 802.68	2 929 332.69
L19	-48 307.05	2 929 517.21		R19	-47 861.41	2 929 376.52
L20	-48 367.06	2 929 525.09		R20	-47 883.07	2 929 403.15
L21	-48 548.29	2 929 543.83		R21	-47 891.30	2 929 413.27
L22	-48 663.60	2 929 554.41		R22	-47 914.16	2 929 424.26
L23	-48 812.34	2 929 567.44		R23	-47 917.98	2 929 425.18
L24	-48 892.28	2 929 575.09		R24	-47 967.92	2 929 437.53
L25	-49 058.56	2 929 590.99		R25	-48 022.09	2 929 467.38
L26	-49 126.06	2 929 597.07		R26	-48 082.26	2 929 492.52
L27	-49 209.00	2 929 598.58		R27	-48 158.79	2 929 518.09
L28	-49 288.20	2 929 598.06		R28	-48 315.35	2 929 553.06
L29	-50 055.55	2 929 561.44		R29	-48 406.50	2 929 561.36
L30	-50 671.03	2 929 529.10		R30	-48 895.72	2 929 609.63
L31	-50 681.38	2 929 528.56		R31	-49 055.17	2 929 625.36
L32	-50 713.15	2 929 526.89		R32	-49 124.53	2 929 632.16
L33	-51 011.80	2 929 513.09		R33	-49 191.36	2 929 631.84
L34	-51 491.24	2 929 490.93		R34	-49 289.79	2 929 631.35
L35	-51 703.07	2 929 481.14		R35	-49 432.58	2 929 625.33
L36	-51 778.20	2 929 477.53		R36	-50 041.36	2 929 596.90
L37	-51 864.22	2 929 473.41		R37	-50 064.77	2 929 597.70
L38	-51 943.72	2 929 475.21		R38	-50 140.63	2 929 593.55
L39	-52 020.64	2 929 483.90		R39	-50 306.05	2 929 587.23
L40	-52 071.42	2 929 493.31		R40	-50 327.32	2 929 586.39
L41	-52 081.79	2 929 495.80		R41	-50 454.27	2 929 581.34
L42	-52 139.96	2 929 509.73		R42	-50 480.51	2 929 580.29
L43	-52 224.95	2 929 542.49		R43	-50 664.68	2 929 573.92
L44	-52 488.70	2 929 645.90		R44	-50 739.97	2 929 568.56
L45	-52 929.11	2 929 821.55		R45	-50 777.76	2 929 565.87
L46	-53 205.10	2 929 932.75		R46	-50 876.68	2 929 558.81
L47	-53 996.49	2 930 249.18		R47	-50 950.95	2 929 555.35
L48	-54 025.59	2 930 261.04		R48	-51 034.25	2 929 551.15
L49	-54 283.84	2 930 361.73		R49	-51 143.25	2 929 544.67
L50	-54 302.69	2 930 367.89		R50	-51 370.08	2 929 533.65
L51	-54 409.92	2 930 398.00		R51	-51 469.15	2 929 529.21
				Vel Sheet 13	Van of 18	P948/17

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L52	-54 528.56	2	930	420.39	R52	-51 493.67	2	929	528.07
L53	-54 614.25	2	930	430.66	R53	-51 863.53	2	929	510.83
L54	-54 758.57	2	930	434.48	R54	-51 944.14	2	929	513.17
L55	-54 893.87	2	930	431.43	R55	-52 014.16	2	929	521.15
L56	-55 681.30	2	930	414.14	R56	-52 078.91	2	929	533.74
L57	-56 446.38	2	930	397.27	R57	-52 127.97	2	929	545.19
L58	-58 113.16	2	930	360.85	R58	-52 540.75	2	929	706.56
L59	-58 223.22	2	930	363.39	R59	-52 801.10	2	929	810.82
L60	-58 565.94	2	930	376.47	R60	-52 933.20	2	929	863.29
L61	-58 696.47	2	930	372.80	R61	-53 014.83	2	929	895.75
L62	-58 861.35	2	930	371.05	R62	-53 183.85	2	929	962.74
L63	-58 973.46	2	930	367.62	R63	-53 689.93	2	930	166.95
L64	-59 350.74	2	930	358.60	R64	-53 971.92	2	930	280.13
L65	-59 372.65	2	930	354.24	R65	-53 992.31	2	930	288.31
L66	-59 390.79	2	930	357.98	R66	-53 995.79	2	930	289.69
L67	-59 791.92	2	930	348.01	R67	-54 226.55	2	930	381.10
L68	-59 973.89	2	930	345.36	R68	-54 258.43	2	930	392.38
L69	-60 040.22	2	930	340.25	R69	-54 307.87	2	930	407.96
L70	-60 062.42	2	930	338.54	R70	-54 399.79	2	930	434.08
L71	-60 096.45	2	930	337.29	R71	-54 519.21	2	930	457.09
L72	-60 202.85	2	930	320.15	R72	-54 614.16	2	930	467.58
L73	-60 254.48	2	930	308.42	R73	-54 766.10	2	930	471.75
L74	-60 327.75	2	930	286.40	R74	-54 890.78	2	930	469.05
L75	-60 591.03	2	930	195.93	R75	-55 686.87	2	930	451.79
L76	-61 870.07	2	929	756.44	R76	-56 093.13	2	930	442.98
L77	-62 462.73	2	929	552.99	R77	-56 438.04	2	930	436.81
L78	-62 634.12	2	929	503.19	R78	-56 915.01	2	930	424.47
L79	-62 707.46	2	929	487.38	R79	-57 273.70	2	930	417.08
L80	-62 794.73	2	929	473.71	R80	-57 837.93	2	930	404.56
L81	-63 732.47	2	929	335.53	R81	-57 868.17	2	930	403.67
L82	-63 866.90	2	929	315.72	R82	-58 058.73	2	930	399.33
L83	-63 996.12	2	929	290.96	R83	-58 241.21	2	930	401.75
L84	-64 189.29	2	929	235.99	R84	-58 642.13	2	930	416.53
L85	-64 270.76	2	929	211.88	R85	-58 838.26	2	930	407.91
L86	-64 482.38	2	929	148.93	R86	-59 200.00	2	930	399.23
L87	-64 722.86	2	929	075.63	R87	-59 977.95	2	930	380.50
L88	-64 848.39	2	929	038.80	R88	-60 095.24	2	930	375.06
L89	-65 006.81	2	928	992.33	R89	-60 194.42	2	930	360.09
L90	-65 154.57	2	928	951.97	R90	-60 288.58	2	930	337.22
L91	-65 216.12	2	928	935.68	R91	-60 362.52	2	930	313.59
L92	-65 270.01	2	928	929.94	R92	-60 580.08	2	930	239.39
L93	-65 312.88	2	928	922.07	R93	-60 586.39	2	930	237.20
L94	-65 377.35	2	928	917.63	R94	-60 715.45	2	930	192.49
L95	-65 417.77	2	928	912.97	R95	-60 912.88	2	930	124.73
L96	-65 450.73	2	928	912.98	R96	-61 463.91	2	929	935.45
L97	-65 581.00	2	928	914.69	R97	-62 480.30	2	929	586.90
L98	-65 623.05	2	928	921.11	R98	-62 640.53	2	929	540.45
L99	-65 688.97	2	928	926.83	R99	-62 707.45	2	929	526.11
L100	-65 735.66	2	928	919.27	R100	-62 777.46	2	929	514.28
L101	-65 755.51	2	928	921.77	R101	-63 918.09	2	929	345.48
L102	-65 796.71	2	928	944.94	R102	-63 983.83	2	929	331.27
					Vel Sheet 14 Van of 18 P948/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L103	-65 929.78	2 928 972.82		R103	-64 027.75	2 929 321.78
L104	-66 650.09	2 929 119.27		R104	-64 045.69	2 929 316.46
L105	-68 710.19	2 929 544.86		R105	-64 724.07	2 929 115.13
L106	-68 786.13	2 929 564.07		R106	-64 838.12	2 929 081.12
L107	-68 921.34	2 929 595.47		R107	-65 018.24	2 929 027.40
L108	-69 172.29	2 929 689.31		R108	-65 169.29	2 928 987.45
L109	-69 362.45	2 929 762.81		R109	-65 307.71	2 928 963.38
L110	-69 460.28	2 929 802.43		R110	-65 431.79	2 928 952.20
L111	-69 531.54	2 929 838.45		R111	-65 461.92	2 928 952.20
L112	-69 537.24	2 929 842.27		R112	-65 492.04	2 928 951.99
L113	-70 275.95	2 930 128.28		R113	-65 599.22	2 928 954.83
L114	-70 882.75	2 930 358.78		R114	-65 680.74	2 928 963.53
L115	-70 926.57	2 930 375.00		R115	-65 722.70	2 928 985.46
L116	-71 070.23	2 930 429.70		R116	-65 741.06	2 928 989.78
L117	-71 150.86	2 930 463.65		R117	-65 789.04	2 928 983.96
L118	-71 496.74	2 930 621.06		R118	-66 009.32	2 929 029.46
L119	-71 660.52	2 930 697.18		R119	-67 578.95	2 929 353.71
L120	-72 216.22	2 930 955.45		R120	-68 702.87	2 929 586.27
L121	-72 612.95	2 931 139.83		R121	-68 713.44	2 929 588.46
L122	-73 115.86	2 931 372.33		R122	-68 898.60	2 929 630.85
L123	-73 212.37	2 931 413.39		R123	-69 122.78	2 929 713.71
L124	-73 326.33	2 931 452.39		R124	-69 193.70	2 929 740.27
L125	-73 403.75	2 931 474.19		R125	-69 375.94	2 929 815.56
L126	-73 611.76	2 931 524.83		R126	-69 510.52	2 929 871.30
L127	-73 818.61	2 931 574.65		R127	-69 524.99	2 929 877.29
L128	-73 961.70	2 931 610.62		R128	-69 612.55	2 929 913.56
L129	-74 061.90	2 931 635.83		R129	-69 715.61	2 929 956.17
L130	-74 108.89	2 931 639.51		R130	-69 941.04	2 930 042.23
L131	-74 127.87	2 931 646.15		R131	-70 889.53	2 930 401.26
L132	-74 165.61	2 931 676.24		R132	-70 911.64	2 930 409.05
L133	-74 265.02	2 931 709.73		R133	-71 089.62	2 930 477.57
L134	-74 653.11	2 931 839.32		R134	-71 646.61	2 930 732.14
L135	-74 727.21	2 931 862.99		R135	-72 191.24	2 930 985.19
L136	-74 798.08	2 931 888.52		R136	-73 050.36	2 931 384.36
L137	-74 878.61	2 931 918.60		R137	-73 099.29	2 931 406.53
L138	-74 934.47	2 931 942.77		R138	-73 191.34	2 931 445.48
L139	-74 983.74	2 931 963.29		R139	-73 340.67	2 931 494.05
L140	-75 033.38	2 931 986.59		R140	-73 375.20	2 931 520.39
L141	-75 071.37	2 932 005.42		R141	-73 403.95	2 931 529.17
L142	-75 354.36	2 932 157.55		R142	-73 457.69	2 931 527.86
L143	-75 479.24	2 932 207.68		R143	-73 860.61	2 931 623.32
L144	-75 485.80	2 932 228.88		R144	-73 959.41	2 931 648.98
L145	-76 194.11	2 932 613.27		R145	-74 088.95	2 931 690.64
L146	-76 240.70	2 932 619.36		R146	-74 247.77	2 931 744.52
L147	-76 258.43	2 932 628.70		R147	-74 337.98	2 931 774.14
L148	-76 279.39	2 932 652.70		R148	-74 674.62	2 931 884.71
L149	-76 291.01	2 932 666.01		R149	-74 739.40	2 931 906.88
L150	-77 184.49	2 933 152.86		R150	-74 909.51	2 931 969.12
L151	-77 330.39	2 933 231.79		R151	-75 034.67	2 932 029.23
L152	-77 862.93	2 933 519.91		R152	-75 333.89	2 932 189.18
L153	-78 428.09	2 933 826.95		R153	-75 406.93	2 932 228.86
				Vel Sheet 15	Van of 18	P948/17

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L154	-78 915.92	2 934 091.68		R154	-75 492.61	2 932 275.41			
L155	-79 066.07	2 934 152.23		R155	-75 501.71	2 932 280.35			
L156	-79 169.19	2 934 186.47		R156	-77 133.45	2 933 166.80			
L157	-79 274.60	2 934 212.90		R157	-77 144.29	2 933 180.51			
L158	-79 348.44	2 934 226.58		R158	-77 152.84	2 933 185.36			
L159	-79 653.40	2 934 252.91		R159	-77 167.29	2 933 185.28			
L160	-79 798.21	2 934 244.46		R160	-77 266.36	2 933 238.77			
L161	-80 027.73	2 934 186.12		R161	-77 284.67	2 933 260.08			
L162	-80 274.16	2 934 123.40		R162	-77 294.30	2 933 254.12			
L163	-80 736.90	2 934 005.18		R163	-77 840.13	2 933 550.14			
L164	-81 441.83	2 933 823.13		R164	-78 954.62	2 934 155.69			
L165	-81 827.03	2 933 721.14		R165	-78 999.56	2 934 178.95			
L166	-81 942.86	2 933 685.82		R166	-79 043.06	2 934 198.95			
L167	-82 106.89	2 933 644.98		R167	-79 143.06	2 934 233.24			
L168	-82 306.92	2 933 597.79		R168	-79 222.90	2 934 257.28			
L169	-82 459.15	2 933 573.34		R169	-79 243.34	2 934 263.06			
L170	-82 488.82	2 933 570.54		R170	-79 256.47	2 934 261.86			
L171	-82 592.46	2 933 560.65		R171	-79 385.33	2 934 278.76			
L172	-82 627.13	2 933 557.36		R172	-79 512.28	2 934 290.82			
L173	-82 792.26	2 933 557.05		R173	-79 544.57	2 934 298.50			
L174	-82 906.56	2 933 568.00		R174	-79 603.80	2 934 296.64			
L175	-83 247.65	2 933 615.49		R175	-79 740.96	2 934 294.41			
L176	-83 365.41	2 933 626.63		R176	-79 854.69	2 934 271.01			
L177	-83 529.33	2 933 631.70		R177	-80 282.18	2 934 160.96			
L178	-83 601.86	2 933 628.35		R178	-80 937.86	2 933 992.20			
L179	-83 891.82	2 933 573.54		R179	-81 557.41	2 933 832.00			
L180	-85 097.65	2 933 344.22		R180	-81 933.51	2 933 735.05			
L181	-85 099.00	2 933 353.16		R181	-82 010.92	2 933 718.86			
L182	-85 832.08	2 933 214.65		R182	-82 133.40	2 933 688.75			
L183	-86 034.03	2 933 176.50		R183	-82 307.94	2 933 639.43			
L184	-86 268.65	2 933 080.85		R184	-82 329.83	2 933 639.65			
L185	-86 373.67	2 933 060.97		R185	-82 462.83	2 933 614.50			
L186	-86 426.43	2 933 051.00		R186	-82 533.01	2 933 607.57			
L187	-86 449.83	2 933 066.94		R187	-82 634.27	2 933 598.20			
L188	-86 454.35	2 933 090.86		R188	-82 792.30	2 933 597.47			
L189	-86 455.51	2 933 097.23		R189	-82 899.10	2 933 607.62			
L190	-86 716.69	2 933 049.53		R190	-83 244.05	2 933 655.36			
L191	-86 808.69	2 933 042.20		R191	-83 442.70	2 933 673.32			
L192	-87 342.14	2 933 024.90		R192	-83 604.59	2 933 665.86			
L193	-87 386.41	2 933 010.21		R193	-83 908.57	2 933 608.30			
L194	-87 413.39	2 933 009.34		R194	-85 104.88	2 933 381.08			
L195	-87 457.31	2 933 021.19		R195	-85 106.67	2 933 390.19			
L196	-88 321.99	2 932 993.92		R196	-85 829.94	2 933 253.27			
L197	-88 476.92	2 933 010.66		R197	-86 144.40	2 933 193.73			
L198	-88 559.42	2 933 023.88		R198	-86 271.00	2 933 175.54			
L199	-88 590.26	2 933 029.52		R199	-86 384.74	2 933 154.03			
L200	-88 662.32	2 933 048.43		R200	-86 489.95	2 933 128.31			
L201	-88 794.38	2 933 092.57		R201	-86 635.32	2 933 100.72			
L202	-89 017.09	2 933 194.49		R202	-86 720.38	2 933 086.88			
L203	-89 760.43	2 933 667.42		R203	-86 811.49	2 933 079.59			
L204	-90 168.61	2 933 927.11		R204	-87 877.86	2 933 045.08			
Vel Sheet 16					Van of 18		P948/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L205	-90 327.81	2 934 003.09		R205	-88 308.14	2 933 035.02
L206	-90 478.53	2 934 047.81		R206	-88 460.10	2 933 047.51
L207	-90 693.02	2 934 062.19		R207	-88 575.58	2 933 067.78
L208	-90 899.83	2 934 032.05		R208	-88 667.86	2 933 090.64
L209	-91 734.96	2 933 805.00		R209	-88 787.78	2 933 129.95
L210	-92 165.21	2 933 688.13		R210	-88 894.31	2 933 175.53
L211	-92 261.40	2 933 669.68		R211	-89 005.76	2 933 233.50
L212	-92 357.46	2 933 654.78		R212	-89 143.23	2 933 319.04
L213	-92 475.65	2 933 646.18		R213	-89 651.24	2 933 642.44
L214	-92 581.68	2 933 638.11		R214	-89 752.74	2 933 707.68
L215	-92 584.27	2 933 637.91		R215	-90 132.98	2 933 948.05
L216	-95 314.22	2 933 785.51		R216	-90 248.41	2 934 013.79
L217	-95 445.50	2 933 791.52		R217	-90 513.78	2 934 125.34
L218	-95 578.45	2 933 772.36		R218	-90 574.16	2 934 138.34
L219	-95 665.41	2 933 748.50		R219	-90 657.88	2 934 119.42
L220	-95 746.11	2 933 716.83		R220	-90 716.58	2 934 103.84
L221	-95 841.33	2 933 679.10		R221	-90 894.02	2 934 072.38
L222	-95 891.68	2 933 664.63		R222	-92 113.28	2 933 741.38
L223	-95 971.40	2 933 655.64		R223	-92 265.37	2 933 707.77
L224	-96 039.11	2 933 654.47		R224	-92 356.53	2 933 695.73
L225	-96 210.01	2 933 675.43		R225	-92 491.26	2 933 683.98
L226	-96 271.36	2 933 637.18		R226	-92 578.17	2 933 677.16
L227	-96 308.41	2 933 659.05		R227	-92 586.63	2 933 676.54
L228	-96 329.59	2 933 687.52		R228	-95 281.04	2 933 845.54
L229	-96 432.41	2 933 697.18		R229	-95 345.36	2 933 848.24
L230	-96 584.76	2 933 710.97		R230	-95 391.06	2 933 850.15
L231	-96 659.92	2 933 719.93		R231	-95 469.97	2 933 850.13
L232	-96 716.83	2 933 729.82		R232	-95 487.97	2 933 847.01
L233	-96 841.91	2 933 787.12		R233	-95 571.36	2 933 832.54
L234	-96 918.93	2 933 849.63		R234	-95 671.18	2 933 801.45
L235	-96 973.75	2 933 895.76		R235	-95 764.63	2 933 763.75
L236	-97 018.04	2 933 916.08		R236	-95 855.77	2 933 725.70
L237	-97 047.06	2 933 941.27		R237	-95 950.62	2 933 705.20
L238	-97 085.08	2 933 992.21		R238	-96 039.32	2 933 707.27
L239	-97 145.08	2 934 025.37		R239	-96 113.15	2 933 715.27
L240	-97 209.28	2 934 049.17		R240	-96 193.21	2 933 726.19
L241	-97 304.45	2 934 063.86		R241	-96 232.78	2 933 747.20
L242	-97 410.33	2 934 053.98		R242	-96 276.00	2 933 752.99
L243	-97 587.43	2 933 998.17		R243	-96 326.07	2 933 739.91
L244	-97 807.55	2 933 915.45		R244	-96 426.00	2 933 752.35
L245	-97 889.31	2 933 881.78		R245	-96 576.75	2 933 770.96
L246	-97 927.22	2 933 851.22		R246	-96 646.84	2 933 779.07
L247	-97 954.52	2 933 842.75		R247	-96 713.66	2 933 790.87
L248	-97 976.48	2 933 839.05		R248	-96 781.80	2 933 810.46
L249	-98 306.15	2 933 653.27		R249	-96 833.07	2 933 845.65
L250	-98 568.04	2 933 508.52		R250	-96 968.39	2 933 963.99
L251	-98 768.23	2 933 389.94		R251	-96 997.93	2 934 010.12
L252	-98 925.70	2 933 315.20		R252	-97 021.35	2 934 030.13
L253	-99 019.73	2 933 283.45		R253	-97 059.37	2 934 039.00
L254	-99 111.66	2 933 253.27		R254	-97 132.50	2 934 077.51
L255	-99 208.80	2 933 237.68		R255	-97 200.41	2 934 098.30
				Vel Sheet 17	Van of 18	P948/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L256	-99 306.47	2	933	228.73	R256	-97 276.65	2	934	111.94
L257	-99 778.82	2	933	255.49	R257	-97 416.41	2	934	103.90
L258	-99 888.68	2	933	261.01	R258	-97 489.83	2	934	075.36
L259	-99 998.68	2	933	260.32	R259	-97 727.45	2	933	994.91
L260	-100 107.83	2	933	246.62	R260	-97 889.31	2	933	936.99
L261	-100 214.70	2	933	220.59	R261	-97 947.03	2	933	930.83
L262	-100 345.14	2	933	172.92	R262	-97 975.10	2	933	918.15
L263	-100 367.79	2	933	147.87	R263	-98 026.79	2	933	869.70
L264	-100 354.99	2	933	113.68	R264	-98 131.64	2	933	812.64
L265	-100 368.25	2	933	038.70	R265	-98 612.54	2	933	550.91
L266	-100 399.70	2	933	128.42	R266	-98 794.12	2	933	431.67
L267	-100 444.24	2	933	119.06	R267	-99 132.74	2	933	303.22
L268	-100 506.65	2	933	077.64	R268	-99 229.05	2	933	285.08
L269	-100 610.66	2	932	989.14	R269	-99 327.01	2	933	282.39
AL1	-95 541.25	2	933	867.18	R270	-99 565.16	2	933	301.75
AL2	-95 638.16	2	933	918.31	R271	-99 885.97	2	933	311.81
AL3	-95 692.95	2	933	966.65	R272	-99 997.32	2	933	320.42
AL4	-95 782.13	2	934	063.40	R273	-100 104.91	2	933	297.50
AL5	-95 807.70	2	934	091.14	R274	-100 213.27	2	933	278.78
AL6	-95 968.85	2	934	265.96	R275	-100 350.94	2	933	224.29
AL7	-96 010.51	2	934	288.58	R276	-100 395.55	2	933	217.08
AL8	-96 030.98	2	934	310.52	R277	-100 391.45	2	933	263.63
AL9	-96 050.73	2	934	353.68	R278	-100 360.05	2	933	322.77
AL10	-96 116.06	2	934	423.57	AR1	-95 443.86	2	933	862.12
AL11	-96 598.40	2	934	933.82	AR2	-95 556.37	2	933	910.97
AL12	-96 660.76	2	934	961.26	AR3	-95 601.65	2	933	939.80
AL13	-96 681.98	2	934	961.84	AR4	-95 665.05	2	933	995.37
AL14	-96 700.01	2	934	981.90	AR5	-95 776.81	2	934	114.86
AL15	-96 700.07	2	935	002.36	AR6	-96 184.42	2	934	558.11
AL16	-96 731.29	2	935	061.53	AR7	-96 292.54	2	934	673.78
					AR8	-96 576.65	2	934	977.79
					AR9	-96 596.35	2	935	026.27
					AR10	-96 594.44	2	935	045.91
					AR11	-96 610.49	2	935	065.77
					AR12	-96 630.90	2	935	067.16
					AR13	-96 685.26	2	935	100.50
					AR14	-96 694.53	2	935	110.39