

DEPARTMENT OF TRANSPORT

NO. 898

21 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N10 SECTION 5

AMENDMENT OF DECLARATION No. 1350 OF 2008.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1350 of 2008 by substituting it in its entirety with the accompanying sheets 1 to 15 of Plan No. P1143/19.

(National Road N10 Section 5: Ludlow – Hanover)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 898

21 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N10 SEKSIE 5


WYSIGING VAN VERKLARING No. 1350 VAN 2008.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 1350 van 2008 deur dit in sy geheel te vervang met bygaande velle 1 tot 15 van Plan No. P1143/19.


(Nasionale Pad N10 Seksie 5: Ludlow – Hanover)**MINISTER VAN VERVOER**




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 1 of 15 Plan P1143/19
---	---------------------------------------	---	--









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 4 of 15 Plan P114.3/19
---	---------------------------------------	---	--







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route Seksie Section 5	Vel Sheet 6 of 15 Plan P1143/19
---	---------------------------------------	---	--	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 Seksie of National Route N10 Section	Vel Sheet 7 of 15 Plan P114.3/19
---	---------------------------------------	---	--	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	5	Vel Sheet 9 of 15	Plan P1143/19
---	---------------------------------------	---	---	----------------------	------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L1	2 439.17	3 467 603.89		R1	2 509.23	3 467 535.86
L2	2 482.29	3 467 602.46		R2	2 520.20	3 467 579.66
L3	2 619.37	3 467 736.04		R3	2 627.38	3 467 686.12
L4	2 683.83	3 467 774.84		R4	2 676.54	3 467 721.59
L5	3 536.57	3 467 978.92		R5	2 700.24	3 467 737.29
L6	4 015.86	3 468 099.80		R6	2 725.76	3 467 749.61
L7	4 151.40	3 468 132.80		R7	2 751.32	3 467 758.19
L8	4 189.82	3 468 141.26		R8	3 708.73	3 467 987.86
L9	4 218.60	3 468 146.31		R9	3 901.93	3 468 033.54
L10	4 237.61	3 468 149.01		R10	4 067.92	3 468 067.48
L11	4 267.65	3 468 149.88		R11	4 190.15	3 468 096.08
L12	4 299.20	3 468 149.90		R12	4 243.74	3 468 106.76
L13	4 337.81	3 468 148.75		R13	4 256.07	3 468 108.75
L14	4 369.16	3 468 146.90		R14	4 277.68	3 468 111.36
L15	4 400.21	3 468 143.69		R15	4 307.85	3 468 114.18
L16	4 423.11	3 468 140.17		R16	4 337.27	3 468 114.35
L17	4 437.62	3 468 137.13		R17	4 359.16	3 468 113.44
L18	4 579.68	3 468 092.57		R18	4 425.29	3 468 106.88
L19	4 979.93	3 467 911.39		R19	4 462.50	3 468 099.09
L20	5 092.77	3 467 860.29		R20	4 551.65	3 468 071.16
L21	5 164.04	3 467 826.96		R21	4 947.78	3 467 891.21
L22	5 182.74	3 467 817.03		R22	5 122.36	3 467 811.90
L23	5 210.34	3 467 801.05		R23	5 156.19	3 467 795.37
L24	5 243.80	3 467 779.02		R24	5 175.46	3 467 784.98
L25	5 274.85	3 467 755.45		R25	5 225.49	3 467 753.25
L26	5 321.97	3 467 713.24		R26	5 272.28	3 467 716.36
L27	5 338.17	3 467 696.78		R27	5 294.15	3 467 696.38
L28	5 368.68	3 467 661.42		R28	5 314.77	3 467 675.38
L29	5 392.26	3 467 630.38		R29	5 334.73	3 467 653.18
L30	5 428.12	3 467 573.76		R30	5 353.20	3 467 629.91
L31	5 444.10	3 467 543.04		R31	5 378.58	3 467 594.06
L32	5 460.46	3 467 506.24		R32	5 387.02	3 467 581.03
L33	5 593.46	3 467 175.91		R33	5 401.98	3 467 555.41
L34	5 604.88	3 467 151.02		R34	5 415.65	3 467 529.15
L35	5 618.00	3 467 126.96		R35	5 427.86	3 467 502.10
L36	5 636.34	3 467 098.97		R36	5 564.41	3 467 163.26
L37	5 654.44	3 467 076.35		R37	5 589.25	3 467 107.47
L38	5 670.03	3 467 059.96		R38	5 608.31	3 467 076.03
L39	5 696.07	3 467 035.83		R39	5 634.69	3 467 048.41
L40	5 811.61	3 466 984.74		R40	5 648.46	3 467 036.92
L41	5 845.49	3 466 976.20		R41	5 666.75	3 467 019.67
L42	5 917.29	3 466 968.71		R42	5 699.98	3 466 989.37
L43	5 968.44	3 466 968.89		R43	5 715.58	3 466 979.17
L44	5 998.33	3 466 966.20		R44	5 739.55	3 466 965.49
L45	6 052.38	3 466 982.91		R45	5 764.05	3 466 954.19
L46	6 169.61	3 467 030.44		R46	5 852.66	3 466 925.23
L47	6 230.15	3 467 047.13		R47	5 897.41	3 466 919.22
L48	6 257.66	3 467 052.01		R48	5 937.76	3 466 916.72
L49	6 293.84	3 467 056.24		R49	6 017.68	3 466 934.98
L50	6 532.47	3 467 065.82		R50	6 063.23	3 466 947.53
L51	6 633.39	3 467 066.09		R51	6 098.37	3 466 961.53
				Vel Sheet 10	Van of 15	P1143/19

CONTINUES ON PAGE 130 OF BOOK 2

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 675

21 September 2021
September

No. 45182

PART 2 OF 2

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845



9 771682 584003



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L52	6 660.30	3 467 062.01		R52	6 211.33	3 467 009.26
L53	6 696.30	3 467 054.24		R53	6 264.35	3 467 020.95
L54	6 746.98	3 467 035.80		R54	6 291.53	3 467 024.24
L55	6 810.32	3 467 004.81		R55	6 581.70	3 467 035.82
L56	6 876.60	3 466 943.07		R56	6 600.16	3 467 036.38
L57	6 962.40	3 466 845.09		R57	6 627.22	3 467 034.41
L58	7 014.17	3 466 778.23		R58	6 656.33	3 467 030.52
L59	7 068.61	3 466 713.08		R59	6 684.43	3 467 024.11
L60	7 132.04	3 466 632.99		R60	6 710.76	3 467 016.05
L61	7 162.09	3 466 577.29		R61	6 755.32	3 466 998.47
L62	7 178.90	3 466 527.22		R62	6 773.99	3 466 987.58
L63	7 179.15	3 466 523.21		R63	6 833.49	3 466 940.93
L64	7 186.29	3 466 497.57		R64	6 854.23	3 466 919.54
L65	7 192.36	3 466 453.97		R65	6 889.43	3 466 878.11
L66	7 193.35	3 466 422.24		R66	7 036.06	3 466 702.71
L67	7 191.84	3 466 390.34		R67	7 104.86	3 466 616.89
L68	7 187.45	3 466 359.01		R68	7 117.46	3 466 596.18
L69	7 180.62	3 466 327.99		R69	7 128.29	3 466 574.29
L70	7 096.02	3 466 034.69		R70	7 139.44	3 466 551.09
L71	7 089.24	3 466 006.38		R71	7 144.38	3 466 541.00
L72	7 084.88	3 465 977.48		R72	7 152.34	3 466 504.67
L73	7 082.82	3 465 948.50		R73	7 157.19	3 466 480.76
L74	7 083.19	3 465 919.31		R74	7 160.73	3 466 451.79
L75	7 086.04	3 465 890.37		R75	7 161.69	3 466 422.42
L76	7 090.35	3 465 867.11		R76	7 159.10	3 466 370.16
L77	7 091.36	3 465 861.64		R77	7 156.74	3 466 368.13
L78	7 113.55	3 465 808.10		R78	7 149.62	3 466 334.88
L79	7 126.22	3 465 782.32		R79	7 065.53	3 466 043.43
L80	7 140.49	3 465 757.66		R80	7 058.10	3 466 012.60
L81	7 156.53	3 465 734.16		R81	7 053.26	3 465 981.11
L82	7 181.46	3 465 717.70		R82	7 051.19	3 465 949.47
L83	7 200.20	3 465 698.31		R83	7 051.57	3 465 917.65
L84	7 220.67	3 465 679.89		R84	7 053.68	3 465 895.33
L85	7 249.81	3 465 647.73		R85	7 053.31	3 465 889.17
L86	7 343.98	3 465 588.21		R86	7 060.49	3 465 854.24
L87	7 368.13	3 465 571.97		R87	7 068.66	3 465 823.93
L88	7 393.86	3 465 552.83		R88	7 079.43	3 465 794.18
L89	7 440.67	3 465 508.69		R89	7 092.48	3 465 764.83
L90	7 460.60	3 465 482.61		R90	7 110.60	3 465 734.89
L91	7 488.41	3 465 498.59		R91	7 130.84	3 465 710.19
L92	7 510.75	3 465 455.58		R92	7 183.29	3 465 661.00
L93	7 553.73	3 465 363.12		R93	7 214.45	3 465 633.54
L94	7 541.44	3 465 356.55		R94	7 220.97	3 465 628.03
L95	7 664.58	3 465 110.57		R95	7 244.44	3 465 610.77
L96	7 940.09	3 464 647.94		R96	7 269.96	3 465 593.45
L97	8 084.53	3 464 398.11		R97	7 351.39	3 465 544.19
L98	8 101.13	3 464 373.41		R98	7 370.36	3 465 526.46
L99	8 119.79	3 464 349.88		R99	7 392.55	3 465 502.40
L100	8 137.44	3 464 329.60		R100	7 410.23	3 465 482.04
L101	8 158.17	3 464 309.06		R101	7 426.32	3 465 460.15
L102	8 179.97	3 464 290.25		R102	7 441.17	3 465 437.33
				Vel Sheet	11 Van of 15	P1143/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L103	8 202.89	3 464 272.88		R103	7 462.93	3 465 397.51
L104	8 227.26	3 464 256.91		R104	7 499.47	3 465 334.13
L105	8 252.39	3 464 242.68		R105	8 035.68	3 464 404.12
L106	8 278.66	3 464 239.20		R106	8 051.78	3 464 377.12
L107	8 305.59	3 464 219.58		R107	8 090.23	3 464 325.66
L108	8 333.11	3 464 210.54		R108	8 113.04	3 464 298.88
L109	8 361.28	3 464 203.54		R109	8 131.42	3 464 280.63
L110	8 389.88	3 464 198.57		R110	8 155.44	3 464 259.79
L111	8 418.64	3 464 195.25		R111	8 180.78	3 464 240.55
L112	8 447.66	3 464 194.16		R112	8 206.98	3 464 223.39
L113	8 488.29	3 464 194.32		R113	8 234.44	3 464 207.98
L114	8 636.29	3 464 190.72		R114	8 303.48	3 464 175.39
L115	10 732.32	3 464 244.08		R115	8 347.06	3 464 161.07
L116	12 891.77	3 464 300.11		R116	8 432.82	3 464 152.38
L117	12 918.09	3 464 300.28		R117	8 454.67	3 464 151.80
L118	13 000.43	3 464 293.64		R118	8 508.14	3 464 156.32
L119	13 028.06	3 464 287.23		R119	8 649.13	3 464 160.37
L120	13 037.22	3 464 287.89		R120	8 751.75	3 464 163.31
L121	13 130.09	3 464 259.77		R121	11 251.18	3 464 227.03
L122	13 160.28	3 464 247.24		R122	12 891.70	3 464 268.43
L123	13 178.92	3 464 238.65		R123	12 916.56	3 464 268.39
L124	13 216.26	3 464 219.53		R124	12 978.17	3 464 264.64
L125	13 245.76	3 464 202.52		R125	13 010.88	3 464 259.41
L126	13 270.00	3 464 186.88		R126	13 034.82	3 464 255.07
L127	13 294.73	3 464 167.72		R127	13 061.57	3 464 248.55
L128	13 309.00	3 464 155.18		R128	13 087.22	3 464 238.94
L129	13 330.09	3 464 132.73		R129	13 117.47	3 464 225.75
L130	13 352.36	3 464 115.55		R130	13 172.92	3 464 203.02
L131	15 071.37	3 462 540.85		R131	13 198.12	3 464 187.60
L132	15 094.28	3 462 521.09		R132	13 227.94	3 464 174.88
L133	15 140.99	3 462 483.11		R133	13 250.27	3 464 159.84
L134	15 170.71	3 462 461.08		R134	13 297.68	3 464 122.32
L135	15 226.70	3 462 421.03		R135	15 050.43	3 462 516.85
L136	15 264.54	3 462 396.15		R136	15 073.76	3 462 496.80
L137	15 290.18	3 462 380.21		R137	15 133.99	3 462 448.50
L138	15 342.38	3 462 349.86		R138	15 170.97	3 462 421.15
L139	15 395.57	3 462 321.76		R139	15 221.61	3 462 386.14
L140	15 422.60	3 462 308.42		R140	15 244.85	3 462 370.87
L141	15 449.91	3 462 295.85		R141	15 300.10	3 462 337.39
L142	15 505.41	3 462 271.85		R142	15 353.86	3 462 307.48
L143	15 533.20	3 462 260.83		R143	15 394.99	3 462 286.68
L144	15 561.50	3 462 250.27		R144	15 422.74	3 462 273.33
L145	15 614.87	3 462 232.05		R145	15 450.83	3 462 260.56
L146	17 254.24	3 461 694.61		R146	15 493.46	3 462 242.51
L147	21 025.02	3 460 458.41		R147	15 536.36	3 462 225.77
L148	21 785.58	3 460 209.38		R148	15 565.33	3 462 215.31
L149	22 220.86	3 460 066.36		R149	15 599.80	3 462 203.98
L150	22 699.39	3 459 909.46		R150	16 113.94	3 462 035.02
L151	23 132.75	3 459 768.48		R151	17 258.79	3 461 659.52
L152	23 176.76	3 459 754.61		R152	18 715.37	3 461 182.10
L153	23 229.73	3 459 739.34		R153	21 021.31	3 460 425.99
				Vel Sheet	12 Van of 15	P1143/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°		Y	X			
L154	23 282.12	3 459 725.04		R154	21 750.59	3 460 187.08			
L155	23 376.44	3 459 699.30		R155	23 073.93	3 459 753.53			
L156	23 530.30	3 459 622.01		R156	23 102.00	3 459 742.82			
L157	23 640.00	3 459 561.90		R157	23 169.24	3 459 722.16			
L158	28 953.00	3 456 112.58		R158	23 245.88	3 459 697.06			
L159	33 057.98	3 453 447.91		R159	23 311.57	3 459 675.53			
L160	35 758.61	3 451 694.29		R160	23 368.42	3 459 655.93			
L161	35 807.57	3 451 657.81		R161	23 424.47	3 459 633.90			
L162	35 860.57	3 451 626.12		R162	23 479.28	3 459 609.93			
L163	35 933.70	3 451 588.10		R163	23 533.88	3 459 583.42			
L164	35 975.31	3 451 563.32		R164	23 586.89	3 459 554.96			
L165	36 006.42	3 451 544.78		R165	23 613.19	3 459 540.05			
L166	36 382.93	3 451 342.20		R166	23 670.24	3 459 504.93			
L167	36 513.85	3 451 271.76		R167	28 939.32	3 456 083.89			
L168	37 683.95	3 450 642.77		R168	33 039.64	3 453 422.23			
L169	37 725.58	3 450 624.48		R169	35 651.43	3 451 726.65			
L170	37 809.70	3 450 576.09		R170	35 850.09	3 451 599.04			
L171	37 824.42	3 450 561.98		R171	35 896.82	3 451 570.58			
L172	39 396.77	3 449 721.67		R172	35 924.72	3 451 554.56			
L173	39 436.27	3 449 699.39		R173	35 944.85	3 451 542.03			
L174	39 497.92	3 449 661.45		R174	36 497.59	3 451 244.69			
L175	39 548.90	3 449 625.92		R175	37 680.85	3 450 608.96			
L176	39 606.58	3 449 579.47		R176	37 712.74	3 450 588.55			
L177	39 642.74	3 449 548.38		R177	37 834.31	3 450 526.15			
L178	39 692.23	3 449 500.84		R178	38 989.94	3 449 904.30			
L179	39 729.96	3 449 460.74		R179	39 398.92	3 449 685.09			
L180	39 771.26	3 449 412.28		R180	39 499.19	3 449 623.58			
L181	39 852.99	3 449 314.87		R181	39 571.11	3 449 568.41			
L182	39 886.97	3 449 277.18		R182	39 619.19	3 449 527.37			
L183	39 932.09	3 449 232.34		R183	39 664.22	3 449 484.57			
L184	39 959.18	3 449 208.03		R184	39 725.84	3 449 417.66			
L185	40 025.74	3 449 153.66		R185	39 804.67	3 449 323.17			
L186	40 092.28	3 449 104.90		R186	39 844.36	3 449 277.47			
L187	40 122.81	3 449 085.04		R187	39 981.19	3 449 133.45			
L188	40 175.84	3 449 053.98		R188	40 127.51	3 449 045.23			
L189	40 894.83	3 448 655.89		R189	40 891.33	3 448 621.88			
L190	43 574.60	3 447 172.54		R190	43 518.03	3 447 167.42			
L191	43 598.97	3 447 159.83		R191	43 576.37	3 447 136.26			
L192	43 639.86	3 447 139.80		R192	43 617.19	3 447 115.70			
L193	43 665.01	3 447 128.25		R193	43 633.60	3 447 107.88			
L194	43 698.59	3 447 113.57		R194	43 650.14	3 447 100.28			
L195	43 724.09	3 447 103.16		R195	43 675.29	3 447 089.24			
L196	43 749.62	3 447 093.22		R196	43 721.50	3 447 070.34			
L197	43 784.00	3 447 080.61		R197	43 751.56	3 447 058.81			
L198	43 810.12	3 447 071.73		R198	43 794.61	3 447 043.68			
L199	43 836.58	3 447 063.29		R199	43 822.09	3 447 034.84			
L200	43 861.41	3 447 055.64		R200	43 847.10	3 447 027.12			
L201	43 905.73	3 447 043.41		R201	43 882.43	3 447 017.12			
L202	43 923.38	3 447 038.88		R202	43 917.86	3 447 007.99			
L203	46 122.34	3 446 522.84		R203	43 979.82	3 446 993.32			
L204	46 175.50	3 446 509.23		R204	46 106.13	3 446 494.35			
					Vel Sheet	13	Van of	15	P1143/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L205	46 217.49	3 446 497.12		R205	46 150.76	3 446 483.32
L206	46 252.32	3 446 486.04		R206	46 186.19	3 446 473.62
L207	46 286.89	3 446 474.20		R207	46 239.02	3 446 457.32
L208	46 329.70	3 446 458.28		R208	46 277.66	3 446 444.15
L209	46 374.95	3 446 439.74		R209	46 319.70	3 446 428.24
L210	46 433.15	3 446 413.49		R210	46 353.54	3 446 414.65
L211	46 474.03	3 446 393.18		R211	46 386.98	3 446 400.21
L212	46 522.28	3 446 367.14		R212	46 444.94	3 446 372.69
L213	46 584.19	3 446 331.17		R213	46 493.58	3 446 347.00
L214	46 651.95	3 446 288.79		R214	46 541.42	3 446 319.78
L215	46 710.24	3 446 244.21		R215	46 556.93	3 446 310.33
L216	46 773.41	3 446 194.10		R216	46 625.56	3 446 262.09
L217	46 840.25	3 446 130.52		R217	46 847.42	3 446 079.62
L218	46 912.58	3 446 054.74		R218	46 891.02	3 446 032.50
L219	46 925.49	3 446 041.18		R219	46 919.88	3 445 999.78
L220	46 937.38	3 446 027.46		R220	46 943.16	3 445 971.32
L221	46 955.10	3 446 006.52		R221	48 596.35	3 443 961.75
L222	48 637.64	3 443 961.27		R222	49 993.49	3 442 263.88
L223	49 269.46	3 443 193.24		R223	50 990.18	3 441 052.17
L224	49 511.54	3 442 906.01		R224	51 031.58	3 441 005.62
L225	49 622.99	3 442 763.51		R225	51 073.63	3 440 960.77
L226	50 001.91	3 442 302.75		R226	51 116.22	3 440 917.34
L227	51 015.00	3 441 071.40		R227	51 155.86	3 440 878.48
L228	51 075.68	3 441 006.12		R228	51 213.85	3 440 825.54
L229	51 158.62	3 440 921.30		R229	51 226.91	3 440 813.61
L230	51 204.30	3 440 877.21		R230	51 265.10	3 440 780.48
L231	51 245.08	3 440 840.61		R231	51 335.69	3 440 722.49
L232	51 254.93	3 440 832.20		R232	51 371.77	3 440 694.60
L233	51 314.53	3 440 781.32		R233	51 418.84	3 440 658.61
L234	51 396.57	3 440 715.25		R234	51 471.08	3 440 621.88
L235	51 459.73	3 440 668.48		R235	51 524.17	3 440 585.83
L236	51 509.31	3 440 633.74		R236	51 601.12	3 440 536.54
L237	51 559.92	3 440 600.34		R237	51 672.30	3 440 495.12
L238	51 611.10	3 440 568.08		R238	51 776.28	3 440 438.00
L239	51 663.00	3 440 537.02		R239	51 866.92	3 440 394.34
L240	51 715.82	3 440 507.20		R240	51 979.87	3 440 346.18
L241	51 769.15	3 440 478.63		R241	52 065.30	3 440 313.31
L242	51 823.26	3 440 451.21		R242	52 156.07	3 440 281.83
L243	51 877.92	3 440 425.27		R243	52 338.73	3 440 230.13
L244	51 933.19	3 440 400.56		R244	52 553.57	3 440 184.74
L245	51 989.12	3 440 376.98		R245	53 089.95	3 440 098.23
L246	52 045.55	3 440 354.84		R246	53 238.45	3 440 063.64
L247	52 102.40	3 440 334.06		R247	53 383.19	3 440 017.04
L248	52 159.80	3 440 314.57		R248	53 456.85	3 439 987.58
L249	52 246.57	3 440 287.92		R249	53 523.71	3 439 958.21
L250	52 304.93	3 440 271.81		R250	53 627.07	3 439 905.40
L251	52 334.17	3 440 264.40		R251	53 676.72	3 439 877.16
L252	52 559.57	3 440 221.94		R252	53 798.86	3 439 798.28
L253	52 605.66	3 440 240.27		R253	53 844.79	3 439 767.63
L254	53 051.34	3 440 168.56		R254	54 160.21	3 439 491.60
L255	53 210.17	3 440 135.96				
				Vel Sheet	14	Van of 15
				P1143/19		

This gazette is also available free online at www.gpwonline.co.za