

DEPARTMENT OF TRANSPORT

NO. 899

21 September 2021


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N10 SECTION 1

AMENDMENT OF DECLARATION No. 982 OF 2008.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 982 of 2008 by substituting it in its entirety, with the accompanying sheets 1 to 43 of Plan No. P1145/19.

(National Road N10 Section 1: Nanaga – Middleton)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 899

21 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N10 SEKSIE 1


WYSIGING VAN VERKLARING No. 982 VAN 2008.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 982 van 2008 deur dit in sy geheel te vervang, met bygaande velle 1 tot 43 van Plan No. P1145/19.

(Nasionale Pad N10 Seksie 1: Nanaga – Middleton)
MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padogenskaps MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	1	Val Sheet 1	van of 43
The South African National Roads Agency SOC Ltd	The figure shown				Plan P1145/19	




Vel
Sheet 2 of 43
Plan P1145/19

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10 Sektie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Vel
Sheet 3 of 43
Plan P1145/19


1
Seksie
Section


stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10
of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk
The South African National Roads Agency SOC Ltd








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	1 1 1 1	Vel Sheet Plan 6 6 P1145/19	van of 43
---	---------------------------------------	---	---	------------------	--	-----------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	1	Plan P1145/19	Vel 7 van 43 Sheet of
---	---------------------------------------	--	---	---------------	--------------------------



Vel
Sheet 8 of 43
Plan P1145/19


1
Seksie
Section


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10
of National Route





Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd










Vel Sheet 12 of 43 Plan P1145/19	1 Seksie N10 Section of National Route	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd Die figuur getoon The figure shown
--	--	--



Vel
Sheet 13 of 43
Plan P1145/19


1
stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10 Sekse
of National Route Section



Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 15 of 43
		1 Sektie Section	Plan P1145/19





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	17 of	43
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	Plan	P1145/19	






stel die podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10 Seksie
of National Route Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vel van
Sheet 19 of 43
Plan P1145/19



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 Sektie of National Route Section	Vel Sheet 20 of 43 Plan P1145/19
---	---------------------------------------	--	---



Vel
Sheet 21 of 43
Plan
P1145/19


1

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Vel
Sheet 23 of 43
Plan P1145/19

1
Seksie
Section

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L1	-84 497.33	3	721 241.85		R1	-84 921.91	3	720 974.00	
L2	-84 499.57	3	721 221.06		R2	-84 886.03	3	720 934.05	
L3	-84 501.30	3	721 205.04		R3	-84 929.71	3	720 846.40	
L4	-84 564.00	3	721 098.15		R4	-84 996.78	3	720 711.81	
L5	-84 639.76	3	721 007.90		R5	-85 009.48	3	720 654.80	
L6	-84 749.65	3	720 891.58		R6	-85 041.87	3	720 509.45	
L7	-84 853.43	3	720 777.16		R7	-85 049.14	3	720 448.59	
L8	-84 857.05	3	720 773.16		R8	-85 066.71	3	720 403.00	
L9	-84 877.74	3	720 743.15		R9	-85 087.57	3	720 380.00	
L10	-84 927.54	3	720 661.19		R10	-85 131.83	3	720 363.37	
L11	-84 957.28	3	720 569.60		R11	-85 187.60	3	720 364.72	
L12	-84 972.34	3	720 474.59		R12	-85 222.56	3	720 373.49	
L13	-84 972.64	3	720 396.38		R13	-85 211.12	3	720 388.80	
L14	-84 962.64	3	720 199.59		R14	-85 232.94	3	720 402.17	
L15	-84 985.68	3	720 173.57		R15	-85 235.59	3	720 403.80	
L16	-84 970.70	3	720 117.82		R16	-85 255.76	3	720 381.40	
L17	-84 939.23	3	720 025.30		R17	-85 274.16	3	720 360.98	
L18	-84 790.33	3	719 737.50		R18	-85 268.38	3	720 357.01	
L19	-84 761.34	3	719 687.07		R19	-85 255.26	3	720 347.98	
L20	-84 735.38	3	719 635.79		R20	-85 193.70	3	720 326.35	
L21	-84 705.89	3	719 584.30		R21	-85 130.70	3	720 323.34	
L22	-84 651.87	3	719 501.33		R22	-85 085.00	3	720 309.40	
L23	-84 533.03	3	719 341.53		R23	-85 062.73	3	720 288.62	
L24	-84 501.61	3	719 326.69		R24	-85 041.98	3	720 244.44	
L25	-84 434.45	3	719 239.97		R25	-85 004.38	3	720 084.47	
L26	-84 423.77	3	719 223.88		R26	-84 803.44	3	719 695.01	
L27	-84 395.21	3	719 178.34		R27	-84 796.71	3	719 677.35	
L28	-84 356.01	3	719 104.30		R28	-84 765.99	3	719 618.87	
L29	-84 334.35	3	719 062.47		R29	-84 735.63	3	719 566.75	
L30	-84 325.95	3	719 031.90		R30	-84 679.97	3	719 482.44	
L31	-84 295.52	3	718 967.83		R31	-84 562.06	3	719 320.16	
L32	-84 260.85	3	718 885.90		R32	-84 428.89	3	719 147.52	
L33	-84 241.02	3	718 826.78		R33	-84 386.89	3	719 078.63	
L34	-84 226.11	3	718 780.53		R34	-84 353.74	3	719 018.13	
L35	-84 166.55	3	718 534.87		R35	-84 324.32	3	718 955.21	
L36	-84 124.04	3	718 432.96		R36	-84 296.75	3	718 879.52	
L37	-84 117.11	3	718 402.53		R37	-84 252.26	3	718 749.38	
L38	-84 110.24	3	718 372.27		R38	-84 237.21	3	718 683.38	
L39	-84 089.34	3	718 214.39		R39	-84 224.11	3	718 613.20	
L40	-83 977.67	3	717 750.47		R40	-84 217.40	3	718 587.43	
L41	-83 873.40	3	717 314.35		R41	-84 187.31	3	718 478.29	
L42	-83 806.71	3	717 154.08		R42	-84 170.55	3	718 389.02	
L43	-83 802.56	3	717 144.12		R43	-84 170.23	3	718 387.88	
L44	-83 795.29	3	717 121.25		R44	-84 119.91	3	718 206.31	
L45	-83 789.21	3	716 958.90		R45	-84 105.71	3	718 136.32	
L46	-83 759.10	3	716 819.89		R46	-83 984.86	3	717 642.92	
L47	-83 747.82	3	716 721.49		R47	-83 860.38	3	717 122.94	
L48	-83 742.04	3	716 638.57		R48	-83 848.29	3	717 072.43	
L49	-83 740.98	3	716 555.23		R49	-83 845.02	3	717 038.78	
L50	-83 746.51	3	716 442.23		R50	-83 844.40	3	717 036.29	
L51	-83 757.60	3	716 348.30		R51	-83 840.69	3	717 021.37	
					Vel 24 Van of 43 P1145/19				
					Sheet				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	-83 766.38	3	716 293.63		R52	-83 838.87	3	717 013.35	
L53	-83 774.81	3	716 252.91		R53	-83 839.64	3	717 008.51	
L54	-83 893.18	3	715 725.17		R54	-83 810.21	3	716 874.70	
L55	-83 952.67	3	715 459.33		R55	-83 794.07	3	716 737.37	
L56	-83 969.98	3	715 381.98		R56	-83 787.57	3	716 599.48	
L57	-84 059.38	3	714 982.96		R57	-83 786.08	3	716 530.11	
L58	-84 074.35	3	714 929.78		R58	-83 799.83	3	716 380.97	
L59	-84 090.64	3	714 876.69		R59	-83 812.35	3	716 312.58	
L60	-84 099.24	3	714 852.20		R60	-83 829.23	3	716 249.06	
L61	-84 116.97	3	714 801.73		R61	-83 845.74	3	716 179.92	
L62	-84 132.78	3	714 763.24		R62	-83 860.09	3	716 111.19	
L63	-84 272.10	3	714 437.36		R63	-83 871.95	3	716 043.58	
L64	-84 482.82	3	713 944.71		R64	-83 885.57	3	715 978.67	
L65	-84 523.03	3	713 850.25		R65	-83 930.55	3	715 781.48	
L66	-84 539.91	3	713 807.42		R66	-84 024.61	3	715 369.15	
L67	-84 548.52	3	713 781.02		R67	-84 069.55	3	715 155.33	
L68	-84 573.99	3	713 687.64		R68	-84 126.27	3	714 952.64	
L69	-84 580.29	3	713 648.85		R69	-84 149.51	3	714 888.99	
L70	-84 586.77	3	713 608.89		R70	-84 166.45	3	714 832.85	
L71	-84 592.97	3	713 512.13		R71	-84 192.39	3	714 756.55	
L72	-84 589.61	3	712 971.65		R72	-84 226.87	3	714 660.94	
L73	-84 587.35	3	712 529.63		R73	-84 414.59	3	714 224.83	
L74	-84 585.12	3	712 263.97		R74	-84 434.49	3	714 185.67	
L75	-84 588.43	3	712 222.43		R75	-84 532.25	3	713 945.93	
L76	-84 595.52	3	712 181.40		R76	-84 593.59	3	713 818.89	
L77	-84 606.17	3	712 141.34		R77	-84 605.66	3	713 778.33	
L78	-84 617.74	3	712 106.46		R78	-84 629.65	3	713 639.07	
L79	-84 625.94	3	712 088.02		R79	-84 631.46	3	713 629.76	
L80	-84 640.79	3	712 058.18		R80	-84 643.38	3	713 568.59	
L81	-84 660.10	3	712 025.90		R81	-84 645.90	3	713 525.25	
L82	-84 670.24	3	712 008.95		R82	-84 643.35	3	713 438.36	
L83	-84 866.73	3	711 738.42		R83	-84 643.52	3	713 177.60	
L84	-84 907.40	3	711 682.43		R84	-84 644.01	3	713 107.53	
L85	-85 044.50	3	711 493.58		R85	-84 638.29	3	713 037.77	
L86	-85 171.76	3	711 318.27		R86	-84 637.76	3	712 844.99	
L87	-85 190.26	3	711 292.91		R87	-84 642.99	3	712 777.37	
L88	-85 403.75	3	710 998.70		R88	-84 637.31	3	712 634.96	
L89	-85 612.05	3	710 712.11		R89	-84 638.25	3	712 334.87	
L90	-85 804.98	3	710 446.78		R90	-84 642.26	3	712 272.02	
L91	-85 813.53	3	710 433.17		R91	-84 649.67	3	712 201.41	
L92	-85 834.26	3	710 400.15		R92	-84 669.28	3	712 137.64	
L93	-85 854.07	3	710 363.26		R93	-84 681.10	3	712 112.78	
L94	-85 856.43	3	710 357.27		R94	-84 697.54	3	712 078.20	
L95	-85 864.26	3	710 337.43		R95	-84 731.64	3	712 012.70	
L96	-85 873.34	3	710 311.33		R96	-84 752.54	3	711 976.03	
L97	-85 880.52	3	710 284.26		R97	-84 836.50	3	711 864.24	
L98	-85 890.10	3	710 229.44		R98	-84 936.75	3	711 724.25	
L99	-85 891.85	3	710 201.52		R99	-85 022.78	3	711 604.12	
L100	-85 892.08	3	710 173.76		R100	-85 057.30	3	711 557.00	
L101	-85 891.84	3	710 168.81		R101	-85 326.14	3	711 190.00	
L102	-85 890.74	3	710 146.36		R102	-85 625.13	3	710 777.05	
					Vel 25 Van 43 Sheet of P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L103	-85 887.51	3	710	119.04	R103	-85 649.53	3	710	742.90
L104	-85 872.91	3	710	051.96	R104	-85 832.97	3	710	486.21
L105	-85 864.17	3	710	026.81	R105	-85 876.41	3	710	429.45
L106	-85 852.92	3	709	999.37	R106	-85 907.93	3	710	363.72
L107	-85 840.45	3	709	974.21	R107	-85 932.25	3	710	294.93
L108	-85 826.53	3	709	950.45	R108	-85 944.48	3	710	225.02
L109	-85 811.34	3	709	927.26	R109	-85 945.60	3	710	151.01
L110	-85 785.45	3	709	894.28	R110	-85 932.41	3	710	079.87
L111	-85 756.40	3	709	862.61	R111	-85 918.32	3	710	027.83
L112	-85 606.87	3	709	736.96	R112	-85 913.47	3	710	009.91
L113	-85 585.68	3	709	717.99	R113	-85 884.66	3	709	944.62
L114	-85 565.38	3	709	696.45	R114	-85 826.22	3	709	856.33
L115	-85 537.35	3	709	662.13	R115	-85 678.17	3	709	733.00
L116	-85 513.43	3	709	624.96	R116	-85 622.75	3	709	682.20
L117	-85 491.93	3	709	586.14	R117	-85 579.94	3	709	630.46
L118	-85 481.38	3	709	560.54	R118	-85 545.95	3	709	572.52
L119	-85 470.01	3	709	531.12	R119	-85 522.70	3	709	509.75
L120	-85 458.30	3	709	490.54	R120	-85 506.92	3	709	444.74
L121	-85 453.09	3	709	463.36	R121	-85 499.01	3	709	378.06
L122	-85 449.08	3	709	435.88	R122	-85 503.69	3	709	349.06
L123	-85 446.22	3	709	380.49	R123	-85 505.96	3	709	310.64
L124	-85 448.33	3	709	339.26	R124	-85 521.47	3	709	245.29
L125	-85 468.56	3	709	187.40	R125	-85 556.14	3	709	166.29
L126	-85 588.06	3	708	997.81	R126	-85 657.47	3	708	979.97
L127	-85 815.38	3	708	568.85	R127	-85 813.81	3	708	680.95
L128	-86 024.52	3	708	175.56	R128	-85 875.96	3	708	555.11
L129	-86 138.91	3	707	960.20	R129	-85 942.16	3	708	431.60
L130	-86 269.73	3	707	713.93	R130	-86 078.06	3	708	174.78
L131	-86 493.79	3	707	292.56	R131	-86 192.44	3	707	962.04
L132	-86 728.71	3	706	850.38	R132	-86 210.50	3	707	928.90
L133	-86 805.84	3	706	705.14	R133	-86 405.79	3	707	556.84
L134	-86 961.76	3	706	411.56	R134	-86 506.76	3	707	370.83
L135	-87 189.29	3	705	983.46	R135	-86 771.57	3	706	869.62
L136	-87 435.98	3	705	519.51	R136	-86 861.81	3	706	700.32
L137	-87 687.11	3	705	045.71	R137	-87 035.31	3	706	372.19
L138	-87 690.01	3	705	040.26	R138	-87 199.65	3	706	065.10
L139	-87 901.67	3	704	642.39	R139	-87 272.43	3	705	937.05
L140	-88 138.43	3	704	196.53	R140	-87 329.83	3	705	822.72
L141	-88 382.68	3	703	737.03	R141	-87 396.21	3	705	693.85
L142	-88 609.51	3	703	310.38	R142	-87 465.42	3	705	572.09
L143	-88 840.25	3	702	876.09	R143	-87 483.47	3	705	535.50
L144	-89 071.18	3	702	441.83	R144	-87 726.08	3	705	073.27
L145	-89 088.22	3	702	409.79	R145	-87 737.21	3	705	052.30
L146	-89 280.37	3	702	047.64	R146	-87 855.36	3	704	829.60
L147	-89 284.27	3	702	040.30	R147	-87 938.97	3	704	676.59
L148	-89 291.35	3	702	026.98	R148	-88 157.66	3	704	259.42
L149	-89 317.40	3	701	978.00	R149	-88 272.26	3	704	045.21
L150	-89 411.14	3	701	800.66	R150	-88 389.03	3	703	891.87
L151	-89 438.75	3	701	717.21	R151	-88 409.13	3	703	846.94
L152	-89 444.08	3	701	692.33	R152	-88 467.76	3	703	677.91
L153	-89 530.39	3	701	576.70	R153	-88 495.94	3	703	628.31
					Vel 26 Van 43 Sheet of P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L154	-89 662.71	3	701 327.56		R154	-88 588.05	3	703 450.78	
L155	-89 733.61	3	701 186.94		R155	-88 687.71	3	703 265.96	
L156	-89 733.78	3	701 186.60		R156	-88 774.28	3	703 100.97	
L157	-89 777.32	3	701 107.91		R157	-88 930.60	3	702 805.55	
L158	-89 826.22	3	701 019.53		R158	-89 089.81	3	702 505.71	
L159	-89 839.41	3	700 993.67		R159	-89 098.98	3	702 488.44	
L160	-89 863.72	3	700 946.00		R160	-89 165.70	3	702 362.77	
L161	-89 867.85	3	700 937.91		R161	-89 206.18	3	702 342.02	
L162	-90 111.62	3	700 458.25		R162	-89 267.12	3	702 227.27	
L163	-90 127.33	3	700 411.86		R163	-89 265.59	3	702 219.22	
L164	-90 131.45	3	700 393.00		R164	-89 259.48	3	702 187.10	
L165	-90 136.58	3	700 338.46		R165	-89 411.51	3	701 895.96	
L166	-90 132.27	3	700 270.16		R166	-89 529.05	3	701 734.37	
L167	-90 122.00	3	700 214.77		R167	-89 541.02	3	701 710.25	
L168	-90 105.09	3	700 162.49		R168	-89 576.37	3	701 574.98	
L169	-90 081.55	3	700 112.17		R169	-89 630.60	3	701 468.05	
L170	-90 052.24	3	700 065.36		R170	-89 739.51	3	701 270.20	
L171	-90 028.40	3	700 034.73		R171	-89 739.82	3	701 269.62	
L172	-90 026.70	3	700 032.97		R172	-89 772.17	3	701 207.93	
L173	-89 878.59	3	699 879.11		R173	-89 775.66	3	701 201.28	
L174	-89 846.43	3	699 845.71		R174	-89 803.86	3	701 145.97	
L175	-89 758.25	3	699 753.52		R175	-89 855.05	3	701 032.43	
L176	-89 712.07	3	699 705.24		R176	-89 891.70	3	700 963.08	
L177	-89 547.11	3	699 532.90		R177	-89 917.58	3	700 914.11	
L178	-89 381.46	3	699 360.16		R178	-90 125.01	3	700 521.64	
L179	-89 368.02	3	699 346.14		R179	-90 153.70	3	700 438.56	
L180	-89 316.50	3	699 292.37		R180	-90 166.94	3	700 378.40	
L181	-89 082.92	3	699 048.62		R181	-90 168.06	3	700 336.03	
L182	-89 055.83	3	699 016.67		R182	-90 166.62	3	700 293.88	
L183	-89 010.74	3	698 946.73		R183	-90 156.14	3	700 226.07	
L184	-88 974.54	3	698 857.27		R184	-90 153.08	3	700 211.92	
L185	-88 972.72	3	698 848.56		R185	-90 132.21	3	700 145.78	
L186	-88 960.26	3	698 788.95		R186	-90 108.52	3	700 096.32	
L187	-88 955.98	3	698 715.38		R187	-90 079.71	3	700 049.02	
L188	-88 965.39	3	698 632.43		R188	-90 043.75	3	700 007.10	
L189	-88 988.59	3	698 553.06		R189	-90 034.86	3	699 997.79	
L190	-89 005.26	3	698 514.65		R190	-90 018.13	3	699 980.26	
L191	-89 018.28	3	698 490.66		R191	-89 900.79	3	699 857.35	
L192	-89 032.91	3	698 466.76		R192	-89 807.68	3	699 759.82	
L193	-89 059.54	3	698 432.21		R193	-89 776.10	3	699 726.87	
L194	-89 075.16	3	698 411.95		R194	-89 584.17	3	699 526.60	
L195	-89 114.40	3	698 374.16		R195	-89 498.88	3	699 437.16	
L196	-89 144.51	3	698 350.07		R196	-89 441.74	3	699 377.99	
L197	-89 145.52	3	698 349.27		R197	-89 390.00	3	699 324.00	
L198	-89 185.53	3	698 317.44		R198	-89 114.98	3	699 037.03	
L199	-89 246.67	3	698 279.46		R199	-89 070.80	3	698 983.46	
L200	-89 351.24	3	698 217.61		R200	-89 034.16	3	698 924.84	
L201	-89 456.52	3	698 150.90		R201	-89 012.66	3	698 873.78	
L202	-89 478.22	3	698 132.89		R202	-89 006.62	3	698 852.21	
L203	-89 498.34	3	698 114.43		R203	-88 997.78	3	698 820.66	
L204	-89 509.49	3	698 102.77		R204	-88 988.06	3	698 759.02	
					Vel 27 Van of 43 P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L205	-89 535.47	3 698 072.93		R205	-88 991.38	3 698 700.63
L206	-89 573.55	3 698 015.24		R206	-88 994.87	3 698 641.83
L207	-89 586.21	3 697 990.60		R207	-89 009.38	3 698 588.41
L208	-89 607.31	3 697 939.18		R208	-89 029.95	3 698 536.76
L209	-89 622.63	3 697 880.22		R209	-89 063.95	3 698 476.16
L210	-89 634.86	3 697 811.61		R210	-89 108.32	3 698 422.69
L211	-89 637.30	3 697 798.04		R211	-89 138.53	3 698 393.23
L212	-89 648.00	3 697 757.75		R212	-89 149.38	3 698 384.58
L213	-89 655.26	3 697 737.92		R213	-89 161.26	3 698 374.76
L214	-89 655.40	3 697 737.62		R214	-89 188.24	3 698 354.66
L215	-89 668.25	3 697 709.11		R215	-89 191.67	3 698 352.56
L216	-89 683.83	3 697 681.45		R216	-89 438.25	3 698 201.85
L217	-89 685.55	3 697 678.39		R217	-89 472.39	3 698 178.67
L218	-89 702.24	3 697 652.29		R218	-89 525.54	3 698 132.47
L219	-89 744.21	3 697 597.34		R219	-89 552.51	3 698 102.38
L220	-89 810.45	3 697 529.82		R220	-89 569.20	3 698 080.12
L221	-89 826.13	3 697 513.84		R221	-89 592.58	3 698 045.49
L222	-89 860.31	3 697 479.00		R222	-89 626.21	3 697 985.54
L223	-89 913.48	3 697 415.38		R223	-89 645.96	3 697 919.10
L224	-89 935.55	3 697 379.91		R224	-89 667.61	3 697 809.82
L225	-89 957.56	3 697 329.04		R225	-89 683.62	3 697 763.54
L226	-89 967.93	3 697 288.97		R226	-89 684.11	3 697 762.12
L227	-89 976.64	3 697 234.06		R227	-89 700.71	3 697 714.13
L228	-89 979.74	3 697 206.57		R228	-89 723.60	3 697 674.44
L229	-89 976.25	3 697 151.41		R229	-89 752.47	3 697 635.80
L230	-89 964.58	3 697 096.78		R230	-89 834.47	3 697 550.15
L231	-89 944.95	3 697 043.73		R231	-89 846.00	3 697 538.67
L232	-89 917.82	3 696 995.33		R232	-89 846.74	3 697 537.89
L233	-89 876.61	3 696 945.71		R233	-89 910.79	3 697 470.20
L234	-89 786.63	3 696 870.57		R234	-89 912.16	3 697 468.75
L235	-89 656.01	3 696 785.29		R235	-89 951.07	3 697 421.68
L236	-89 612.03	3 696 751.60		R236	-89 967.30	3 697 382.88
L237	-89 561.51	3 696 705.08		R237	-89 989.02	3 697 331.78
L238	-89 533.60	3 696 674.53		R238	-89 997.93	3 697 305.55
L239	-89 505.11	3 696 638.36		R239	-90 007.09	3 697 251.22
L240	-89 435.94	3 696 519.13		R240	-90 010.69	3 697 203.32
L241	-89 297.37	3 696 226.11		R241	-90 008.31	3 697 163.16
L242	-89 258.83	3 696 144.63		R242	-90 002.26	3 697 121.38
L243	-89 246.04	3 696 117.32		R243	-89 991.28	3 697 081.54
L244	-89 165.65	3 695 946.66		R244	-89 980.12	3 697 047.30
L245	-89 145.61	3 695 898.28		R245	-89 962.91	3 697 010.30
L246	-89 128.66	3 695 845.48		R246	-89 927.72	3 696 951.26
L247	-89 116.15	3 695 777.24		R247	-89 870.96	3 696 892.64
L248	-89 111.06	3 695 736.13		R248	-89 849.79	3 696 875.06
L249	-89 109.90	3 695 653.17		R249	-89 827.21	3 696 859.13
L250	-89 109.99	3 695 651.58		R250	-89 676.54	3 696 761.11
L251	-89 132.58	3 695 267.52		R251	-89 631.87	3 696 727.36
L252	-89 135.14	3 695 222.58		R252	-89 580.45	3 696 680.41
L253	-89 142.38	3 695 095.25		R253	-89 512.24	3 696 594.17
L254	-89 142.90	3 695 067.35		R254	-89 373.72	3 696 305.39
L255	-89 142.66	3 695 037.71		R255	-89 302.46	3 696 156.85
				Vel Sheet	28 Van of 43	P1145/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L256	-89 135.30	3	694 999.06		R256	-89 171.76	3	695 878.38	
L257	-89 112.96	3	694 933.92		R257	-89 156.58	3	695 825.17	
L258	-89 085.47	3	694 886.54		R258	-89 146.59	3	695 770.69	
L259	-89 015.57	3	694 801.62		R259	-89 141.53	3	695 715.03	
L260	-88 967.71	3	694 751.63		R260	-89 143.50	3	695 676.50	
L261	-88 958.92	3	694 742.31		R261	-89 167.17	3	695 213.31	
L262	-88 941.38	3	694 720.69		R262	-89 170.99	3	695 165.62	
L263	-88 915.32	3	694 687.87		R263	-89 171.08	3	695 164.51	
L264	-88 888.19	3	694 639.46		R264	-89 174.68	3	695 058.16	
L265	-88 862.68	3	694 574.48		R265	-89 167.81	3	695 003.10	
L266	-88 850.72	3	694 520.34		R266	-89 149.40	3	694 937.17	
L267	-88 846.68	3	694 478.76		R267	-89 133.09	3	694 899.25	
L268	-88 846.28	3	694 443.97		R268	-89 083.82	3	694 827.45	
L269	-88 846.26	3	694 443.29		R269	-89 036.02	3	694 777.20	
L270	-88 830.15	3	694 300.62		R270	-88 959.93	3	694 695.80	
L271	-88 818.88	3	694 272.82		R271	-88 928.38	3	694 649.55	
L272	-88 809.83	3	694 248.67		R272	-88 898.84	3	694 587.77	
L273	-88 782.80	3	694 199.95		R273	-88 883.97	3	694 519.31	
L274	-88 760.43	3	694 164.89		R274	-88 877.46	3	694 454.34	
L275	-88 738.60	3	694 123.19		R275	-88 877.37	3	694 453.46	
L276	-88 729.65	3	694 102.07		R276	-88 877.04	3	694 425.33	
L277	-88 719.54	3	694 076.82		R277	-88 876.53	3	694 384.11	
L278	-88 711.55	3	694 064.91		R278	-88 863.05	3	694 292.96	
L279	-88 715.54	3	694 063.17		R279	-88 847.84	3	694 255.43	
L280	-88 712.11	3	694 049.85		R280	-88 836.20	3	694 230.20	
L281	-88 705.49	3	694 023.02		R281	-88 823.19	3	694 206.32	
L282	-88 702.99	3	693 999.65		R282	-88 801.62	3	694 171.39	
L283	-88 699.61	3	693 968.09		R283	-88 775.27	3	694 122.50	
L284	-88 699.32	3	693 926.44		R284	-88 759.93	3	694 094.03	
L285	-88 704.36	3	693 884.90		R285	-88 745.90	3	694 054.48	
L286	-88 726.01	3	693 804.75		R286	-88 739.07	3	694 027.87	
L287	-88 765.27	3	693 701.34		R287	-88 736.81	3	694 014.18	
L288	-88 776.49	3	693 661.64		R288	-88 731.77	3	693 972.95	
L289	-88 784.95	3	693 621.07		R289	-88 730.57	3	693 904.70	
L290	-88 788.64	3	693 579.90		R290	-88 737.44	3	693 876.05	
L291	-88 788.59	3	693 566.46		R291	-88 752.34	3	693 822.75	
L292	-88 788.53	3	693 552.24		R292	-88 780.55	3	693 745.38	
L293	-88 782.76	3	693 497.44		R293	-88 791.53	3	693 714.94	
L294	-88 776.97	3	693 470.72		R294	-88 799.47	3	693 692.94	
L295	-88 751.57	3	693 406.74		R295	-88 809.86	3	693 653.08	
L296	-88 685.31	3	693 269.02		R296	-88 817.68	3	693 617.17	
L297	-88 656.34	3	693 208.80		R297	-88 822.10	3	693 564.65	
L298	-88 639.59	3	693 173.99		R298	-88 819.03	3	693 558.51	
L299	-88 614.15	3	693 121.11		R299	-88 815.64	3	693 513.64	
L300	-88 594.52	3	693 080.31		R300	-88 812.86	3	693 499.25	
L301	-88 580.03	3	693 041.39		R301	-88 803.86	3	693 452.73	
L302	-88 556.60	3	692 976.86		R302	-88 798.14	3	693 432.67	
L303	-88 551.70	3	692 961.59		R303	-88 793.47	3	693 419.74	
L304	-88 543.52	3	692 936.29		R304	-88 777.54	3	693 381.31	
L305	-88 535.08	3	692 896.20		R305	-88 758.49	3	693 340.51	
L306	-88 530.33	3	692 855.38		R306	-88 758.09	3	693 338.91	
					Vel 29 Van of 43 P1145/19				

PADRESERWÉ KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L307	-88 530.71	3 692 841.62		R307	-88 741.29	3 693 270.97			
L308	-88 531.80	3 692 799.96		R308	-88 736.66	3 693 227.52			
L309	-88 538.14	3 692 758.63		R309	-88 726.31	3 693 227.67			
L310	-88 543.78	3 692 720.26		R310	-88 676.78	3 693 151.91			
L311	-88 547.52	3 692 715.01		R311	-88 675.51	3 693 155.46			
L312	-88 564.81	3 692 668.41		R312	-88 666.02	3 693 140.95			
L313	-88 601.68	3 692 605.43		R313	-88 663.49	3 693 127.34			
L314	-88 701.19	3 692 460.88		R314	-88 658.33	3 693 123.56			
L315	-88 715.14	3 692 434.81		R315	-88 657.80	3 693 117.49			
L316	-88 744.75	3 692 333.93		R316	-88 645.85	3 693 092.93			
L317	-88 748.77	3 692 291.09		R317	-88 640.89	3 693 074.77			
L318	-88 746.32	3 692 247.36		R318	-88 637.15	3 693 064.94			
L319	-88 739.19	3 692 204.19		R319	-88 625.19	3 693 037.53			
L320	-88 731.19	3 692 176.17		R320	-88 613.54	3 693 015.15			
L321	-88 708.60	3 692 122.11		R321	-88 600.21	3 692 999.10			
L322	-88 694.02	3 692 096.86		R322	-88 583.43	3 692 964.59			
L323	-88 686.94	3 692 085.19		R323	-88 582.89	3 692 962.38			
L324	-88 677.69	3 692 073.89		R324	-88 573.71	3 692 903.32			
L325	-88 668.51	3 692 062.52		R325	-88 573.47	3 692 760.04			
L326	-88 518.21	3 691 882.27		R326	-88 585.19	3 692 708.30			
L327	-88 353.25	3 691 682.87		R327	-88 587.64	3 692 700.95			
L328	-88 323.02	3 691 651.71		R328	-88 631.58	3 692 618.77			
L329	-88 312.11	3 691 641.85		R329	-88 640.81	3 692 606.77			
L330	-88 277.43	3 691 615.81		R330	-88 720.52	3 692 503.10			
L331	-88 264.84	3 691 608.33		R331	-88 738.95	3 692 460.77			
L332	-88 238.94	3 691 594.62		R332	-88 755.18	3 692 418.84			
L333	-88 140.56	3 691 568.04		R333	-88 760.51	3 692 405.07			
L334	-87 633.83	3 691 497.91		R334	-88 765.16	3 692 393.07			
L335	-86 767.55	3 691 379.03		R335	-88 775.13	3 692 354.48			
L336	-86 725.96	3 691 371.25		R336	-88 787.95	3 692 305.90			
L337	-86 697.52	3 691 364.24		R337	-88 794.06	3 692 301.89			
L338	-86 669.60	3 691 354.77		R338	-88 788.43	3 692 274.95			
L339	-86 642.71	3 691 343.76		R339	-88 783.77	3 692 268.46			
L340	-86 553.98	3 691 293.95		R340	-88 782.17	3 692 229.32			
L341	-86 530.74	3 691 276.18		R341	-88 766.94	3 692 168.20			
L342	-86 487.95	3 691 236.80		R342	-88 738.59	3 692 102.54			
L343	-86 478.32	3 691 226.00		R343	-88 708.39	3 692 055.53			
L344	-86 438.68	3 691 175.97		R344	-88 668.38	3 692 007.52			
L345	-86 402.71	3 691 112.83		R345	-88 639.72	3 691 979.36			
L346	-86 230.81	3 690 671.02		R346	-88 471.27	3 691 777.25			
L347	-86 166.00	3 690 503.35		R347	-88 357.43	3 691 643.54			
L348	-86 155.54	3 690 476.48		R348	-88 325.99	3 691 613.24			
L349	-86 140.89	3 690 427.10		R349	-88 302.47	3 691 595.29			
L350	-86 135.69	3 690 403.21		R350	-88 291.95	3 691 588.05			
L351	-86 134.13	3 690 393.29		R351	-88 277.56	3 691 579.22			
L352	-86 131.18	3 690 374.49		R352	-88 237.95	3 691 560.58			
L353	-86 127.55	3 690 316.65		R353	-88 210.52	3 691 550.70			
L354	-86 133.13	3 690 244.33		R354	-88 181.36	3 691 543.13			
L355	-86 142.70	3 690 195.15		R355	-88 131.66	3 691 534.63			
L356	-86 160.69	3 690 141.36		R356	-87 641.53	3 691 467.46			
L357	-86 237.84	3 689 975.82		R357	-87 631.50	3 691 466.08			
					Vel Sheet	30	Van of	43	P1145/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L358	-86 303.51	3	689	834.14	R358	-87 211.83	3	691	408.52
L359	-86 313.47	3	689	792.53	R359	-86 706.58	3	691	334.28
L360	-86 338.58	3	689	738.56	R360	-86 679.14	3	691	324.99
L361	-86 363.61	3	689	707.02	R361	-86 666.62	3	691	320.17
L362	-86 379.39	3	689	667.85	R362	-86 652.37	3	691	314.43
L363	-86 388.21	3	689	640.22	R363	-86 576.42	3	691	271.87
L364	-86 394.15	3	689	612.29	R364	-86 542.13	3	691	244.54
L365	-86 393.66	3	689	539.63	R365	-86 520.75	3	691	225.51
L366	-86 365.84	3	689	460.88	R366	-86 493.09	3	691	195.62
L367	-86 362.19	3	689	450.56	R367	-86 481.23	3	691	180.57
L368	-86 323.82	3	689	387.32	R368	-86 464.16	3	691	156.77
L369	-86 302.47	3	689	350.17	R369	-86 450.23	3	691	130.83
L370	-86 290.17	3	689	323.86	R370	-86 430.42	3	691	093.46
L371	-86 279.92	3	689	295.54	R371	-86 409.26	3	691	044.96
L372	-86 273.22	3	689	256.10	R372	-86 201.00	3	690	507.00
L373	-86 272.82	3	689	197.01	R373	-86 182.33	3	690	458.42
L374	-86 280.09	3	689	173.65	R374	-86 169.79	3	690	416.50
L375	-86 290.10	3	689	141.48	R375	-86 162.33	3	690	373.28
L376	-86 314.17	3	689	103.55	R376	-86 158.45	3	690	329.99
L377	-86 343.90	3	689	071.71	R377	-86 159.17	3	690	292.50
L378	-86 366.57	3	689	053.11	R378	-86 159.28	3	690	286.83
L379	-86 390.15	3	689	035.29	R379	-86 164.65	3	690	243.25
L380	-86 419.69	3	689	021.52	R380	-86 174.08	3	690	201.29
L381	-86 420.16	3	689	021.32	R381	-86 191.51	3	690	162.33
L382	-86 445.12	3	689	010.57	R382	-86 261.44	3	690	005.99
L383	-86 457.21	3	689	006.69	R383	-86 271.50	3	689	983.67
L384	-86 509.99	3	689	006.62	R384	-86 349.60	3	689	810.39
L385	-86 553.56	3	689	008.20	R385	-86 374.61	3	689	777.14
L386	-86 611.03	3	689	001.78	R386	-86 399.51	3	689	723.10
L387	-86 639.36	3	688	993.75	R387	-86 408.14	3	689	681.63
L388	-86 664.25	3	688	979.77	R388	-86 413.21	3	689	667.55
L389	-86 689.05	3	688	963.86	R389	-86 418.65	3	689	647.84
L390	-86 714.28	3	688	946.08	R390	-86 424.24	3	689	625.00
L391	-86 731.53	3	688	924.00	R391	-86 427.96	3	689	595.66
L392	-86 765.25	3	688	874.28	R392	-86 428.24	3	689	565.41
L393	-86 802.73	3	688	829.59	R393	-86 427.10	3	689	551.90
L394	-86 832.82	3	688	798.43	R394	-86 415.77	3	689	494.44
L395	-86 842.47	3	688	773.13	R395	-86 409.92	3	689	479.44
L396	-86 853.79	3	688	763.15	R396	-86 395.70	3	689	446.23
L397	-86 873.45	3	688	756.03	R397	-86 377.48	3	689	414.03
L398	-86 890.53	3	688	732.00	R398	-86 374.08	3	689	408.02
L399	-86 894.71	3	688	664.31	R399	-86 328.54	3	689	332.80
L400	-86 913.30	3	688	640.72	R400	-86 316.66	3	689	306.05
L401	-86 921.47	3	688	613.14	R401	-86 308.81	3	689	278.40
L402	-86 940.74	3	688	573.54	R402	-86 305.51	3	689	220.63
L403	-86 968.92	3	688	540.33	R403	-86 310.19	3	689	191.88
L404	-87 018.87	3	688	510.68	R404	-86 312.17	3	689	185.35
L405	-87 069.68	3	688	497.91	R405	-86 318.62	3	689	164.09
L406	-87 083.58	3	688	494.72	R406	-86 338.03	3	689	134.83
L407	-87 139.05	3	688	481.48	R407	-86 351.01	3	689	116.72
L408	-87 169.89	3	688	484.49	R408	-86 371.03	3	689	095.15
					Vel 31 Van of 43 P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L409	-87 244.63	3 688 488.98		R409	-86 417.45	3 689 060.00			
L410	-87 257.59	3 688 492.85		R410	-86 420.90	3 689 059.29			
L411	-87 305.41	3 688 520.32		R411	-86 516.99	3 689 039.53			
L412	-87 317.49	3 688 532.46		R412	-86 589.22	3 689 038.96			
L413	-87 355.20	3 688 554.29		R413	-86 633.31	3 689 033.85			
L414	-87 383.08	3 688 561.28		R414	-86 691.69	3 689 006.57			
L415	-87 412.08	3 688 563.20		R415	-86 710.74	3 688 992.19			
L416	-87 426.80	3 688 561.53		R416	-86 767.87	3 688 926.04			
L417	-87 441.29	3 688 559.63		R417	-86 785.28	3 688 906.22			
L418	-87 483.38	3 688 547.21		R418	-86 814.53	3 688 873.83			
L419	-87 578.85	3 688 480.25		R419	-86 826.32	3 688 865.00			
L420	-87 635.00	3 688 466.68		R420	-86 862.12	3 688 840.63			
L421	-87 669.03	3 688 463.29		R421	-86 896.23	3 688 796.97			
L422	-87 719.97	3 688 474.20		R422	-86 904.60	3 688 785.78			
L423	-87 771.23	3 688 508.18		R423	-86 933.97	3 688 719.64			
L424	-87 807.02	3 688 531.85		R424	-86 942.11	3 688 692.78			
L425	-87 863.36	3 688 547.73		R425	-86 942.60	3 688 678.31			
L426	-87 877.05	3 688 552.01		R426	-86 942.51	3 688 663.56			
L427	-87 948.09	3 688 547.39		R427	-86 949.69	3 688 651.50			
L428	-88 006.35	3 688 547.61		R428	-86 984.31	3 688 590.32			
L429	-88 030.43	3 688 535.08		R429	-87 027.09	3 688 540.82			
L430	-88 041.93	3 688 531.50		R430	-87 061.13	3 688 530.83			
L431	-88 097.63	3 688 509.63		R431	-87 080.90	3 688 526.20			
L432	-88 129.81	3 688 502.84		R432	-87 124.19	3 688 524.57			
L433	-88 180.36	3 688 499.87		R433	-87 166.93	3 688 518.54			
L434	-88 257.80	3 688 516.47		R434	-87 221.05	3 688 530.77			
L435	-88 307.42	3 688 510.96		R435	-87 233.34	3 688 538.65			
L436	-88 358.41	3 688 484.13		R436	-87 257.22	3 688 551.29			
L437	-88 395.13	3 688 445.60		R437	-87 307.17	3 688 575.09			
L438	-88 416.51	3 688 413.44		R438	-87 353.49	3 688 584.88			
L439	-88 466.02	3 688 383.12		R439	-87 397.02	3 688 593.69			
L440	-88 544.92	3 688 373.02		R440	-87 431.92	3 688 595.90			
L441	-88 620.02	3 688 390.42		R441	-87 445.95	3 688 592.42			
L442	-88 726.54	3 688 440.17		R442	-87 486.42	3 688 579.51			
L443	-88 755.02	3 688 440.94		R443	-87 517.49	3 688 562.22			
L444	-88 783.61	3 688 435.47		R444	-87 542.25	3 688 541.97			
L445	-88 836.91	3 688 411.85		R445	-87 567.58	3 688 524.21			
L446	-88 863.18	3 688 385.65		R446	-87 599.04	3 688 502.21			
L447	-88 871.43	3 688 374.44		R447	-87 682.83	3 688 488.48			
L448	-88 904.86	3 688 349.70		R448	-87 708.39	3 688 500.15			
L449	-88 969.08	3 688 307.78		R449	-87 790.17	3 688 559.94			
L450	-89 030.76	3 688 282.65		R450	-87 864.44	3 688 586.63			
L451	-89 045.64	3 688 280.37		R451	-87 912.38	3 688 586.72			
L452	-89 082.33	3 688 279.79		R452	-88 018.92	3 688 576.56			
L453	-89 109.23	3 688 292.12		R453	-88 048.55	3 688 571.56			
L454	-89 195.89	3 688 291.69		R454	-88 094.75	3 688 542.24			
L455	-89 237.36	3 688 282.83		R455	-88 146.38	3 688 526.90			
L456	-89 263.73	3 688 270.14		R456	-88 262.99	3 688 559.26			
L457	-89 288.37	3 688 253.79		R457	-88 314.21	3 688 557.41			
L458	-89 298.55	3 688 244.31		R458	-88 357.06	3 688 526.00			
L459	-89 305.27	3 688 237.94		R459	-88 405.63	3 688 481.10			
					Vel Sheet	32	Van of	43	P1145/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L460	-89 327.89	3	688 209.21		R460	-88 442.53	3	688 446.33	
L461	-89 341.37	3	688 183.38		R461	-88 483.61	3	688 425.57	
L462	-89 342.24	3	688 180.74		R462	-88 544.35	3	688 419.78	
L463	-89 343.26	3	688 177.62		R463	-88 587.83	3	688 429.68	
L464	-89 350.59	3	688 155.21		R464	-88 680.03	3	688 459.05	
L465	-89 355.52	3	688 127.03		R465	-88 730.86	3	688 468.38	
L466	-89 355.26	3	688 097.62		R466	-88 778.50	3	688 463.75	
L467	-89 348.56	3	688 054.48		R467	-88 819.96	3	688 451.04	
L468	-89 348.33	3	688 053.57		R468	-88 911.05	3	688 405.49	
L469	-89 326.95	3	687 968.03		R469	-88 959.58	3	688 378.73	
L470	-89 314.24	3	687 925.99		R470	-89 014.14	3	688 348.14	
L471	-89 309.21	3	687 912.22		R471	-89 061.89	3	688 329.08	
L472	-89 303.52	3	687 898.04		R472	-89 150.42	3	688 323.26	
L473	-89 296.71	3	687 885.06		R473	-89 210.84	3	688 317.63	
L474	-89 288.43	3	687 871.75		R474	-89 248.80	3	688 306.35	
L475	-89 273.62	3	687 853.82		R475	-89 289.18	3	688 287.47	
L476	-89 245.56	3	687 826.24		R476	-89 318.39	3	688 271.40	
L477	-89 245.25	3	687 826.02		R477	-89 342.59	3	688 254.40	
L478	-89 233.62	3	687 817.64		R478	-89 356.13	3	688 241.08	
L479	-89 220.44	3	687 810.25		R479	-89 370.54	3	688 207.39	
L480	-89 208.15	3	687 803.85		R480	-89 378.32	3	688 181.67	
L481	-89 192.11	3	687 798.85		R481	-89 378.40	3	688 181.41	
L482	-89 179.52	3	687 794.89		R482	-89 379.10	3	688 178.55	
L483	-89 160.79	3	687 789.06		R483	-89 388.63	3	688 139.28	
L484	-89 134.23	3	687 786.71		R484	-89 390.29	3	688 091.73	
L485	-89 090.17	3	687 782.82		R485	-89 386.15	3	688 057.12	
L486	-89 068.82	3	687 781.11		R486	-89 385.74	3	688 053.68	
L487	-89 011.13	3	687 790.02		R487	-89 374.99	3	688 011.74	
L488	-88 970.85	3	687 789.06		R488	-89 365.43	3	687 979.49	
L489	-88 909.12	3	687 774.43		R489	-89 353.27	3	687 940.41	
L490	-88 554.56	3	687 753.79		R490	-89 347.12	3	687 919.26	
L491	-88 536.73	3	687 749.69		R491	-89 342.85	3	687 906.51	
L492	-88 507.80	3	687 738.13		R492	-89 329.03	3	687 876.62	
L493	-88 480.22	3	687 725.85		R493	-89 319.65	3	687 861.51	
L494	-88 440.96	3	687 703.31		R494	-89 303.26	3	687 838.73	
L495	-88 414.83	3	687 688.37		R495	-89 290.27	3	687 823.58	
L496	-88 401.87	3	687 681.68		R496	-89 270.66	3	687 805.02	
L497	-88 381.09	3	687 670.80		R497	-89 224.63	3	687 776.97	
L498	-88 375.08	3	687 667.65		R498	-89 199.66	3	687 766.69	
L499	-88 361.20	3	687 662.06		R499	-89 176.26	3	687 759.97	
L500	-88 332.49	3	687 653.30		R500	-89 105.96	3	687 752.13	
L501	-88 318.07	3	687 650.02		R501	-89 010.45	3	687 747.46	
L502	-88 303.25	3	687 647.57		R502	-88 952.78	3	687 730.82	
L503	-88 274.25	3	687 646.88		R503	-88 912.43	3	687 729.67	
L504	-88 257.67	3	687 646.44		R504	-88 850.22	3	687 740.72	
L505	-88 238.36	3	687 649.26		R505	-88 842.18	3	687 740.37	
L506	-88 228.07	3	687 650.76		R506	-88 685.31	3	687 733.50	
L507	-88 168.96	3	687 661.50		R507	-88 613.30	3	687 729.96	
L508	-88 139.75	3	687 665.90		R508	-88 583.16	3	687 726.52	
L509	-88 070.06	3	687 663.83		R509	-88 554.49	3	687 720.94	
L510	-88 040.47	3	687 653.57		R510	-88 532.50	3	687 713.96	
					Vel 33 Van of 43 P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L511	-88 009.16	3 687 632.58		R511	-88 508.61	3 687 704.27
L512	-88 004.00	3 687 628.82		R512	-88 472.79	3 687 684.63
L513	-87 992.59	3 687 619.12		R513	-88 439.74	3 687 666.51
L514	-87 983.52	3 687 610.64		R514	-88 404.53	3 687 647.66
L515	-87 972.06	3 687 596.21		R515	-88 382.74	3 687 636.93
L516	-87 915.26	3 687 533.26		R516	-88 367.50	3 687 630.77
L517	-87 901.75	3 687 523.42		R517	-88 339.00	3 687 622.15
L518	-87 876.29	3 687 507.56		R518	-88 310.12	3 687 616.75
L519	-87 862.45	3 687 502.56		R519	-88 265.45	3 687 614.83
L520	-87 848.71	3 687 497.72		R520	-88 224.26	3 687 620.31
L521	-87 815.53	3 687 494.69		R521	-88 176.83	3 687 627.59
L522	-87 789.99	3 687 495.25		R522	-88 138.82	3 687 634.24
L523	-87 765.96	3 687 498.86		R523	-88 135.34	3 687 634.85
L524	-87 718.10	3 687 506.04		R524	-88 119.22	3 687 635.83
L525	-87 704.23	3 687 507.83		R525	-88 107.66	3 687 634.31
L526	-87 685.29	3 687 511.02		R526	-88 078.13	3 687 628.81
L527	-87 662.73	3 687 511.30		R527	-88 062.24	3 687 622.60
L528	-87 626.80	3 687 497.28		R528	-88 034.00	3 687 611.57
L529	-87 614.06	3 687 488.60		R529	-88 011.67	3 687 592.76
L530	-87 603.95	3 687 482.48		R530	-87 932.96	3 687 505.81
L531	-87 592.11	3 687 473.71		R531	-87 909.70	3 687 488.58
L532	-87 579.77	3 687 464.19		R532	-87 884.26	3 687 474.92
L533	-87 569.84	3 687 453.71		R533	-87 856.57	3 687 466.06
L534	-87 519.27	3 687 398.99		R534	-87 828.20	3 687 462.27
L535	-87 497.68	3 687 378.58		R535	-87 813.59	3 687 462.33
L536	-87 485.80	3 687 369.61		R536	-87 798.99	3 687 462.87
L537	-87 458.74	3 687 356.42		R537	-87 755.44	3 687 468.89
L538	-87 431.03	3 687 347.43		R538	-87 702.74	3 687 466.37
L539	-87 402.06	3 687 345.00		R539	-87 655.14	3 687 464.10
L540	-87 392.96	3 687 341.98		R540	-87 625.33	3 687 453.30
L541	-87 387.27	3 687 344.53		R541	-87 568.03	3 687 412.56
L542	-87 327.00	3 687 345.08		R542	-87 539.86	3 687 382.68
L543	-87 309.73	3 687 344.39		R543	-87 518.03	3 687 359.53
L544	-87 279.82	3 687 342.43		R544	-87 483.85	3 687 332.44
L545	-87 266.45	3 687 341.17		R545	-87 457.31	3 687 321.31
L546	-87 252.83	3 687 333.77		R546	-87 429.87	3 687 313.31
L547	-87 239.51	3 687 328.26		R547	-87 406.46	3 687 312.82
L548	-87 226.82	3 687 321.87		R548	-87 403.91	3 687 312.83
L549	-87 214.09	3 687 313.77		R549	-87 351.63	3 687 312.97
L550	-87 203.83	3 687 306.92		R550	-87 302.48	3 687 310.70
L551	-87 200.37	3 687 304.87		R551	-87 273.89	3 687 306.59
L552	-87 180.01	3 687 287.74		R552	-87 233.85	3 687 289.85
L553	-87 170.92	3 687 284.73		R553	-87 199.91	3 687 263.03
L554	-87 158.00	3 687 269.32		R554	-87 187.55	3 687 252.82
L555	-87 110.87	3 687 233.20		R555	-87 167.06	3 687 234.76
L556	-87 098.40	3 687 226.25		R556	-87 155.09	3 687 225.90
L557	-87 064.13	3 687 220.66		R557	-87 132.89	3 687 209.50
L558	-87 056.46	3 687 214.18		R558	-87 120.28	3 687 202.09
L559	-87 014.35	3 687 214.50		R559	-87 107.23	3 687 195.93
L560	-86 982.05	3 687 210.60		R560	-87 073.98	3 687 185.66
L561	-86 971.10	3 687 210.04		R561	-87 051.78	3 687 181.66
				Vel Sheet	34 Van of 43	P1145/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L562	-86 916.90	3	687 191.57		R562	-87 036.99	3	687 179.70	
L563	-86 856.59	3	687 167.62		R563	-86 978.54	3	687 172.98	
L564	-86 819.48	3	687 156.41		R564	-86 930.50	3	687 160.30	
L565	-86 810.39	3	687 153.40		R565	-86 883.59	3	687 140.06	
L566	-86 795.58	3	687 147.39		R566	-86 860.98	3	687 125.46	
L567	-86 771.06	3	687 136.33		R567	-86 825.12	3	687 106.19	
L568	-86 760.14	3	687 133.40		R568	-86 793.28	3	687 100.22	
L569	-86 748.18	3	687 129.99		R569	-86 727.88	3	687 098.20	
L570	-86 726.64	3	687 127.02		R570	-86 626.63	3	687 081.84	
L571	-86 705.88	3	687 123.78		R571	-86 604.85	3	687 078.63	
L572	-86 604.70	3	687 108.24		R572	-86 475.96	3	687 063.31	
L573	-86 575.38	3	687 103.87		R573	-86 170.24	3	687 073.79	
L574	-86 547.62	3	687 099.76		R574	-86 167.65	3	687 073.49	
L575	-86 504.13	3	687 095.70		R575	-86 046.33	3	687 073.02	
L576	-86 475.16	3	687 094.75		R576	-85 994.86	3	687 051.12	
L577	-86 460.74	3	687 094.87		R577	-85 948.33	3	686 981.19	
L578	-86 178.19	3	687 103.24		R578	-85 935.69	3	686 868.92	
L579	-86 026.25	3	687 107.65		R579	-85 913.54	3	686 808.77	
L580	-86 002.93	3	687 100.74		R580	-85 866.15	3	686 752.80	
L581	-85 977.47	3	687 089.34		R581	-85 641.41	3	686 548.81	
L582	-85 945.55	3	687 048.44		R582	-85 633.02	3	686 536.97	
L583	-85 923.16	3	687 006.30		R583	-85 625.96	3	686 524.23	
L584	-85 918.30	3	686 980.90		R584	-85 618.24	3	686 503.39	
L585	-85 909.31	3	686 926.37		R585	-85 616.17	3	686 493.51	
L586	-85 897.80	3	686 867.42		R586	-85 614.17	3	686 472.49	
L587	-85 892.85	3	686 838.48		R587	-85 614.15	3	686 467.90	
L588	-85 886.81	3	686 826.44		R588	-85 614.89	3	686 454.10	
L589	-85 869.41	3	686 806.83		R589	-85 614.94	3	686 437.84	
L590	-85 858.73	3	686 791.65		R590	-85 622.58	3	686 425.87	
L591	-85 850.67	3	686 780.90		R591	-85 628.86	3	686 412.67	
L592	-85 769.63	3	686 708.83		R592	-85 642.43	3	686 391.33	
L593	-85 722.79	3	686 668.52		R593	-85 663.18	3	686 366.52	
L594	-85 637.19	3	686 591.18		R594	-85 678.83	3	686 352.13	
L595	-85 617.45	3	686 570.27		R595	-85 717.84	3	686 316.33	
L596	-85 600.71	3	686 546.16		R596	-85 749.23	3	686 269.54	
L597	-85 589.36	3	686 520.16		R597	-85 768.07	3	686 243.36	
L598	-85 583.06	3	686 493.58		R598	-85 795.18	3	686 197.52	
L599	-85 581.46	3	686 486.60		R599	-85 798.66	3	686 154.32	
L600	-85 581.64	3	686 450.36		R600	-85 794.38	3	686 141.58	
L601	-85 590.99	3	686 418.01		R601	-85 784.83	3	686 124.00	
L602	-85 612.08	3	686 372.55		R602	-85 772.47	3	686 096.79	
L603	-85 629.60	3	686 350.57		R603	-85 755.41	3	686 084.80	
L604	-85 681.37	3	686 301.04		R604	-85 739.05	3	686 061.00	
L605	-85 739.58	3	686 221.95		R605	-85 714.13	3	686 022.75	
L606	-85 743.46	3	686 195.82		R606	-85 703.13	3	686 018.80	
L607	-85 730.07	3	686 110.36		R607	-85 693.60	3	686 010.74	
L608	-85 656.03	3	686 030.27		R608	-85 638.88	3	685 965.67	
L609	-85 635.99	3	686 010.96		R609	-85 512.63	3	685 837.18	
L610	-85 615.70	3	685 982.48		R610	-85 487.73	3	685 815.99	
L611	-85 506.60	3	685 902.73		R611	-84 903.90	3	685 246.14	
L612	-85 468.84	3	685 898.76		R612	-84 840.79	3	685 184.26	
					Vel Sheet 35 Van of 43 P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L613	-85 414.72	3	685 832.62		R613	-84 808.84	3	685 148.46	
L614	-85 406.31	3	685 809.72		R614	-84 714.84	3	685 034.06	
L615	-85 310.60	3	685 739.29		R615	-84 688.72	3	684 998.30	
L616	-85 255.92	3	685 691.65		R616	-84 659.47	3	684 967.06	
L617	-85 219.09	3	685 646.54		R617	-84 492.37	3	684 756.62	
L618	-85 189.01	3	685 596.61		R618	-84 280.16	3	684 473.87	
L619	-85 131.04	3	685 513.43		R619	-84 274.91	3	684 350.82	
L620	-84 818.04	3	685 207.54		R620	-84 158.35	3	684 313.12	
L621	-84 768.83	3	685 157.87		R621	-84 144.75	3	684 295.14	
L622	-84 720.17	3	685 106.90		R622	-84 092.74	3	684 226.39	
L623	-84 676.66	3	685 070.72		R623	-84 059.55	3	684 167.50	
L624	-84 614.85	3	685 004.54		R624	-84 041.35	3	684 102.88	
L625	-84 613.26	3	684 996.72		R625	-84 039.18	3	684 037.43	
L626	-84 609.43	3	684 981.87		R626	-84 051.15	3	683 973.57	
L627	-84 309.89	3	684 594.56		R627	-84 077.44	3	683 917.76	
L628	-84 122.44	3	684 340.37		R628	-84 122.88	3	683 853.46	
L629	-84 023.06	3	684 205.60		R629	-84 208.63	3	683 752.26	
L630	-83 992.35	3	684 109.28		R630	-84 254.70	3	683 697.59	
L631	-83 988.52	3	684 027.38		R631	-84 300.17	3	683 636.32	
L632	-84 003.47	3	683 957.09		R632	-84 331.23	3	683 575.38	
L633	-84 010.06	3	683 937.45		R633	-84 353.90	3	683 507.75	
L634	-84 026.90	3	683 903.88		R634	-84 366.90	3	683 435.28	
L635	-84 050.21	3	683 866.85		R635	-84 368.49	3	683 362.76	
L636	-84 076.81	3	683 832.30		R636	-84 360.16	3	683 292.27	
L637	-84 233.27	3	683 646.54		R637	-84 341.18	3	683 222.28	
L638	-84 242.18	3	683 635.00		R638	-84 312.88	3	683 155.64	
L639	-84 266.90	3	683 599.02		R639	-84 273.79	3	683 094.69	
L640	-84 286.62	3	683 560.22		R640	-84 225.31	3	683 039.13	
L641	-84 298.69	3	683 533.88		R641	-84 163.29	3	682 986.27	
L642	-84 307.79	3	683 506.02		R642	-84 069.87	3	682 903.00	
L643	-84 315.61	3	683 478.41		R643	-83 902.54	3	682 768.22	
L644	-84 325.71	3	683 420.45		R644	-83 825.82	3	682 704.23	
L645	-84 327.02	3	683 405.91		R645	-83 669.34	3	682 571.18	
L646	-84 328.30	3	683 376.38		R646	-83 659.05	3	682 560.65	
L647	-84 326.45	3	683 332.13		R647	-83 640.16	3	682 538.10	
L648	-84 323.51	3	683 311.57		R648	-83 623.04	3	682 514.28	
L649	-84 318.99	3	683 282.04		R649	-83 607.49	3	682 489.24	
L650	-84 313.48	3	683 259.06		R650	-83 587.30	3	682 450.62	
L651	-84 299.97	3	683 217.19		R651	-83 572.63	3	682 410.30	
L652	-84 288.95	3	683 189.83		R652	-83 553.03	3	682 328.42	
L653	-84 268.42	3	683 150.82		R653	-83 476.96	3	682 004.27	
L654	-84 244.77	3	683 113.97		R654	-83 476.76	3	682 003.43	
L655	-84 226.64	3	683 090.88		R655	-83 443.95	3	681 807.46	
L656	-84 207.05	3	683 068.65		R656	-83 427.32	3	681 539.38	
L657	-84 185.93	3	683 048.16		R657	-83 412.53	3	681 460.53	
L658	-84 163.90	3	683 028.72		R658	-83 388.93	3	681 392.52	
L659	-83 859.79	3	682 774.67		R659	-83 378.57	3	681 365.04	
L660	-83 809.59	3	682 750.48		R660	-83 358.05	3	681 310.64	
L661	-83 741.31	3	682 714.94		R661	-83 345.49	3	681 280.42	
L662	-83 750.10	3	682 682.99		R662	-83 306.09	3	681 197.90	
L663	-83 692.07	3	682 635.11		R663	-83 255.49	3	681 068.59	
					Vel Sheet 36 Van of 43 P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L664	-83 619.58	3	682 563.20		R664	-83 206.71	3	680 938.45	
L665	-83 594.23	3	682 527.24		R665	-83 189.62	3	680 874.79	
L666	-83 582.22	3	682 507.97		R666	-83 175.81	3	680 809.31	
L667	-83 527.79	3	682 460.50		R667	-83 175.77	3	680 733.63	
L668	-83 522.93	3	682 440.23		R668	-83 191.51	3	680 669.39	
L669	-83 514.52	3	682 305.33		R669	-83 215.63	3	680 614.13	
L670	-83 445.88	3	682 016.88		R670	-83 218.43	3	680 607.72	
L671	-83 440.88	3	681 995.82		R671	-83 254.03	3	680 552.51	
L672	-83 440.70	3	681 995.07		R672	-83 292.41	3	680 510.42	
L673	-83 412.66	3	681 820.81		R673	-83 406.94	3	680 409.80	
L674	-83 395.03	3	681 547.67		R674	-83 455.22	3	680 361.33	
L675	-83 375.96	3	681 457.17		R675	-83 499.08	3	680 304.05	
L676	-83 359.09	3	681 406.80		R676	-83 532.59	3	680 237.24	
L677	-83 357.45	3	681 401.89		R677	-83 555.85	3	680 167.42	
L678	-83 320.63	3	681 316.56		R678	-83 566.88	3	680 094.41	
L679	-83 308.77	3	681 287.96		R679	-83 561.24	3	680 021.51	
L680	-83 163.37	3	680 951.25		R680	-83 545.18	3	679 915.98	
L681	-83 150.35	3	680 908.36		R681	-83 520.45	3	679 785.92	
L682	-83 143.55	3	680 879.06		R682	-83 493.29	3	679 559.98	
L683	-83 136.65	3	680 834.79		R683	-83 499.27	3	679 441.19	
L684	-83 135.12	3	680 805.12		R684	-83 506.26	3	679 395.97	
L685	-83 136.21	3	680 760.54		R685	-83 517.74	3	679 323.26	
L686	-83 141.70	3	680 717.14		R686	-83 551.66	3	679 117.24	
L687	-83 147.48	3	680 687.66		R687	-83 573.61	3	678 986.02	
L688	-83 158.92	3	680 647.32		R688	-83 580.73	3	678 942.54	
L689	-83 176.51	3	680 604.11		R689	-83 649.05	3	678 538.90	
L690	-83 176.89	3	680 603.18		R690	-83 655.29	3	678 538.57	
L691	-83 190.65	3	680 576.12		R691	-83 653.68	3	678 516.37	
L692	-83 214.00	3	680 538.13		R692	-83 666.82	3	678 467.06	
L693	-83 270.62	3	680 470.60		R693	-83 711.88	3	678 324.28	
L694	-83 383.27	3	680 376.24		R694	-83 794.93	3	678 060.72	
L695	-83 405.52	3	680 357.04		R695	-83 807.48	3	677 994.23	
L696	-83 436.49	3	680 324.49		R696	-83 814.93	3	677 941.33	
L697	-83 463.61	3	680 289.00		R697	-83 814.42	3	677 900.71	
L698	-83 478.53	3	680 263.22		R698	-83 816.26	3	677 801.79	
L699	-83 497.53	3	680 223.12		R699	-83 816.80	3	677 598.94	
L700	-83 507.39	3	680 195.15		R700	-83 822.31	3	677 530.83	
L701	-83 521.45	3	680 137.94		R701	-83 822.36	3	677 470.82	
L702	-83 525.29	3	680 094.48		R702	-83 819.32	3	677 390.75	
L703	-83 523.44	3	680 036.12		R703	-83 821.39	3	677 332.75	
L704	-83 487.15	3	679 785.82		R704	-83 823.48	3	677 148.29	
L705	-83 456.71	3	679 529.64		R705	-83 826.05	3	677 092.25	
L706	-83 455.38	3	679 468.60		R706	-83 831.59	3	677 050.47	
L707	-83 458.52	3	679 397.59		R707	-83 833.36	3	677 039.95	
L708	-83 466.65	3	679 326.92		R708	-83 838.14	3	677 011.45	
L709	-83 414.76	3	679 216.71		R709	-83 862.34	3	676 919.23	
L710	-83 499.95	3	679 129.33		R710	-83 887.60	3	676 857.43	
L711	-83 531.40	3	678 938.19		R711	-84 031.96	3	676 539.32	
L712	-83 569.53	3	678 706.42		R712	-84 060.65	3	676 472.13	
L713	-83 578.34	3	678 635.42		R713	-84 081.32	3	676 403.13	
L714	-83 601.56	3	678 510.76		R714	-84 087.20	3	676 330.57	
					Vel Sheet 37 Van of 43 P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L715	-83 625.26	3	678 428.34		R715	-84 085.54	3	676 258.70	
L716	-83 650.80	3	678 362.80		R716	-84 076.35	3	676 187.89	
L717	-83 673.56	3	678 296.47		R717	-84 053.92	3	676 116.93	
L718	-83 682.39	3	678 267.10		R718	-84 020.80	3	676 052.74	
L719	-83 698.04	3	678 231.01		R719	-83 980.93	3	675 994.06	
L720	-83 724.39	3	678 166.26		R720	-83 696.10	3	675 655.27	
L721	-83 760.49	3	678 064.57		R721	-83 575.36	3	675 511.58	
L722	-83 773.59	3	678 002.28		R722	-83 527.99	3	675 457.07	
L723	-83 782.25	3	677 901.55		R723	-83 294.88	3	675 237.98	
L724	-83 785.33	3	677 613.57		R724	-83 222.47	3	675 170.17	
L725	-83 788.65	3	677 327.27		R725	-83 174.17	3	675 119.78	
L726	-83 792.15	3	677 091.74		R726	-83 131.85	3	675 077.53	
L727	-83 797.79	3	677 039.12		R727	-83 051.10	3	675 007.88	
L728	-83 800.33	3	677 015.41		R728	-82 962.93	3	674 928.87	
L729	-83 806.69	3	676 971.67		R729	-82 962.58	3	674 928.55	
L730	-83 813.22	3	676 943.45		R730	-82 899.50	3	674 869.58	
L731	-83 825.77	3	676 893.56		R731	-82 710.40	3	674 692.86	
L732	-83 846.56	3	676 831.34		R732	-82 661.50	3	674 643.50	
L733	-83 864.97	3	676 785.65		R733	-82 619.17	3	674 589.74	
L734	-84 001.01	3	676 492.06		R734	-82 583.29	3	674 530.84	
L735	-84 016.04	3	676 450.65		R735	-82 556.00	3	674 469.91	
L736	-84 027.31	3	676 408.63		R736	-82 533.64	3	674 404.25	
L737	-84 032.13	3	676 379.65		R737	-82 520.10	3	674 337.84	
L738	-84 036.22	3	676 350.27		R738	-82 473.06	3	673 999.08	
L739	-84 037.39	3	676 307.48		R739	-82 460.17	3	673 906.27	
L740	-84 037.00	3	676 292.75		R740	-82 450.76	3	673 838.51	
L741	-84 035.27	3	676 263.58		R741	-82 389.12	3	673 394.40	
L742	-84 032.22	3	676 234.52		R742	-82 337.18	3	673 013.53	
L743	-84 026.30	3	676 206.42		R743	-82 337.04	3	673 012.48	
L744	-84 018.98	3	676 178.05		R744	-82 321.25	3	672 910.36	
L745	-84 010.01	3	676 150.11		R745	-82 309.77	3	672 860.81	
L746	-83 993.47	3	676 109.54		R746	-82 282.49	3	672 773.50	
L747	-83 986.86	3	676 096.30		R747	-82 255.29	3	672 707.90	
L748	-83 973.10	3	676 070.75		R748	-82 208.61	3	672 620.25	
L749	-83 957.53	3	676 046.00		R749	-82 169.30	3	672 559.20	
L750	-83 940.82	3	676 022.29		R750	-82 138.52	3	672 518.66	
L751	-83 931.51	3	676 010.99		R751	-81 806.61	3	672 106.09	
L752	-83 653.02	3	675 679.41		R752	-81 788.89	3	672 072.27	
L753	-83 491.35	3	675 490.68		R753	-81 775.26	3	672 046.25	
L754	-83 251.52	3	675 265.39		R754	-81 755.11	3	671 981.56	
L755	-83 083.65	3	675 108.25		R755	-81 739.86	3	671 915.93	
L756	-82 976.37	3	675 005.80		R756	-81 736.11	3	671 848.48	
L757	-82 927.86	3	674 961.48		R757	-81 736.25	3	671 478.08	
L758	-82 927.61	3	674 961.26		R758	-81 736.43	3	671 296.86	
L759	-82 916.04	3	674 971.74		R759	-81 736.41	3	671 089.61	
L760	-82 892.44	3	674 947.38		R760	-81 736.41	3	671 078.03	
L761	-82 893.74	3	674 931.76		R761	-81 736.86	3	671 047.48	
L762	-82 649.69	3	674 702.85		R762	-81 738.46	3	670 929.20	
L763	-82 592.60	3	674 636.75		R763	-81 736.72	3	670 838.33	
L764	-82 559.36	3	674 588.64		R764	-81 739.41	3	670 769.26	
L765	-82 524.69	3	674 524.23		R765	-81 747.42	3	670 700.68	
					Vel Sheet 38 Van of 43 P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L817	-82 139.15	3	669 529.92		R817	-82 113.14	3	665 247.31	
L818	-82 163.37	3	669 487.50		R818	-81 934.07	3	664 989.49	
L819	-82 201.24	3	669 392.53		R819	-81 895.19	3	664 933.50	
L820	-82 215.41	3	669 349.97		R820	-81 877.51	3	664 908.03	
L821	-82 225.57	3	669 306.27		R821	-81 876.29	3	664 905.58	
L822	-82 230.26	3	669 276.71		R822	-81 867.17	3	664 887.27	
L823	-82 235.42	3	669 232.05		R823	-81 819.37	3	664 783.20	
L824	-82 236.85	3	669 207.34		R824	-81 820.41	3	664 762.53	
L825	-82 236.89	3	669 158.53		R825	-81 821.38	3	664 761.61	
L826	-82 230.26	3	669 099.35		R826	-81 798.99	3	664 698.98	
L827	-82 221.80	3	669 055.94		R827	-81 670.66	3	664 390.38	
L828	-82 143.64	3	668 759.19		R828	-81 605.01	3	664 241.45	
L829	-82 024.53	3	668 307.05		R829	-81 568.67	3	664 151.81	
L830	-81 902.08	3	667 844.38		R830	-81 514.35	3	664 017.44	
L831	-81 772.18	3	667 353.06		R831	-81 415.85	3	663 775.29	
L832	-81 700.93	3	667 079.35		R832	-81 379.36	3	663 706.50	
L833	-81 689.88	3	666 990.04		R833	-81 365.90	3	663 666.33	
L834	-81 692.92	3	666 917.14		R834	-81 336.64	3	663 603.73	
L835	-81 706.38	3	666 845.45		R835	-81 315.99	3	663 540.97	
L836	-81 729.61	3	666 776.76		R836	-81 247.69	3	663 429.24	
L837	-81 749.86	3	666 735.50		R837	-81 162.44	3	663 332.13	
L838	-81 779.99	3	666 683.50		R838	-81 012.69	3	663 252.64	
L839	-81 829.12	3	666 625.73		R839	-80 439.83	3	662 939.99	
L840	-81 884.03	3	666 576.95		R840	-80 204.21	3	662 818.99	
L841	-81 958.53	3	666 528.35		R841	-80 089.69	3	662 731.81	
L842	-82 132.07	3	666 437.90		R842	-80 022.82	3	662 679.25	
L843	-82 194.70	3	666 395.87		R843	-79 933.30	3	662 597.56	
L844	-82 261.09	3	666 337.13		R844	-79 796.26	3	662 461.01	
L845	-82 299.33	3	666 291.93		R845	-79 746.72	3	662 416.30	
L846	-82 340.48	3	666 229.98		R846	-79 515.09	3	662 197.14	
L847	-82 373.11	3	666 163.29		R847	-79 308.65	3	662 002.51	
L848	-82 392.96	3	666 106.44		R848	-79 306.19	3	662 000.19	
L849	-82 404.09	3	666 064.20		R849	-79 233.00	3	661 939.80	
L850	-82 415.41	3	665 975.71		R850	-79 128.04	3	661 872.19	
L851	-82 414.19	3	665 899.43		R851	-78 998.77	3	661 815.46	
L852	-82 405.88	3	665 838.78		R852	-78 877.73	3	661 764.71	
L853	-82 385.87	3	665 764.47		R853	-78 849.44	3	661 751.62	
L854	-82 362.96	3	665 708.06		R854	-78 805.54	3	661 724.28	
L855	-82 318.61	3	665 628.40		R855	-78 703.99	3	661 673.44	
L856	-81 855.52	3	664 936.60		R856	-78 665.57	3	661 652.69	
L857	-81 831.91	3	664 901.41		R857	-78 628.46	3	661 631.34	
L858	-81 799.09	3	664 822.16		R858	-78 590.79	3	661 607.99	
L859	-81 782.04	3	664 817.69		R859	-78 542.08	3	661 576.02	
L860	-81 773.13	3	664 796.71		R860	-78 506.48	3	661 550.39	
L861	-81 781.33	3	664 783.06		R861	-78 465.23	3	661 519.24	
L862	-81 752.26	3	664 702.96		R862	-78 402.76	3	661 466.61	
L863	-81 726.68	3	664 648.86		R863	-78 318.11	3	661 387.02	
L864	-81 514.89	3	664 131.37		R864	-78 277.52	3	661 344.16	
L865	-81 329.73	3	663 702.38		R865	-78 235.75	3	661 294.80	
L866	-81 321.52	3	663 685.82		R866	-78 177.95	3	661 214.36	
L867	-81 310.67	3	663 637.79		R867	-78 105.70	3	661 096.91	
Vel Sheet					40	Van of		43	P1145/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L868	-81 291.80	3	663 597.33		R868	-78 045.35	3	660 972.23	
L869	-81 257.51	3	663 537.61		R869	-77 996.71	3	660 842.45	
L870	-81 217.83	3	663 482.25		R870	-77 962.90	3	660 737.29	
L871	-81 172.10	3	663 430.02		R871	-77 856.12	3	660 403.06	
L872	-81 122.69	3	663 383.99		R872	-77 717.54	3	659 970.52	
L873	-81 068.12	3	663 342.12		R873	-77 571.85	3	659 515.15	
L874	-80 998.00	3	663 300.07		R874	-77 427.84	3	659 064.98	
L875	-80 629.54	3	663 102.41		R875	-77 368.62	3	658 878.05	
L876	-80 189.93	3	662 866.05		R876	-77 181.90	3	658 294.74	
L877	-80 129.98	3	662 827.17		R877	-76 762.56	3	656 986.47	
L878	-80 073.68	3	662 784.17		R878	-76 737.13	3	656 907.41	
L879	-80 019.75	3	662 737.81		R879	-76 603.81	3	656 490.22	
L880	-79 914.15	3	662 643.58		R880	-76 571.78	3	656 385.27	
L881	-79 889.86	3	662 613.33		R881	-76 544.62	3	656 289.33	
L882	-79 822.30	3	662 551.73		R882	-76 519.00	3	656 192.05	
L883	-79 764.24	3	662 512.88		R883	-76 487.35	3	656 057.24	
L884	-79 733.28	3	662 464.76		R884	-76 447.84	3	655 860.59	
L885	-79 528.58	3	662 273.38		R885	-76 395.12	3	655 483.65	
L886	-79 477.22	3	662 224.66		R886	-76 390.62	3	655 430.87	
L887	-79 351.11	3	662 143.58		R887	-76 372.36	3	655 216.78	
L888	-79 340.28	3	662 131.74		R888	-76 433.64	3	655 112.03	
L889	-79 323.31	3	662 112.83		R889	-76 355.96	3	655 018.38	
L890	-79 321.15	3	662 110.42		R890	-76 335.95	3	654 777.89	
L891	-79 236.38	3	662 005.73		R891	-76 320.40	3	654 591.08	
L892	-79 152.82	3	661 956.08		R892	-76 283.14	3	654 134.60	
L893	-78 738.30	3	661 743.12		R893	-76 287.33	3	654 112.03	
L894	-78 613.68	3	661 675.26		R894	-76 287.79	3	654 109.58	
L895	-78 496.81	3	661 595.57		R895	-76 280.14	3	654 101.12	
L896	-78 387.92	3	661 505.12		R896	-76 276.66	3	654 031.27	
L897	-78 326.05	3	661 444.83		R897	-76 268.59	3	653 933.90	
L898	-78 254.75	3	661 369.19		R898	-76 246.95	3	653 697.44	
L899	-78 208.57	3	661 311.36		R899	-76 210.83	3	653 253.62	
L900	-78 164.22	3	661 254.81		R900	-76 181.81	3	652 904.79	
L901	-78 038.16	3	661 054.81		R901	-76 156.29	3	652 584.57	
L902	-78 017.84	3	661 014.99		R902	-76 150.74	3	652 478.99	
L903	-77 999.21	3	660 975.61		R903	-76 149.37	3	652 336.28	
L904	-77 981.45	3	660 935.41		R904	-76 151.58	3	652 168.40	
L905	-77 972.46	3	660 913.97		R905	-76 156.88	3	651 750.58	
L906	-77 894.94	3	660 853.06		R906	-76 162.99	3	651 286.14	
L907	-77 922.14	3	660 768.33		R907	-76 173.89	3	651 213.86	
L908	-77 671.32	3	659 986.16		R908	-76 166.73	3	651 178.74	
L909	-77 525.38	3	659 537.85		R909	-76 170.98	3	651 114.99	
L910	-77 382.35	3	659 083.58		R910	-76 166.43	3	651 014.78	
L911	-77 306.68	3	658 845.49		R911	-76 166.15	3	651 008.53	
L912	-77 136.52	3	658 314.48		R912	-76 167.33	3	650 938.38	
L913	-76 718.97	3	657 009.29		R913	-76 169.67	3	650 868.67	
L914	-76 691.68	3	656 924.55		R914	-76 173.77	3	650 799.14	
L915	-76 559.83	3	656 511.75		R915	-76 182.81	3	650 680.40	
L916	-76 546.82	3	656 469.85		R916	-76 267.60	3	650 045.43	
L917	-76 534.08	3	656 427.87		R917	-76 308.86	3	649 788.78	
L918	-76 521.73	3	656 385.66		R918	-76 309.64	3	649 728.61	
					Vel Sheet 41 Van of 43 P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L919	-76 509.82	3	656 343.52		R919	-76 318.63	3	649 637.79	
L920	-76 498.18	3	656 301.15		R920	-76 317.11	3	649 567.46	
L921	-76 476.00	3	656 216.09		R921	-76 314.54	3	649 515.16	
L922	-76 468.98	3	656 187.64		R922	-76 317.15	3	649 465.41	
L923	-76 455.19	3	656 130.93		R923	-76 309.16	3	649 405.64	
L924	-76 445.48	3	656 087.98		R924	-76 295.17	3	649 357.15	
L925	-76 436.09	3	656 045.21		R925	-76 280.33	3	649 286.55	
L926	-76 426.90	3	656 002.25		R926	-76 283.93	3	649 284.22	
L927	-76 418.09	3	655 959.13		R927	-76 283.61	3	649 283.17	
L928	-76 409.95	3	655 916.21		R928	-76 237.08	3	649 131.35	
L929	-76 399.20	3	655 858.57		R929	-76 218.88	3	649 050.99	
L930	-76 386.70	3	655 786.55		R930	-76 211.34	3	649 017.69	
L931	-76 379.85	3	655 743.27		R931	-76 172.56	3	648 886.00	
L932	-76 371.14	3	655 685.45		R932	-76 158.28	3	648 778.58	
L933	-76 361.19	3	655 613.01		R933	-76 158.63	3	648 632.58	
L934	-76 350.56	3	655 525.98		R934	-76 169.03	3	648 532.96	
L935	-76 343.15	3	655 454.86		R935	-76 164.71	3	648 419.84	
L936	-76 339.96	3	655 424.21		R936	-76 148.45	3	648 345.23	
L937	-76 306.40	3	655 016.93		R937	-76 143.90	3	648 344.10	
L938	-76 301.10	3	654 952.63		R938	-76 124.99	3	648 289.48	
L939	-76 271.55	3	654 593.73		R939	-76 107.25	3	648 248.95	
L940	-76 214.37	3	654 528.42		R940	-76 106.18	3	648 246.51	
L941	-76 259.85	3	654 451.32		R941	-76 075.57	3	648 191.42	
L942	-76 236.84	3	654 170.25		R942	-76 053.14	3	648 157.62	
L943	-76 234.61	3	654 144.18		R943	-76 036.92	3	648 135.60	
L944	-76 233.83	3	654 135.07		R944	-76 034.51	3	648 132.33	
L945	-76 218.30	3	653 943.71		R945	-75 983.32	3	648 073.91	
L946	-76 198.82	3	653 705.83		R946	-75 976.31	3	648 065.88	
L947	-76 162.87	3	653 266.34		R947	-75 958.28	3	648 045.21	
L948	-76 134.26	3	652 915.44		R948	-75 932.34	3	648 009.97	
L949	-76 114.23	3	652 535.90		R949	-75 926.97	3	648 002.67	
L950	-76 118.88	3	652 170.91		R950	-75 898.23	3	647 951.75	
L951	-76 124.17	3	651 753.63		R951	-75 890.95	3	647 936.81	
L952	-76 129.56	3	651 286.60		R952	-75 881.63	3	647 917.69	
L953	-76 131.15	3	651 176.67		R953	-75 870.02	3	647 879.31	
L954	-76 133.06	3	651 026.51		R954	-75 856.71	3	647 840.83	
L955	-76 133.27	3	651 015.30		R955	-75 855.07	3	647 836.10	
L956	-76 136.01	3	650 868.13		R956	-75 844.57	3	647 755.90	
L957	-76 140.23	3	650 794.64		R957	-75 837.91	3	647 704.30	
L958	-76 144.34	3	650 737.92		R958	-75 839.82	3	647 681.14	
L959	-76 234.42	3	650 043.39						
L960	-76 276.47	3	649 727.96						
L961	-76 283.98	3	649 636.62						
L962	-76 285.31	3	649 576.69						
L963	-76 282.90	3	649 518.37						
L964	-76 271.91	3	649 470.83						
L965	-76 259.84	3	649 397.81						
L966	-76 256.79	3	649 332.58						
L967	-76 249.18	3	649 304.99						
L968	-76 238.16	3	649 265.09						
L969	-76 199.53	3	649 159.62						
					Vel 42 Van 43 of Sheet				
					P1145/19				

This gazette is also available free online at www.gpwonline.co.za