

DEPARTMENT OF TRANSPORT

NO. 904


21 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N8 SECTION 6

AMENDMENT OF DECLARATION No. 457 OF 2009.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 457 of 2009 by substituting it in its entirety, with the accompanying sheets 1 to 32 of Plan No. P1160/19.

(National Road N8 Section 6: Groblershoop – Griquatown)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 904

21 September 2021


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N8 SEKSIE 6


WYSIGING VAN VERKLARING No. 457 VAN 2009.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 457 van 2009 deur dit in sy geheel te vervang, met bygaande velle 1 tot 32 van Plan No. P1160/19.

(Nasionale Pad N8 Seksie 6: Groblershoop – Griekwastad)**MINISTER VAN VERVOER**












Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 4 of 32 Plan P1160/19
---	---------------------------------------	---	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route N8	Vel Sheet 5 of 32 Plan P1160/19
	Die figuur getoon The figure shown	6 Sektie Section	




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route N8 Seksie Section 6	Vel Sheet 6 of 32 Plan P1160/19
---	---------------------------------------	---	--	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 7 of 32 Plan P1160/19
---	---------------------------------------	--	---------------------------------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete NB of National Route Section	Vel Sheet 9 of 32 Plan P1160/19
---	---------------------------------------	---	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 10 of 32 Plan P1160/19
---	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	Vel Sheet 11 of 32 Plan P1160/19
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route N8	Vel Sheet 12 of 32 Plan P1160/19
---	---------------------------------------	--	---







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route Section	Vel Sheet 14 of 32	Plan P1160/19	6
---	---------------------------------------	--	-----------------------	------------------	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route Section	Vel Sheet 15 of 32 Plan P1160/19
---	---------------------------------------	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route	6	Vel Sheet	16 of	32
The South African National Roads Agency SOC Ltd	The figure shown				Plan	P1160/19	




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route N8	Vel Sheet 17 of 32 Plan P1160/19
---	---------------------------------------	---	---










Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	6	Val Sheet 22 of 32 Plan P1160/19
---	---------------------------------------	---	--	---	--



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L1	99 772.82	3 197 231.16		R1	99 697.38	3 197 275.30
L2	99 728.96	3 197 238.73		R2	99 668.20	3 197 225.75
L3	99 707.98	3 197 221.17		R3	99 599.57	3 197 109.36
L4	99 694.83	3 197 210.17		R4	99 452.67	3 196 860.15
L5	99 689.04	3 197 200.19		R5	99 441.78	3 196 841.69
L6	99 667.51	3 197 163.00		R6	99 400.86	3 196 794.26
L7	99 620.47	3 197 081.80		R7	99 376.80	3 196 766.38
L8	99 513.55	3 196 897.19		R8	99 328.45	3 196 721.89
L9	99 442.75	3 196 785.50		R9	99 317.91	3 196 712.20
L10	99 437.70	3 196 779.61		R10	99 280.89	3 196 682.48
L11	99 412.60	3 196 750.39		R11	99 270.83	3 196 674.40
L12	99 366.19	3 196 696.36		R12	99 239.54	3 196 649.79
L13	99 329.99	3 196 661.64		R13	99 028.92	3 196 484.07
L14	99 321.83	3 196 653.82		R14	98 989.42	3 196 462.82
L15	99 308.27	3 196 640.81		R15	98 986.79	3 196 461.39
L16	99 279.59	3 196 633.23		R16	98 962.30	3 196 448.23
L17	99 269.47	3 196 625.25		R17	98 556.62	3 196 121.09
L18	99 055.22	3 196 456.39		R18	98 510.91	3 196 084.19
L19	99 010.75	3 196 418.82		R19	98 284.60	3 195 903.50
L20	98 991.15	3 196 402.27		R20	98 091.43	3 195 761.10
L21	98 579.71	3 196 091.87		R21	97 895.34	3 195 607.80
L22	98 586.14	3 196 083.74		R22	97 561.23	3 195 356.96
L23	98 512.66	3 196 028.15		R23	97 548.43	3 195 334.93
L24	97 415.28	3 195 197.95		R24	96 999.55	3 194 919.93
L25	97 015.49	3 194 900.12		R25	96 978.57	3 194 904.85
L26	96 994.13	3 194 883.50		R26	96 805.43	3 194 773.72
L27	96 822.32	3 194 753.41		R27	96 784.00	3 194 756.73
L28	96 800.12	3 194 737.45		R28	94 603.92	3 193 108.17
L29	94 634.79	3 193 099.62		R29	94 514.93	3 193 043.32
L30	94 534.46	3 193 025.89		R30	94 388.44	3 192 959.55
L31	94 412.44	3 192 944.71		R31	94 257.08	3 192 882.00
L32	94 283.58	3 192 867.57		R32	94 123.06	3 192 811.18
L33	94 152.62	3 192 797.99		R33	94 101.04	3 192 800.32
L34	94 119.34	3 192 781.16		R34	93 799.42	3 192 656.68
L35	93 850.88	3 192 653.56		R35	93 773.30	3 192 648.38
L36	93 803.48	3 192 626.58		R36	93 623.60	3 192 577.14
L37	93 660.87	3 192 559.14		R37	93 600.28	3 192 562.11
L38	93 634.97	3 192 550.66		R38	93 246.31	3 192 393.73
L39	93 288.37	3 192 385.75		R39	93 219.86	3 192 384.67
L40	93 258.62	3 192 371.36		R40	93 036.98	3 192 297.63
L41	93 235.19	3 192 357.24		R41	93 009.89	3 192 290.73
L42	93 051.09	3 192 269.93		R42	92 869.30	3 192 223.90
L43	92 914.97	3 192 201.04		R43	92 846.66	3 192 207.27
L44	92 889.27	3 192 192.82		R44	91 328.50	3 191 485.61
L45	91 839.29	3 191 694.32		R45	91 302.44	3 191 477.93
L46	91 358.40	3 191 465.17		R46	91 195.34	3 191 433.74
L47	91 319.21	3 191 442.28		R47	91 105.22	3 191 406.28
L48	91 227.85	3 191 403.87		R48	91 013.29	3 191 385.45
L49	91 189.69	3 191 390.11		R49	90 987.56	3 191 376.50
L50	91 112.07	3 191 367.02		R50	90 907.87	3 191 366.19
L51	91 020.17	3 191 346.65		R51	90 835.25	3 191 361.12
				Vel Sheet	24	Van of 32
				P1160/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L52	90 993.26	3	191 345.74		R52	90 690.83	3	191 365.67	
L53	90 950.88	3	191 339.69		R53	90 609.28	3	191 375.32	
L54	90 933.92	3	191 337.98		R54	90 515.81	3	191 393.91	
L55	90 857.76	3	191 331.00		R55	90 417.33	3	191 421.67	
L56	90 837.60	3	191 330.32		R56	90 325.35	3	191 456.60	
L57	90 743.67	3	191 330.81		R57	90 240.24	3	191 496.42	
L58	90 734.68	3	191 331.40		R58	90 086.07	3	191 576.65	
L59	90 688.98	3	191 334.48		R59	89 659.97	3	191 798.39	
L60	90 596.03	3	191 345.91		R60	89 314.77	3	191 978.04	
L61	90 521.38	3	191 360.59		R61	89 221.73	3	192 029.93	
L62	90 473.31	3	191 372.24		R62	89 210.07	3	192 037.03	
L63	90 384.87	3	191 400.18		R63	89 121.29	3	192 099.02	
L64	90 225.30	3	191 469.16		R64	89 024.24	3	192 179.59	
L65	90 067.73	3	191 551.55		R65	88 996.72	3	192 206.83	
L66	89 298.85	3	191 951.13		R66	88 967.16	3	192 236.10	
L67	89 204.84	3	192 002.92		R67	88 904.13	3	192 308.32	
L68	89 118.35	3	192 057.56		R68	88 847.01	3	192 386.12	
L69	89 104.43	3	192 067.95		R69	88 797.38	3	192 467.64	
L70	89 096.10	3	192 074.16		R70	88 761.45	3	192 539.91	
L71	89 010.60	3	192 149.32		R71	88 749.54	3	192 564.20	
L72	88 968.33	3	192 191.09		R72	88 737.62	3	192 591.35	
L73	88 943.57	3	192 215.57		R73	88 589.44	3	192 934.98	
L74	88 879.04	3	192 289.62		R74	88 503.16	3	193 141.20	
L75	88 833.47	3	192 351.68		R75	88 483.14	3	193 184.00	
L76	88 823.01	3	192 365.93		R76	88 463.14	3	193 226.78	
L77	88 773.78	3	192 445.71		R77	88 300.10	3	193 602.69	
L78	88 732.52	3	192 525.86		R78	88 167.93	3	193 906.31	
L79	88 719.25	3	192 554.91		R79	88 057.22	3	194 160.64	
L80	88 459.19	3	193 148.37		R80	87 946.44	3	194 415.12	
L81	88 256.89	3	193 609.99		R81	87 836.06	3	194 667.22	
L82	87 961.16	3	194 284.84		R82	87 832.21	3	194 675.87	
L83	86 866.89	3	196 785.37		R83	87 733.87	3	194 902.33	
L84	86 806.51	3	196 923.35		R84	87 642.97	3	195 111.66	
L85	86 756.39	3	197 027.62		R85	87 521.21	3	195 392.04	
L86	86 698.09	3	197 127.53		R86	87 483.61	3	195 478.64	
L87	86 632.18	3	197 223.13		R87	87 367.17	3	195 747.15	
L88	86 559.23	3	197 312.90		R88	87 209.73	3	196 109.92	
L89	86 478.78	3	197 397.56		R89	87 064.44	3	196 443.50	
L90	86 392.95	3	197 474.99		R90	86 922.04	3	196 770.42	
L91	86 302.45	3	197 545.10		R91	86 905.89	3	196 807.94	
L92	86 205.01	3	197 609.35		R92	86 894.38	3	196 801.29	
L93	85 302.06	3	198 155.19		R93	86 828.00	3	196 952.29	
L94	84 359.00	3	198 725.28		R94	86 785.79	3	197 038.90	
L95	84 263.25	3	198 768.59		R95	86 730.85	3	197 134.33	
L96	84 231.14	3	198 788.35		R96	86 669.55	3	197 224.95	
L97	84 189.23	3	198 827.84		R97	86 601.86	3	197 311.48	
L98	83 813.82	3	199 055.22		R98	86 588.20	3	197 327.17	
L99	83 784.47	3	199 063.24		R99	86 533.16	3	197 386.84	
L100	83 663.26	3	199 136.74		R100	86 400.62	3	197 510.60	
L101	83 641.85	3	199 159.29		R101	86 313.55	3	197 575.43	
L102	83 609.17	3	199 178.96		R102	86 211.18	3	197 642.33	
					Vel Sheet 25 Van of 32 P1160/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L103	83 460.40	3 199 268.52		R103	85 327.03	3 198 176.84
L104	83 400.74	3 199 306.50		R104	84 374.49	3 198 752.67
L105	83 311.57	3 199 369.82		R105	84 288.27	3 198 818.83
L106	83 226.02	3 199 438.42		R106	84 262.07	3 198 834.98
L107	83 144.79	3 199 511.81		R107	84 206.49	3 198 854.26
L108	82 110.93	3 200 504.41		R108	83 828.86	3 199 082.72
L109	82 080.43	3 200 516.31		R109	83 798.86	3 199 109.72
L110	82 072.60	3 200 524.83		R110	83 689.62	3 199 176.21
L111	82 028.89	3 200 578.12		R111	83 651.18	3 199 190.05
L112	81 940.17	3 200 647.98		R112	83 629.44	3 199 202.81
L113	81 846.91	3 200 711.62		R113	83 500.68	3 199 281.21
L114	81 750.00	3 200 767.74		R114	83 420.45	3 199 331.00
L115	81 649.69	3 200 817.83		R115	83 332.35	3 199 393.30
L116	81 545.67	3 200 861.09		R116	83 248.46	3 199 460.44
L117	81 438.08	3 200 897.18		R117	83 168.22	3 199 532.73
L118	81 329.03	3 200 925.96		R118	82 108.87	3 200 549.66
L119	81 218.16	3 200 947.21		R119	82 054.92	3 200 595.56
L120	81 082.68	3 200 962.78		R120	82 016.83	3 200 628.83
L121	80 994.44	3 200 966.77		R121	81 996.99	3 200 644.44
L122	80 364.16	3 200 980.12		R122	81 956.69	3 200 672.12
L123	77 570.88	3 201 039.15		R123	81 856.20	3 200 742.29
L124	76 510.93	3 201 061.78		R124	81 762.64	3 200 796.30
L125	75 513.12	3 201 082.81		R125	81 665.58	3 200 844.86
L126	74 715.87	3 201 099.19		R126	81 625.66	3 200 862.24
L127	74 118.76	3 201 111.89		R127	81 525.58	3 200 901.45
L128	73 970.29	3 201 107.24		R128	81 422.71	3 200 934.24
L129	71 689.78	3 201 155.23		R129	81 317.47	3 200 960.43
L130	71 600.72	3 201 157.10		R130	81 211.14	3 200 979.92
L131	71 451.76	3 201 160.70		R131	81 103.70	3 200 992.53
L132	71 063.99	3 201 170.08		R132	80 995.16	3 200 998.38
L133	69 112.29	3 201 211.87		R133	80 386.28	3 201 010.82
L134	68 944.25	3 201 219.94		R134	77 981.22	3 201 061.96
L135	68 749.78	3 201 238.19		R135	77 529.10	3 201 071.25
L136	67 590.80	3 201 362.46		R136	76 959.18	3 201 082.97
L137	67 397.07	3 201 383.43		R137	76 004.01	3 201 103.30
L138	67 051.63	3 201 423.41		R138	74 051.30	3 201 143.85
L139	66 566.05	3 201 466.49		R139	73 990.45	3 201 153.28
L140	66 356.59	3 201 507.66		R140	71 639.24	3 201 203.02
L141	66 162.71	3 201 565.58		R141	71 493.85	3 201 206.10
L142	65 155.77	3 201 951.10		R142	71 043.77	3 201 215.62
L143	64 792.10	3 202 090.98		R143	69 167.73	3 201 255.11
L144	64 777.19	3 202 105.46		R144	68 979.50	3 201 262.34
L145	64 691.52	3 202 138.36		R145	68 785.64	3 201 279.39
L146	64 607.29	3 202 161.75		R146	66 592.79	3 201 515.19
L147	63 702.01	3 202 508.40		R147	66 479.41	3 201 531.07
L148	63 169.19	3 202 713.10		R148	66 365.18	3 201 554.74
L149	62 978.11	3 202 786.51		R149	66 253.02	3 201 585.56
L150	62 862.53	3 202 826.86		R150	66 141.71	3 201 624.26
L151	62 711.25	3 202 870.18		R151	66 074.70	3 201 649.92
L152	62 599.70	3 202 895.35		R152	65 708.09	3 201 790.25
L153	62 489.36	3 202 914.75		R153	65 363.33	3 201 922.66
				Vel Sheet 26	Van of 32	P1160/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L154	62 458.29	3 202 906.98		R154	65 280.86	3 201 970.82
L155	62 428.97	3 202 911.54		R155	65 054.98	3 202 057.04
L156	62 407.09	3 202 920.01		R156	64 999.23	3 202 062.09
L157	62 326.97	3 202 934.19		R157	63 190.48	3 202 755.32
L158	62 220.32	3 202 949.88		R158	63 001.28	3 202 828.01
L159	62 127.93	3 202 975.89		R159	62 873.49	3 202 872.74
L160	61 641.78	3 203 046.64		R160	62 743.36	3 202 910.67
L161	61 547.88	3 203 064.75		R161	62 611.29	3 202 941.29
L162	61 456.16	3 203 088.60		R162	62 495.67	3 202 961.48
L163	61 364.64	3 203 118.48		R163	62 466.80	3 202 972.10
L164	60 620.91	3 203 377.30		R164	62 405.71	3 202 980.68
L165	60 585.90	3 203 388.43		R165	62 375.29	3 202 979.56
L166	60 503.25	3 203 404.93		R166	62 225.74	3 203 000.79
L167	60 411.12	3 203 409.95		R167	62 133.04	3 203 006.39
L168	60 318.83	3 203 400.55		R168	61 679.51	3 203 072.72
L169	60 230.44	3 203 377.46		R169	61 667.79	3 203 077.84
L170	60 218.39	3 203 373.25		R170	61 650.20	3 203 077.25
L171	60 141.80	3 203 338.37		R171	61 571.57	3 203 091.61
L172	60 063.34	3 203 287.79		R172	61 388.82	3 203 143.24
L173	59 472.95	3 202 856.13		R173	60 644.30	3 203 402.36
L174	59 404.58	3 202 809.33		R174	60 552.71	3 203 428.40
L175	59 304.90	3 202 752.70		R175	60 457.07	3 203 440.64
L176	59 216.34	3 202 712.01		R176	60 354.98	3 203 437.63
L177	59 128.32	3 202 679.08		R177	60 282.58	3 203 425.08
L178	59 102.63	3 202 670.63		R178	60 205.45	3 203 401.77
L179	58 847.38	3 202 609.56		R179	60 126.06	3 203 365.44
L180	57 105.13	3 202 202.61		R180	60 045.77	3 203 313.75
L181	55 865.29	3 201 913.92		R181	59 452.88	3 202 880.23
L182	55 764.25	3 201 887.57		R182	59 371.22	3 202 825.58
L183	55 737.93	3 201 878.80		R183	59 286.94	3 202 778.73
L184	55 675.52	3 201 858.11		R184	59 210.48	3 202 744.14
L185	55 575.79	3 201 817.54		R185	59 147.88	3 202 718.69
L186	55 127.99	3 201 623.32		R186	59 082.64	3 202 697.52
L187	53 637.53	3 200 975.93		R187	59 017.20	3 202 680.02
L188	52 070.00	3 200 295.94		R188	58 848.25	3 202 641.12
L189	50 007.72	3 199 398.36		R189	55 915.63	3 201 957.82
L190	49 887.01	3 199 349.54		R190	55 848.76	3 201 942.67
L191	49 819.14	3 199 317.98		R191	55 731.68	3 201 909.71
L192	49 793.40	3 199 309.54		R192	55 615.39	3 201 867.95
L193	49 702.69	3 199 281.59		R193	55 057.61	3 201 626.83
L194	47 819.62	3 198 745.47		R194	53 621.38	3 201 003.54
L195	45 721.51	3 198 148.71		R195	52 066.14	3 200 328.43
L196	45 513.24	3 198 089.42		R196	49 914.54	3 199 393.94
L197	45 427.55	3 198 068.22		R197	49 827.22	3 199 361.86
L198	45 327.99	3 198 051.72		R198	49 785.30	3 199 346.34
L199	45 232.28	3 198 043.41		R199	49 740.52	3 199 330.00
L200	45 137.49	3 198 043.00		R200	49 588.69	3 199 281.93
L201	44 131.15	3 198 075.25		R201	47 813.05	3 198 776.46
L202	43 547.60	3 198 093.86		R202	45 670.22	3 198 166.77
L203	43 060.34	3 198 109.57		R203	45 504.66	3 198 119.67
L204	42 944.11	3 198 103.91		R204	45 421.46	3 198 098.99
				Vel Sheet	27 Van of 32	P1160/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L205	41 325.60	3 198 157.91		R205	45 364.64	3 198 088.06
L206	41 264.71	3 198 152.90		R206	45 327.66	3 198 083.28
L207	40 785.68	3 198 175.17		R207	45 231.52	3 198 074.86
L208	40 069.02	3 198 198.11		R208	45 137.11	3 198 074.52
L209	40 046.91	3 198 205.87		R209	44 113.81	3 198 107.23
L210	39 388.88	3 198 227.11		R210	43 544.14	3 198 125.70
L211	38 792.64	3 198 246.22		R211	43 026.67	3 198 149.15
L212	38 699.29	3 198 251.05		R212	41 327.30	3 198 204.82
L213	38 551.04	3 198 268.93		R213	41 266.77	3 198 214.36
L214	38 538.49	3 198 270.44		R214	40 793.36	3 198 221.59
L215	38 427.31	3 198 289.93		R215	40 079.04	3 198 244.49
L216	35 283.48	3 198 946.72		R216	40 047.75	3 198 237.44
L217	35 237.62	3 198 948.16		R217	39 872.11	3 198 243.46
L218	33 872.51	3 199 234.24		R218	39 778.20	3 198 250.64
L219	33 387.93	3 199 335.77		R219	39 707.71	3 198 248.06
L220	33 308.02	3 199 340.34		R220	39 384.19	3 198 258.35
L221	33 236.48	3 199 355.54		R221	38 749.49	3 198 278.65
L222	33 148.73	3 199 385.37		R222	38 531.51	3 198 302.97
L223	32 984.26	3 199 429.20		R223	38 524.80	3 198 303.72
L224	32 892.26	3 199 455.45		R224	38 433.52	3 198 320.64
L225	32 813.05	3 199 478.31		R225	36 990.36	3 198 622.19
L226	32 660.73	3 199 551.18		R226	35 288.30	3 198 977.07
L227	32 574.17	3 199 595.14		R227	35 245.44	3 198 993.64
L228	32 428.96	3 199 683.34		R228	34 708.42	3 199 106.81
L229	32 303.22	3 199 766.04		R229	33 885.62	3 199 279.08
L230	32 191.22	3 199 850.18		R230	33 381.17	3 199 384.85
L231	30 753.63	3 201 008.77		R231	33 227.09	3 199 409.81
L232	30 646.75	3 201 085.17		R232	33 181.31	3 199 419.22
L233	30 557.35	3 201 137.10		R233	33 157.65	3 199 431.14
L234	30 469.53	3 201 180.25		R234	33 039.73	3 199 452.18
L235	30 375.76	3 201 214.21		R235	32 924.83	3 199 486.74
L236	30 282.48	3 201 240.58		R236	32 810.19	3 199 527.34
L237	30 186.35	3 201 259.85		R237	32 701.05	3 199 572.82
L238	30 081.47	3 201 271.55		R238	32 655.07	3 199 600.65
L239	29 996.46	3 201 274.29		R239	32 551.88	3 199 647.80
L240	29 901.28	3 201 270.50		R240	32 509.41	3 199 670.30
L241	29 805.34	3 201 259.04		R241	32 406.40	3 199 733.64
L242	29 335.37	3 201 182.35		R242	32 285.88	3 199 816.62
L243	29 283.32	3 201 166.08		R243	32 207.10	3 199 877.63
L244	29 188.10	3 201 150.69		R244	31 959.58	3 200 076.97
L245	29 127.71	3 201 148.71		R245	31 908.61	3 200 126.44
L246	27 567.24	3 200 895.33		R246	31 861.44	3 200 165.96
L247	27 390.13	3 200 854.92		R247	31 832.52	3 200 181.01
L248	27 285.81	3 200 835.53		R248	31 815.16	3 200 193.21
L249	27 184.83	3 200 806.88		R249	30 774.26	3 201 031.87
L250	27 084.58	3 200 774.65		R250	30 663.52	3 201 111.77
L251	26 985.62	3 200 739.09		R251	30 571.53	3 201 166.34
L252	26 191.37	3 200 438.64		R252	30 480.41	3 201 208.68
L253	24 968.87	3 199 975.88		R253	30 385.72	3 201 243.93
L254	24 615.76	3 199 842.46		R254	30 290.96	3 201 272.06
L255	24 520.28	3 199 804.36		R255	30 193.00	3 201 291.09
				Vel Sheet	28 of	32 P1160/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L256	24 391.49	3 199 746.75		R256	30 094.56	3 201 302.67
L257	24 249.67	3 199 673.80		R257	29 988.61	3 201 306.03
L258	24 090.84	3 199 583.51		R258	29 897.58	3 201 299.77
L259	24 037.08	3 199 549.46		R259	29 801.01	3 201 289.76
L260	24 011.27	3 199 527.74		R260	29 322.72	3 201 212.14
L261	23 958.18	3 199 497.92		R261	29 268.14	3 201 210.87
L262	23 571.19	3 199 234.70		R262	29 173.07	3 201 195.70
L263	23 135.22	3 198 939.93		R263	29 119.29	3 201 179.13
L264	22 865.86	3 198 757.96		R264	27 564.72	3 200 926.80
L265	22 716.45	3 198 666.99		R265	27 369.28	3 200 888.37
L266	22 582.08	3 198 601.92		R266	27 216.49	3 200 848.54
L267	22 484.28	3 198 561.36		R267	27 074.72	3 200 804.50
L268	22 446.15	3 198 547.35		R268	26 970.28	3 200 767.58
L269	22 091.54	3 198 428.65		R269	26 187.79	3 200 470.88
L270	22 028.48	3 198 407.16		R270	24 604.63	3 199 871.76
L271	21 781.97	3 198 332.79		R271	24 508.06	3 199 833.34
L272	21 704.42	3 198 314.01		R272	24 389.16	3 199 780.24
L273	21 639.04	3 198 301.97		R273	24 231.93	3 199 701.46
L274	21 573.34	3 198 291.43		R274	24 072.40	3 199 608.52
L275	21 098.53	3 198 233.04		R275	23 974.28	3 199 545.01
L276	20 704.91	3 198 184.18		R276	23 127.42	3 198 972.74
L277	20 570.84	3 198 167.53		R277	23 030.26	3 198 911.57
L278	20 230.05	3 198 125.58		R278	22 968.73	3 198 865.55
L279	20 180.97	3 198 119.51		R279	22 848.80	3 198 784.73
L280	17 973.67	3 197 847.07		R280	22 709.38	3 198 698.86
L281	17 913.62	3 197 836.44		R281	22 569.17	3 198 626.82
L282	17 768.59	3 197 818.44		R282	22 427.18	3 198 572.97
L283	17 719.41	3 197 815.51		R283	22 084.54	3 198 460.51
L284	17 633.12	3 197 805.07		R284	22 010.48	3 198 435.92
L285	17 551.26	3 197 781.28		R285	21 800.75	3 198 368.79
L286	17 307.82	3 197 751.33		R286	21 780.99	3 198 362.47
L287	17 217.58	3 197 753.74		R287	21 637.11	3 198 332.39
L288	16 088.51	3 197 613.79		R288	21 569.42	3 198 322.77
L289	13 718.54	3 197 321.81		R289	21 412.28	3 198 303.35
L290	13 394.48	3 197 303.73		R290	20 574.13	3 198 199.48
L291	11 980.96	3 197 364.57		R291	20 221.58	3 198 156.22
L292	11 891.43	3 197 368.43		R292	20 098.77	3 198 141.10
L293	11 665.61	3 197 378.28		R293	18 195.52	3 197 905.89
L294	11 573.48	3 197 385.34		R294	17 846.72	3 197 865.36
L295	11 422.95	3 197 406.02		R295	17 766.26	3 197 855.48
L296	11 222.17	3 197 464.84		R296	17 717.22	3 197 846.98
L297	9 286.25	3 198 149.19		R297	17 626.64	3 197 835.83
L298	9 189.02	3 198 179.62		R298	17 548.50	3 197 839.29
L299	9 114.90	3 198 197.03		R299	17 302.36	3 197 809.25
L300	9 039.67	3 198 209.55		R300	17 212.16	3 197 784.80
L301	8 965.98	3 198 216.98		R301	16 084.36	3 197 645.32
L302	8 890.69	3 198 220.29		R302	13 885.48	3 197 373.70
L303	8 785.97	3 198 216.73		R303	13 854.89	3 197 371.73
L304	8 666.44	3 198 201.23		R304	13 794.06	3 197 364.05
L305	8 595.30	3 198 187.39		R305	13 769.50	3 197 359.38
L306	8 464.39	3 198 146.57		R306	13 625.63	3 197 342.52
				Vel Sheet	29 Van of 32	P1160/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L307	8 370.90	3 198 107.85		R307	13 364.25	3 197 338.40
L308	7 693.95	3 197 793.96		R308	13 222.68	3 197 338.91
L309	7 239.62	3 197 582.49		R309	11 885.70	3 197 400.22
L310	7 143.80	3 197 537.91		R310	11 667.07	3 197 409.56
L311	6 992.80	3 197 477.42		R311	11 567.07	3 197 416.13
L312	6 865.53	3 197 440.88		R312	11 470.91	3 197 430.50
L313	6 735.72	3 197 412.71		R313	11 253.11	3 197 486.43
L314	6 600.95	3 197 386.13		R314	10 955.05	3 197 592.36
L315	6 400.89	3 197 393.81		R315	10 938.56	3 197 600.19
L316	6 291.78	3 197 400.66		R316	10 908.80	3 197 610.62
L317	6 083.62	3 197 451.20		R317	10 883.20	3 197 617.78
L318	5 788.62	3 197 532.92		R318	9 290.47	3 198 181.13
L319	5 784.27	3 197 535.55		R319	9 197.27	3 198 209.47
L320	5 640.27	3 197 570.07		R320	9 121.75	3 198 226.98
L321	5 537.27	3 197 585.61		R321	9 044.99	3 198 240.30
L322	5 427.23	3 197 597.63		R322	8 968.47	3 198 248.36
L323	5 342.06	3 197 599.00		R323	8 891.61	3 198 251.38
L324	4 815.68	3 197 552.44		R324	8 783.22	3 198 247.46
L325	4 043.34	3 197 470.24		R325	8 728.22	3 198 241.11
L326	3 989.90	3 197 460.80		R326	8 673.04	3 198 233.70
L327	3 950.71	3 197 456.85		R327	8 639.09	3 198 227.74
L328	3 858.51	3 197 452.26		R328	8 546.42	3 198 205.92
L329	3 767.27	3 197 445.13		R329	8 453.73	3 198 176.02
L330	3 675.76	3 197 439.00		R330	8 382.56	3 198 147.56
L331	3 584.49	3 197 434.02		R331	7 119.03	3 197 561.32
L332	3 401.46	3 197 427.20		R332	7 034.72	3 197 525.65
L333	3 309.51	3 197 425.42		R333	6 930.66	3 197 487.37
L334	2 940.85	3 197 423.86		R334	6 760.34	3 197 446.39
L335	-2 846.76	3 197 399.55		R335	6 609.29	3 197 431.09
L336	-2 957.11	3 197 398.32		R336	6 470.34	3 197 427.00
L337	-3 091.65	3 197 396.72		R337	6 401.79	3 197 430.15
L338	-3 334.39	3 197 388.75		R338	6 298.73	3 197 444.07
L339	-3 607.88	3 197 375.87		R339	6 077.19	3 197 483.70
L340	-4 209.26	3 197 336.34		R340	5 802.25	3 197 562.60
L341	-6 747.82	3 197 171.10		R341	5 645.60	3 197 601.58
L342	-6 816.75	3 197 166.63		R342	5 540.94	3 197 618.17
L343	-7 136.82	3 197 147.66		R343	5 428.52	3 197 628.90
L344	-7 289.78	3 197 141.96		R344	5 330.88	3 197 636.02
L345	-7 456.18	3 197 139.36		R345	4 811.91	3 197 583.66
L346	-8 357.35	3 197 135.55		R346	3 968.57	3 197 494.06
L347	-8 814.22	3 197 133.08		R347	3 932.76	3 197 490.38
L348	-10 658.68	3 197 124.63		R348	3 855.98	3 197 483.68
L349	-10 733.01	3 197 123.66		R349	3 765.11	3 197 476.43
L350	-10 942.88	3 197 096.23		R350	3 673.78	3 197 470.36
L351	-11 061.38	3 197 070.76		R351	3 582.87	3 197 465.32
L352	-11 203.47	3 197 020.16		R352	3 400.61	3 197 458.61
L353	-11 287.33	3 196 984.18		R353	3 309.20	3 197 456.94
L354	-11 365.58	3 196 941.84		R354	2 946.16	3 197 455.03
L355	-11 446.78	3 196 897.90		R355	-2 839.61	3 197 431.28
L356	-11 963.44	3 196 502.23		R356	-2 962.76	3 197 429.83
L357	-12 642.40	3 195 966.58		R357	-3 091.85	3 197 428.14
				Vel Sheet	30	Van of 32
				P1160/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 23°		Y		X	
L358	-12 643.21	3	195 950.21		R358	-3 335.53	3	197 420.00	
L359	-12 658.95	3	195 953.45		R359	-3 610.01	3	197 407.01	
L360	-13 745.80	3	195 095.02		R360	-4 568.31	3	197 345.13	
L361	-13 790.66	3	195 063.31		R361	-6 730.25	3	197 204.13	
L362	-13 926.51	3	194 970.84		R362	-6 941.35	3	197 190.57	
L363	-13 929.26	3	194 974.19		R363	-7 138.53	3	197 178.97	
L364	-13 945.14	3	194 967.19		R364	-7 290.47	3	197 173.54	
L365	-13 998.93	3	194 937.54		R365	-7 456.24	3	197 170.92	
L366	-14 040.54	3	194 919.13		R366	-8 357.88	3	197 167.15	
L367	-14 140.68	3	194 876.39		R367	-8 814.31	3	197 164.62	
L368	-14 229.16	3	194 846.13		R368	-10 531.72	3	197 156.52	
L369	-14 318.11	3	194 821.85		R369	-10 586.54	3	197 160.04	
L370	-14 399.34	3	194 804.66		R370	-10 646.60	3	197 159.58	
L371	-14 488.43	3	194 790.82		R371	-10 744.32	3	197 152.02	
L372	-14 542.05	3	194 784.82		R372	-10 919.05	3	197 132.66	
L373	-15 463.56	3	194 700.75		R373	-11 069.62	3	197 098.09	
L374	-15 688.70	3	194 680.00		R374	-11 242.92	3	197 038.03	
L375	-15 772.06	3	194 668.67		R375	-11 401.50	3	196 960.55	
L376	-15 829.50	3	194 655.40		R376	-11 586.65	3	196 839.90	
L377	-15 885.75	3	194 638.30		R377	-12 679.57	3	195 977.56	
L378	-15 940.24	3	194 618.59		R378	-13 749.63	3	195 133.97	
L379	-16 013.46	3	194 585.04		R379	-13 808.97	3	195 089.31	
L380	-16 076.80	3	194 548.77		R380	-13 888.47	3	195 036.41	
L381	-16 127.07	3	194 514.77		R381	-13 904.34	3	195 026.68	
L382	-17 456.21	3	193 506.59		R382	-13 990.69	3	194 978.08	
L383	-18 024.35	3	193 076.02		R383	-14 100.30	3	194 927.17	
L384	-18 069.20	3	193 042.40		R384	-14 170.98	3	194 899.88	
L385	-18 172.98	3	192 973.22		R385	-14 177.30	3	194 897.09	
L386	-18 288.30	3	192 930.32		R386	-14 240.18	3	194 875.67	
L387	-18 408.10	3	192 896.96		R387	-14 325.31	3	194 852.93	
L388	-18 533.86	3	192 892.71		R388	-14 385.43	3	194 839.52	
L389	-18 595.02	3	192 895.75		R389	-14 441.23	3	194 829.52	
L390	-18 655.67	3	192 902.90		R390	-14 504.30	3	194 820.61	
L391	-19 591.58	3	193 029.64		R391	-14 551.94	3	194 815.80	
L392	-20 127.86	3	193 101.59		R392	-15 487.97	3	194 730.16	
L393	-20 635.55	3	193 170.65		R393	-15 717.46	3	194 709.25	
L394	-21 643.34	3	193 306.36		R394	-15 778.18	3	194 699.49	
L395	-22 393.82	3	193 406.86		R395	-15 839.62	3	194 685.18	
L396	-22 582.32	3	193 390.59		R396	-15 899.07	3	194 667.19	
L397	-22 697.38	3	193 349.52		R397	-15 955.94	3	194 646.15	
L398	-22 846.18	3	193 251.74		R398	-16 012.03	3	194 620.81	
L399	-23 101.67	3	192 987.08		R399	-16 066.16	3	194 591.66	
L400	-23 291.72	3	192 791.36		R400	-16 119.85	3	194 558.31	
L401	-23 618.61	3	192 451.40		R401	-16 169.29	3	194 522.42	
L402	-23 681.90	3	192 411.09		R402	-18 036.18	3	193 106.64	
L403	-23 765.39	3	192 367.30		R403	-18 134.47	3	193 034.86	
L404	-23 820.51	3	192 343.47		R404	-18 213.71	3	192 992.31	
L405	-23 871.27	3	192 335.55		R405	-18 298.63	3	192 960.41	
L406	-23 915.92	3	192 332.54		R406	-18 384.17	3	192 937.27	
L407	-23 975.81	3	192 331.76		R407	-18 472.96	3	192 926.41	
L408	-24 068.96	3	192 348.11		R408	-18 532.46	3	192 923.38	
					Vel Sheet 31 Van of 32 P1160/19				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
	Y		X	WG 23°		Y		X			
L409	-24	111.29	3	192	355.05	R409	-18	593.16	3	192	927.31
L410	-24	115.84	3	192	355.45	R410	-18	653.16	3	192	934.56
L411	-24	214.14	3	192	373.99	R411	-18	860.99	3	192	962.16
						R412	-19	411.57	3	193	037.13
						R413	-19	609.92	3	193	063.69
						R414	-20	163.95	3	193	139.06
						R415	-21	124.48	3	193	268.09
						R416	-21	631.76	3	193	337.02
						R417	-21	640.89	3	193	345.14
						R418	-21	927.78	3	193	375.58
						R419	-22	406.61	3	193	444.71
						R420	-22	567.88	3	193	428.80
						R421	-22	707.76	3	193	384.11
						R422	-22	820.58	3	193	316.54
						R423	-22	933.98	3	193	210.16
						R424	-23	316.81	3	192	812.80
						R425	-23	436.56	3	192	691.77
						R426	-23	591.41	3	192	533.60
						R427	-23	649.41	3	192	481.07
						R428	-23	704.43	3	192	433.29
						R429	-23	725.38	3	192	419.68
						R430	-23	798.69	3	192	385.46
						R431	-23	841.98	3	192	374.99
						R432	-23	919.30	3	192	363.17
						R433	-23	948.09	3	192	363.62
						R434	-24	001.66	3	192	367.99
						R435	-24	116.49	3	192	388.32
						R436	-24	188.94	3	192	401.85
						R437	-24	194.32	3	192	397.23
						R438	-24	197.75	3	192	395.93
						R439	-24	209.67	3	192	397.73