

DEPARTMENT OF TRANSPORT

NO. 908

21 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N6 SECTION 6

AMENDMENT OF DECLARATION No. 374 OF 2018.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 374 of 2018 by substituting it in its entirety, with the accompanying sheets 1 to 23 of Plan No. P1099/18.

In the town of Rouxville the N6 Section 6 enters the town from the south and follows the street known as Voortrekker Street at time of declaration.

(National Road N6 Section 6: Aliwal North – Smithfield)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 908

21 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N6 SEKSIE 6

WYSIGING VAN VERKLARING No. 374 VAN 2018.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 374 van 2018 deur dit in sy geheel te vervang, met bygaande velle 1 tot 23 van Plan No. P1099/18.

In die dorp Rouxville kom die N6 Seksie 6 die dorp binne vanuit die suide en volg dan die straat bekend as Voortrekkerstraat tydens datum van verklaring.

(Nasionale Pad N6 Seksie 6: Aliwal North – Smithfield)**MINISTER VAN VERVOER**



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route

6
Seksie
Section

Vel
Sheet 1 of 23
Plan
P1099/18



Vel
Sheet 2 of 23
Plan P1099/18


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route
Seksie
Section 6



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6 Seksie
of National Route Section

Vel Sheet 4 of 23
Plan P1099/18



Vel
Sheet 5 of 23
Plan
P1099/18


6

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete N6
of National Route
Seksie
Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Vel
Sheet 6 of 23
Plan P1099/18

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete N6
of National Route
Seksie Section 6



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Vel
Sheet 7 of 23
Plan P1099/18

steeldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Podogentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	Vel Sheet 8 of 23
			6	Plan P1099/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route

6

Vel
Sheet 9 of 23
Plan P1099/18



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	Vel Sheet	10 of	23
The South African National Roads Agency SOC Ltd	The figure shown			Plan	P1099/18	



Vel
Sheet 11 of 23
Plan P1099/18


6


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6 Seksie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6 Seksie
of National Route Section

Vel
Sheet 13 of 23
Plan P1099/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	28 236.15	3 396 198.59		R1	28 203.60	3 396 183.78
L2	28 322.58	3 396 043.11		R2	28 292.32	3 396 024.80
L3	28 409.68	3 395 886.38		R3	28 294.75	3 396 020.44
L4	28 418.64	3 395 850.28		R4	28 300.06	3 396 006.12
L5	28 419.35	3 395 848.80		R5	28 311.65	3 395 988.77
L6	28 428.94	3 395 820.11		R6	28 324.98	3 395 969.96
L7	28 462.12	3 395 713.17		R7	28 341.59	3 395 944.62
L8	28 457.45	3 395 705.14		R8	28 355.03	3 395 921.30
L9	28 461.60	3 395 683.52		R9	28 368.42	3 395 896.30
L10	28 463.87	3 395 668.11		R10	28 385.44	3 395 861.43
L11	28 466.37	3 395 651.16		R11	28 381.00	3 395 855.89
L12	28 474.57	3 395 590.43		R12	28 409.05	3 395 778.37
L13	28 475.63	3 395 523.64		R13	28 419.41	3 395 736.47
L14	28 467.74	3 395 422.66		R14	28 427.08	3 395 701.01
L15	28 458.39	3 395 353.53		R15	28 435.33	3 395 639.45
L16	28 447.64	3 395 312.37		R16	28 439.58	3 395 578.95
L17	28 440.69	3 395 264.50		R17	28 439.04	3 395 535.62
L18	28 434.66	3 395 223.34		R18	28 432.95	3 395 482.89
L19	28 427.76	3 395 169.16		R19	28 426.97	3 395 430.37
L20	28 404.62	3 394 987.49		R20	28 424.62	3 395 417.89
L21	28 405.02	3 394 985.64		R21	28 411.82	3 395 341.52
L22	28 425.78	3 394 974.41		R22	28 385.75	3 395 162.08
L23	28 419.18	3 394 942.10		R23	28 374.34	3 395 065.60
L24	28 399.09	3 394 952.42		R24	28 363.22	3 394 987.80
L25	28 397.41	3 394 951.40		R25	28 341.92	3 394 839.20
L26	28 381.21	3 394 820.59		R26	28 329.97	3 394 766.86
L27	28 364.25	3 394 724.40		R27	28 320.80	3 394 711.37
L28	28 349.74	3 394 655.27		R28	28 298.05	3 394 611.93
L29	28 326.83	3 394 582.19		R29	28 288.17	3 394 571.55
L30	28 288.74	3 394 460.72		R30	28 262.14	3 394 488.81
L31	28 255.19	3 394 373.56		R31	28 234.84	3 394 415.70
L32	28 225.51	3 394 308.07		R32	28 226.28	3 394 394.91
L33	28 117.04	3 394 095.99		R33	28 207.18	3 394 347.94
L34	28 057.33	3 393 993.08		R34	28 187.20	3 394 305.86
L35	28 003.93	3 393 901.68		R35	28 163.48	3 394 255.72
L36	27 919.44	3 393 749.26		R36	28 124.09	3 394 189.82
L37	27 838.68	3 393 600.27		R37	28 074.24	3 394 106.64
L38	27 792.06	3 393 524.26		R38	28 038.99	3 394 040.62
L39	27 755.45	3 393 467.00		R39	28 021.61	3 394 007.67
L40	27 741.69	3 393 445.60		R40	27 987.78	3 393 942.51
L41	27 729.41	3 393 431.39		R41	27 948.41	3 393 866.07
L42	27 727.02	3 393 428.63		R42	27 864.51	3 393 714.82
L43	27 709.15	3 393 405.45		R43	27 800.44	3 393 600.56
L44	27 625.74	3 393 302.32		R44	27 702.86	3 393 450.95
L45	27 596.42	3 393 267.39		R45	27 694.60	3 393 438.28
L46	27 582.04	3 393 252.72		R46	27 679.26	3 393 418.87
L47	27 578.24	3 393 249.19		R47	27 619.85	3 393 344.69
L48	27 490.72	3 393 167.87		R48	27 551.19	3 393 268.63
L49	27 450.39	3 393 130.40		R49	27 478.45	3 393 197.34
L50	27 383.42	3 393 075.26		R50	27 401.66	3 393 129.86
L51	27 292.36	3 393 010.10		R51	27 320.44	3 393 067.18
				Vel Sheet	14 of	23 P1099/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	27 287.65	3 393	007.20		R52	27 237.19	3 393	011.26	
L53	27 240.91	3 392	978.39		R53	27 131.72	3 392	953.04	
L54	27 161.88	3 392	929.68		R54	27 077.09	3 392	926.57	
L55	27 098.66	3 392	894.02		R55	26 875.32	3 392	844.61	
L56	27 057.03	3 392	874.24		R56	26 799.50	3 392	816.36	
L57	27 006.01	3 392	850.00		R57	26 704.69	3 392	790.91	
L58	26 942.09	3 392	823.33		R58	26 676.96	3 392	792.87	
L59	26 875.98	3 392	803.68		R59	26 585.16	3 392	767.78	
L60	26 738.42	3 392	766.11		R60	26 541.81	3 392	754.63	
L61	26 702.35	3 392	750.92		R61	26 476.83	3 392	734.70	
L62	26 682.60	3 392	742.33		R62	26 434.05	3 392	722.75	
L63	26 583.64	3 392	718.47		R63	26 315.70	3 392	699.69	
L64	26 428.85	3 392	686.11		R64	26 224.11	3 392	669.59	
L65	26 426.81	3 392	683.77		R65	26 161.70	3 392	652.18	
L66	26 436.24	3 392	670.28		R66	26 111.92	3 392	638.28	
L67	26 419.47	3 392	664.34		R67	26 020.39	3 392	615.47	
L68	26 410.37	3 392	679.52		R68	25 930.42	3 392	586.77	
L69	26 408.53	3 392	680.03		R69	25 831.55	3 392	547.41	
L70	26 328.56	3 392	654.47		R70	25 742.63	3 392	502.38	
L71	26 067.77	3 392	592.34		R71	25 651.66	3 392	447.94	
L72	26 001.46	3 392	572.69		R72	25 537.13	3 392	359.99	
L73	25 961.85	3 392	560.96		R73	25 466.72	3 392	295.95	
L74	25 866.23	3 392	522.96		R74	25 404.64	3 392	228.37	
L75	25 791.37	3 392	488.47		R75	25 323.55	3 392	128.29	
L76	25 721.75	3 392	447.75		R76	25 287.84	3 392	077.62	
L77	25 668.35	3 392	412.27		R77	25 276.82	3 392	059.26	
L78	25 647.48	3 392	397.11		R78	25 260.91	3 392	036.25	
L79	25 604.81	3 392	366.11		R79	25 259.50	3 392	034.20	
L80	25 580.57	3 392	346.91		R80	25 149.61	3 391	815.63	
L81	25 558.74	3 392	328.06		R81	25 117.61	3 391	747.79	
L82	25 531.28	3 392	304.35		R82	25 089.17	3 391	687.50	
L83	25 465.14	3 392	238.32		R83	24 819.66	3 391	159.37	
L84	25 409.38	3 392	175.02		R84	24 817.94	3 391	159.16	
L85	25 366.58	3 392	119.29		R85	24 790.90	3 391	167.90	
L86	25 350.33	3 392	063.91		R86	24 780.36	3 391	145.01	
L87	25 324.59	3 392	032.59		R87	24 806.57	3 391	135.95	
L88	25 317.94	3 392	025.26		R88	24 807.06	3 391	134.68	
L89	25 311.21	3 392	017.84		R89	24 488.70	3 390	510.82	
L90	25 304.68	3 392	010.47		R90	24 420.87	3 390	384.84	
L91	25 298.07	3 392	002.66		R91	24 336.29	3 390	212.17	
L92	25 293.62	3 391	997.35		R92	23 777.05	3 389	116.30	
L93	25 291.12	3 391	994.36		R93	23 762.12	3 389	093.05	
L94	25 285.17	3 391	987.09		R94	23 618.63	3 388	808.27	
L95	25 278.92	3 391	979.33		R95	23 494.09	3 388	561.08	
L96	25 272.73	3 391	971.44		R96	23 292.67	3 388	167.21	
L97	25 266.75	3 391	963.62		R97	23 238.20	3 388	061.63	
L98	25 261.03	3 391	955.43		R98	23 197.09	3 387	985.83	
L99	25 255.68	3 391	946.99		R99	23 172.27	3 387	943.39	
L100	25 250.79	3 391	938.40		R100	23 143.96	3 387	900.51	
L101	25 246.56	3 391	929.23		R101	22 859.72	3 387	495.86	
L102	25 242.27	3 391	920.31		R102	22 800.39	3 387	426.23	
					Vel 15 Van 23 Sheet of P1099/18				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	25 238.17	3 391 911.33		R103	22 740.29	3 387 369.77
L104	25 235.18	3 391 901.77		R104	22 701.17	3 387 340.96
L105	25 232.42	3 391 892.39		R105	22 657.23	3 387 310.58
L106	25 229.95	3 391 882.77		R106	22 507.01	3 387 225.89
L107	25 228.79	3 391 876.39		R107	22 288.66	3 387 105.26
L108	25 193.50	3 391 811.21		R108	22 261.68	3 387 089.79
L109	25 185.44	3 391 798.14		R109	22 260.73	3 387 091.19
L110	25 146.26	3 391 730.09		R110	22 198.22	3 387 048.21
L111	24 989.95	3 391 423.16		R111	22 154.86	3 387 017.26
L112	24 851.85	3 391 153.10		R112	22 076.83	3 386 952.92
L113	24 713.00	3 390 881.56		R113	22 009.79	3 386 895.54
L114	24 511.13	3 390 486.29		R114	21 953.29	3 386 840.85
L115	24 460.98	3 390 381.01		R115	21 911.00	3 386 796.36
L116	24 379.40	3 390 227.90		R116	21 872.42	3 386 742.58
L117	24 237.19	3 389 949.66		R117	21 854.04	3 386 707.26
L118	24 109.52	3 389 699.28		R118	21 821.69	3 386 655.42
L119	24 028.33	3 389 527.54		R119	21 788.52	3 386 592.81
L120	23 801.06	3 389 087.98		R120	21 742.79	3 386 495.20
L121	23 789.63	3 389 069.89		R121	21 713.88	3 386 419.54
L122	23 714.95	3 388 917.44		R122	21 679.25	3 386 339.10
L123	23 667.15	3 388 818.42		R123	21 679.16	3 386 338.85
L124	23 649.93	3 388 782.75		R124	21 592.22	3 386 113.34
L125	23 619.32	3 388 727.00		R125	21 214.26	3 385 183.65
L126	23 549.94	3 388 597.35		R126	21 196.83	3 385 149.86
L127	23 496.84	3 388 493.63		R127	21 185.51	3 385 112.94
L128	23 321.08	3 388 154.22		R128	21 108.27	3 384 922.91
L129	23 316.72	3 388 145.81		R129	20 992.84	3 384 685.67
L130	23 266.22	3 388 048.43		R130	20 972.89	3 384 647.59
L131	23 232.72	3 387 985.81		R131	20 896.81	3 384 502.37
L132	23 173.85	3 387 889.76		R132	20 843.03	3 384 396.62
L133	23 082.19	3 387 757.48		R133	20 799.08	3 384 320.12
L134	22 993.02	3 387 629.92		R134	20 798.65	3 384 319.37
L135	22 904.63	3 387 504.59		R135	20 788.28	3 384 299.70
L136	22 869.40	3 387 457.86		R136	20 746.36	3 384 193.20
L137	22 824.24	3 387 405.56		R137	20 725.95	3 384 126.63
L138	22 785.07	3 387 367.03		R138	20 697.59	3 383 931.52
L139	22 734.15	3 387 325.24		R139	20 693.10	3 383 886.15
L140	22 728.63	3 387 321.04		R140	20 680.35	3 383 821.31
L141	22 697.44	3 387 297.69		R141	20 672.65	3 383 783.12
L142	22 497.81	3 387 185.15		R142	20 659.02	3 383 727.91
L143	22 301.40	3 387 076.41		R143	20 648.04	3 383 569.70
L144	22 216.82	3 387 023.25		R144	20 608.68	3 383 304.03
L145	22 095.72	3 386 929.00		R145	20 603.59	3 383 269.68
L146	22 051.76	3 386 884.07		R146	20 573.55	3 383 095.88
L147	21 966.87	3 386 787.51		R147	20 555.41	3 383 005.80
L148	21 922.32	3 386 732.57		R148	20 520.73	3 382 900.77
L149	21 885.94	3 386 679.19		R149	20 497.21	3 382 826.01
L150	21 873.99	3 386 657.27		R150	20 465.71	3 382 703.55
L151	21 860.96	3 386 637.20		R151	20 428.30	3 382 548.25
L152	21 849.61	3 386 621.30		R152	20 392.09	3 382 414.08
L153	21 805.11	3 386 536.96		R153	20 307.43	3 382 103.77
				Vel Sheet	16 Van of 23	P1099/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	21 773.70	3	386 468.93		R154	20 286.34	3	382 027.01	
L155	21 748.66	3	386 407.85		R155	20 261.16	3	381 934.68	
L156	21 718.87	3	386 322.83		R156	20 234.38	3	381 828.94	
L157	21 718.63	3	386 322.26		R157	20 218.71	3	381 759.98	
L158	21 650.90	3	386 163.30		R158	20 196.74	3	381 647.71	
L159	21 614.03	3	386 085.76		R159	20 129.75	3	381 297.07	
L160	21 399.48	3	385 556.98		R160	20 095.87	3	381 119.18	
L161	21 223.84	3	385 125.64		R161	20 062.46	3	380 943.10	
L162	21 220.87	3	385 105.98		R162	19 942.66	3	380 307.82	
L163	21 208.69	3	385 078.56		R163	19 899.39	3	380 077.66	
L164	21 190.28	3	385 042.20		R164	19 862.64	3	379 882.17	
L165	21 140.59	3	384 920.72		R165	19 789.24	3	379 493.32	
L166	21 068.04	3	384 760.85		R166	19 772.03	3	379 377.94	
L167	20 991.95	3	384 616.73		R167	19 761.12	3	379 341.90	
L168	20 835.17	3	384 319.80		R168	19 736.73	3	379 204.92	
L169	20 808.33	3	384 257.35		R169	19 731.30	3	379 176.99	
L170	20 801.10	3	384 237.47		R170	19 701.06	3	379 021.33	
L171	20 791.17	3	384 210.13		R171	19 596.46	3	378 468.58	
L172	20 774.30	3	384 143.99		R172	19 541.24	3	378 176.59	
L173	20 757.71	3	384 052.54		R173	19 515.30	3	378 039.51	
L174	20 753.99	3	384 042.19		R174	19 425.77	3	377 562.91	
L175	20 750.72	3	384 032.12		R175	19 412.75	3	377 486.93	
L176	20 747.93	3	384 022.15		R176	19 400.58	3	377 396.59	
L177	20 745.87	3	384 012.09		R177	19 379.13	3	377 243.16	
L178	20 744.30	3	384 001.66		R178	19 377.31	3	377 226.47	
L179	20 743.07	3	383 991.54		R179	19 358.33	3	377 053.34	
L180	20 742.52	3	383 982.88		R180	19 328.51	3	376 810.83	
L181	20 742.29	3	383 972.18		R181	19 312.51	3	376 674.07	
L182	20 742.65	3	383 961.77		R182	19 288.00	3	376 493.04	
L183	20 743.41	3	383 951.52		R183	19 283.34	3	376 381.25	
L184	20 744.63	3	383 941.15		R184	19 293.77	3	376 210.79	
L185	20 746.52	3	383 930.84		R185	19 307.38	3	375 964.90	
L186	20 748.49	3	383 920.73		R186	19 326.93	3	375 734.63	
L187	20 751.24	3	383 910.70		R187	19 334.48	3	375 597.20	
L188	20 761.08	3	383 883.78		R188	19 344.10	3	375 431.49	
L189	20 734.18	3	383 870.94		R189	19 349.66	3	375 298.23	
L190	20 725.55	3	383 795.38		R190	19 354.40	3	375 112.55	
L191	20 714.13	3	383 701.97		R191	19 347.29	3	374 929.19	
L192	20 702.69	3	383 643.23		R192	19 345.76	3	374 903.83	
L193	20 687.76	3	383 556.49		R193	19 326.20	3	374 707.37	
L194	20 681.62	3	383 514.92		R194	19 270.04	3	374 390.07	
L195	20 675.65	3	383 474.54		R195	19 231.78	3	374 235.44	
L196	20 668.63	3	383 436.88		R196	19 177.89	3	374 057.26	
L197	20 674.49	3	383 430.49		R197	19 124.09	3	373 905.68	
L198	20 671.18	3	383 421.12		R198	19 051.54	3	373 737.74	
L199	20 668.03	3	383 411.14		R199	18 951.40	3	373 484.78	
L200	20 665.30	3	383 401.07		R200	18 867.69	3	373 281.19	
L201	20 660.97	3	383 380.67		R201	18 852.75	3	373 244.85	
L202	20 622.19	3	383 125.99		R202	18 689.74	3	372 849.56	
L203	20 609.81	3	383 044.66		R203	18 660.34	3	372 789.72	
L204	20 602.57	3	383 045.09		R204	18 610.37	3	372 688.01	
					Vel Sheet 17 Van of 23 P1099/18				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L205	20 570.58	3	382 891.88		R205	18 603.02	3	372 672.24	
L206	20 565.16	3	382 873.22		R206	18 602.59	3	372 671.33	
L207	20 541.04	3	382 779.53		R207	18 558.97	3	372 564.66	
L208	20 526.91	3	382 737.24		R208	18 496.58	3	372 382.24	
L209	20 511.71	3	382 679.04		R209	18 358.07	3	372 045.60	
L210	20 491.64	3	382 621.07		R210	18 275.68	3	371 859.00	
L211	20 467.85	3	382 559.26		R211	18 251.22	3	371 798.29	
L212	20 436.95	3	382 452.48		R212	18 242.92	3	371 777.32	
L213	20 415.60	3	382 372.14		R213	17 939.69	3	371 030.99	
L214	20 290.56	3	381 920.33		R214	17 759.12	3	370 592.57	
L215	20 254.32	3	381 780.01		R215	17 587.66	3	370 177.37	
L216	20 248.11	3	381 750.94		R216	17 517.70	3	370 008.58	
L217	20 234.83	3	381 682.58		R217	17 483.81	3	369 926.34	
L218	20 211.99	3	381 561.45		R218	17 476.71	3	369 910.13	
L219	20 188.98	3	381 440.61		R219	17 424.57	3	369 782.87	
L220	20 141.73	3	381 190.22		R220	17 368.90	3	369 649.56	
L221	20 131.36	3	381 117.58		R221	17 324.01	3	369 547.09	
L222	20 101.21	3	380 958.36		R222	17 323.99	3	369 547.04	
L223	20 074.04	3	380 813.87		R223	17 243.07	3	369 359.12	
L224	20 063.86	3	380 777.68		R224	17 151.68	3	369 128.85	
L225	20 011.11	3	380 500.23		R225	17 081.13	3	368 964.30	
L226	19 930.14	3	380 069.86		R226	17 035.70	3	368 855.27	
L227	19 928.87	3	380 063.12		R227	16 998.81	3	368 760.51	
L228	19 852.73	3	379 658.70		R228	16 970.33	3	368 681.38	
L229	19 823.05	3	379 499.79		R229	16 831.35	3	368 344.45	
L230	19 824.32	3	379 497.79		R230	16 692.26	3	368 007.03	
L231	19 845.14	3	379 497.00		R231	16 612.19	3	367 813.48	
L232	19 844.44	3	379 472.61		R232	16 590.22	3	367 760.39	
L233	19 818.80	3	379 472.92		R233	16 589.95	3	367 759.73	
L234	19 817.54	3	379 471.65		R234	16 438.83	3	367 394.05	
L235	19 760.52	3	379 169.18		R235	16 385.01	3	367 263.71	
L236	19 743.60	3	379 079.37		R236	16 218.92	3	366 866.96	
L237	19 704.44	3	378 871.32		R237	16 065.18	3	366 114.40	
L238	19 627.09	3	378 459.76		R238	16 071.45	3	366 093.98	
L239	19 599.37	3	378 312.40		R239	16 079.34	3	366 073.64	
L240	19 570.09	3	378 156.97		R240	16 088.68	3	366 053.93	
L241	19 529.38	3	377 940.84		R241	16 099.48	3	366 034.88	
L242	19 486.42	3	377 712.23		R242	16 113.97	3	366 013.69	
L243	19 457.50	3	377 558.05		R243	16 130.39	3	365 971.38	
L244	19 444.10	3	377 479.02		R244	16 102.18	3	365 935.63	
L245	19 412.24	3	377 251.20		R245	16 095.22	3	365 931.86	
L246	19 411.77	3	377 226.27		R246	16 082.15	3	365 924.78	
L247	19 393.26	3	377 075.88		R247	16 097.27	3	365 897.11	
L248	19 382.64	3	376 927.88		R248	16 105.81	3	365 901.73	
L249	19 376.87	3	376 879.87		R249	16 126.11	3	365 912.72	
L250	19 363.85	3	376 775.61		R250	16 182.66	3	365 923.14	
L251	19 336.47	3	376 551.60		R251	16 231.82	3	365 898.74	
L252	19 331.17	3	376 435.58		R252	16 281.96	3	365 852.79	
L253	19 341.71	3	376 134.35		R253	16 304.74	3	365 832.09	
L254	19 346.63	3	375 995.07		R254	16 315.51	3	365 822.29	
L255	19 345.95	3	375 968.70		R255	16 340.41	3	365 799.67	
					Vel Sheet 18 Van of 23 P1099/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L256	19 346.57	3 375 943.83		R256	16 391.13	3 365 753.56
L257	19 353.47	3 375 820.25		R257	16 447.51	3 365 702.31
L258	19 366.79	3 375 591.80		R258	16 485.39	3 365 667.88
L259	19 376.57	3 375 421.72		R259	16 486.04	3 365 653.12
L260	19 384.78	3 375 269.85		R260	16 473.62	3 365 639.46
L261	19 385.52	3 375 102.22		R261	16 441.73	3 365 624.68
L262	19 379.35	3 374 930.49		R262	16 474.49	3 365 595.81
L263	19 377.59	3 374 904.08		R263	16 508.25	3 365 632.95
L264	19 357.60	3 374 699.66		R264	16 523.16	3 365 633.66
L265	19 333.50	3 374 544.00		R265	16 560.55	3 365 599.69
L266	19 300.84	3 374 381.32		R266	16 593.86	3 365 569.41
L267	19 262.30	3 374 224.82		R267	16 633.05	3 365 533.79
L268	19 207.66	3 374 044.84		R268	16 645.98	3 365 534.90
L269	19 179.76	3 373 963.54		R269	16 803.84	3 365 391.56
L270	19 171.49	3 373 939.31		R270	16 848.26	3 365 351.23
L271	19 093.13	3 373 736.16		R271	17 089.26	3 365 132.44
L272	19 032.75	3 373 581.51		R272	17 275.11	3 364 962.29
L273	18 971.21	3 373 449.68		R273	17 268.39	3 364 954.88
L274	18 926.61	3 373 342.16		R274	17 408.66	3 364 841.59
L275	18 859.19	3 373 178.34		R275	17 446.15	3 364 808.50
L276	18 775.19	3 372 974.23		R276	17 491.72	3 364 769.50
L277	18 680.84	3 372 743.76		R277	17 503.21	3 364 759.82
L278	18 673.48	3 372 723.77		R278	17 514.76	3 364 750.24
L279	18 649.78	3 372 659.33		R279	17 561.22	3 364 712.24
L280	18 638.27	3 372 628.04		R280	17 572.96	3 364 702.85
L281	18 583.54	3 372 499.20		R281	17 580.99	3 364 696.85
L282	18 553.36	3 372 436.71		R282	17 604.93	3 364 678.59
L283	18 416.72	3 372 105.44		R283	17 631.48	3 364 658.26
L284	18 329.08	3 371 888.37		R284	17 653.56	3 364 642.72
L285	18 260.95	3 371 723.15		R285	17 678.50	3 364 625.63
L286	18 227.48	3 371 646.49		R286	17 813.32	3 364 530.26
L287	18 109.76	3 371 361.58		R287	17 891.03	3 364 479.39
L288	17 971.04	3 371 025.23		R288	18 222.25	3 364 263.52
L289	17 901.97	3 370 857.39		R289	18 630.08	3 363 998.58
L290	17 810.40	3 370 635.49		R290	19 024.40	3 363 743.00
L291	17 716.79	3 370 408.65		R291	19 147.80	3 363 660.06
L292	17 631.19	3 370 200.56		R292	19 210.35	3 363 615.44
L293	17 504.83	3 369 892.09		R293	19 217.51	3 363 599.86
L294	17 400.09	3 369 635.53		R294	19 251.24	3 363 574.71
L295	17 353.21	3 369 512.71		R295	19 282.85	3 363 550.72
L296	17 353.12	3 369 512.49		R296	19 313.99	3 363 526.49
L297	17 300.60	3 369 384.73		R297	19 329.48	3 363 514.22
L298	17 228.95	3 369 218.58		R298	19 344.89	3 363 501.86
L299	17 108.46	3 368 924.00		R299	19 375.51	3 363 476.87
L300	17 078.12	3 368 846.67		R300	19 390.64	3 363 464.28
L301	17 037.37	3 368 759.97		R301	19 420.91	3 363 438.67
L302	17 038.42	3 368 758.12		R302	19 450.72	3 363 412.82
L303	17 060.26	3 368 754.21		R303	19 465.54	3 363 399.75
L304	17 059.45	3 368 732.03		R304	19 494.94	3 363 373.35
L305	17 029.07	3 368 736.64		R305	19 537.97	3 363 333.48
L306	17 027.13	3 368 735.67		R306	19 567.01	3 363 305.89
				Vel Sheet	19 of	23 P1099/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L307	16 948.05	3 368 543.70		R307	19 609.24	3 363 264.37
L308	16 849.74	3 368 305.52		R308	19 665.45	3 363 207.50
L309	16 720.31	3 367 991.64		R309	19 682.11	3 363 202.89
L310	16 637.52	3 367 791.66		R310	19 749.18	3 363 134.88
L311	16 615.22	3 367 737.81		R311	19 815.47	3 363 032.84
L312	16 469.39	3 367 383.50		R312	19 809.40	3 363 013.80
L313	16 418.75	3 367 251.95		R313	19 821.11	3 363 010.11
L314	16 374.27	3 367 152.74		R314	19 822.24	3 363 009.75
L315	16 258.46	3 366 875.03		R315	19 826.18	3 363 021.95
L316	16 110.71	3 366 125.42		R316	19 887.00	3 362 994.91
L317	16 158.14	3 366 038.10		R317	20 166.97	3 362 710.01
L318	16 175.20	3 366 018.47		R318	20 760.75	3 362 105.71
L319	16 192.21	3 366 002.29		R319	21 142.22	3 361 717.74
L320	16 226.03	3 365 971.55		R320	21 462.55	3 361 392.25
L321	16 302.85	3 365 901.74		R321	21 842.02	3 361 006.24
L322	16 395.95	3 365 817.14		R322	22 172.70	3 360 669.84
L323	16 667.18	3 365 570.65		R323	22 527.10	3 360 309.17
L324	16 668.25	3 365 557.09		R324	22 527.30	3 360 308.96
L325	16 754.96	3 365 478.44		R325	22 965.53	3 359 863.57
L326	17 111.08	3 365 154.86		R326	23 341.61	3 359 481.59
L327	17 408.51	3 364 884.69		R327	23 646.40	3 359 171.09
L328	17 468.51	3 364 831.20		R328	24 027.01	3 358 783.28
L329	17 530.48	3 364 778.25		R329	24 027.43	3 358 782.85
L330	17 592.10	3 364 728.47		R330	24 508.13	3 358 295.28
L331	17 654.50	3 364 680.53		R331	24 534.24	3 358 268.78
L332	17 825.48	3 364 559.59		R332	24 966.48	3 357 827.64
L333	17 955.73	3 364 474.46		R333	25 277.04	3 357 511.94
L334	18 108.91	3 364 374.93		R334	25 590.97	3 357 192.72
L335	18 444.74	3 364 157.05		R335	25 667.81	3 357 114.60
L336	18 626.74	3 364 039.08		R336	26 078.01	3 356 697.31
L337	19 047.34	3 363 765.39		R337	26 456.93	3 356 312.02
L338	19 167.26	3 363 685.53		R338	26 774.28	3 355 989.73
L339	19 229.12	3 363 640.94		R339	26 824.22	3 355 904.49
L340	19 247.15	3 363 640.13		R340	26 788.82	3 355 837.63
L341	19 263.37	3 363 628.19		R341	26 809.79	3 355 824.69
L342	19 281.41	3 363 614.58		R342	26 842.26	3 355 877.58
L343	19 313.26	3 363 590.40		R343	26 846.33	3 355 884.06
L344	19 329.13	3 363 578.13		R344	26 859.43	3 355 877.48
L345	19 360.64	3 363 553.32		R345	26 907.99	3 355 853.09
L346	19 376.28	3 363 540.77		R346	26 955.59	3 355 804.68
L347	19 391.85	3 363 528.14		R347	26 956.40	3 355 791.45
L348	19 407.36	3 363 515.42		R348	27 447.14	3 355 292.29
L349	19 422.78	3 363 502.58		R349	27 460.53	3 355 291.42
L350	19 453.38	3 363 476.69		R350	27 554.86	3 355 195.56
L351	19 483.69	3 363 450.41		R351	27 736.75	3 355 010.16
L352	19 513.69	3 363 423.79		R352	27 797.72	3 354 948.02
L353	19 528.57	3 363 410.35		R353	28 196.24	3 354 543.91
L354	19 543.36	3 363 396.83		R354	28 283.82	3 354 458.93
L355	19 572.24	3 363 369.89		R355	28 536.16	3 354 223.26
L356	19 601.75	3 363 341.85		R356	28 862.19	3 353 918.48
L357	19 644.55	3 363 299.78		R357	29 220.57	3 353 584.78
				Vel Sheet	20 Van of 23	P1099/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L358	19 701.01	3 363	242.65		R358	29 530.03	3 353	295.30	
L359	19 704.83	3 363	225.33		R359	29 942.06	3 352	910.07	
L360	19 844.24	3 363	084.00		R360	29 943.59	3 352	908.64	
L361	19 845.52	3 363	082.70		R361	30 261.18	3 352	611.96	
L362	20 190.07	3 362	731.80		R362	30 652.98	3 352	246.24	
L363	20 743.72	3 362	169.13		R363	30 849.80	3 352	062.76	
L364	20 778.60	3 362	133.67		R364	30 850.23	3 352	050.05	
L365	21 142.77	3 361	763.17		R365	31 142.11	3 351	776.60	
L366	21 485.94	3 361	413.88		R366	31 317.60	3 351	612.75	
L367	21 558.94	3 361	340.04		R367	31 376.51	3 351	558.27	
L368	21 797.36	3 361	095.94		R368	31 407.36	3 351	531.30	
L369	21 861.09	3 361	031.97		R369	31 423.07	3 351	518.36	
L370	22 195.46	3 360	692.29		R370	31 431.03	3 351	511.92	
L371	22 498.86	3 360	383.55		R371	31 439.69	3 351	505.51	
L372	22 501.21	3 360	381.14		R372	31 452.97	3 351	507.53	
L373	22 544.60	3 360	336.72		R373	31 568.21	3 351	425.92	
L374	22 546.20	3 360	335.09		R374	31 713.53	3 351	347.41	
L375	22 988.15	3 359	886.48		R375	31 862.86	3 351	289.28	
L376	23 358.67	3 359	508.43		R376	31 942.32	3 351	265.94	
L377	23 667.51	3 359	194.05		R377	32 027.43	3 351	247.62	
L378	24 035.80	3 358	819.86		R378	32 185.38	3 351	227.54	
L379	24 035.94	3 358	819.71		R379	32 360.87	3 351	216.88	
L380	24 532.77	3 358	314.17		R380	32 701.11	3 351	196.45	
L381	24 560.86	3 358	285.47		R381	32 926.96	3 351	182.75	
L382	24 990.57	3 357	849.07		R382	33 017.29	3 351	177.30	
L383	25 298.99	3 357	535.09		R383	33 223.96	3 351	164.83	
L384	25 602.32	3 357	227.03		R384	33 416.26	3 351	153.22	
L385	25 605.90	3 357	223.38		R385	33 881.48	3 351	125.04	
L386	26 101.50	3 356	718.75		R386	34 222.01	3 351	104.84	
L387	26 479.49	3 356	334.22		R387	34 631.07	3 351	080.03	
L388	26 805.63	3 356	002.58		R388	34 704.65	3 351	072.81	
L389	26 869.16	3 355	973.37		R389	34 848.52	3 351	043.67	
L390	26 871.30	3 355	976.76		R390	35 434.87	3 350	802.95	
L391	26 878.50	3 355	987.97		R391	35 900.19	3 350	610.37	
L392	26 898.81	3 355	975.48		R392	36 297.02	3 350	447.92	
L393	26 890.85	3 355	962.60		R393	36 297.25	3 350	447.83	
L394	26 886.58	3 355	955.66		R394	36 793.77	3 350	244.21	
L395	26 942.37	3 355	863.51		R395	37 003.31	3 350	157.98	
L396	26 978.28	3 355	826.99		R396	37 330.52	3 350	023.72	
L397	26 992.05	3 355	826.50		R397	37 336.18	3 350	011.38	
L398	27 482.80	3 355	327.34		R398	37 374.81	3 349	995.49	
L399	27 482.94	3 355	313.46		R399	37 434.96	3 349	954.11	
L400	27 557.74	3 355	237.31		R400	37 433.28	3 349	931.98	
L401	27 792.04	3 354	999.69		R401	37 448.41	3 349	930.86	
L402	27 792.51	3 354	999.21		R402	37 449.69	3 349	948.04	
L403	28 218.92	3 354	565.98		R403	37 495.04	3 349	946.05	
L404	28 306.81	3 354	480.53		R404	37 555.46	3 349	921.20	
L405	28 556.72	3 354	247.35		R405	37 741.80	3 349	844.56	
L406	28 883.57	3 353	942.28		R406	37 926.84	3 349	768.20	
L407	29 126.88	3 353	715.44		R407	38 110.35	3 349	692.00	
L408	29 169.83	3 353	699.24		R408	38 299.40	3 349	613.44	
					Vel 21 Van of 23 P1099/18				
					Sheet				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L409	29 255.33	3 353 622.01		R409	38 482.97	3 349 537.16
L410	29 278.68	3 353 582.47		R410	38 666.64	3 349 460.84
L411	29 293.80	3 353 559.38		R411	39 085.83	3 349 285.91
L412	29 632.03	3 353 243.38		R412	39 140.38	3 349 261.81
L413	29 967.38	3 352 930.29		R413	39 194.69	3 349 237.11
L414	29 967.58	3 352 930.10		R414	39 284.67	3 349 194.48
L415	30 368.47	3 352 555.47		R415	39 373.89	3 349 150.11
L416	30 676.64	3 352 267.53		R416	39 462.50	3 349 104.99
L417	30 748.90	3 352 233.50		R417	39 636.29	3 349 007.98
L418	30 754.23	3 352 243.05		R418	39 721.25	3 348 956.22
L419	30 770.26	3 352 233.95		R419	39 805.74	3 348 903.63
L420	30 762.68	3 352 220.59		R420	39 889.28	3 348 849.41
L421	30 819.18	3 352 134.42		R421	39 971.73	3 348 793.63
L422	30 871.29	3 352 085.81		R422	40 069.51	3 348 725.00
L423	30 883.98	3 352 086.21		R423	40 082.54	3 348 725.98
L424	31 293.30	3 351 703.94		R424	40 159.15	3 348 670.10
L425	31 351.66	3 351 649.36		R425	40 321.45	3 348 541.41
L426	31 410.12	3 351 595.20		R426	41 165.02	3 347 810.05
L427	31 424.65	3 351 582.37		R427	41 458.63	3 347 555.08
L428	31 439.61	3 351 569.59		R428	41 829.72	3 347 231.44
L429	31 454.75	3 351 557.04		R429	42 173.42	3 346 932.75
L430	31 462.34	3 351 550.90		R430	42 195.09	3 346 914.90
L431	31 470.04	3 351 544.77		R431	42 254.16	3 346 862.14
L432	31 471.25	3 351 535.72		R432	42 332.28	3 346 794.71
L433	31 585.75	3 351 452.35		R433	43 064.32	3 346 133.55
L434	31 726.13	3 351 376.73		R434	43 406.94	3 345 822.89
L435	31 799.96	3 351 345.04		R435	43 408.60	3 345 821.38
L436	31 873.36	3 351 319.14		R436	43 621.84	3 345 627.22
L437	31 977.88	3 351 290.09		R437	43 793.19	3 345 471.91
L438	32 031.30	3 351 279.12		R438	43 871.48	3 345 394.80
L439	32 153.29	3 351 261.34		R439	43 942.95	3 345 314.33
L440	32 391.38	3 351 247.00		R440	44 057.15	3 345 161.87
L441	32 703.32	3 351 227.88		R441	44 081.63	3 345 124.21
L442	33 002.27	3 351 209.83		R442	44 152.39	3 344 998.61
L443	33 017.78	3 351 208.90		R443	44 181.97	3 344 937.62
L444	33 236.99	3 351 195.70		R444	44 196.79	3 344 907.17
L445	33 418.75	3 351 184.75		R445	44 242.50	3 344 793.51
L446	33 815.30	3 351 160.89		R446	44 261.26	3 344 744.11
L447	34 223.80	3 351 136.24		R447	44 352.07	3 344 507.38
L448	34 632.12	3 351 111.77		R448	44 399.85	3 344 408.99
L449	34 697.87	3 351 105.39		R449	44 473.92	3 344 306.02
L450	34 764.84	3 351 093.61				
L451	34 767.80	3 351 099.26				
L452	34 769.42	3 351 099.85				
L453	34 898.85	3 351 057.31				
L454	35 451.15	3 350 830.37				
L455	36 306.76	3 350 479.39				
L456	36 306.88	3 350 479.34				
L457	36 334.18	3 350 467.73				
L458	36 984.03	3 350 200.57				
L459	37 189.50	3 350 116.13				
				Vel Sheet 22	Van of 23	P1099/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				LINKERKANT/LEFT HAND SIDE		
	Y	X	WG 27°		Y	X
L460	37 202.15	3 350 120.57		L511	44 170.60	3 345 072.06
L461	37 390.05	3 350 043.29		L512	44 162.55	3 345 058.88
L462	37 576.11	3 349 966.77		L513	44 216.35	3 344 941.41
L463	37 761.27	3 349 890.62		L514	44 225.64	3 344 919.60
L464	37 945.93	3 349 814.41		L515	44 271.94	3 344 805.35
L465	38 132.51	3 349 736.93		L516	44 320.83	3 344 669.72
L466	38 687.23	3 349 506.43		L517	44 380.20	3 344 521.55
L467	38 957.87	3 349 393.98		L518	44 425.62	3 344 427.78
L468	39 087.16	3 349 339.78		L519	44 489.11	3 344 336.04
L469	39 160.88	3 349 307.43				
L470	39 233.89	3 349 274.03				
L471	39 306.51	3 349 239.46				
L472	39 414.36	3 349 185.57				
L473	39 485.55	3 349 148.29				
L474	39 556.23	3 349 109.89				
L475	39 608.75	3 349 080.44				
L476	39 678.36	3 349 040.18				
L477	39 730.14	3 349 009.31				
L478	39 764.47	3 348 988.40				
L479	39 815.65	3 348 956.54				
L480	39 849.48	3 348 935.03				
L481	39 852.56	3 348 921.24				
L482	39 924.64	3 348 874.95				
L483	40 056.92	3 348 783.93				
L484	40 175.30	3 348 697.42				
L485	40 285.90	3 348 612.54				
L486	40 381.66	3 348 533.65				
L487	40 688.66	3 348 266.93				
L488	41 181.76	3 347 837.85				
L489	41 182.38	3 347 837.32				
L490	41 474.85	3 347 582.98				
L491	41 851.75	3 347 254.79				
L492	42 210.68	3 346 942.43				
L493	42 255.75	3 346 902.99				
L494	42 477.12	3 346 709.61				
L495	42 741.24	3 346 470.18				
L496	43 087.18	3 346 156.02				
L497	43 345.69	3 345 921.29				
L498	43 415.81	3 345 891.07				
L499	43 419.54	3 345 901.77				
L500	43 432.90	3 345 897.06				
L501	43 418.30	3 345 855.35				
L502	43 421.77	3 345 852.19				
L503	43 777.70	3 345 528.86				
L504	43 893.98	3 345 417.03				
L505	43 966.83	3 345 334.69				
L506	44 081.63	3 345 182.24				
L507	44 107.48	3 345 141.96				
L508	44 132.26	3 345 101.06				
L509	44 224.21	3 345 123.42				
L510	44 235.36	3 345 091.93				
				Vel Sheet	23 of	P1099/18