

DEPARTMENT OF TRANSPORT

NO. 911

21 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N6 SECTION 1

AMENDMENT OF DECLARATION No. 1046 OF 2012.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1046 of 2012 by substituting it in its entirety, with the accompanying sheets 1 to 34 of Plan No. P1150/19.

In the town of Stutterheim the N6 Section 1 enters the town from the south and follows the street known as Maclean Street at time of declaration.

(National Road N6 Section 1: East London - Stutterheim)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 911

21 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N6 SEKSIE 1

WYSIGING VAN VERKLARING No. 1046 VAN 2012.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 1046 van 2012 deur dit in sy geheel te vervang, met bygaande velle 1 tot 34 van Plan No. P1150/19.

In die dorp Stutterheim kom die N6 Seksie 1 die dorp binne vanuit die suide en volg dan die straat bekend as Macleanstraat tydens datum van verklaring.

(Nasionale Pad N6 Seksie 1: Oos London – Stutterheim)**MINISTER VAN VERVOER**




Vel
Sheet 1 of 34

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6 Sekste
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Vel
Sheet 2 of 34
Plan P1150/19


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route N6
Seksie
Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd








Vel
Sheet 6 of 34
Plan P1150/19

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6 Sekste
of National Route Section 1




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	1	Vel Sheet 7 of 34	Plan P1150/19
---	---------------------------------------	--	---	----------------------	------------------








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	1	Plan P1150/19	Vel Sheet 10 of 34	34
---	---------------------------------------	--	---	---------------	-----------------------	----



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	Vel Sheet	11 of	34
The South African National Roads Agency SOC Ltd	The figure shown			1	Plan	P1150/19



Vel 12 van 34
Sheet of
Plan P1150/19


1

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6 Sekse
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vel
Sheet 13 of 34
Plan P1150/19



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	1	Vel Sheet 14 of 34	Plan P1150/19
---	---------------------------------------	---	---	-----------------------	------------------




stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6 Sekse
of National Route Section





Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Vel
Sheet 15 of 34
Plan P1150/19







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	1	Vel Sheet 18 of 34	Plan P1150/19
---	---------------------------------------	---	---	-----------------------	---------------



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	19 of	34
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	Plan	P1150/19	



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	-85 932.16	3 648 921.71		R1	-85 952.95	3 648 907.80
L2	-85 912.30	3 648 934.99		R2	-85 943.49	3 648 884.83
L3	-85 910.07	3 648 929.45		R3	-85 933.11	3 648 859.68
L4	-85 904.63	3 648 915.94		R4	-85 927.83	3 648 846.89
L5	-85 893.95	3 648 889.53		R5	-85 890.40	3 648 783.68
L6	-85 867.82	3 648 836.60		R6	-85 862.19	3 648 735.21
L7	-85 843.82	3 648 796.38		R7	-85 839.47	3 648 717.75
L8	-85 837.55	3 648 785.88		R8	-85 828.03	3 648 706.84
L9	-85 810.76	3 648 752.61		R9	-85 687.09	3 648 553.42
L10	-85 799.71	3 648 739.41		R10	-85 554.00	3 648 430.75
L11	-85 770.16	3 648 703.92		R11	-85 526.91	3 648 404.37
L12	-85 661.71	3 648 591.79		R12	-85 513.65	3 648 392.50
L13	-85 662.06	3 648 591.23		R13	-85 494.14	3 648 371.93
L14	-85 663.72	3 648 588.71		R14	-85 477.16	3 648 349.88
L15	-85 607.36	3 648 536.06		R15	-85 462.55	3 648 326.20
L16	-85 542.76	3 648 475.27		R16	-85 450.46	3 648 301.13
L17	-85 485.35	3 648 420.78		R17	-85 441.01	3 648 274.95
L18	-85 463.70	3 648 397.97		R18	-85 437.58	3 648 260.80
L19	-85 444.20	3 648 372.64		R19	-85 428.41	3 648 200.08
L20	-85 427.42	3 648 345.44		R20	-85 433.99	3 648 130.32
L21	-85 413.53	3 648 316.65		R21	-85 439.99	3 648 114.66
L22	-85 402.68	3 648 286.58		R22	-85 462.16	3 648 057.28
L23	-85 401.95	3 648 283.59		R23	-85 528.96	3 647 985.22
L24	-85 382.19	3 648 216.87		R24	-85 781.88	3 647 840.16
L25	-85 387.04	3 648 215.10		R25	-85 855.87	3 647 765.16
L26	-85 391.41	3 648 160.52		R26	-85 923.87	3 647 675.16
L27	-85 394.55	3 648 121.30		R27	-85 993.13	3 647 604.08
L28	-85 427.58	3 648 035.71		R28	-86 020.71	3 647 586.96
L29	-85 503.69	3 647 953.51		R29	-86 029.35	3 647 581.69
L30	-85 757.25	3 647 808.18		R30	-86 048.18	3 647 570.43
L31	-85 825.55	3 647 738.95		R31	-86 069.12	3 647 557.90
L32	-85 893.47	3 647 649.04		R32	-86 078.84	3 647 551.99
L33	-85 967.49	3 647 573.07		R33	-86 080.57	3 647 546.30
L34	-85 985.93	3 647 560.84		R34	-86 089.78	3 647 540.29
L35	-85 997.24	3 647 540.10		R35	-86 091.74	3 647 513.94
L36	-85 999.98	3 647 531.07		R36	-86 090.26	3 647 501.03
L37	-86 016.83	3 647 475.46		R37	-86 051.63	3 647 504.93
L38	-86 020.58	3 647 406.27		R38	-86 051.25	3 647 442.91
L39	-85 999.43	3 647 324.30		R39	-86 051.18	3 647 431.01
L40	-85 965.14	3 647 267.55		R40	-86 051.01	3 647 403.53
L41	-85 916.87	3 647 222.19		R41	-86 046.48	3 647 372.17
L42	-85 858.82	3 647 188.18		R42	-86 038.53	3 647 351.01
L43	-85 826.73	3 647 170.93		R43	-86 020.53	3 647 299.66
L44	-85 805.95	3 647 162.97		R44	-86 015.10	3 647 291.70
L45	-85 790.96	3 647 157.13		R45	-86 003.79	3 647 274.38
L46	-85 757.84	3 647 144.56		R46	-85 985.12	3 647 250.09
L47	-85 692.99	3 647 106.52		R47	-85 936.57	3 647 202.82
L48	-85 620.24	3 647 042.39		R48	-85 893.80	3 647 168.13
L49	-85 556.08	3 646 904.88		R49	-85 857.06	3 647 152.62
L50	-85 550.63	3 646 836.92		R50	-85 852.60	3 647 150.74
L51	-85 546.41	3 646 790.38		R51	-85 807.25	3 647 120.13
				Vel Sheet	21 of	Van 34 P1150/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-85 545.67	3	646 786.88		R52	-85 669.81	3	647 027.35	
L53	-85 536.88	3	646 745.11		R53	-85 650.58	3	647 000.17	
L54	-85 521.96	3	646 702.97		R54	-85 631.89	3	646 973.54	
L55	-85 518.05	3	646 692.14		R55	-85 614.28	3	646 932.44	
L56	-85 514.30	3	646 682.02		R56	-85 606.44	3	646 914.52	
L57	-85 495.29	3	646 650.94		R57	-85 587.70	3	646 827.25	
L58	-85 487.17	3	646 637.22		R58	-85 586.38	3	646 821.23	
L59	-85 479.13	3	646 623.89		R59	-85 583.77	3	646 809.39	
L60	-85 436.41	3	646 577.62		R60	-85 583.39	3	646 807.68	
L61	-85 264.40	3	646 472.57		R61	-85 574.06	3	646 714.67	
L62	-85 180.41	3	646 428.18		R62	-85 544.98	3	646 653.01	
L63	-85 171.71	3	646 422.13		R63	-85 539.61	3	646 641.61	
L64	-85 158.41	3	646 414.63		R64	-85 478.00	3	646 572.90	
L65	-85 124.64	3	646 395.89		R65	-85 422.52	3	646 525.21	
L66	-85 068.84	3	646 349.09		R66	-85 395.55	3	646 509.60	
L67	-85 031.95	3	646 302.08		R67	-85 172.09	3	646 387.36	
L68	-85 003.33	3	646 273.97		R68	-85 104.80	3	646 339.41	
L69	-84 947.95	3	646 170.16		R69	-85 063.54	3	646 288.11	
L70	-84 947.79	3	646 108.95		R70	-85 023.17	3	646 213.57	
L71	-84 947.77	3	646 080.63		R71	-85 008.84	3	646 177.91	
L72	-84 950.17	3	646 074.42		R72	-85 001.31	3	646 140.60	
L73	-84 970.30	3	646 019.49		R73	-85 019.83	3	646 119.81	
L74	-84 964.08	3	646 019.19		R74	-85 018.28	3	646 052.91	
L75	-84 979.56	3	645 966.17		R75	-85 012.50	3	646 041.27	
L76	-84 983.76	3	645 951.79		R76	-85 017.67	3	646 016.47	
L77	-85 000.57	3	645 883.22		R77	-85 012.10	3	646 016.26	
L78	-85 020.68	3	645 767.20		R78	-85 017.84	3	645 971.85	
L79	-85 029.21	3	645 635.79		R79	-85 020.04	3	645 966.40	
L80	-85 039.71	3	645 592.45		R80	-85 030.32	3	645 904.16	
L81	-85 041.65	3	645 541.38		R81	-85 032.69	3	645 876.82	
L82	-85 023.23	3	645 463.76		R82	-85 036.10	3	645 857.04	
L83	-85 031.79	3	645 408.43		R83	-85 058.24	3	645 761.20	
L84	-85 033.66	3	645 388.90		R84	-85 075.69	3	645 589.82	
L85	-85 028.06	3	645 365.57		R85	-85 080.92	3	645 449.56	
L86	-85 029.03	3	645 361.83		R86	-85 067.53	3	645 377.87	
L87	-85 029.07	3	645 359.73		R87	-85 064.33	3	645 319.08	
L88	-85 028.15	3	645 355.81		R88	-85 063.67	3	645 306.96	
L89	-85 023.82	3	645 346.68		R89	-85 053.25	3	645 237.18	
L90	-85 019.21	3	645 346.77		R90	-85 031.72	3	645 168.33	
L91	-85 014.08	3	645 311.78		R91	-85 011.62	3	645 100.25	
L92	-85 003.91	3	645 269.15		R92	-84 993.55	3	645 033.73	
L93	-84 988.53	3	645 170.58		R93	-84 977.55	3	644 984.18	
L94	-84 987.35	3	645 140.89		R94	-84 971.64	3	644 965.89	
L95	-84 987.34	3	645 130.49		R95	-84 944.49	3	644 900.95	
L96	-84 984.84	3	645 118.94		R96	-84 932.16	3	644 872.63	
L97	-84 984.23	3	645 115.16		R97	-84 879.51	3	644 719.19	
L98	-84 921.55	3	644 955.78		R98	-84 873.89	3	644 687.70	
L99	-84 887.99	3	644 894.86		R99	-84 856.10	3	644 649.92	
L100	-84 858.85	3	644 758.70		R100	-84 732.64	3	644 290.85	
L101	-84 751.67	3	644 453.04		R101	-84 729.42	3	644 277.24	
L102	-84 699.48	3	644 280.93		R102	-84 728.83	3	644 270.94	
Vel Sheet 22					Van of 34		P1150/19		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L103	-84 673.30	3	644 210.81		R103	-84 717.55	3	644 239.02	
L104	-84 665.32	3	644 160.65		R104	-84 699.59	3	644 131.06	
L105	-84 642.36	3	644 094.57		R105	-84 675.24	3	644 044.37	
L106	-84 633.35	3	644 045.24		R106	-84 633.94	3	643 916.50	
L107	-84 609.32	3	643 959.06		R107	-84 611.42	3	643 872.49	
L108	-84 567.26	3	643 852.75		R108	-84 585.44	3	643 823.42	
L109	-84 463.56	3	643 753.70		R109	-84 572.46	3	643 798.90	
L110	-84 411.35	3	643 714.51		R110	-84 543.87	3	643 768.44	
L111	-84 365.46	3	643 701.71		R111	-84 517.10	3	643 745.87	
L112	-84 088.43	3	643 685.68		R112	-84 497.20	3	643 725.00	
L113	-84 018.10	3	643 667.77		R113	-84 487.44	3	643 716.55	
L114	-83 948.98	3	643 648.50		R114	-84 423.42	3	643 685.82	
L115	-83 936.10	3	643 647.81		R115	-84 385.21	3	643 672.29	
L116	-83 883.53	3	643 614.88		R116	-84 374.30	3	643 668.43	
L117	-83 865.63	3	643 604.35		R117	-84 364.28	3	643 664.88	
L118	-83 792.52	3	643 547.88		R118	-84 051.61	3	643 639.16	
L119	-83 734.17	3	643 504.41		R119	-84 017.90	3	643 631.35	
L120	-83 706.69	3	643 473.20		R120	-83 953.08	3	643 608.76	
L121	-83 677.35	3	643 431.68		R121	-83 894.83	3	643 580.86	
L122	-83 626.18	3	643 377.43		R122	-83 835.32	3	643 540.83	
L123	-83 589.85	3	643 287.80		R123	-83 731.19	3	643 445.51	
L124	-83 575.28	3	643 222.09		R124	-83 698.17	3	643 403.04	
L125	-83 570.77	3	643 196.50		R125	-83 670.40	3	643 357.96	
L126	-83 562.89	3	643 156.00		R126	-83 661.99	3	643 343.83	
L127	-83 518.63	3	643 006.61		R127	-83 634.15	3	643 283.99	
L128	-83 507.37	3	642 975.06		R128	-83 612.62	3	643 219.23	
L129	-83 498.41	3	642 949.95		R129	-83 575.67	3	643 093.96	
L130	-83 456.49	3	642 893.78		R130	-83 560.13	3	643 021.50	
L131	-83 419.20	3	642 840.63		R131	-83 561.30	3	642 984.76	
L132	-83 406.33	3	642 813.48		R132	-83 540.77	3	642 950.28	
L133	-83 369.74	3	642 733.41		R133	-83 511.40	3	642 874.77	
L134	-83 267.53	3	642 638.19		R134	-83 491.79	3	642 824.37	
L135	-83 155.05	3	642 566.19		R135	-83 475.46	3	642 822.34	
L136	-83 094.13	3	642 534.94		R136	-83 432.29	3	642 759.51	
L137	-83 028.50	3	642 509.78		R137	-83 367.39	3	642 689.73	
L138	-82 961.45	3	642 492.75		R138	-83 316.83	3	642 630.43	
L139	-82 896.84	3	642 487.08		R139	-83 202.10	3	642 540.66	
L140	-82 529.81	3	642 469.35		R140	-82 899.42	3	642 424.21	
L141	-81 956.60	3	642 460.98		R141	-82 856.62	3	642 425.25	
L142	-81 901.40	3	642 481.04		R142	-82 784.84	3	642 443.81	
L143	-81 460.07	3	642 456.10		R143	-82 616.78	3	642 441.16	
L144	-81 459.79	3	642 451.65		R144	-82 540.96	3	642 440.54	
L145	-81 458.13	3	642 429.90		R145	-82 535.74	3	642 440.40	
L146	-81 227.08	3	642 362.71		R146	-82 515.41	3	642 439.80	
L147	-80 858.18	3	642 256.91		R147	-82 456.79	3	642 436.91	
L148	-80 845.76	3	642 251.63		R148	-82 386.82	3	642 437.93	
L149	-80 832.78	3	642 246.14		R149	-81 967.13	3	642 431.45	
L150	-80 792.18	3	642 229.08		R150	-81 923.79	3	642 430.91	
L151	-80 729.52	3	642 192.59		R151	-81 823.64	3	642 429.55	
L152	-80 716.87	3	642 182.61		R152	-81 656.73	3	642 427.05	
L153	-80 689.47	3	642 161.33		R153	-81 520.11	3	642 413.76	
					Vel Sheet 23 Van of 34 P1150/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-80 672.49	3	642	148.31	R154	-81 467.08	3	642	401.72
L155	-80 644.85	3	642	120.13	R155	-81 442.12	3	642	394.37
L156	-80 623.80	3	642	098.82	R156	-81 236.07	3	642	335.34
L157	-80 621.97	3	642	096.97	R157	-81 207.33	3	642	327.11
L158	-80 576.98	3	642	037.81	R158	-80 904.42	3	642	238.79
L159	-80 567.81	3	642	021.37	R159	-80 840.72	3	642	217.11
L160	-80 543.02	3	641	978.17	R160	-80 786.50	3	642	190.61
L161	-80 532.45	3	641	957.96	R161	-80 780.10	3	642	187.48
L162	-80 502.69	3	641	904.58	R162	-80 725.90	3	642	151.87
L163	-80 493.68	3	641	888.94	R163	-80 672.00	3	642	105.22
L164	-80 132.73	3	641	236.18	R164	-80 617.34	3	642	040.23
L165	-80 099.57	3	641	175.99	R165	-80 588.86	3	641	998.44
L166	-79 831.94	3	640	691.38	R166	-80 574.20	3	641	971.90
L167	-79 795.43	3	640	631.75	R167	-80 465.07	3	641	774.20
L168	-79 776.03	3	640	595.95	R168	-80 209.01	3	641	310.96
L169	-79 744.81	3	640	534.02	R169	-80 106.46	3	641	125.80
L170	-79 709.11	3	640	473.47	R170	-80 095.39	3	641	105.79
L171	-79 677.21	3	640	423.30	R171	-79 741.39	3	640	464.04
L172	-79 609.92	3	640	293.21	R172	-79 676.76	3	640	348.78
L173	-79 604.16	3	640	282.15	R173	-79 650.68	3	640	301.82
L174	-79 549.04	3	640	174.93	R174	-79 619.38	3	640	244.85
L175	-79 478.82	3	640	087.27	R175	-79 578.59	3	640	159.71
L176	-79 498.81	3	640	045.12	R176	-79 559.79	3	640	106.72
L177	-79 496.96	3	640	010.50	R177	-79 554.46	3	640	091.45
L178	-79 496.65	3	639	994.34	R178	-79 533.49	3	640	014.63
L179	-79 490.11	3	639	956.86	R179	-79 527.71	3	639	984.17
L180	-79 483.38	3	639	885.79	R180	-79 523.07	3	639	959.69
L181	-79 482.01	3	639	814.24	R181	-79 520.98	3	639	943.19
L182	-79 486.35	3	639	742.84	R182	-79 517.00	3	639	912.78
L183	-79 496.12	3	639	672.86	R183	-79 512.73	3	639	844.37
L184	-79 511.92	3	639	602.90	R184	-79 514.70	3	639	775.43
L185	-79 532.80	3	639	535.07	R185	-79 521.62	3	639	707.30
L186	-79 559.41	3	639	469.01	R186	-79 534.85	3	639	639.57
L187	-79 591.12	3	639	404.57	R187	-79 587.45	3	639	481.60
L188	-79 624.35	3	639	342.28	R188	-79 622.79	3	639	421.78
L189	-79 660.62	3	639	282.64	R189	-79 679.30	3	639	327.12
L190	-79 700.57	3	639	218.58	R190	-79 730.17	3	639	243.08
L191	-79 756.39	3	639	127.38	R191	-79 798.46	3	639	120.74
L192	-79 792.68	3	639	067.78	R192	-79 834.26	3	639	062.08
L193	-79 828.65	3	639	007.12	R193	-79 838.14	3	639	055.14
L194	-79 844.62	3	638	963.25	R194	-79 851.07	3	639	032.00
L195	-79 861.12	3	638	918.71	R195	-79 858.36	3	639	017.24
L196	-79 878.14	3	638	705.50	R196	-79 874.79	3	638	978.59
L197	-79 880.32	3	638	631.05	R197	-79 891.86	3	638	926.90
L198	-79 881.42	3	638	588.91	R198	-79 900.87	3	638	876.97
L199	-79 881.83	3	638	570.69	R199	-79 906.25	3	638	826.46
L200	-79 882.73	3	638	524.81	R200	-79 906.48	3	638	786.18
L201	-79 886.65	3	638	381.15	R201	-79 907.28	3	638	753.87
L202	-79 889.70	3	638	265.31	R202	-79 907.67	3	638	737.87
L203	-79 889.20	3	638	174.59	R203	-79 908.27	3	638	715.40
L204	-79 874.94	3	638	082.17	R204	-79 911.34	3	638	666.90
Vel Sheet 24					Van of 34				
					P1150/19				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L205	-79 869.25	3	638 010.60		R205	-79 910.95	3	638 608.68	
L206	-79 881.74	3	637 938.50		R206	-79 912.40	3	638 557.17	
L207	-79 925.05	3	637 843.55		R207	-79 926.43	3	638 416.37	
L208	-79 951.72	3	637 706.98		R208	-79 930.64	3	638 354.27	
L209	-79 968.97	3	637 639.05		R209	-79 929.08	3	638 284.77	
L210	-79 982.39	3	637 570.38		R210	-79 920.89	3	638 213.83	
L211	-79 991.10	3	637 490.47		R211	-79 922.86	3	638 138.78	
L212	-80 034.41	3	637 300.86		R212	-79 925.61	3	638 076.02	
L213	-80 033.51	3	637 223.64		R213	-79 931.35	3	638 007.27	
L214	-80 067.97	3	637 133.29		R214	-79 941.59	3	637 938.83	
L215	-80 128.23	3	636 825.00		R215	-79 955.52	3	637 865.09	
L216	-80 137.55	3	636 755.29		R216	-79 965.71	3	637 821.99	
L217	-80 146.77	3	636 687.54		R217	-79 985.80	3	637 777.73	
L218	-80 150.81	3	636 618.12		R218	-80 037.19	3	637 520.32	
L219	-80 150.09	3	636 549.81		R219	-80 036.65	3	637 474.87	
L220	-80 146.31	3	636 481.47		R220	-80 046.19	3	637 399.70	
L221	-80 137.65	3	636 413.71		R221	-80 062.10	3	637 321.04	
L222	-80 121.92	3	636 346.46		R222	-80 077.56	3	637 242.64	
L223	-80 101.44	3	636 280.61		R223	-80 103.12	3	637 111.11	
L224	-80 076.17	3	636 216.98		R224	-80 106.15	3	637 095.29	
L225	-80 046.58	3	636 155.18		R225	-80 130.85	3	636 968.22	
L226	-79 973.14	3	636 037.52		R226	-80 180.90	3	636 837.79	
L227	-79 930.79	3	635 983.57		R227	-80 181.80	3	636 804.26	
L228	-79 884.61	3	635 933.29		R228	-80 196.88	3	636 459.91	
L229	-79 833.98	3	635 885.36		R229	-80 182.78	3	636 399.12	
L230	-79 773.08	3	635 836.55		R230	-80 170.69	3	636 349.72	
L231	-79 724.16	3	635 802.25		R231	-80 157.64	3	636 300.20	
L232	-79 665.06	3	635 766.73		R232	-80 138.36	3	636 245.79	
L233	-79 603.82	3	635 736.00		R233	-80 101.80	3	636 159.89	
L234	-79 540.65	3	635 708.30		R234	-80 045.41	3	636 038.86	
L235	-79 322.00	3	635 616.64		R235	-80 029.37	3	636 004.85	
L236	-79 037.76	3	635 500.57		R236	-79 934.21	3	635 940.35	
L237	-78 950.88	3	635 466.35		R237	-79 831.68	3	635 842.63	
L238	-78 659.17	3	635 354.42		R238	-79 789.60	3	635 810.47	
L239	-78 603.53	3	635 333.04		R239	-79 774.81	3	635 799.17	
L240	-78 496.89	3	635 293.65		R240	-79 579.43	3	635 692.02	
L241	-77 951.76	3	635 298.85		R241	-78 977.52	3	635 431.21	
L242	-77 871.79	3	635 276.04		R242	-78 763.05	3	635 338.36	
L243	-77 854.93	3	635 271.11		R243	-78 678.81	3	635 303.05	
L244	-77 719.39	3	635 193.32		R244	-78 670.78	3	635 299.64	
L245	-77 609.65	3	635 129.03		R245	-78 490.01	3	635 258.85	
L246	-77 525.96	3	635 049.15		R246	-78 287.08	3	635 255.25	
L247	-77 460.75	3	634 975.06		R247	-78 108.40	3	635 256.57	
L248	-77 413.61	3	634 908.44		R248	-78 067.65	3	635 255.73	
L249	-77 378.26	3	634 846.79		R249	-77 972.75	3	635 235.59	
L250	-77 363.88	3	634 830.13		R250	-77 915.72	3	635 225.38	
L251	-77 346.28	3	634 794.12		R251	-77 838.96	3	635 210.07	
L252	-77 343.02	3	634 771.90		R252	-77 780.73	3	635 186.71	
L253	-77 132.45	3	634 394.93		R253	-77 773.16	3	635 181.07	
L254	-77 032.17	3	634 308.99		R254	-77 762.60	3	635 178.21	
L255	-76 932.58	3	634 254.26		R255	-77 713.73	3	635 152.86	
					Vel Sheet 25 Van of 34 P1150/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	-76 838.30	3	634 224.16		R256	-77 633.49	3	635 097.23	
L257	-76 819.53	3	634 218.22		R257	-77 586.01	3	635 061.76	
L258	-76 666.97	3	634 208.28		R258	-77 530.13	3	635 007.56	
L259	-76 438.21	3	634 202.72		R259	-77 413.91	3	634 809.02	
L260	-76 031.72	3	634 164.27		R260	-77 289.63	3	634 593.79	
L261	-75 876.65	3	634 155.31		R261	-77 238.95	3	634 490.17	
L262	-75 817.26	3	634 159.43		R262	-77 175.72	3	634 372.58	
L263	-75 702.81	3	634 182.93		R263	-77 136.41	3	634 332.16	
L264	-75 539.35	3	634 248.54		R264	-77 138.70	3	634 310.96	
L265	-75 455.68	3	634 286.62		R265	-77 140.79	3	634 307.10	
L266	-75 397.74	3	634 304.08		R266	-77 119.61	3	634 292.09	
L267	-75 357.43	3	634 313.24		R267	-77 056.38	3	634 272.35	
L268	-75 352.14	3	634 314.12		R268	-76 993.97	3	634 236.61	
L269	-75 295.48	3	634 322.45		R269	-76 926.66	3	634 209.73	
L270	-75 285.07	3	634 321.84		R270	-76 846.95	3	634 190.09	
L271	-75 212.40	3	634 317.21		R271	-76 725.21	3	634 182.08	
L272	-75 123.68	3	634 304.62		R272	-76 638.75	3	634 176.37	
L273	-75 039.36	3	634 256.20		R273	-76 451.85	3	634 162.94	
L274	-75 019.75	3	634 244.70		R274	-76 246.28	3	634 150.12	
L275	-74 842.82	3	634 112.87		R275	-76 126.19	3	634 135.13	
L276	-74 778.58	3	634 068.59		R276	-76 106.73	3	634 141.12	
L277	-74 708.88	3	634 034.96		R277	-75 927.27	3	634 128.69	
L278	-74 634.58	3	634 014.44		R278	-75 825.73	3	634 123.92	
L279	-74 444.63	3	633 980.95		R279	-75 779.08	3	634 127.08	
L280	-74 311.89	3	633 944.58		R280	-75 763.11	3	634 129.38	
L281	-74 234.74	3	633 913.35		R281	-75 666.98	3	634 160.55	
L282	-74 108.08	3	633 849.64		R282	-75 443.57	3	634 254.41	
L283	-74 048.16	3	633 810.28		R283	-75 379.84	3	634 275.57	
L284	-73 991.54	3	633 767.73		R284	-75 312.56	3	634 286.06	
L285	-73 922.30	3	633 707.48		R285	-75 245.63	3	634 287.96	
L286	-73 848.78	3	633 617.20		R286	-75 178.54	3	634 278.15	
L287	-73 794.19	3	633 558.23		R287	-75 113.91	3	634 258.15	
L288	-73 751.34	3	633 484.83		R288	-75 069.84	3	634 237.92	
L289	-73 708.54	3	633 455.34		R289	-75 028.47	3	634 212.73	
L290	-73 692.24	3	633 443.84		R290	-74 845.77	3	634 075.65	
L291	-73 683.13	3	633 423.10		R291	-74 812.77	3	634 050.45	
L292	-73 659.39	3	633 276.07		R292	-74 748.59	3	634 016.65	
L293	-73 603.76	3	633 153.49		R293	-74 681.83	3	633 989.85	
L294	-73 553.75	3	633 064.17		R294	-74 620.80	3	633 978.80	
L295	-73 521.67	3	633 017.77		R295	-74 482.88	3	633 955.53	
L296	-73 517.91	3	633 012.54		R296	-74 424.77	3	633 943.61	
L297	-72 886.33	3	632 099.94		R297	-74 367.28	3	633 928.72	
L298	-72 857.46	3	632 067.08		R298	-74 293.50	3	633 901.29	
L299	-72 809.38	3	632 010.44		R299	-74 252.77	3	633 885.53	
L300	-72 789.65	3	631 987.77		R300	-74 214.70	3	633 861.66	
L301	-72 767.44	3	631 962.29		R301	-74 110.82	3	633 784.32	
L302	-72 738.65	3	631 932.84		R302	-73 959.03	3	633 669.14	
L303	-72 614.64	3	631 805.30		R303	-73 880.77	3	633 608.93	
L304	-72 287.42	3	631 489.25		R304	-73 847.04	3	633 560.58	
L305	-71 492.36	3	630 721.82		R305	-73 827.21	3	633 526.48	
L306	-71 413.58	3	630 661.71		R306	-73 623.61	3	633 117.61	
Vel Sheet 26					Van of 34		P1150/19		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	-71 136.68	3	630 476.62		R307	-73 596.16	3	633 068.07	
L308	-71 052.81	3	630 421.78		R308	-73 542.52	3	632 977.34	
L309	-70 982.95	3	630 384.71		R309	-73 462.29	3	632 861.83	
L310	-70 959.39	3	630 377.05		R310	-73 453.23	3	632 848.89	
L311	-70 917.77	3	630 363.29		R311	-73 336.79	3	632 681.24	
L312	-70 583.18	3	630 257.04		R312	-73 299.92	3	632 622.24	
L313	-70 394.73	3	630 197.20		R313	-73 260.41	3	632 564.77	
L314	-70 368.93	3	630 189.47		R314	-73 194.56	3	632 476.18	
L315	-70 345.17	3	630 182.53		R315	-73 052.99	3	632 271.48	
L316	-70 258.24	3	630 156.85		R316	-72 896.15	3	632 035.17	
L317	-70 163.59	3	630 128.73		R317	-72 800.32	3	631 931.13	
L318	-70 086.50	3	630 099.95		R318	-72 767.79	3	631 898.13	
L319	-70 061.63	3	630 089.95		R319	-72 754.05	3	631 884.20	
L320	-70 028.15	3	630 076.40		R320	-72 729.47	3	631 862.40	
L321	-70 021.24	3	630 073.60		R321	-72 647.26	3	631 785.87	
L322	-69 994.89	3	630 062.94		R322	-72 579.12	3	631 725.65	
L323	-69 974.68	3	630 054.76		R323	-72 178.29	3	631 338.70	
L324	-69 968.54	3	630 052.27		R324	-72 046.34	3	631 211.55	
L325	-69 942.18	3	630 041.61		R325	-71 860.22	3	631 031.98	
L326	-69 939.08	3	630 040.35		R326	-71 775.63	3	630 950.41	
L327	-69 897.55	3	630 000.18		R327	-71 750.42	3	630 926.03	
L328	-69 825.41	3	629 904.07		R328	-71 478.87	3	630 664.73	
L329	-69 784.67	3	629 849.79		R329	-71 423.99	3	630 617.86	
L330	-69 766.88	3	629 821.53		R330	-71 369.90	3	630 573.08	
L331	-69 713.20	3	629 736.29		R331	-71 313.14	3	630 530.39	
L332	-69 700.32	3	629 715.83		R332	-71 255.90	3	630 490.44	
L333	-69 646.65	3	629 630.60		R333	-71 196.15	3	630 452.39	
L334	-69 593.01	3	629 545.49		R334	-71 160.12	3	630 433.37	
L335	-69 580.12	3	629 524.90		R335	-71 005.20	3	630 360.97	
L336	-69 526.57	3	629 439.54		R336	-70 976.79	3	630 347.69	
L337	-69 473.06	3	629 354.25		R337	-70 911.05	3	630 321.92	
L338	-69 460.20	3	629 333.75		R338	-70 844.46	3	630 298.92	
L339	-69 433.07	3	629 290.28		R339	-70 696.90	3	630 254.88	
L340	-69 405.02	3	629 249.38		R340	-70 667.72	3	630 246.32	
L341	-69 394.40	3	629 233.93		R341	-70 555.61	3	630 213.20	
L342	-69 301.56	3	629 131.77		R342	-70 540.12	3	630 208.83	
L343	-69 216.46	3	629 065.81		R343	-70 172.58	3	630 100.10	
L344	-69 193.10	3	629 047.81		R344	-70 099.47	3	630 072.85	
L345	-69 071.58	3	628 983.90		R345	-69 952.50	3	629 979.73	
L346	-68 998.44	3	628 957.83		R346	-69 926.74	3	629 960.62	
L347	-68 940.89	3	628 942.30		R347	-69 904.91	3	629 944.09	
L348	-68 804.93	3	628 923.81		R348	-69 853.34	3	629 888.53	
L349	-68 725.93	3	628 924.14		R349	-69 838.25	3	629 872.27	
L350	-68 598.75	3	628 931.71		R350	-69 836.29	3	629 869.59	
L351	-68 466.58	3	628 939.65		R351	-69 821.14	3	629 848.89	
L352	-68 241.91	3	628 953.73		R352	-69 818.07	3	629 844.69	
L353	-68 196.17	3	628 956.59		R353	-69 809.10	3	629 832.43	
L354	-68 172.10	3	628 958.10		R354	-69 792.61	3	629 807.21	
L355	-68 132.07	3	628 960.10		R355	-69 737.42	3	629 722.83	
L356	-68 092.25	3	628 962.25		R356	-69 724.76	3	629 702.23	
L357	-68 025.33	3	628 963.39		R357	-69 672.21	3	629 616.37	
Vel Sheet 27					Van of 34		P1150/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L358	-68 008.23	3 628 963.05		R358	-69 619.66	3 629 530.52
L359	-67 957.91	3 628 962.04		R359	-69 606.79	3 629 509.99
L360	-67 891.39	3 628 958.39		R360	-69 553.27	3 629 424.66
L361	-67 816.60	3 628 951.85		R361	-69 499.79	3 629 339.38
L362	-67 701.25	3 628 941.86		R362	-69 486.74	3 629 318.98
L363	-67 588.28	3 628 931.51		R363	-69 432.92	3 629 233.85
L364	-67 545.44	3 628 957.28		R364	-69 420.48	3 629 214.17
L365	-67 535.14	3 628 939.70		R365	-69 370.25	3 629 158.29
L366	-67 544.08	3 628 927.81		R366	-69 324.54	3 629 108.01
L367	-67 389.00	3 628 913.96		R367	-69 230.05	3 629 034.50
L368	-67 272.11	3 628 903.55		R368	-69 211.21	3 629 020.30
L369	-67 153.89	3 628 893.17		R369	-69 084.81	3 628 953.80
L370	-67 022.57	3 628 881.18		R370	-69 007.48	3 628 928.27
L371	-66 898.05	3 628 870.03		R371	-68 986.30	3 628 921.45
L372	-66 866.73	3 628 864.89		R372	-68 948.72	3 628 910.16
L373	-66 835.63	3 628 858.66		R373	-68 807.03	3 628 890.94
L374	-66 804.44	3 628 850.63		R374	-68 726.89	3 628 894.08
L375	-66 775.81	3 628 841.81		R375	-68 466.41	3 628 909.64
L376	-66 746.61	3 628 831.18		R376	-68 270.63	3 628 921.71
L377	-66 690.01	3 628 805.96		R377	-68 160.58	3 628 928.69
L378	-66 629.45	3 628 770.92		R378	-68 107.52	3 628 934.07
L379	-66 579.87	3 628 735.76		R379	-67 960.35	3 628 932.13
L380	-66 533.99	3 628 695.94		R380	-67 916.97	3 628 929.69
L381	-66 490.95	3 628 651.20		R381	-67 908.17	3 628 929.19
L382	-66 443.52	3 628 597.87		R382	-67 818.17	3 628 922.00
L383	-66 377.01	3 628 523.03		R383	-67 693.74	3 628 910.95
L384	-66 304.72	3 628 442.07		R384	-67 578.62	3 628 900.85
L385	-66 261.96	3 628 393.66		R385	-67 415.28	3 628 886.39
L386	-66 189.61	3 628 327.99		R386	-67 237.51	3 628 870.55
L387	-65 719.17	3 628 080.19		R387	-67 154.71	3 628 862.87
L388	-65 703.92	3 628 073.29		R388	-67 047.69	3 628 853.66
L389	-65 633.72	3 628 033.60		R389	-66 889.60	3 628 838.53
L390	-65 577.54	3 627 995.47		R390	-66 840.43	3 628 829.11
L391	-65 555.71	3 627 979.97		R391	-66 755.99	3 628 802.39
L392	-65 346.19	3 627 830.92		R392	-66 701.77	3 628 778.42
L393	-65 174.34	3 627 709.11		R393	-66 624.37	3 628 720.37
L394	-64 767.11	3 627 419.38		R394	-66 553.93	3 628 673.45
L395	-64 151.86	3 626 980.88		R395	-66 486.19	3 628 595.38
L396	-63 333.67	3 626 397.65		R396	-66 395.95	3 628 496.09
L397	-63 218.82	3 626 323.77		R397	-66 329.99	3 628 423.24
L398	-63 108.33	3 626 276.21		R398	-66 300.66	3 628 390.83
L399	-62 992.26	3 626 244.32		R399	-66 293.36	3 628 382.66
L400	-62 872.68	3 626 228.12		R400	-66 286.46	3 628 375.17
L401	-62 746.79	3 626 232.62		R401	-66 279.81	3 628 367.83
L402	-62 744.26	3 626 232.80		R402	-66 183.99	3 628 278.45
L403	-62 741.17	3 626 230.64		R403	-66 133.66	3 628 243.32
L404	-62 582.71	3 626 244.69		R404	-65 695.52	3 628 035.11
L405	-62 563.10	3 626 245.90		R405	-65 563.12	3 627 948.66
L406	-61 997.01	3 626 285.13		R406	-65 362.14	3 627 805.72
L407	-61 863.77	3 626 292.82		R407	-65 191.50	3 627 684.46
L408	-61 861.14	3 626 292.39		R408	-64 174.61	3 626 960.82
				Vel Sheet	28 of	34 P1150/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L409	-61 685.21	3	626 263.13		R409	-63 301.77	3	626 339.20	
L410	-61 606.97	3	626 243.08		R410	-63 233.41	3	626 295.40	
L411	-61 476.28	3	626 228.74		R411	-63 174.11	3	626 265.77	
L412	-61 459.59	3	626 220.56		R412	-63 106.88	3	626 239.27	
L413	-61 358.40	3	626 132.44		R413	-63 028.41	3	626 216.59	
L414	-61 291.91	3	626 090.09		R414	-62 969.35	3	626 205.37	
L415	-61 195.67	3	626 012.53		R415	-62 940.40	3	626 202.62	
L416	-61 148.86	3	625 968.16		R416	-62 830.17	3	626 172.31	
L417	-61 108.48	3	625 924.78		R417	-62 797.95	3	626 174.49	
L418	-61 032.09	3	625 827.13		R418	-62 751.69	3	626 186.10	
L419	-60 967.30	3	625 722.04		R419	-62 660.43	3	626 208.72	
L420	-60 916.27	3	625 612.38		R420	-62 162.14	3	626 243.49	
L421	-60 850.86	3	625 445.97		R421	-61 987.86	3	626 255.56	
L422	-60 604.32	3	624 837.62		R422	-61 810.90	3	626 252.99	
L423	-60 313.64	3	624 120.93		R423	-61 633.73	3	626 219.32	
L424	-60 286.45	3	624 056.64		R424	-61 464.76	3	626 156.23	
L425	-60 256.72	3	623 998.40		R425	-61 309.35	3	626 064.39	
L426	-60 252.13	3	623 978.55		R426	-61 196.99	3	625 969.31	
L427	-60 228.28	3	623 915.33		R427	-61 167.02	3	625 940.70	
L428	-60 209.08	3	623 863.96		R428	-61 057.85	3	625 808.48	
L429	-59 899.56	3	623 099.49		R429	-60 946.05	3	625 600.71	
L430	-59 754.79	3	622 741.91		R430	-60 888.73	3	625 462.07	
L431	-59 542.86	3	622 218.40		R431	-60 620.44	3	624 795.64	
L432	-59 495.72	3	622 100.24		R432	-60 430.36	3	624 328.94	
L433	-59 443.03	3	621 970.13		R433	-60 344.88	3	624 117.96	
L434	-59 384.61	3	621 830.80		R434	-60 227.82	3	623 829.81	
L435	-59 046.01	3	620 986.17		R435	-60 045.38	3	623 379.37	
L436	-59 041.44	3	620 974.66		R436	-59 938.66	3	623 116.09	
L437	-59 014.79	3	620 908.97		R437	-59 778.27	3	622 719.99	
L438	-58 885.25	3	620 587.90		R438	-59 638.95	3	622 374.08	
L439	-58 843.98	3	620 504.08		R439	-59 608.37	3	622 296.14	
L440	-58 804.14	3	620 448.26		R440	-59 569.80	3	622 203.92	
L441	-58 467.74	3	620 111.68		R441	-59 499.92	3	622 031.12	
L442	-58 391.82	3	620 041.93		R442	-59 495.38	3	622 019.63	
L443	-58 270.95	3	619 919.53		R443	-59 470.03	3	621 956.97	
L444	-58 210.93	3	619 861.81		R444	-59 392.05	3	621 759.40	
L445	-58 028.66	3	619 686.54		R445	-59 034.99	3	620 877.91	
L446	-57 805.82	3	619 465.39		R446	-58 913.00	3	620 576.76	
L447	-57 765.69	3	619 426.51		R447	-58 869.89	3	620 488.86	
L448	-57 550.99	3	619 217.12		R448	-58 858.70	3	620 471.15	
L449	-57 477.28	3	619 152.19		R449	-58 849.32	3	620 456.05	
L450	-57 399.40	3	619 093.73		R450	-58 802.36	3	620 398.10	
L451	-57 315.06	3	619 041.12		R451	-58 743.80	3	620 339.17	
L452	-57 227.53	3	618 996.52		R452	-58 588.76	3	620 187.87	
L453	-57 162.51	3	618 968.53		R453	-58 489.68	3	620 090.85	
L454	-57 098.72	3	618 945.53		R454	-58 291.33	3	619 897.70	
L455	-56 986.95	3	618 912.71		R455	-58 208.76	3	619 817.01	
L456	-56 818.94	3	618 889.92		R456	-58 201.79	3	619 810.16	
L457	-56 518.98	3	618 872.57		R457	-58 189.88	3	619 798.16	
L458	-56 502.84	3	618 871.59		R458	-58 052.28	3	619 659.53	
L459	-56 143.69	3	618 851.69		R459	-57 827.75	3	619 445.05	
Vel Sheet 29					Van of 34		P1150/19		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L460	-56 127.88	3	618 850.43		R460	-57 787.01	3	619 405.30	
L461	-56 103.81	3	618 849.14		R461	-57 562.17	3	619 186.26	
L462	-56 018.31	3	618 848.34		R462	-57 505.64	3	619 109.59	
L463	-55 804.51	3	618 832.15		R463	-57 504.28	3	619 107.74	
L464	-55 342.59	3	618 806.15		R464	-57 493.16	3	619 092.68	
L465	-55 147.65	3	618 795.02		R465	-57 469.93	3	619 086.43	
L466	-55 131.57	3	618 794.27		R466	-57 463.25	3	619 084.63	
L467	-55 122.66	3	618 793.76		R467	-57 424.93	3	619 059.86	
L468	-54 825.83	3	618 776.90		R468	-57 359.07	3	619 031.80	
L469	-54 532.41	3	618 803.59		R469	-57 273.23	3	618 984.77	
L470	-54 433.60	3	618 826.10		R470	-57 187.22	3	618 945.92	
L471	-54 084.27	3	618 910.72		R471	-57 123.35	3	618 919.01	
L472	-54 023.87	3	618 920.29		R472	-57 075.60	3	618 906.07	
L473	-53 956.34	3	618 922.08		R473	-57 058.71	3	618 900.86	
L474	-53 910.60	3	618 925.40		R474	-56 821.02	3	618 858.77	
L475	-53 873.50	3	618 929.00		R475	-56 655.12	3	618 849.53	
L476	-53 844.45	3	618 931.82		R476	-56 504.48	3	618 841.62	
L477	-53 798.70	3	618 936.26		R477	-56 129.10	3	618 820.62	
L478	-53 774.71	3	618 925.20		R478	-56 067.62	3	618 813.17	
L479	-53 763.52	3	618 923.34		R479	-55 806.36	3	618 802.17	
L480	-53 751.68	3	618 921.36		R480	-55 378.46	3	618 778.18	
L481	-53 698.39	3	618 912.47		R481	-55 149.68	3	618 765.35	
L482	-53 660.85	3	618 906.20		R482	-55 133.77	3	618 764.19	
L483	-53 586.36	3	618 897.64		R483	-55 122.40	3	618 763.56	
L484	-53 442.77	3	618 907.89		R484	-54 827.68	3	618 747.13	
L485	-53 423.52	3	618 936.07		R485	-54 678.15	3	618 738.83	
L486	-53 287.28	3	618 983.67		R486	-54 434.54	3	618 795.12	
L487	-53 318.22	3	619 013.12		R487	-54 116.37	3	618 868.34	
L488	-53 379.41	3	619 010.06		R488	-54 031.67	3	618 881.88	
L489	-53 076.22	3	619 081.08		R489	-53 961.32	3	618 888.15	
L490	-53 224.15	3	619 020.96		R490	-53 920.97	3	618 885.61	
L491	-53 238.00	3	618 984.23		R491	-53 860.13	3	618 885.39	
L492	-53 264.37	3	618 961.86		R492	-53 683.86	3	618 877.44	
L493	-53 273.80	3	618 953.86		R493	-53 639.03	3	618 872.87	
L494	-53 382.07	3	618 919.22		R494	-53 620.58	3	618 870.99	
L495	-53 406.64	3	618 904.14		R495	-53 584.47	3	618 867.39	
L496	-53 293.02	3	618 868.62		R496	-53 146.98	3	618 822.58	
L497	-53 155.43	3	618 858.15		R497	-53 113.49	3	618 818.23	
L498	-53 143.14	3	618 857.22		R498	-53 028.81	3	618 807.22	
L499	-53 023.52	3	618 838.65		R499	-52 966.82	3	618 797.83	
L500	-52 950.19	3	618 824.57		R500	-52 929.97	3	618 788.98	
L501	-52 826.53	3	618 795.73		R501	-52 757.30	3	618 743.31	
L502	-52 798.34	3	618 787.21		R502	-52 664.10	3	618 712.38	
L503	-52 652.62	3	618 744.18		R503	-52 570.43	3	618 674.62	
L504	-52 560.24	3	618 703.77		R504	-52 535.21	3	618 660.29	
L505	-52 504.60	3	618 679.27		R505	-52 449.87	3	618 609.63	
L506	-52 347.13	3	618 619.62		R506	-52 283.34	3	618 507.01	
L507	-52 219.69	3	618 527.78		R507	-52 132.92	3	618 409.32	
L508	-52 170.67	3	618 492.90		R508	-51 969.23	3	618 293.80	
L509	-52 126.49	3	618 457.18		R509	-51 842.83	3	618 195.58	
L510	-52 031.30	3	618 379.70		R510	-51 760.09	3	618 122.63	
					Vel Sheet 30 Van of 34 P1150/19				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L511	-51 824.49	3 618 219.34		R511	-51 713.46	3 618 090.73
L512	-51 707.76	3 618 137.56		R512	-51 669.23	3 618 060.93
L513	-51 684.69	3 618 116.13		R513	-51 602.50	3 618 009.69
L514	-51 650.88	3 618 084.67		R514	-51 509.00	3 617 937.16
L515	-51 492.78	3 617 962.05		R515	-51 422.57	3 617 865.51
L516	-51 407.82	3 617 898.96		R516	-51 387.62	3 617 836.38
L517	-51 364.48	3 617 866.42		R517	-51 258.09	3 617 742.17
L518	-51 239.82	3 617 766.08		R518	-50 800.23	3 617 387.36
L519	-50 876.38	3 617 484.15		R519	-50 696.87	3 617 307.44
L520	-50 798.76	3 617 426.32		R520	-50 594.29	3 617 227.72
L521	-50 674.72	3 617 330.51		R521	-50 516.51	3 617 165.87
L522	-50 653.66	3 617 314.24		R522	-50 411.01	3 617 074.81
L523	-50 575.69	3 617 251.39		R523	-50 309.73	3 616 978.95
L524	-50 497.33	3 617 188.99		R524	-50 213.13	3 616 878.60
L525	-50 390.71	3 617 097.08		R525	-50 158.73	3 616 818.81
L526	-50 288.71	3 617 000.26		R526	-50 154.72	3 616 809.98
L527	-50 191.05	3 616 898.81		R527	-50 084.01	3 616 730.07
L528	-50 135.59	3 616 841.07		R528	-50 072.62	3 616 722.81
L529	-50 069.24	3 616 780.15		R529	-50 038.01	3 616 679.05
L530	-50 032.97	3 616 737.86		R530	-49 983.74	3 616 627.37
L531	-49 981.02	3 616 668.82		R531	-49 905.48	3 616 541.62
L532	-49 961.72	3 616 647.64		R532	-49 808.37	3 616 435.41
L533	-49 885.18	3 616 564.04		R533	-49 683.52	3 616 298.82
L534	-49 875.93	3 616 554.47		R534	-49 633.01	3 616 243.52
L535	-49 837.15	3 616 517.27		R535	-49 596.50	3 616 203.51
L536	-49 786.28	3 616 455.87		R536	-49 380.54	3 615 967.04
L537	-49 610.75	3 616 263.63		R537	-49 322.54	3 615 903.97
L538	-49 594.99	3 616 246.85		R538	-49 276.39	3 615 850.59
L539	-49 494.52	3 616 138.90		R539	-49 251.22	3 615 821.48
L540	-49 474.61	3 616 117.61		R540	-49 226.41	3 615 789.44
L541	-49 431.86	3 616 075.27		R541	-49 209.30	3 615 766.42
L542	-49 409.30	3 616 047.22		R542	-49 170.04	3 615 709.77
L543	-49 283.99	3 615 949.49		R543	-49 132.72	3 615 650.90
L544	-49 272.51	3 615 936.32		R544	-49 096.96	3 615 586.85
L545	-49 264.79	3 615 927.46		R545	-49 084.55	3 615 565.32
L546	-49 211.16	3 615 818.86		R546	-49 069.85	3 615 538.15
L547	-49 150.32	3 615 734.71		R547	-49 050.51	3 615 502.09
L548	-49 115.44	3 615 684.95		R548	-49 042.66	3 615 478.47
L549	-49 105.02	3 615 665.99		R549	-48 986.66	3 615 366.25
L550	-49 048.20	3 615 561.12		R550	-48 946.28	3 615 290.24
L551	-49 005.96	3 615 483.77		R551	-48 940.34	3 615 270.84
L552	-48 406.70	3 614 385.10		R552	-48 806.19	3 615 016.38
L553	-48 306.71	3 614 223.77		R553	-48 680.44	3 614 779.24
L554	-48 224.15	3 614 051.57		R554	-48 564.69	3 614 583.87
L555	-48 114.38	3 613 849.51		R555	-48 452.33	3 614 406.38
L556	-48 079.25	3 613 790.07		R556	-48 345.96	3 614 211.02
L557	-48 039.70	3 613 734.03		R557	-48 300.22	3 614 126.74
L558	-47 994.51	3 613 682.28		R558	-48 219.12	3 613 978.42
L559	-47 944.54	3 613 635.78		R559	-48 203.34	3 613 949.70
L560	-47 890.11	3 613 594.49		R560	-48 119.00	3 613 774.31
L561	-47 832.41	3 613 558.10		R561	-48 022.77	3 613 616.12
				Vel Sheet	31 of	34 P1150/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L562	-47 774.75	3	613	520.76	R562	-47 800.81	3	613	456.56
L563	-47 715.45	3	613	483.40	R563	-47 772.30	3	613	436.07
L564	-47 569.76	3	613	405.54	R564	-47 593.43	3	613	381.55
L565	-47 565.75	3	613	403.43	R565	-47 589.26	3	613	380.28
L566	-47 554.27	3	613	397.66	R566	-47 528.98	3	613	349.22
L567	-47 502.96	3	613	372.14	R567	-47 497.52	3	613	317.95
L568	-47 459.57	3	613	346.50	R568	-47 421.11	3	613	292.01
L569	-47 390.51	3	613	314.67	R569	-47 305.98	3	613	230.78
L570	-47 358.28	3	613	294.41	R570	-47 272.16	3	613	210.42
L571	-47 229.22	3	613	227.88	R571	-47 173.59	3	613	161.54
L572	-46 765.79	3	613	045.47	R572	-46 997.48	3	613	051.47
L573	-46 700.19	3	613	020.22	R573	-46 910.49	3	613	026.56
L574	-46 634.70	3	612	993.50	R574	-46 827.89	3	613	004.66
L575	-46 577.81	3	612	971.24	R575	-46 803.91	3	612	998.17
L576	-46 556.40	3	612	969.65	R576	-46 758.17	3	612	986.17
L577	-46 416.55	3	612	893.45	R577	-46 670.60	3	612	962.13
L578	-46 335.19	3	612	848.17	R578	-46 427.44	3	612	842.84
L579	-46 328.59	3	612	847.08	R579	-46 285.81	3	612	751.72
L580	-46 255.21	3	612	816.03	R580	-46 246.94	3	612	728.76
L581	-46 216.87	3	612	788.14	R581	-46 182.65	3	612	686.29
L582	-46 207.45	3	612	782.26	R582	-46 182.75	3	612	677.84
L583	-46 178.37	3	612	762.63	R583	-46 171.69	3	612	675.79
L584	-46 150.50	3	612	744.55	R584	-46 102.92	3	612	634.77
L585	-45 991.56	3	612	629.48	R585	-46 052.08	3	612	607.84
L586	-45 842.42	3	612	522.56	R586	-46 036.20	3	612	589.48
L587	-45 721.65	3	612	450.73	R587	-46 013.94	3	612	550.67
L588	-45 674.00	3	612	414.83	R588	-45 975.35	3	612	535.60
L589	-45 575.85	3	612	343.44	R589	-45 933.78	3	612	543.54
L590	-45 468.85	3	612	249.82	R590	-45 875.68	3	612	507.56
L591	-45 455.85	3	612	236.89	R591	-45 787.21	3	612	452.59
L592	-45 400.24	3	612	181.59	R592	-45 720.96	3	612	403.87
L593	-45 371.67	3	612	148.02	R593	-45 682.35	3	612	384.05
L594	-45 356.20	3	612	128.65	R594	-45 634.13	3	612	349.41
L595	-45 328.13	3	612	093.25	R595	-45 610.29	3	612	329.83
L596	-45 308.08	3	612	067.78	R596	-45 597.89	3	612	319.81
L597	-45 226.08	3	611	927.96	R597	-45 580.83	3	612	305.94
L598	-45 098.09	3	611	707.29	R598	-45 515.40	3	612	245.33
L599	-44 995.12	3	611	593.44	R599	-45 464.36	3	612	189.65
L600	-44 985.78	3	611	575.44	R600	-45 395.75	3	612	104.98
L601	-44 939.90	3	611	434.51	R601	-45 366.76	3	612	069.21
L602	-44 789.66	3	611	175.08	R602	-45 309.68	3	611	992.84
L603	-44 775.20	3	611	150.25	R603	-45 231.98	3	611	878.26
L604	-44 756.69	3	611	118.29	R604	-45 091.44	3	611	635.98
L605	-44 655.26	3	610	943.21	R605	-45 083.33	3	611	622.08
L606	-44 648.51	3	610	931.57	R606	-45 050.21	3	611	564.49
L607	-44 628.86	3	610	897.65	R607	-45 047.48	3	611	560.24
L608	-44 526.74	3	610	721.38	R608	-45 009.88	3	611	495.13
L609	-44 508.31	3	610	689.90	R609	-45 009.86	3	611	492.79
L610	-44 376.95	3	610	464.04	R610	-45 013.78	3	611	485.91
L611	-44 344.17	3	610	407.67	R611	-45 010.19	3	611	480.03
L612	-44 338.16	3	610	397.20	R612	-44 947.92	3	611	388.47
					Vel Sheet 32 Van of 34 P1150/19				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L613	-44 299.03	3	610	341.02	R613	-44 861.16	3	611	238.96
L614	-44 237.68	3	610	277.27	R614	-44 800.54	3	611	134.16
L615	-44 204.23	3	610	242.50	R615	-44 780.92	3	611	095.94
L616	-44 190.99	3	610	228.06	R616	-44 740.29	3	611	016.82
L617	-44 176.77	3	610	212.53	R617	-44 737.11	3	611	010.52
L618	-43 998.70	3	610	048.54	R618	-44 708.74	3	610	956.16
L619	-43 974.16	3	610	025.94	R619	-44 676.65	3	610	902.60
L620	-43 823.49	3	609	887.19	R620	-44 663.44	3	610	901.61
L621	-43 587.87	3	609	671.46	R621	-44 661.90	3	610	901.49
L622	-43 391.68	3	609	488.07	R622	-44 656.66	3	610	889.55
L623	-43 262.61	3	609	376.42	R623	-44 637.18	3	610	845.18
L624	-43 110.72	3	609	262.82	R624	-44 599.69	3	610	788.07
L625	-43 071.28	3	609	233.61	R625	-44 539.61	3	610	684.44
L626	-42 853.87	3	609	092.63	R626	-44 479.18	3	610	580.25
L627	-42 768.85	3	609	041.04	R627	-44 426.27	3	610	472.84
L628	-42 566.85	3	608	910.20	R628	-44 365.12	3	610	380.73
L629	-42 469.12	3	608	842.92	R629	-44 322.89	3	610	323.14
L630	-42 368.98	3	608	782.95	R630	-44 279.01	3	610	267.29
L631	-42 366.40	3	608	781.23	R631	-44 226.82	3	610	217.78
L632	-42 302.60	3	608	738.52	R632	-44 208.64	3	610	200.59
L633	-42 285.78	3	608	727.26	R633	-44 197.85	3	610	190.39
L634	-42 224.10	3	608	685.99	R634	-44 124.35	3	610	122.43
L635	-42 215.14	3	608	679.99	R635	-44 099.17	3	610	090.95
L636	-42 167.03	3	608	647.79	R636	-44 045.70	3	610	044.03
L637	-42 137.03	3	608	628.24	R637	-44 019.98	3	610	021.46
L638	-42 128.69	3	608	623.51	R638	-43 918.83	3	609	932.69
L639	-42 042.24	3	608	576.95	R639	-43 906.82	3	609	922.15
L640	-41 880.90	3	608	466.09	R640	-43 818.19	3	609	840.37
L641	-41 778.27	3	608	397.52	R641	-43 814.30	3	609	836.42
L642	-41 610.55	3	608	287.33	R642	-43 786.87	3	609	808.61
L643	-41 545.98	3	608	240.74	R643	-43 728.57	3	609	754.54
L644	-41 466.20	3	608	181.54	R644	-43 697.91	3	609	729.37
L645	-41 372.95	3	608	102.79	R645	-43 607.67	3	609	646.10
L646	-41 237.11	3	607	968.06	R646	-43 539.93	3	609	563.24
L647	-41 222.25	3	607	953.13	R647	-43 417.35	3	609	470.58
L648	-41 219.52	3	607	941.57	R648	-43 375.84	3	609	431.44
L649	-41 128.07	3	607	834.03	R649	-43 286.70	3	609	347.28
L650	-41 056.10	3	607	736.87	R650	-43 222.99	3	609	297.15
L651	-40 976.20	3	607	621.20	R651	-43 154.32	3	609	246.33
L652	-40 931.53	3	607	556.52	R652	-43 141.63	3	609	237.09
L653	-40 862.95	3	607	457.61	R653	-43 091.84	3	609	210.96
L654	-40 860.11	3	607	453.34	R654	-43 089.29	3	609	209.60
L655	-40 720.34	3	607	243.03	R655	-42 820.56	3	609	035.47
L656	-40 703.93	3	607	222.74	R656	-42 787.69	3	609	010.55
L657	-40 679.36	3	607	192.36	R657	-42 638.16	3	608	913.64
L658	-40 635.15	3	607	128.05	R658	-42 569.30	3	608	872.55
L659	-40 613.53	3	607	095.25	R659	-42 482.71	3	608	816.45
L660	-40 511.02	3	606	947.14	R660	-42 467.18	3	608	806.56
L661	-40 492.28	3	606	922.71	R661	-42 383.86	3	608	742.62
L662	-40 463.56	3	606	880.88	R662	-42 319.70	3	608	693.38
L663	-40 431.15	3	606	833.67	R663	-42 313.89	3	608	690.02
Vel Sheet 33					Van of 34		P1150/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L664	-40 407.72	3 606 799.55		R664	-42 296.89	3 608 680.19
L665	-40 400.48	3 606 780.36		R665	-42 242.93	3 608 649.00
L666	-40 265.33	3 606 578.35		R666	-42 234.09	3 608 643.89
L667	-40 206.60	3 606 525.16		R667	-42 226.81	3 608 639.68
L668	-40 157.15	3 606 480.37		R668	-42 165.07	3 608 610.38
L669	-40 152.87	3 606 476.50		R669	-42 140.16	3 608 593.61
L670	-40 133.81	3 606 452.14		R670	-42 084.62	3 608 552.04
L671	-40 086.03	3 606 351.75		R671	-41 899.42	3 608 435.19
L672	-40 006.69	3 606 237.09		R672	-41 812.78	3 608 382.33
L673	-39 972.62	3 606 149.45		R673	-41 728.16	3 608 327.65
L674	-39 959.67	3 606 128.03		R674	-41 563.26	3 608 217.00
L675	-39 944.44	3 606 074.15		R675	-41 487.61	3 608 158.40
L676	-39 939.45	3 606 040.87		R676	-41 461.97	3 608 136.35
L677	-39 937.20	3 606 014.15		R677	-41 408.86	3 608 091.11
L678	-39 936.59	3 605 982.34		R678	-41 350.22	3 608 036.52
L679	-39 938.71	3 605 953.41		R679	-41 295.11	3 607 980.35
L680	-39 940.98	3 605 929.01		R680	-41 256.72	3 607 939.66
REGTERKANT/RIGHT HAND SIDE				R681	-41 257.20	3 607 932.72
				R682	-41 257.67	3 607 925.88
				R683	-41 242.06	3 607 922.89
				R684	-41 169.35	3 607 832.81
				R685	-41 082.04	3 607 709.90
				R686	-41 011.63	3 607 609.45
				R687	-40 971.74	3 607 552.54
				R688	-40 917.70	3 607 467.82
				R689	-40 914.69	3 607 461.03
				R690	-40 909.97	3 607 457.13
				R691	-40 897.31	3 607 440.20
				R692	-40 858.34	3 607 388.08
				R693	-40 801.91	3 607 303.20
				R694	-40 750.40	3 607 230.01
				R695	-40 606.43	3 607 025.42
				R696	-40 597.86	3 607 008.34
				R697	-40 538.83	3 606 928.20
				R698	-40 468.53	3 606 826.33
				R699	-40 436.54	3 606 780.23
				R700	-40 427.70	3 606 762.28
				R701	-40 254.59	3 606 517.10
				R702	-40 253.93	3 606 515.96
				R703	-40 242.67	3 606 496.50
				R704	-40 225.39	3 606 472.42
				R705	-40 222.53	3 606 468.03
				R706	-40 191.05	3 606 419.73
				R707	-40 147.26	3 606 353.62
				R708	-40 106.93	3 606 305.43
				R709	-40 087.65	3 606 272.84
				R710	-40 038.95	3 606 202.11
				R711	-40 013.41	3 606 153.36
				R712	-40 001.97	3 606 153.22
				R713	-39 996.10	3 606 140.19
				R714	-39 990.37	3 606 125.26
R715	-39 970.49	3 606 046.27		Vel Sheet 34 Van of 34 P1150/19		