
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 926

30 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED****Registration No: 1998/009584/30**

DECLARATION AMENDMENT OF NATIONAL ROAD R578 SECTION 1

AMENDMENT OF DECLARATION No. 538 OF 2014.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph H of the Schedule, with the accompanying sheets 1 to 27 of Plan No. P1141/19.

In the town of Elim-Mpheni the R578 Section 1 enters the town from the north and continuous in a southerly direction through the town.

(National Road R578 Section 1: Makhado – Giyani)
MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 926

30 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R578 SEKSIE 1

WYSIGING VAN VERKLARING No. 538 VAN 2014.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf H van die Skedule te vervang, met bygaande velle 1 tot 27 van Plan No. P1141/19.

In die dorp Elim-Mpheni kom die R578 Seksie 1 die dorp binne vanuit die noorde en volg dan die pad in 'n suidelike rigting deur die dorp.


(Nasionale Pad R578 Seksie 1: Makhado – Giyani)
MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R578 of National Route	1	Sektie Section	P1141/19
---	---------------------------------------	---	--	---	-------------------	----------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R578 Seksie of National Route 1 Section	Vel Sheet 2 of 27 Plan P114/1/19
---	---------------------------------------	---	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R578 of National Route	1 3 of 27 Plan P1141/19
---	---------------------------------------	---	-------------------------------






Val
Sheet 5 of 27
Plan P1141/19


steil die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R578 Sektie
of National Route Section 1




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R578 Seksie of National Route Section	Vel Sheet 7 of 27 Plan P1141/19
---	---------------------------------------	--	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R578 of National Route	Vel Sheet 8 of 27 Plan P1141/19
---	---------------------------------------	--	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R578 Sektie of National Route Section	Vel Sheet 9 of 27 Plan P1141/19
---	---------------------------------------	---	--




Vel Sheet 10 of 27 Plan P1141/19	1 Seksie R578 Section of National Route	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
--	---	---	---
















Vel Sheet 17 of 27 Plan P1141/19	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R578 Sektie of National Route 1 Section	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
	Die figuur getoon The figure shown	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L1	111 783.35	2 553 600.10		R1	111 803.26	2 553 666.85			
L2	111 745.89	2 553 637.42		R2	111 771.12	2 553 667.01			
L3	111 719.79	2 553 651.95		R3	111 717.64	2 553 696.82			
L4	111 339.84	2 553 863.39		R4	111 348.16	2 553 902.22			
L5	111 044.80	2 554 027.59		R5	111 049.59	2 554 068.25			
L6	110 341.85	2 554 418.76		R6	110 615.00	2 554 309.92			
L7	109 226.79	2 555 039.35		R7	110 345.33	2 554 459.89			
L8	109 213.69	2 555 046.68		R8	109 446.75	2 554 959.82			
L9	108 935.75	2 555 201.19		R9	109 231.62	2 555 079.50			
L10	108 639.56	2 555 367.14		R10	108 648.95	2 555 403.64			
L11	107 458.56	2 556 024.68		R11	108 065.76	2 555 728.06			
L12	107 425.95	2 556 042.84		R12	108 006.41	2 555 766.18			
L13	107 298.58	2 556 113.77		R13	107 919.28	2 555 809.84			
L14	107 181.33	2 556 179.03		R14	107 523.08	2 556 031.10			
L15	107 133.66	2 556 202.83		R15	107 143.15	2 556 242.94			
L16	107 134.23	2 556 205.25		R16	106 693.60	2 556 493.60			
L17	106 604.69	2 556 500.00		R17	106 549.69	2 556 566.62			
L18	106 417.15	2 556 570.74		R18	106 433.45	2 556 604.47			
L19	106 332.37	2 556 586.54		R19	106 393.66	2 556 614.32			
L20	106 152.84	2 556 618.92		R20	106 274.58	2 556 636.47			
L21	104 836.35	2 556 853.46		R21	106 148.19	2 556 658.98			
L22	104 827.19	2 556 856.98		R22	104 287.37	2 556 990.40			
L23	104 562.71	2 556 904.10		R23	103 129.74	2 557 196.57			
L24	104 285.21	2 556 953.54		R24	101 937.66	2 557 408.88			
L25	103 127.43	2 557 159.82		R25	101 899.65	2 557 417.08			
L26	101 779.14	2 557 400.05		R26	101 729.55	2 557 467.41			
L27	101 614.99	2 557 480.37		R27	101 590.77	2 557 539.23			
L28	101 523.16	2 557 530.95		R28	101 465.25	2 557 634.57			
L29	101 208.28	2 557 814.93		R29	101 202.55	2 557 869.62			
L30	101 180.14	2 557 839.23		R30	101 072.05	2 557 986.40			
L31	101 172.64	2 557 845.71		R31	100 328.17	2 558 652.01			
L32	100 022.12	2 558 873.39		R32	100 003.68	2 558 941.55			
L33	99 942.48	2 558 928.33		R33	99 842.71	2 559 021.21			
L34	99 838.26	2 558 982.67		R34	99 546.73	2 559 153.90			
L35	99 710.33	2 559 041.99		R35	99 391.87	2 559 235.45			
L36	99 465.76	2 559 155.40		R36	99 160.25	2 559 410.56			
L37	99 372.26	2 559 204.61		R37	99 154.21	2 559 415.26			
L38	99 286.46	2 559 264.84		R38	99 016.57	2 559 522.51			
L39	99 225.21	2 559 311.93		R39	98 900.67	2 559 606.96			
L40	98 898.96	2 559 562.80		R40	98 830.24	2 559 649.36			
L41	98 810.63	2 559 619.29		R41	98 756.37	2 559 685.44			
L42	98 678.23	2 559 676.02		R42	98 679.62	2 559 714.93			
L43	98 637.88	2 559 688.81		R43	98 600.84	2 559 738.61			
L44	98 143.81	2 559 814.42		R44	98 120.34	2 559 856.83			
L45	98 125.95	2 559 818.67		R45	98 026.12	2 559 882.18			
L46	97 869.55	2 559 880.45		R46	97 967.93	2 559 899.62			
L47	97 803.72	2 559 901.02		R47	97 794.42	2 559 944.82			
L48	97 740.62	2 559 928.82		R48	97 709.97	2 559 988.63			
L49	97 682.28	2 559 965.44		R49	97 663.15	2 560 025.51			
L50	97 635.28	2 559 999.01		R50	97 604.28	2 560 075.62			
L51	97 583.41	2 560 044.03		R51	97 565.15	2 560 116.02			
Vel Sheet 18					Van of 27		P1141/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L52	97 524.05	2 560 111.91		R52	97 523.73	2 560 180.17			
L53	97 491.58	2 560 159.63		R53	97 496.12	2 560 227.56			
L54	97 461.37	2 560 211.18		R54	97 472.60	2 560 282.40			
L55	97 448.53	2 560 238.22		R55	97 440.38	2 560 372.05			
L56	97 364.02	2 560 465.73		R56	97 421.92	2 560 427.29			
L57	97 212.83	2 560 855.46		R57	97 374.31	2 560 525.33			
L58	97 133.76	2 561 059.29		R58	97 342.21	2 560 607.09			
L59	97 019.85	2 561 359.31		R59	97 311.45	2 560 691.33			
L60	96 977.20	2 561 476.60		R60	97 288.39	2 560 748.91			
L61	96 906.32	2 561 655.46		R61	97 260.44	2 560 831.00			
L62	96 894.23	2 561 686.58		R62	97 010.58	2 561 483.89			
L63	96 840.86	2 561 815.31		R63	96 988.59	2 561 524.25			
L64	96 822.45	2 561 871.74		R64	96 970.38	2 561 579.32			
L65	96 786.73	2 561 967.67		R65	96 971.18	2 561 584.61			
L66	96 784.95	2 561 982.38		R66	96 892.24	2 561 794.30			
L67	96 770.25	2 562 027.12		R67	96 886.42	2 561 828.45			
L68	96 717.95	2 562 160.10		R68	96 857.56	2 561 883.10			
L69	96 621.55	2 562 581.61		R69	96 830.52	2 561 953.84			
L70	96 592.06	2 562 687.73		R70	96 800.78	2 562 039.05			
L71	96 524.36	2 562 774.58		R71	96 774.42	2 562 106.52			
L72	96 358.43	2 562 937.59		R72	96 764.35	2 562 141.48			
L73	96 244.94	2 562 998.87		R73	96 744.09	2 562 181.77			
L74	96 246.88	2 563 006.91		R74	96 728.00	2 562 232.78			
L75	95 931.43	2 563 165.57		R75	96 656.29	2 562 596.57			
L76	95 712.86	2 563 283.40		R76	96 648.59	2 562 651.28			
L77	95 619.49	2 563 338.24		R77	96 619.19	2 562 715.03			
L78	95 529.86	2 563 399.03		R78	96 595.88	2 562 750.60			
L79	95 443.49	2 563 464.45		R79	96 471.17	2 562 899.07			
L80	95 363.15	2 563 530.95		R80	96 427.24	2 562 941.56			
L81	95 284.07	2 563 615.58		R81	96 363.09	2 562 996.10			
L82	95 254.47	2 563 642.76		R82	96 255.34	2 563 050.42			
L83	95 187.56	2 563 686.58		R83	96 033.80	2 563 162.18			
L84	95 118.14	2 563 701.86		R84	95 980.37	2 563 187.30			
L85	95 061.50	2 563 710.02		R85	95 834.48	2 563 258.58			
L86	94 951.48	2 563 713.12		R86	95 771.95	2 563 296.76			
L87	94 904.94	2 563 711.73		R87	95 679.08	2 563 346.17			
L88	94 858.65	2 563 714.90		R88	95 585.14	2 563 405.87			
L89	94 813.99	2 563 720.76		R89	95 449.76	2 563 513.54			
L90	94 792.33	2 563 723.60		R90	95 389.67	2 563 568.66			
L91	94 723.23	2 563 757.49		R91	95 295.54	2 563 658.07			
L92	94 702.92	2 563 768.28		R92	95 205.95	2 563 723.51			
L93	94 626.56	2 563 827.15		R93	95 149.76	2 563 734.29			
L94	94 614.38	2 563 839.00		R94	95 094.88	2 563 751.37			
L95	94 559.29	2 563 910.72		R95	95 021.90	2 563 755.50			
L96	94 541.32	2 563 940.75		R96	94 916.63	2 563 755.92			
L97	94 511.63	2 563 966.26		R97	94 863.57	2 563 752.36			
L98	94 493.14	2 563 977.44		R98	94 800.57	2 563 766.94			
L99	94 458.15	2 563 994.31		R99	94 753.66	2 563 786.75			
L100	94 403.66	2 564 011.82		R100	94 722.06	2 563 804.92			
L101	94 330.25	2 564 038.54		R101	94 656.15	2 563 858.47			
L102	94 138.82	2 564 087.99		R102	94 630.22	2 563 894.07			
					Vel Sheet 19 Van of 27 P1141/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L103	94 095.30	2 564 101.41		R103	94 545.29	2 563 992.03
L104	93 993.53	2 564 166.68		R104	94 464.80	2 564 040.36
L105	93 962.39	2 564 198.47		R105	94 441.08	2 564 050.24
L106	93 948.08	2 564 241.01		R106	94 415.77	2 564 058.75
L107	93 926.39	2 564 274.29		R107	94 284.35	2 564 090.50
L108	93 904.59	2 564 298.44		R108	94 247.68	2 564 113.73
L109	93 896.45	2 564 329.90		R109	94 218.41	2 564 108.68
L110	93 896.49	2 564 349.55		R110	94 188.05	2 564 121.86
L111	93 902.95	2 564 366.50		R111	94 107.74	2 564 141.56
L112	93 898.34	2 564 438.62		R112	94 066.48	2 564 165.10
L113	93 921.11	2 564 506.49		R113	94 050.78	2 564 184.53
L114	93 932.22	2 564 533.27		R114	94 023.77	2 564 201.46
L115	93 951.68	2 564 569.00		R115	93 999.38	2 564 225.67
L116	93 970.34	2 564 608.77		R116	93 978.09	2 564 256.85
L117	93 984.52	2 564 626.88		R117	93 955.55	2 564 306.04
L118	94 014.44	2 564 649.98		R118	93 948.42	2 564 341.19
L119	94 032.43	2 564 670.92		R119	93 957.74	2 564 431.40
L120	94 050.72	2 564 702.29		R120	93 966.66	2 564 470.87
L121	94 084.37	2 564 742.95		R121	93 983.86	2 564 515.10
L122	94 099.83	2 564 754.36		R122	94 064.90	2 564 634.63
L123	94 107.99	2 564 773.06		R123	94 105.95	2 564 669.50
L124	94 101.13	2 564 783.33		R124	94 135.73	2 564 707.04
L125	94 107.61	2 564 790.25		R125	94 157.54	2 564 749.69
L126	94 119.75	2 564 843.52		R126	94 158.39	2 564 797.12
L127	94 104.93	2 564 921.01		R127	94 170.96	2 564 817.85
L128	94 057.50	2 564 979.42		R128	94 177.94	2 564 843.40
L129	93 940.71	2 565 093.91		R129	94 182.72	2 564 868.96
L130	93 887.60	2 565 152.96		R130	94 153.50	2 564 936.63
L131	93 838.86	2 565 223.78		R131	94 129.86	2 564 978.31
L132	93 801.38	2 565 279.71		R132	94 098.49	2 565 014.52
L133	93 756.38	2 565 330.64		R133	94 055.37	2 565 053.71
L134	93 713.23	2 565 382.72		R134	94 016.52	2 565 100.82
L135	93 518.85	2 565 566.79		R135	94 001.82	2 565 123.22
L136	93 457.56	2 565 591.19		R136	93 939.38	2 565 187.56
L137	93 423.86	2 565 652.81		R137	93 907.11	2 565 216.56
L138	93 350.09	2 565 717.82		R138	93 905.58	2 565 237.07
L139	93 304.22	2 565 761.27		R139	93 896.05	2 565 254.24
L140	93 266.29	2 565 811.81		R140	93 877.91	2 565 263.01
L141	93 235.49	2 565 824.25		R141	93 857.88	2 565 291.10
L142	93 216.20	2 565 949.23		R142	93 821.01	2 565 318.66
L143	93 206.06	2 565 988.99		R143	93 801.21	2 565 354.88
L144	93 207.30	2 565 997.87		R144	93 803.91	2 565 369.14
L145	93 222.69	2 566 107.86		R145	93 763.85	2 565 389.10
L146	93 240.90	2 566 187.29		R146	93 740.68	2 565 412.47
L147	93 256.89	2 566 236.09		R147	93 687.17	2 565 487.18
L148	93 263.41	2 566 287.68		R148	93 652.93	2 565 519.59
L149	93 262.51	2 566 329.22		R149	93 586.60	2 565 572.79
L150	93 255.11	2 566 370.66		R150	93 565.07	2 565 579.13
L151	93 239.99	2 566 418.59		R151	93 551.75	2 565 590.85
L152	93 217.49	2 566 465.90		R152	93 522.22	2 565 640.55
L153	93 188.43	2 566 508.34		R153	93 490.14	2 565 650.39
				Vel Sheet	20 Van of	27 P1141/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L154	93 153.25	2 566 545.56		R154	93 471.67	2 565 666.64			
L155	93 119.39	2 566 570.37		R155	93 469.53	2 565 692.77			
L156	93 075.46	2 566 608.03		R156	93 382.36	2 565 770.09			
L157	93 040.53	2 566 634.08		R157	93 325.52	2 565 794.68			
L158	92 832.52	2 566 803.75		R158	93 291.84	2 565 843.01			
L159	92 745.66	2 566 879.52		R159	93 267.12	2 565 896.48			
L160	92 688.37	2 566 925.56		R160	93 252.13	2 565 953.45			
L161	92 669.91	2 566 938.27		R161	93 247.33	2 566 012.16			
L162	92 657.16	2 566 944.08		R162	93 253.99	2 566 065.45			
L163	92 544.43	2 567 030.74		R163	93 273.45	2 566 106.87			
L164	92 469.21	2 567 093.86		R164	93 286.38	2 566 174.04			
L165	92 386.08	2 567 156.81		R165	93 297.98	2 566 253.39			
L166	92 305.09	2 567 223.72		R166	93 302.08	2 566 356.31			
L167	92 224.14	2 567 280.14		R167	93 276.00	2 566 421.35			
L168	92 130.36	2 567 343.46		R168	93 269.38	2 566 449.57			
L169	92 019.06	2 567 406.33		R169	93 249.81	2 566 488.33			
L170	91 946.75	2 567 445.49		R170	93 208.43	2 566 555.42			
L171	91 911.46	2 567 459.61		R171	93 153.10	2 566 607.31			
L172	91 885.37	2 567 468.47		R172	93 107.99	2 566 632.39			
L173	91 835.81	2 567 484.61		R173	92 965.43	2 566 744.46			
L174	91 796.00	2 567 496.19		R174	92 913.48	2 566 778.14			
L175	91 759.40	2 567 510.47		R175	92 909.29	2 566 794.93			
L176	91 738.00	2 567 516.32		R176	92 878.34	2 566 816.27			
L177	91 656.86	2 567 535.16		R177	92 739.59	2 566 926.83			
L178	91 544.51	2 567 553.78		R178	92 643.87	2 566 998.04			
L179	91 425.01	2 567 563.36		R179	92 482.97	2 567 127.94			
L180	91 324.44	2 567 567.54		R180	92 438.72	2 567 158.57			
L181	91 244.70	2 567 562.39		R181	92 240.56	2 567 319.09			
L182	91 138.00	2 567 549.84		R182	92 145.67	2 567 386.48			
L183	90 983.76	2 567 526.49		R183	92 018.97	2 567 450.78			
L184	90 959.55	2 567 525.47		R184	91 796.56	2 567 536.73			
L185	90 808.53	2 567 506.28		R185	91 727.38	2 567 550.97			
L186	90 541.41	2 567 460.24		R186	91 661.75	2 567 566.69			
L187	90 500.53	2 567 458.72		R187	91 523.30	2 567 594.63			
L188	90 356.48	2 567 448.32		R188	91 420.31	2 567 601.27			
L189	89 799.13	2 567 502.61		R189	91 346.41	2 567 603.28			
L190	89 550.27	2 567 519.90		R190	91 296.76	2 567 601.62			
L191	89 303.93	2 567 499.37		R191	91 224.15	2 567 596.88			
L192	89 195.12	2 567 483.67		R192	91 049.98	2 567 576.27			
L193	88 899.46	2 567 449.09		R193	90 819.37	2 567 539.82			
L194	88 775.14	2 567 436.46		R194	90 523.35	2 567 500.96			
L195	88 328.47	2 567 380.92		R195	90 477.39	2 567 493.02			
L196	88 214.48	2 567 366.74		R196	90 423.97	2 567 492.53			
L197	88 123.70	2 567 351.90		R197	90 325.35	2 567 493.96			
L198	88 034.60	2 567 345.36		R198	90 131.32	2 567 509.73			
L199	87 560.41	2 567 288.63		R199	89 547.83	2 567 567.72			
L200	87 504.39	2 567 279.29		R200	89 462.03	2 567 562.79			
L201	87 451.51	2 567 274.58		R201	89 389.63	2 567 550.21			
L202	87 233.71	2 567 248.31		R202	89 285.71	2 567 538.94			
L203	87 123.04	2 567 238.65		R203	88 322.92	2 567 421.70			
L204	86 898.46	2 567 230.52		R204	87 505.10	2 567 321.26			
Vel Sheet					21	Van of	27	P1141/19	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L205	86 707.21	2 567 253.05		R205	87 178.77	2 567 282.61
L206	86 594.16	2 567 268.92		R206	87 088.73	2 567 276.58
L207	86 556.68	2 567 276.28		R207	86 877.51	2 567 277.35
L208	85 624.41	2 567 539.14		R208	86 788.77	2 567 279.78
L209	85 612.41	2 567 547.66		R209	86 679.24	2 567 296.95
L210	85 562.71	2 567 562.30		R210	86 552.38	2 567 320.57
L211	85 443.00	2 567 590.32		R211	85 549.88	2 567 601.28
L212	85 075.21	2 567 693.92		R212	85 388.39	2 567 646.50
L213	85 064.15	2 567 697.19		R213	85 177.70	2 567 706.10
L214	84 427.24	2 567 876.32		R214	84 916.72	2 567 779.77
L215	84 168.16	2 567 951.38		R215	84 156.60	2 568 004.71
L216	84 007.97	2 567 995.15		R216	83 940.67	2 568 057.40
L217	83 913.49	2 568 017.69		R217	83 660.01	2 568 104.42
L218	83 716.79	2 568 046.76		R218	83 636.54	2 568 106.38
L219	83 599.51	2 568 056.61		R219	83 315.99	2 568 091.83
L220	83 360.39	2 568 059.39		R220	83 075.55	2 568 069.89
L221	82 849.75	2 567 977.96		R221	82 843.79	2 568 023.16
L222	82 724.63	2 567 969.24		R222	82 676.02	2 568 007.46
L223	82 683.78	2 567 952.97		R223	82 513.86	2 568 007.20
L224	82 648.79	2 567 952.32		R224	82 255.93	2 568 044.78
L225	82 603.64	2 567 966.57		R225	82 165.03	2 568 064.22
L226	82 444.90	2 567 974.31		R226	82 032.92	2 568 100.14
L227	82 272.23	2 567 998.05		R227	81 379.31	2 568 318.88
L228	82 153.15	2 568 023.13		R228	81 228.58	2 568 359.09
L229	81 980.51	2 568 073.27		R229	81 131.11	2 568 381.21
L230	81 381.71	2 568 272.22		R230	80 935.07	2 568 412.67
L231	81 214.95	2 568 320.50		R231	80 830.07	2 568 424.66
L232	81 176.04	2 568 329.84		R232	80 818.31	2 568 415.41
L233	81 092.34	2 568 346.69		R233	80 725.99	2 568 414.99
L234	81 033.01	2 568 356.18		R234	80 376.03	2 568 412.97
L235	80 898.67	2 568 370.99		R235	79 519.08	2 568 415.98
L236	80 881.70	2 568 362.24		R236	79 390.86	2 568 413.10
L237	80 756.14	2 568 371.64		R237	79 210.96	2 568 415.39
L238	80 726.44	2 568 373.86		R238	79 149.29	2 568 415.99
L239	80 624.59	2 568 375.14		R239	78 959.23	2 568 412.27
L240	80 365.03	2 568 373.23		R240	78 819.34	2 568 417.69
L241	80 168.25	2 568 370.38		R241	78 364.95	2 568 417.96
L242	79 521.58	2 568 369.72		R242	77 798.97	2 568 418.30
L243	79 231.24	2 568 371.56		R243	77 614.54	2 568 408.21
L244	79 214.85	2 568 367.14		R244	77 506.97	2 568 408.10
L245	79 184.96	2 568 367.30		R245	77 426.32	2 568 389.65
L246	79 182.88	2 568 374.45		R246	75 678.83	2 568 099.94
L247	78 944.13	2 568 373.27		R247	75 619.03	2 568 091.59
L248	78 301.64	2 568 376.10		R248	75 593.01	2 568 085.78
L249	77 805.08	2 568 378.29		R249	75 434.13	2 568 058.75
L250	77 722.78	2 568 376.93		R250	75 204.83	2 568 019.73
L251	77 625.26	2 568 368.13		R251	74 839.39	2 567 958.88
L252	77 548.79	2 568 364.48		R252	74 488.08	2 567 900.38
L253	77 341.47	2 568 334.10		R253	73 368.53	2 567 713.95
L254	76 949.32	2 568 269.92		R254	73 350.45	2 567 719.65
L255	74 817.31	2 567 913.98		R255	73 206.99	2 567 695.90
				Vel Sheet	22 Van of 27	P1141/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L256	74 517.17	2 567 864.00		R256	73 195.86	2 567 683.92
L257	73 573.64	2 567 706.64		R257	73 091.49	2 567 665.53
L258	73 549.59	2 567 692.62		R258	72 952.67	2 567 646.51
L259	73 390.88	2 567 666.01		R259	72 782.85	2 567 638.13
L260	73 375.22	2 567 673.66		R260	72 717.79	2 567 636.59
L261	73 100.33	2 567 626.78		R261	72 663.54	2 567 637.08
L262	72 956.93	2 567 607.20		R262	72 549.68	2 567 639.66
L263	72 815.17	2 567 596.99		R263	72 399.04	2 567 650.09
L264	72 656.95	2 567 593.25		R264	72 328.07	2 567 658.16
L265	72 498.75	2 567 599.90		R265	72 314.77	2 567 676.16
L266	72 356.97	2 567 614.77		R266	72 286.20	2 567 680.75
L267	72 203.10	2 567 639.81		R267	72 181.36	2 567 689.15
L268	72 142.14	2 567 651.07		R268	71 993.88	2 567 730.79
L269	72 078.73	2 567 667.82		R269	71 861.27	2 567 777.31
L270	72 010.42	2 567 689.04		R270	71 666.49	2 567 851.83
L271	71 996.36	2 567 696.41		R271	71 156.14	2 568 107.56
L272	71 875.21	2 567 726.86		R272	70 483.40	2 568 448.63
L273	71 741.04	2 567 776.40		R273	70 398.32	2 568 487.36
L274	71 651.57	2 567 813.17		R274	70 301.43	2 568 536.75
L275	70 360.34	2 568 461.40		R275	70 219.04	2 568 571.05
L276	70 235.03	2 568 517.47		R276	70 100.09	2 568 609.73
L277	70 126.95	2 568 558.36		R277	69 927.01	2 568 659.80
L278	69 947.93	2 568 611.70		R278	69 914.64	2 568 667.82
L279	69 906.05	2 568 628.29		R279	69 739.64	2 568 708.41
L280	69 903.01	2 568 629.02		R280	69 502.52	2 568 771.25
L281	69 707.60	2 568 676.02		R281	69 253.27	2 568 835.84
L282	69 293.56	2 568 785.26		R282	68 850.21	2 568 946.56
L283	69 086.15	2 568 838.48		R283	68 822.42	2 568 948.50
L284	67 996.58	2 569 122.93		R284	68 373.23	2 569 066.83
L285	67 950.42	2 569 135.32		R285	67 962.78	2 569 175.17
L286	67 876.13	2 569 162.31		R286	67 891.00	2 569 199.81
L287	67 811.18	2 569 190.70		R287	67 762.06	2 569 261.64
L288	67 753.57	2 569 232.74		R288	67 713.65	2 569 290.31
L289	67 589.80	2 569 330.55		R289	67 681.67	2 569 312.27
L290	67 541.12	2 569 357.86		R290	67 549.00	2 569 403.06
L291	67 502.06	2 569 384.59		R291	67 519.16	2 569 426.15
L292	67 468.47	2 569 410.10		R292	67 436.55	2 569 476.97
L293	67 422.02	2 569 438.30		R293	67 350.27	2 569 514.65
L294	67 309.54	2 569 496.75		R294	67 327.86	2 569 533.15
L295	67 223.24	2 569 532.08		R295	67 176.97	2 569 593.36
L296	67 219.69	2 569 544.82		R296	66 943.55	2 569 680.39
L297	66 823.21	2 569 689.90		R297	66 808.35	2 569 728.70
L298	66 672.05	2 569 748.68		R298	66 687.52	2 569 778.78
L299	66 523.04	2 569 815.43		R299	66 573.26	2 569 834.37
L300	66 332.32	2 569 944.95		R300	66 462.90	2 569 897.76
L301	66 037.03	2 570 154.13		R301	66 417.35	2 569 926.12
L302	65 736.52	2 570 368.83		R302	66 343.66	2 569 976.22
L303	65 641.81	2 570 462.30		R303	65 870.84	2 570 314.00
L304	65 552.82	2 570 572.26		R304	65 759.61	2 570 403.37
L305	65 503.31	2 570 650.84		R305	65 664.12	2 570 497.87
L306	65 475.24	2 570 701.42		R306	65 597.28	2 570 580.68
				Vel Sheet 23	Van of 27	P1141/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 31°		Y	X	
L307	65 423.65	2 570 803.69		R307	65 573.00	2 570 614.24	
L308	65 390.40	2 570 889.76		R308	65 544.27	2 570 658.60	
L309	65 363.37	2 570 937.68		R309	65 512.87	2 570 712.59	
L310	65 336.73	2 571 063.26		R310	65 458.97	2 570 824.27	
L311	65 318.53	2 571 172.88		R311	65 414.86	2 570 948.19	
L312	65 304.78	2 571 197.62		R312	65 389.32	2 571 052.36	
L313	65 299.44	2 571 228.48		R313	65 367.40	2 571 163.45	
L314	65 303.65	2 571 262.54		R314	65 369.48	2 571 210.22	
L315	65 287.53	2 571 359.70		R315	65 363.73	2 571 239.19	
L316	65 262.26	2 571 467.85		R316	65 346.59	2 571 268.97	
L317	65 213.91	2 571 655.37		R317	65 317.40	2 571 416.93	
L318	65 186.85	2 571 760.34		R318	65 324.42	2 571 433.41	
L319	65 125.12	2 572 134.37		R319	65 315.70	2 571 477.57	
L320	65 124.97	2 572 135.28		R320	65 302.40	2 571 492.92	
L321	65 076.44	2 572 438.58		R321	65 264.05	2 571 687.42	
L322	65 027.48	2 572 608.85		R322	65 175.20	2 572 138.31	
L323	64 993.01	2 572 701.53		R323	65 139.48	2 572 319.54	
L324	64 881.57	2 572 927.13		R324	65 097.04	2 572 495.89	
L325	64 786.65	2 573 056.32		R325	65 097.82	2 572 524.27	
L326	64 732.25	2 573 120.94		R326	65 066.94	2 572 608.97	
L327	64 657.26	2 573 200.71		R327	65 039.89	2 572 693.94	
L328	64 499.95	2 573 331.83		R328	64 991.35	2 572 805.69	
L329	64 359.84	2 573 452.41		R329	64 934.63	2 572 912.69	
L330	63 942.51	2 573 798.54		R330	64 871.26	2 573 010.07	
L331	63 826.01	2 573 896.50		R331	64 799.00	2 573 104.25	
L332	63 717.78	2 573 980.07		R332	64 691.52	2 573 223.56	
L333	63 711.22	2 573 985.14		R333	64 630.42	2 573 279.40	
L334	63 700.41	2 573 992.73		R334	64 556.95	2 573 344.54	
L335	63 574.15	2 574 056.92		R335	64 345.20	2 573 515.25	
L336	63 426.28	2 574 110.07		R336	64 045.26	2 573 760.56	
L337	63 242.17	2 574 140.70		R337	63 958.12	2 573 839.44	
L338	63 086.53	2 574 143.46		R338	63 802.03	2 573 968.51	
L339	62 911.51	2 574 142.95		R339	63 735.61	2 574 017.92	
L340	62 915.90	2 574 144.42		R340	63 686.11	2 574 045.46	
L341	62 795.90	2 574 144.32		R341	63 646.18	2 574 067.68	
L342	62 800.98	2 574 142.63		R342	63 534.89	2 574 118.06	
L343	62 773.69	2 574 142.55		R343	63 436.37	2 574 149.33	
L344	62 780.91	2 574 144.26		R344	63 318.78	2 574 172.98	
L345	62 720.91	2 574 144.18		R345	63 217.90	2 574 181.82	
L346	62 728.42	2 574 142.42		R346	63 199.30	2 574 182.38	
L347	62 556.55	2 574 141.92		R347	63 155.57	2 574 183.82	
L348	62 397.65	2 574 142.94		R348	62 914.60	2 574 183.44	
L349	62 256.21	2 574 161.61		R349	62 513.84	2 574 187.99	
L350	62 157.19	2 574 187.84		R350	62 419.81	2 574 188.79	
L351	62 107.29	2 574 206.93		R351	62 323.95	2 574 198.10	
L352	62 051.92	2 574 230.01		R352	62 228.23	2 574 217.66	
L353	62 006.66	2 574 252.86		R353	62 135.08	2 574 246.06	
L354	61 851.17	2 574 345.27		R354	62 044.26	2 574 284.01	
L355	61 834.20	2 574 357.39		R355	61 939.77	2 574 340.19	
L356	61 844.54	2 574 370.86		R356	61 857.96	2 574 388.34	
L357	60 430.44	2 575 376.28		R357	61 851.58	2 574 380.03	
Vel Sheet				24	Van of	27	P1141/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L358	60 405.70	2 575 395.08		R358	60 437.15	2 575 385.70			
L359	60 382.14	2 575 415.34		R359	60 412.97	2 575 404.07			
L360	60 359.88	2 575 437.02		R360	60 389.95	2 575 423.87			
L361	60 338.99	2 575 460.02		R361	60 368.20	2 575 445.05			
L362	60 319.56	2 575 484.27		R362	60 347.79	2 575 467.53			
L363	60 301.66	2 575 509.67		R363	60 328.81	2 575 491.22			
L364	60 285.36	2 575 536.12		R364	60 311.32	2 575 516.04			
L365	60 270.72	2 575 563.52		R365	60 295.39	2 575 541.88			
L366	60 257.79	2 575 591.78		R366	60 281.08	2 575 568.66			
L367	60 246.63	2 575 620.78		R367	60 268.45	2 575 596.26			
L368	60 125.00	2 575 967.70		R368	60 257.54	2 575 624.60			
L369	60 114.49	2 575 994.18		R369	60 135.88	2 575 971.66			
L370	60 102.48	2 576 020.01		R370	60 125.13	2 575 998.76			
L371	60 089.00	2 576 045.11		R371	60 112.83	2 576 025.20			
L372	60 074.09	2 576 069.39		R372	60 099.04	2 576 050.88			
L373	60 057.81	2 576 092.77		R373	60 083.78	2 576 075.73			
L374	60 040.21	2 576 115.17		R374	60 067.13	2 576 099.66			
L375	60 022.14	2 576 135.67		R375	60 049.12	2 576 122.59			
L376	60 013.05	2 576 125.15		R376	60 029.77	2 576 144.51			
L377	59 959.22	2 576 182.97		R377	60 039.37	2 576 155.63			
L378	59 858.33	2 576 242.71		R378	59 973.47	2 576 215.57			
L379	59 459.47	2 576 388.03		R379	59 884.19	2 576 265.69			
L380	58 971.08	2 576 559.42		R380	59 809.74	2 576 297.39			
L381	58 614.77	2 576 686.60		R381	59 488.51	2 576 407.28			
L382	58 534.66	2 576 699.51		R382	59 469.15	2 576 412.58			
L383	58 465.06	2 576 703.40		R383	59 148.94	2 576 525.14			
L384	57 988.52	2 576 670.39		R384	58 731.37	2 576 677.20			
L385	57 922.84	2 576 659.00		R385	58 620.84	2 576 716.19			
L386	57 889.40	2 576 642.84		R386	58 530.88	2 576 735.73			
L387	57 825.66	2 576 638.56		R387	58 324.41	2 576 725.48			
L388	57 777.24	2 576 637.88		R388	58 005.81	2 576 700.01			
L389	57 153.40	2 576 592.54		R389	57 767.26	2 576 685.10			
L390	57 000.13	2 576 589.48		R390	57 627.73	2 576 688.74			
L391	56 233.58	2 576 593.55		R391	57 452.18	2 576 678.03			
L392	56 135.07	2 576 596.10		R392	57 190.71	2 576 655.22			
L393	56 033.77	2 576 603.37		R393	57 032.18	2 576 644.52			
L394	55 941.21	2 576 615.41		R394	56 477.73	2 576 644.03			
L395	55 753.82	2 576 651.09		R395	56 217.00	2 576 645.44			
L396	55 646.34	2 576 683.16		R396	56 078.44	2 576 649.42			
L397	54 570.62	2 577 047.42		R397	55 998.36	2 576 657.92			
L398	53 840.69	2 577 294.59		R398	55 784.06	2 576 691.15			
L399	53 437.56	2 577 437.07		R399	55 690.16	2 576 719.05			
L400	52 163.79	2 577 879.37		R400	55 179.45	2 576 890.42			
L401	49 977.48	2 578 633.27		R401	53 821.67	2 577 358.25			
L402	49 869.85	2 578 665.07		R402	53 786.86	2 577 379.46			
L403	49 772.18	2 578 687.00		R403	53 726.27	2 577 390.72			
L404	49 673.13	2 578 695.05		R404	52 199.38	2 577 919.56			
L405	49 613.63	2 578 697.97		R405	51 145.49	2 578 279.73			
L406	49 516.17	2 578 694.04		R406	49 952.65	2 578 690.41			
L407	49 323.09	2 578 650.67		R407	49 892.91	2 578 709.58			
L408	47 698.13	2 577 977.42		R408	49 693.23	2 578 741.79			
					Vel Sheet	25	Van of	27	P1141/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L409	47 527.30	2 577 909.75		R409	49 571.91	2 578 739.82
L410	47 432.47	2 577 879.13		R410	49 449.83	2 578 729.73
L411	47 335.03	2 577 854.88		R411	49 428.32	2 578 726.28
L412	47 233.75	2 577 840.52		R412	49 289.66	2 578 683.31
L413	46 931.54	2 577 836.76		R413	47 814.72	2 578 078.44
L414	45 194.29	2 577 852.55		R414	47 437.04	2 577 930.34
L415	45 095.00	2 577 857.09		R415	47 419.17	2 577 924.33
L416	44 976.27	2 577 878.05		R416	47 324.45	2 577 900.60
L417	44 861.87	2 577 909.02		R417	47 228.46	2 577 886.98
L418	44 689.77	2 577 982.06		R418	47 028.35	2 577 886.70
L419	44 159.52	2 578 222.39		R419	46 512.93	2 577 888.94
L420	43 337.24	2 578 588.73		R420	45 293.87	2 577 900.75
L421	43 199.16	2 578 626.54		R421	45 081.16	2 577 911.35
L422	43 145.87	2 578 634.20		R422	44 986.35	2 577 927.53
L423	43 068.36	2 578 641.55		R423	44 890.77	2 577 952.81
L424	42 947.33	2 578 637.59		R424	44 818.58	2 577 979.79
L425	42 849.67	2 578 625.71		R425	44 510.44	2 578 115.46
L426	42 716.23	2 578 594.71		R426	44 142.59	2 578 281.53
L427	42 512.19	2 578 512.39		R427	43 444.73	2 578 589.63
L428	42 480.88	2 578 491.90		R428	43 349.36	2 578 628.05
L429	42 297.82	2 578 393.61		R429	43 250.62	2 578 656.69
L430	42 101.77	2 578 295.36		R430	43 149.50	2 578 675.24
L431	41 940.65	2 578 218.06		R431	43 047.02	2 578 683.52
L432	41 827.25	2 578 173.40		R432	42 944.23	2 578 681.44
L433	41 711.17	2 578 134.95		R433	42 842.17	2 578 669.03
L434	41 636.57	2 578 116.94		R434	42 741.88	2 578 646.41
L435	41 473.28	2 578 098.91		R435	42 644.47	2 578 613.83
L436	41 371.03	2 578 092.81		R436	42 550.62	2 578 571.59
L437	41 243.02	2 578 093.56		R437	42 011.67	2 578 297.15
L438	41 171.56	2 578 100.62		R438	41 907.59	2 578 254.49
L439	41 067.42	2 578 116.25		R439	41 758.84	2 578 201.30
L440	40 970.60	2 578 137.10		R440	41 679.23	2 578 180.69
L441	40 870.21	2 578 166.17		R441	41 623.24	2 578 168.24
L442	40 779.24	2 578 198.66		R442	41 564.26	2 578 157.29
L443	40 696.58	2 578 234.55		R443	41 465.40	2 578 145.84
L444	40 599.84	2 578 284.40		R444	41 370.91	2 578 141.12
L445	40 515.09	2 578 334.03		R445	41 252.75	2 578 143.22
L446	40 413.85	2 578 404.98		R446	41 173.96	2 578 148.32
L447	40 354.77	2 578 452.86		R447	41 057.45	2 578 165.15
L448	40 279.79	2 578 520.69		R448	40 925.10	2 578 201.48
L449	40 147.88	2 578 668.04		R449	40 811.99	2 578 239.51
L450	40 082.91	2 578 755.02		R450	40 713.85	2 578 280.41
L451	39 871.98	2 579 083.08		R451	40 600.35	2 578 339.75
L452	39 568.75	2 579 559.77		R452	40 516.34	2 578 392.47
L453	39 477.61	2 579 693.87		R453	40 435.59	2 578 451.27
L454	39 248.89	2 580 046.18		R454	40 355.80	2 578 517.38
L455	39 159.94	2 580 174.37		R455	40 286.34	2 578 583.38
L456	39 109.66	2 580 239.97		R456	40 185.85	2 578 694.75
L457	39 059.88	2 580 299.31		R457	40 111.49	2 578 797.09
L458	38 954.41	2 580 416.61		R458	39 898.24	2 579 131.00
L459	38 839.59	2 580 527.84		R459	39 410.04	2 579 889.05
				Vel Sheet	26 Van of 27	P1141/19

This gazette is also available free online at www.gpwonline.co.za