

DEPARTMENT OF TRANSPORT

NO. 935

30 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R518 SECTION 3

AMENDMENT OF DECLARATION No. 538 OF 2014.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph A(III) of the Schedule, being the descriptive declaration of the route from its junction with Thabo Mbeki Drive, in Mokopane, up to its junction with Provincial Road R519, with the accompanying sheets 1 to 20 of Plan No. P1131/19.

In the town of Mokopane the R518 Section 3 starts at the junction of the streets known as Thabo Mbeki Drive and Van Riebeeck Street at the time of declaration, therefrom it follows the street known as Van Riebeeck Street at the time of declaration, in a general easterly direction.

(National Road R518 Section 3: Mokopane – R519 Junction)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 935

30 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R518 SEKSIE 3

WYSIGING VAN VERKLARING No. 538 VAN 2014.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf A(III) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Thabo Mbekiryalaan, in Mokopane, tot by die aansluiting met Provinsiale Pad R519, met bygaande velle 1 tot 20 van Plan No. P1131/19.

In die dorp Mokopane begin die R518 Seksie 3 by die interseksie van die strate bekend as Thabo Mbekiryalaan en Van Riebeeckstraat tydens datum van verklaring, daarvandaan volg dit die straat bekend as Van Riebeeckstraat tydens datum van verklaring, in 'n algeme oostelike rigting


(Nasionale Pad R518 Seksie 3: Mokopane – R519 Aansluiting)**MINISTER VAN VERVOER**




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	3 Seksie Section	Plan P1131/19	Vel Sheet 1 of 20
---	---------------------------------------	---	---	------------------------	---------------	----------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route	Vel Sheet 2 of 20 Plan P1131/19
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route R518 Section	Vel Sheet 3 of 20 Plan P1131/19
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route	Vel Sheet 4 of 20 Plan P1131/19
---	---------------------------------------	--	---




Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 Seksie of National Route Section	Vel Sheet 5 of 20 Plan P1131/19
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route Section	Vel Sheet 7 of 20 Plan P1131/19
---	---------------------------------------	--	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route	Vel Sheet 8 of 20 Plan P1131/19
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route Section	Vel Sheet 9 of 20 Plan P1131/19
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route Section 3	Vel van Sheet 10 of 20 Plan P1131/19
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route	Vel Sheet 11 of 20 Plan P1131/19
---	---------------------------------------	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route	Vel Sheet 12 of 20 Plan P1131/19
---	---------------------------------------	--	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route	3 Seksie Section	Vel Sheet 13 of 20 Plan P1131/19



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R518 of National Route	Vel Sheet 14 of 20 Plan P1131/19
---	---------------------------------------	---	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	3	R518	Seksie Section	P1131/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L1	-1 929.52	2 676	127.52		R1	-1 926.26	2 676	162.41	
L2	-1 962.48	2 676	138.94		R2	-1 961.25	2 676	181.43	
L3	-1 995.45	2 676	157.99		R3	-1 990.63	2 676	209.61	
L4	-2 016.31	2 676	179.02		R4	-2 008.67	2 676	273.48	
L5	-2 031.79	2 676	204.29		R5	-2 008.59	2 676	375.47	
L6	-2 041.24	2 676	232.29		R6	-2 007.94	2 676	446.04	
L7	-2 039.45	2 676	514.56		R7	-2 002.53	2 677	164.77	
L8	-2 038.39	2 676	674.86		R8	-2 010.98	2 677	226.49	
L9	-2 037.18	2 676	835.24		R9	-2 020.78	2 677	276.15	
L10	-2 036.30	2 676	992.58		R10	-2 033.38	2 677	324.74	
L11	-2 033.87	2 677	123.37		R11	-2 092.05	2 677	525.08	
L12	-2 038.44	2 677	160.68		R12	-2 088.83	2 677	526.73	
L13	-2 051.88	2 677	228.37		R13	-2 271.03	2 678	157.10	
L14	-2 075.16	2 677	325.31		R14	-2 274.97	2 678	155.08	
L15	-2 312.70	2 678	142.01		R15	-2 290.39	2 678	204.03	
L16	-2 344.55	2 678	234.75		R16	-2 308.06	2 678	250.79	
L17	-2 392.59	2 678	334.04		R17	-2 324.13	2 678	287.41	
L18	-2 426.31	2 678	395.69		R18	-2 342.08	2 678	323.14	
L19	-2 561.11	2 678	585.88		R19	-2 353.99	2 678	345.06	
L20	-2 727.89	2 678	820.79		R20	-2 350.15	2 678	358.90	
L21	-2 939.45	2 679	118.62		R21	-2 358.15	2 678	372.49	
L22	-2 967.35	2 679	157.92		R22	-2 361.77	2 678	370.36	
L23	-3 010.67	2 679	227.37		R23	-2 370.40	2 678	372.60	
L24	-3 037.69	2 679	281.31		R24	-2 399.59	2 678	422.35	
L25	-3 075.50	2 679	403.76		R25	-2 901.01	2 679	131.98	
L26	-3 108.46	2 679	572.23		R26	-2 941.84	2 679	189.57	
L27	-3 149.77	2 679	783.56		R27	-2 993.03	2 679	284.56	
L28	-3 162.90	2 679	850.12		R28	-3 049.31	2 679	463.89	
L29	-3 174.73	2 679	910.71		R29	-3 114.26	2 679	788.83	
L30	-3 190.08	2 679	989.22		R30	-3 184.55	2 680	130.29	
L31	-3 217.28	2 680	128.27		R31	-3 204.46	2 680	225.41	
L32	-3 229.06	2 680	125.97		R32	-3 214.08	2 680	245.00	
L33	-3 272.34	2 680	259.70		R33	-3 246.06	2 680	349.98	
L34	-3 316.33	2 680	413.68		R34	-3 253.63	2 680	374.25	
L35	-3 364.79	2 680	536.68		R35	-3 283.65	2 680	467.56	
L36	-3 392.50	2 680	629.50		R36	-3 309.70	2 680	600.79	
L37	-3 519.37	2 681	001.75		R37	-3 357.77	2 680	670.25	
L38	-3 562.85	2 681	133.58		R37X	-3 441.25	2 680	912.06	
L39	-3 564.47	2 681	137.96		R38	-3 478.17	2 681	024.10	
L40	-3 602.49	2 681	252.69		R39	-3 480.30	2 681	030.42	
L41	-3 626.50	2 681	315.34		R40	-3 514.29	2 681	124.62	
L42	-3 639.63	2 681	349.05		R41	-3 564.62	2 681	265.97	
L43	-3 683.22	2 681	442.44		R42	-3 596.56	2 681	348.52	
L44	-3 728.92	2 681	525.81		R43	-3 598.48	2 681	352.77	
L45	-3 768.64	2 681	597.40		R44	-3 647.49	2 681	461.01	
L46	-3 989.97	2 681	915.91		R45	-3 708.11	2 681	568.48	
L47	-4 301.50	2 682	357.47		R46	-3 756.39	2 681	642.33	
L48	-4 630.98	2 682	912.50		R47	-3 966.50	2 681	941.93	
L49	-4 681.05	2 682	997.20		R48	-4 239.55	2 682	331.28	
L50	-4 780.29	2 683	181.07		R49	-4 321.43	2 682	457.30	
L51	-4 949.94	2 683	642.62		R50	-4 553.64	2 682	853.69	
					Vel Sheet 16 Van of 20 P1131/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°		Y	X			
L52	-5 045.99	2 683 906.35		R51	-4 745.99	2 683 193.46			
L53	-5 081.81	2 683 994.78		R52	-4 764.89	2 683 237.34			
L54	-5 123.45	2 684 073.38		R53	-4 901.27	2 683 616.61			
L55	-5 176.10	2 684 151.79		R54	-5 006.89	2 683 910.31			
L56	-5 465.15	2 684 533.51		R55	-5 048.02	2 684 012.63			
L57	-5 927.98	2 685 145.42		R56	-5 092.56	2 684 095.58			
L58	-5 993.99	2 685 216.02		R57	-5 151.15	2 684 182.18			
L59	-6 089.44	2 685 279.49		R58	-5 710.31	2 684 920.17			
L60	-6 198.37	2 685 319.04		R59	-5 886.59	2 685 155.84			
L61	-6 500.13	2 685 401.52		R60	-5 956.33	2 685 232.57			
L62	-6 617.76	2 685 450.57		R61	-6 044.69	2 685 298.95			
L63	-6 714.07	2 685 518.36		R62	-6 085.28	2 685 317.56			
L64	-6 784.14	2 685 592.35		R63	-6 123.79	2 685 331.90			
L65	-7 012.00	2 685 889.62		R64	-6 201.36	2 685 358.02			
L66	-7 052.20	2 685 950.64		R65	-6 466.41	2 685 430.61			
L67	-7 102.37	2 686 064.33		R66	-6 588.65	2 685 479.31			
L68	-7 124.44	2 686 159.43		R67	-6 716.26	2 685 571.70			
L69	-7 131.97	2 686 208.49		R68	-6 785.15	2 685 651.48			
L70	-7 145.12	2 686 355.24		R69	-6 978.76	2 685 907.89			
L71	-7 157.10	2 686 423.62		R70	-7 056.64	2 686 049.64			
L72	-7 194.85	2 686 525.03		R71	-7 082.99	2 686 140.52			
L73	-7 488.98	2 687 101.50		R72	-7 095.12	2 686 218.03			
L74	-7 561.34	2 687 272.03		R73	-7 107.44	2 686 361.73			
L75	-7 597.20	2 687 413.11		R74	-7 126.71	2 686 455.40			
L76	-7 613.23	2 687 537.36		R75	-7 163.14	2 686 545.26			
L77	-7 630.43	2 687 769.98		R76	-7 474.10	2 687 158.66			
L78	-7 632.49	2 687 824.09		R77	-7 486.39	2 687 187.18			
L79	-7 630.52	2 687 889.62		R78	-7 537.29	2 687 327.74			
L80	-7 624.44	2 687 951.11		R79	-7 563.43	2 687 449.16			
L81	-7 614.18	2 688 013.65		R80	-7 574.61	2 687 546.09			
L82	-7 531.46	2 688 383.01		R81	-7 593.42	2 687 781.60			
L83	-7 516.49	2 688 438.86		R82	-7 591.75	2 687 891.60			
L84	-7 503.65	2 688 479.30		R83	-7 573.49	2 688 025.35			
L85	-7 489.56	2 688 518.13		R84	-7 489.66	2 688 393.26			
L86	-7 473.23	2 688 560.32		R85	-7 465.51	2 688 476.08			
L87	-7 413.24	2 688 702.34		R86	-7 433.57	2 688 556.81			
L88	-7 267.72	2 689 049.04		R87	-7 375.91	2 688 694.74			
L89	-7 235.63	2 689 143.80		R88	-7 258.25	2 688 974.51			
L90	-7 209.61	2 689 265.79		R89	-7 194.93	2 689 137.85			
L91	-7 087.69	2 690 203.74		R90	-7 175.81	2 689 225.83			
L92	-7 080.42	2 690 364.07		R91	-7 047.68	2 690 217.22			
L93	-7 093.43	2 690 489.91		R92	-7 041.16	2 690 328.88			
L94	-7 121.70	2 690 601.26		R93	-7 045.52	2 690 395.11			
L95	-7 228.42	2 690 867.13		R94	-7 069.01	2 690 564.50			
L96	-7 306.95	2 690 992.67		R95	-7 102.01	2 690 653.56			
L97	-7 408.82	2 691 100.27		R96	-7 149.97	2 690 781.52			
L98	-7 530.34	2 691 185.73		R97	-7 217.99	2 690 935.26			
L99	-7 836.54	2 691 342.10		R98	-7 338.14	2 691 092.18			
L100	-8 726.66	2 691 796.19		R99	-7 479.18	2 691 201.12			
L101	-9 003.30	2 691 907.86		R100	-8 776.25	2 691 864.46			
L102	-9 350.46	2 691 948.67		R101	-8 956.89	2 691 941.72			
					Vel Sheet	17	Van of	20	P1131/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L103	-10 031.36	2 692 012.74		R102	-8 997.07	2 691 945.09			
L104	-10 230.41	2 692 009.41		R103	-9 344.29	2 691 985.81			
L105	-12 074.61	2 691 823.80		R104	-10 026.39	2 692 049.30			
L106	-12 493.52	2 691 780.82		R105	-10 141.39	2 692 053.22			
L107	-12 980.56	2 691 736.71		R106	-10 256.40	2 692 046.41			
L108	-13 059.94	2 691 738.09		R107	-12 069.16	2 691 862.30			
L109	-13 561.65	2 691 828.03		R108	-12 874.58	2 691 780.50			
L110	-13 694.31	2 691 853.72		R109	-12 993.68	2 691 778.96			
L111	-13 805.48	2 691 861.31		R110	-13 057.20	2 691 778.13			
L112	-13 926.24	2 691 850.64		R111	-13 193.89	2 691 797.47			
L113	-13 955.69	2 691 844.37		R112	-13 556.36	2 691 865.47			
L114	-13 982.99	2 691 837.29		R113	-13 628.25	2 691 878.95			
L115	-14 014.59	2 691 825.73		R114	-13 801.86	2 691 901.56			
L116	-14 087.45	2 691 793.60		R115	-13 846.84	2 691 896.47			
L117	-14 860.77	2 691 411.16		R116	-13 965.06	2 691 883.08			
L118	-16 339.00	2 690 680.11		R117	-14 116.68	2 691 822.24			
L119	-19 888.76	2 688 926.81		R118	-16 347.71	2 690 719.32			
L120	-20 487.74	2 688 630.71		R119	-19 820.37	2 689 002.18			
L121	-20 623.70	2 688 570.15		R120	-19 898.81	2 688 965.35			
L122	-20 771.90	2 688 515.47		R121	-20 568.43	2 688 630.88			
L123	-22 224.46	2 688 132.76		R122	-20 776.93	2 688 553.47			
L124	-22 242.72	2 688 127.98		R123	-21 114.92	2 688 458.77			
L125	-22 280.03	2 688 118.21		R124	-22 233.99	2 688 169.42			
L126	-22 401.10	2 688 086.50		R125	-22 411.02	2 688 124.69			
L127	-22 414.50	2 688 082.99		R126	-22 424.45	2 688 121.29			
L128	-22 591.15	2 688 036.73		R127	-22 601.48	2 688 076.56			
L129	-22 718.46	2 688 003.38		R128	-22 626.23	2 688 070.30			
L130	-22 767.80	2 687 990.46		R129	-22 778.22	2 688 030.66			
L131	-22 778.46	2 687 987.67		R130	-22 788.88	2 688 027.88			
L132	-22 955.11	2 687 941.40		R131	-22 965.56	2 687 981.79			
L133	-23 131.76	2 687 895.13		R132	-23 142.24	2 687 935.70			
L134	-23 142.42	2 687 892.34		R133	-23 152.96	2 687 932.90			
L135	-23 368.57	2 687 833.11		R134	-23 329.64	2 687 886.81			
L136	-23 451.96	2 687 817.78		R135	-23 357.29	2 687 879.60			
L137	-23 524.02	2 687 809.18		R136	-23 457.94	2 687 855.09			
L138	-23 575.46	2 687 803.03		R137	-23 508.60	2 687 849.46			
L139	-23 601.44	2 687 803.36		R138	-23 519.66	2 687 848.23			
L140	-23 696.97	2 687 804.57		R139	-23 577.88	2 687 841.75			
L141	-23 781.58	2 687 805.64		R140	-23 698.55	2 687 840.06			
L142	-23 880.09	2 687 826.30		R141	-23 706.44	2 687 841.00			
L143	-23 891.42	2 687 824.81		R142	-23 818.26	2 687 854.26			
L144	-23 903.50	2 687 829.50		R143	-23 833.20	2 687 857.60			
L145	-23 923.87	2 687 834.03		R144	-23 903.51	2 687 873.33			
L146	-24 103.74	2 687 874.04		R145	-23 915.60	2 687 876.04			
L147	-24 161.23	2 687 886.82		R146	-24 069.90	2 687 910.56			
L148	-24 303.97	2 687 918.57		R147	-24 115.91	2 687 920.85			
L149	-24 316.06	2 687 921.26		R148	-24 306.61	2 687 963.52			
L150	-24 350.68	2 687 928.96		R149	-24 316.22	2 687 965.67			
L151	-24 407.81	2 687 937.21		R150	-24 323.06	2 687 967.20			
L152	-24 431.48	2 687 940.63		R151	-24 328.17	2 687 967.85			
L153	-24 511.51	2 687 947.38		R152	-24 523.26	2 687 992.58			
					Vel Sheet	18	Van of	20	P1131/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L154	-24 529.57	2	687 948.90		R153	-24 541.98	2	687 994.95	
L155	-24 652.51	2	687 950.65		R154	-24 636.57	2	687 992.23	
L156	-24 700.32	2	687 947.94		R155	-24 711.14	2	687 990.09	
L157	-24 711.66	2	687 947.30		R156	-24 722.33	2	687 988.36	
L158	-24 742.45	2	687 945.56		R157	-24 909.16	2	687 959.42	
L159	-24 890.02	2	687 926.94		R158	-25 006.78	2	687 937.67	
L160	-24 982.24	2	687 904.80		R159	-26 170.21	2	687 617.98	
L161	-26 336.85	2	687 533.77		R160	-26 188.99	2	687 617.97	
L162	-26 357.11	2	687 530.81		R161	-26 277.29	2	687 592.18	
L163	-26 559.18	2	687 501.28		R162	-26 364.48	2	687 572.25	
L164	-26 918.18	2	687 485.18		R163	-26 400.52	2	687 564.01	
L165	-26 995.78	2	687 494.98		R164	-26 487.32	2	687 548.01	
L166	-27 218.99	2	687 540.74		R165	-26 575.04	2	687 536.90	
L167	-27 312.68	2	687 572.11		R166	-26 922.81	2	687 524.54	
L168	-27 784.79	2	687 574.05		R167	-27 202.42	2	687 590.12	
L169	-28 087.30	2	687 667.74		R168	-27 330.18	2	687 615.09	
L170	-28 129.31	2	687 680.75		R169	-27 667.71	2	687 614.77	
L171	-28 139.72	2	687 683.97		R170	-27 786.25	2	687 627.92	
L172	-28 142.24	2	687 685.68		R171	-27 902.18	2	687 654.36	
L173	-28 262.32	2	687 767.07		R172	-27 978.01	2	687 677.23	
L174	-28 384.73	2	687 853.26		R173	-28 005.37	2	687 689.03	
L175	-28 457.77	2	687 914.57		R174	-28 147.39	2	687 750.32	
L176	-28 471.21	2	687 925.85		R175	-28 160.51	2	687 755.98	
L177	-28 575.36	2	688 013.26		R176	-28 164.60	2	687 757.75	
L178	-28 583.27	2	688 019.90		R177	-28 389.72	2	687 932.26	
L179	-28 612.35	2	688 043.70		R178	-28 404.00	2	687 943.32	
L180	-28 627.19	2	688 055.84		R179	-28 514.61	2	688 029.06	
L181	-28 796.88	2	688 194.70		R180	-28 625.21	2	688 114.80	
L182	-29 025.67	2	688 320.14		R181	-28 632.25	2	688 120.25	
L183	-29 720.21	2	688 522.05		R182	-28 635.22	2	688 122.55	
L184	-29 889.01	2	688 569.74		R183	-28 646.26	2	688 129.22	
L185	-29 961.32	2	688 593.32		R184	-28 664.76	2	688 140.37	
L186	-30 056.39	2	688 637.90		R185	-28 884.21	2	688 320.75	
L187	-30 164.32	2	688 723.91		R186	-28 996.76	2	688 355.38	
L188	-30 354.14	2	688 956.49		R187	-29 733.71	2	688 564.90	
L189	-30 434.17	2	689 023.45		R188	-29 993.27	2	688 651.60	
L190	-30 542.95	2	689 084.36		R189	-30 161.18	2	688 781.29	
L191	-31 572.19	2	689 358.50		R190	-30 291.26	2	688 945.48	
L192	-31 830.82	2	689 377.86		R191	-30 374.75	2	689 029.55	
L193	-32 093.81	2	689 331.15		R192	-30 506.06	2	689 117.53	
L194	-32 640.35	2	689 206.17		R193	-30 709.97	2	689 178.87	
L195	-32 677.42	2	689 190.12		R194	-30 888.91	2	689 221.29	
L196	-32 790.16	2	689 181.75		R195	-31 022.64	2	689 252.36	
L197	-33 088.88	2	689 258.29		R196	-31 551.25	2	689 389.61	
L198	-33 116.55	2	689 265.39		R197	-31 617.35	2	689 403.40	
L199	-33 163.12	2	689 277.32		R198	-31 683.75	2	689 416.30	
L200	-33 228.26	2	689 320.39		R199	-31 764.59	2	689 420.14	
L201	-33 242.01	2	689 329.48		R200	-31 845.49	2	689 418.52	
L202	-33 261.32	2	689 342.25		R201	-31 905.94	2	689 411.94	
L203	-33 267.73	2	689 346.49		R202	-31 965.92	2	689 402.06	
L204	-33 283.39	2	689 359.64		R203	-32 041.19	2	689 384.32	
					Vel Sheet 19 Van of 20 P1131/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L205	-33 347.91	2	689 434.23		R204	-32 291.19	2	689 340.46	
L206	-33 428.76	2	689 527.70		R205	-32 337.28	2	689 318.18	
L207	-33 505.14	2	689 616.01		R206	-32 736.07	2	689 223.60	
L208	-33 509.61	2	689 621.18		R207	-32 772.43	2	689 223.20	
L209	-33 590.46	2	689 714.65		R208	-32 807.97	2	689 225.95	
L210	-33 671.34	2	689 808.16		R209	-33 010.68	2	689 278.62	
L211	-33 741.84	2	689 889.67		R210	-33 038.17	2	689 285.76	
L212	-33 749.76	2	689 902.23		R211	-33 160.03	2	689 317.43	
L213	-33 765.48	2	689 927.17		R212	-33 210.51	2	689 355.45	
L214	-33 789.06	2	689 955.48		R213	-33 243.91	2	689 380.62	
L215	-33 819.44	2	689 996.75		R214	-33 250.40	2	689 385.50	
L216	-33 820.41	2	689 998.35		R215	-33 259.25	2	689 395.83	
L217	-33 826.66	2	690 008.66		R216	-33 302.35	2	689 446.07	
L218	-33 863.60	2	690 069.64		R217	-33 382.65	2	689 539.69	
L219	-33 879.18	2	690 109.87		R218	-33 462.96	2	689 633.32	
L220	-33 890.66	2	690 152.95		R219	-33 529.91	2	689 711.37	
L221	-33 907.01	2	690 299.01		R220	-33 543.25	2	689 726.92	
L222	-33 949.28	2	690 947.23		R221	-33 623.58	2	689 820.57	
L223	-33 955.02	2	691 031.10		R222	-33 703.86	2	689 914.17	
					R223	-33 759.80	2	689 979.37	
					R224	-33 780.94	2	690 008.62	
					R225	-33 792.41	2	690 024.48	
					R226	-33 812.11	2	690 058.44	
					R227	-33 833.27	2	690 104.70	
					R228	-33 853.17	2	690 181.31	
					R229	-33 904.57	2	690 923.32	
					R230	-33 915.35	2	691 033.85	