

DEPARTMENT OF TRANSPORT

NO. 941

30 September 2021


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R360 SECTION 1

AMENDMENT OF DECLARATION No.'s 937 OF 1989, 2135 OF 1992 AND 264 OF 2018.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend **(I)** Declaration No. 937 of 1989 in its entirety, **(II)** Declaration No. 2135 of 1992 in its entirety, **(III)** Declaration No. 264 of 2018 in its entirety, by substituting all sheets of their respective Plans with the accompanying sheets 1 to 44 of Plan No. P941/17.

(National Road R360 Section 1: Upington – Askham)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 941

30 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R360 SEKSIE 1


WYSIGING VAN VERKLARING No.'s 937 VAN 1989, 2135 VAN 1992 EN 264 VAN 2018.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee **(I)** Verklaring No. 937 van 1989 in sy geheel, **(II)** Verklaring No. 2135 van 1992 in sy geheel, **(III)** Verklaring No. 264 van 2018 in sy geheel, deur alle velle van hulle respektiewelike Planne te vervang met meegaande velle 1 tot 44 van Plan No. P941/17.


(Nasionale Pad R360 Seksie 1: Upington – Askham)




MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route R360	1	Vel Sheet 1 of 4.4	Plan P941/17
---	---------------------------------------	--	---	-----------------------	--------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	Vol Sheet	2 of	4.4
The South African National Roads Agency SOC Ltd	The figure shown			Plan	P941/17	




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	Vel Sheet 3 of 4 Plan P941/17
---	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route R360	1	Vel Sheet 4 of 4	Plan P941/17
---	---------------------------------------	--	---	------------------------------	-----------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route Section 1	Vel Sheet 6 of 44 Plan P941/17
---	---------------------------------------	---	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route R360	Vel Sheet 7 of 44 Plan P941/17
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	1	Plan P941/17	Vel Sheet 8 of 44	van 8 of 44
---	---------------------------------------	---	---	--------------	----------------------	----------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	Vel Sheet 9 of 44 Plan P941/17
---	---------------------------------------	---	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route Section	Vel Sheet 10 of 44 Plan P941/17
---	---------------------------------------	--	---------------------------------------



Die Suid Afrikaanse Nasionale Podogentskap MSB Bpk	Die figuur getoon		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	1	Vel Sheet	11 of	4 4
The South African National Roads Agency SOC Ltd	The figure shown				Plan	P941/17	



Vel
Sheet 12
of 44


Plan
P941/17

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R360
of National Route R360
Seksie
Section




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Vel Sheet 13 of 44 Plan P941/17	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route Seksie Section 1	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
	Die figuur getoon The figure shown	




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route R360 Section
Val Sheet 14 of 44	Plan P941/17	1	1




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route Section 1	Val Sheet 15 of 44 Plan P941/17
---	---------------------------------------	---	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Val Sheet	16 of	4 4
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete R.360 of National Route	Plan	P941/17	






Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	Vel Sheet 18 of 44 Plan P941/17
---	---------------------------------------	--	---







Vel Sheet 20 of 44	Plan P941/17
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route Section 1	
Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	Val Sheet 21 of 44 Plan P941/17
---	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	Vel Sheet 22 of 44 Plan P941/17
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die podreserw voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet 23 of 44
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete R360 of National Route	Plan P941/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	1	Plan P941/17	Val Sheet 24 of 44
---	---------------------------------------	---	---	---	-----------------	-----------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	Vel Sheet 25 of 44 Plan P941/17
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stiel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route	Vel van 4.4 Sheet 26 of 44 Plan P941/17
---	---------------------------------------	--	---









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route
Vel Sheet 29 of 44	Plan P941/17	Section 1



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R360 of National Route Section 1	Vel Sheet 30 of 44 Plan P941/17
---	---------------------------------------	---	---------------------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	
stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	R360 Seksie Section	1 Plan
		Vel Sheet
		32 of
		44 Plan
		P941/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 21°		Y	X
L1	-20 074.49	3 144 457.30		R1	-20 299.65	3 144 494.68
L2	-20 120.47	3 144 452.50		R2	-20 242.47	3 144 470.01
L3	-20 129.31	3 144 438.80		R3	-20 219.37	3 144 451.40
L4	-20 132.46	3 144 398.37		R4	-20 184.29	3 144 400.11
L5	-20 105.39	3 144 320.32		R5	-20 134.27	3 144 272.59
L6	-20 088.30	3 144 277.51		R6	-20 106.01	3 144 194.56
L7	-20 072.76	3 144 238.57		R7	-20 074.39	3 144 144.57
L8	-20 022.64	3 144 171.77		R8	-20 034.61	3 144 095.97
L9	-19 972.51	3 144 104.97		R9	-19 986.73	3 144 054.78
L10	-19 810.49	3 144 015.42		R10	-19 927.81	3 144 020.79
L11	-19 442.27	3 143 957.81		R11	-19 861.67	3 143 992.16
L12	-19 322.01	3 143 901.08		R12	-19 780.90	3 143 974.14
L13	-19 265.90	3 143 841.58		R13	-19 549.00	3 143 938.01
L14	-18 496.49	3 143 157.71		R14	-19 475.04	3 143 921.81
L15	-16 482.80	3 141 369.60		R15	-19 427.79	3 143 907.41
L16	-16 460.60	3 141 349.89		R16	-19 393.98	3 143 890.75
L17	-16 072.74	3 141 005.95		R17	-19 349.91	3 143 864.29
L18	-15 553.89	3 140 375.53		R18	-19 288.60	3 143 814.78
L19	-15 454.75	3 140 255.07		R19	-19 233.73	3 143 770.56
L20	-13 614.92	3 138 019.61		R20	-16 797.37	3 141 607.24
L21	-13 527.89	3 137 902.58		R21	-16 425.44	3 141 276.87
L22	-13 418.12	3 137 581.28		R22	-15 931.74	3 140 785.10
L23	-12 717.50	3 135 333.95		R23	-13 925.09	3 138 344.37
L24	-10 960.34	3 129 740.86		R24	-13 379.31	3 137 343.85
L25	-10 846.49	3 129 378.73		R25	-13 025.72	3 136 215.33
L26	-10 727.60	3 129 059.38		R26	-12 745.09	3 135 315.29
L27	-10 683.80	3 128 951.21		R27	-11 691.75	3 131 942.76
L28	-9 273.27	3 125 467.31		R28	-10 877.19	3 129 375.25
L29	-7 471.18	3 121 013.80		R29	-10 703.44	3 128 913.92
L30	-7 229.47	3 120 417.83		R30	-10 164.01	3 127 583.16
L31	-7 208.86	3 120 367.08		R31	-8 414.83	3 123 265.39
L32	-7 141.40	3 120 259.58		R32	-7 256.46	3 120 406.91
L33	-6 697.10	3 119 653.60		R33	-7 213.99	3 120 318.73
L34	-6 219.04	3 119 001.97		R34	-7 164.42	3 120 242.88
L35	-6 011.68	3 118 725.24		R35	-6 733.81	3 119 652.85
L36	-3 349.73	3 115 253.18		R36	-6 244.84	3 118 983.16
L37	-3 221.64	3 115 086.30		R37	-6 033.51	3 118 700.67
L38	-3 126.47	3 114 959.88		R38	-3 246.91	3 115 066.83
L39	-3 075.05	3 114 870.13		R39	-3 169.53	3 114 950.10
L40	-3 016.77	3 114 741.70		R40	-3 110.35	3 114 846.61
L41	-2 970.39	3 114 614.30		R41	-3 054.34	3 114 725.47
L42	-2 931.93	3 114 525.33		R42	-3 009.52	3 114 601.34
L43	-2 911.97	3 114 512.19		R43	-2 976.58	3 114 474.10
L44	-2 865.91	3 114 494.67		R44	-2 954.87	3 114 344.70
L45	-2 796.13	3 114 488.38		R45	-2 944.73	3 114 213.78
L46	-2 734.88	3 114 481.14		R46	-2 946.75	3 113 969.92
L47	-2 669.59	3 114 458.25		R47	-2 969.63	3 113 563.02
L48	-2 592.45	3 114 416.90		R48	-3 066.43	3 111 768.26
L49	-2 603.72	3 114 394.03		R49	-3 302.20	3 107 332.99
L50	-2 686.41	3 114 420.53		R50	-3 304.91	3 107 272.88
L51	-2 748.36	3 114 442.12		R51	-3 295.67	3 107 132.01
				Vel Sheet	33 Van of	44 P941/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L52	-2 808.31	3	114 451.18		R52	-3 293.05	3	107 093.03	
L53	-2 857.91	3	114 453.66		R53	-3 240.95	3	106 926.63	
L54	-2 898.70	3	114 441.17		R54	-2 903.93	3	106 032.54	
L55	-2 911.62	3	114 427.19		R55	-2 875.00	3	105 932.95	
L56	-2 918.19	3	114 388.02		R56	-2 845.12	3	105 815.56	
L57	-2 913.16	3	114 344.93		R57	-2 827.39	3	105 698.11	
L58	-2 903.56	3	114 215.35		R58	-2 814.20	3	105 562.15	
L59	-2 904.55	3	114 103.98		R59	-2 807.26	3	105 371.93	
L60	-3 161.70	3	109 469.71		R60	-2 795.95	3	105 063.57	
L61	-3 269.90	3	107 333.40		R61	-2 769.78	3	104 370.57	
L62	-3 271.60	3	107 289.76		R62	-2 760.54	3	104 252.74	
L63	-3 252.77	3	107 092.44		R63	-2 747.00	3	104 167.26	
L64	-3 228.65	3	107 009.19		R64	-2 777.68	3	104 155.13	
L65	-3 208.52	3	106 939.64		R65	-2 725.99	3	104 030.42	
L66	-3 134.42	3	106 720.75		R66	-2 675.00	3	103 896.21	
L67	-2 878.44	3	106 041.76		R67	-1 974.63	3	102 062.44	
L68	-2 839.68	3	105 935.14		R68	-1 918.04	3	101 934.09	
L69	-2 805.66	3	105 820.69		R69	-1 496.31	3	101 024.47	
L70	-2 787.13	3	105 698.72		R70	-1 369.83	3	100 715.78	
L71	-2 774.94	3	105 610.39		R71	-547.44	3	098 719.43	
L72	-2 767.78	3	105 434.93		R72	-527.36	3	098 681.52	
L73	-2 733.51	3	105 375.65		R73	-489.41	3	098 614.24	
L74	-2 765.48	3	105 374.04		R74	-422.91	3	098 513.39	
L75	-2 734.20	3	104 496.30		R75	414.82	3	097 272.01	
L76	-2 730.08	3	104 377.32		R76	734.53	3	096 779.71	
L77	-2 716.94	3	104 240.74		R77	1 874.46	3	094 984.52	
L78	-2 696.67	3	104 124.80		R78	2 168.85	3	094 520.99	
L79	-2 669.76	3	104 008.90		R79	2 248.58	3	094 403.00	
L80	-2 624.14	3	103 866.22		R80	2 333.92	3	094 269.47	
L81	-2 234.71	3	102 833.17		R81	2 411.26	3	094 176.97	
L82	-1 976.08	3	102 149.15		R82	2 493.80	3	094 092.33	
L83	-1 890.31	3	101 945.34		R83	2 753.50	3	093 814.98	
L84	-1 468.09	3	101 036.30		R84	3 154.24	3	093 387.07	
L85	-519.78	3	098 734.64		R85	3 421.27	3	093 146.15	
L86	-504.41	3	098 708.62		R86	4 573.50	3	092 283.59	
L87	-402.39	3	098 536.45		R87	4 589.53	3	092 274.02	
L88	761.80	3	096 811.56		R88	4 609.57	3	092 262.04	
L89	1 991.53	3	094 873.71		R89	4 994.23	3	091 880.18	
L90	2 297.79	3	094 391.08		R90	5 540.83	3	091 174.64	
L91	2 366.97	3	094 292.46		R91	5 630.06	3	091 019.05	
L92	2 376.14	3	094 288.62		R92	5 822.12	3	090 684.29	
L93	2 440.98	3	094 202.69		R93	6 253.47	3	089 510.84	
L94	2 517.00	3	094 116.73		R94	6 294.99	3	089 398.04	
L95	2 628.42	3	093 994.26		R95	6 761.27	3	088 497.40	
L96	2 784.32	3	093 825.79		R96	6 808.25	3	088 432.36	
L97	3 174.97	3	093 408.69		R97	6 879.09	3	088 334.37	
L98	3 441.94	3	093 170.59		R98	7 492.86	3	087 497.53	
L99	4 597.50	3	092 309.30		R99	7 603.52	3	087 345.54	
L100	4 612.72	3	092 297.37		R100	7 648.34	3	087 283.92	
L101	4 699.83	3	092 229.11		R101	7 724.59	3	087 194.98	
L102	4 827.25	3	092 123.17		R102	9 012.54	3	085 686.50	
					Vel Sheet 34 Van of 44 P941/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 21°		Y	X
L103	4 919.56	3 092 018.13		R103	9 066.84	3 085 605.48
L104	5 021.54	3 091 901.80		R104	9 108.19	3 085 519.08
L105	5 238.97	3 091 623.99		R105	9 148.10	3 085 427.13
L106	5 669.55	3 091 073.59		R106	9 172.69	3 085 331.30
L107	5 736.67	3 090 985.85		R107	9 270.05	3 084 898.14
L108	5 786.17	3 090 885.77		R108	9 434.28	3 084 160.30
L109	5 824.76	3 090 793.82		R109	9 621.81	3 083 835.75
L110	6 290.10	3 089 512.99		R110	9 979.88	3 083 204.29
L111	6 323.34	3 089 418.55		R111	10 048.80	3 083 082.85
L112	6 397.36	3 089 269.76		R112	10 078.50	3 083 029.08
L113	6 744.75	3 088 606.01		R113	10 137.90	3 082 945.48
L114	6 785.52	3 088 515.17		R114	10 201.90	3 082 877.33
L115	6 864.40	3 088 399.93		R115	10 278.70	3 082 811.25
L116	6 899.30	3 088 348.95		R116	10 425.30	3 082 683.74
L117	7 316.53	3 087 784.16		R117	10 564.90	3 082 539.44
L118	7 423.77	3 087 641.46		R118	10 643.20	3 082 421.96
L119	7 629.15	3 087 363.38		R119	10 757.40	3 082 199.85
L120	7 716.23	3 087 245.53		R120	10 883.10	3 081 909.60
L121	7 723.59	3 087 237.30		R121	10 907.30	3 081 853.45
L122	7 746.36	3 087 211.78		R122	11 013.10	3 081 606.90
L123	8 984.02	3 085 780.86		R123	11 041.70	3 081 544.25
L124	9 042.98	3 085 707.32		R124	11 054.00	3 081 526.19
L125	9 102.11	3 085 615.27		R125	11 098.50	3 081 460.76
L126	9 145.88	3 085 527.72		R126	11 160.60	3 081 377.37
L127	9 186.43	3 085 425.62		R127	11 232.70	3 081 321.39
L128	9 207.38	3 085 336.60		R128	11 304.50	3 081 263.52
L129	9 424.96	3 084 359.75		R129	14 920.58	3 079 263.89
L130	9 450.44	3 084 266.86		R130	14 922.57	3 079 262.58
L131	9 481.69	3 084 176.28		R131	15 023.60	3 079 196.01
L132	9 510.72	3 084 101.74		R132	15 120.00	3 079 121.30
L133	9 569.97	3 083 996.49		R133	15 209.20	3 079 038.29
L134	9 649.69	3 083 857.78		R134	15 291.00	3 078 949.12
L135	9 803.68	3 083 587.68		R135	15 365.20	3 078 853.56
L136	10 003.50	3 083 237.14		R136	15 431.60	3 078 752.01
L137	10 080.90	3 083 101.45		R137	15 487.00	3 078 655.12
L138	10 111.80	3 083 041.18		R138	15 536.90	3 078 540.71
L139	10 173.50	3 082 963.28		R139	15 550.00	3 078 481.68
L140	10 235.20	3 082 889.89		R140	15 576.60	3 078 362.42
L141	10 298.40	3 082 834.51		R141	15 589.10	3 078 286.36
L142	10 542.70	3 082 627.49		R142	15 618.60	3 078 241.92
L143	10 609.10	3 082 548.90		R143	16 723.80	3 071 648.37
L144	10 656.20	3 082 473.37		R144	19 284.78	3 066 851.06
L145	10 783.50	3 082 217.16		R145	19 329.10	3 066 716.41
L146	10 790.89	3 082 200.33		R146	19 352.40	3 066 617.46
L147	10 904.31	3 081 941.96		R147	19 359.80	3 066 566.79
L148	10 911.40	3 081 925.46		R148	19 367.20	3 066 516.11
L149	11 044.90	3 081 620.76		R149	19 370.10	3 066 465.34
L150	11 077.10	3 081 555.37		R150	19 373.00	3 066 414.56
L151	11 114.80	3 081 498.14		R151	19 371.40	3 066 363.89
L152	11 192.70	3 081 401.21		R152	19 369.80	3 066 313.22
L153	11 238.80	3 081 359.04		R153	19 365.00	3 066 262.40
				Vel Sheet	35 Van of 44	P941/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L154	11 263.90	3	081	336.08	R154	19 173.50	3	064	616.93
L155	11 362.40	3	081	270.79	R155	19 164.60	3	064	524.82
L156	11 388.60	3	081	256.39	R156	19 155.00	3	064	340.60
L157	12 940.60	3	080	403.77	R157	19 158.00	3	064	157.33
L158	14 936.80	3	079	306.92	R158	19 172.60	3	063	972.21
L159	14 947.60	3	079	305.74	R159	19 199.40	3	063	789.59
L160	15 053.10	3	079	236.69	R160	19 217.30	3	063	699.09
L161	15 151.20	3	079	160.77	R161	19 294.80	3	063	336.84
L162	15 242.80	3	079	075.86	R162	19 372.30	3	062	974.58
L163	15 329.23	3	078	981.31	R163	19 384.00	3	062	916.65
L164	15 383.40	3	078	912.96	R164	19 412.60	3	062	740.51
L165	15 426.40	3	078	880.25	R165	19 421.90	3	062	661.94
L166	15 450.00	3	078	872.38	R166	19 561.60	3	061	327.09
L167	15 512.40	3	078	875.66	R167	19 572.30	3	061	238.12
L168	15 518.89	3	078	836.92	R168	19 580.10	3	061	194.69
L169	15 489.20	3	078	811.56	R169	19 601.60	3	061	060.54
L170	15 482.60	3	078	793.73	R170	19 620.20	3	060	972.72
L171	15 491.20	3	078	747.95	R171	19 724.20	3	060	514.57
L172	15 533.70	3	078	667.82	R172	19 739.90	3	060	439.61
L173	15 555.70	3	078	617.61	R173	19 764.40	3	060	289.12
L174	15 587.40	3	078	545.19	R174	19 779.60	3	060	137.14
L175	15 625.30	3	078	434.12	R175	19 785.20	3	059	984.66
L176	15 701.00	3	078	305.94	R176	19 784.03	3	059	933.53
L177	15 696.90	3	078	078.25	R177	19 783.45	3	059	908.36
L178	15 774.90	3	077	615.41	R178	19 781.70	3	059	832.06
L179	15 836.10	3	077	246.39	R179	19 768.70	3	059	680.01
L180	16 209.60	3	075	019.58	R180	19 745.60	3	059	523.92
L181	16 219.20	3	074	980.57	R181	19 534.49	3	058	526.62
L182	16 222.70	3	074	941.69	R182	19 524.23	3	058	507.68
L183	16 734.60	3	071	886.86	R183	19 518.96	3	058	453.24
L184	16 738.90	3	071	863.87	R184	19 364.41	3	057	723.12
L185	16 779.20	3	071	701.74	R185	19 364.36	3	057	722.89
L186	16 784.20	3	071	689.45	R186	19 340.20	3	057	626.57
L187	16 812.70	3	071	619.62	R187	19 332.67	3	057	573.20
L188	16 863.10	3	071	496.90	R188	19 201.63	3	056	954.21
L189	16 901.20	3	071	425.49	R189	19 201.27	3	056	952.81
L190	17 328.00	3	070	626.97	R190	19 188.26	3	056	902.39
L191	17 892.70	3	069	575.44	R191	19 178.55	3	056	845.53
L192	17 906.40	3	069	550.39	R192	19 178.22	3	056	843.62
L193	17 913.84	3	069	529.97	R193	19 137.10	3	056	649.39
L194	18 373.40	3	068	669.45	R194	19 110.31	3	056	511.65
L195	18 725.30	3	068	011.58	R195	19 091.94	3	056	386.65
L196	18 737.60	3	067	992.68	R196	19 086.79	3	056	325.48
L197	18 751.00	3	067	965.03	R197	19 081.32	3	056	260.47
L198	19 278.50	3	066	975.56	R198	19 078.67	3	056	134.02
L199	19 302.40	3	066	928.06	R199	19 080.30	3	056	070.79
L200	19 344.30	3	066	829.70	R200	19 185.44	3	053	527.07
L201	19 377.40	3	066	730.12	R201	19 189.50	3	053	406.25
L202	19 399.60	3	066	635.97	R202	19 191.65	3	053	256.44
L203	19 401.70	3	066	626.06	R203	19 192.97	3	053	164.51
L204	19 416.63	3	066	521.70	R204	19 191.98	3	053	043.96
					Vel Sheet 36 Van of 44 P941/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 21°			Y	X		
L205	19 422.71	3 066 416.05		R205	19 163.71	3 051 006.39			
L206	19 419.78	3 066 309.50		R206	19 163.31	3 050 946.76			
L207	19 414.74	3 066 256.81		R207	19 163.03	3 050 905.61			
L208	19 224.94	3 064 630.50		R208	19 167.09	3 050 704.64			
L209	19 214.31	3 064 520.35		R209	19 172.15	3 050 603.95			
L210	19 207.20	3 064 403.12		R210	19 292.92	3 048 450.36			
L211	19 205.43	3 064 340.42		R211	19 293.37	3 048 400.12			
L212	19 207.19	3 064 209.13		R212	19 300.83	3 048 310.41			
L213	19 207.86	3 064 158.65		R213	19 311.84	3 048 112.76			
L214	19 212.73	3 064 098.17		R214	19 314.15	3 048 050.91			
L215	19 222.41	3 063 977.67		R215	19 321.85	3 047 947.80			
L216	19 248.76	3 063 798.41		R216	19 326.13	3 047 890.48			
L217	19 421.30	3 062 985.15		R217	19 340.49	3 047 750.68			
L218	19 433.36	3 062 925.73		R218	19 349.94	3 047 682.94			
L219	19 462.26	3 062 747.23		R219	19 354.33	3 047 651.51			
L220	19 471.71	3 062 667.19		R220	19 501.78	3 046 434.84			
L221	19 610.14	3 061 343.14		R221	19 509.94	3 046 361.22			
L222	19 622.04	3 061 244.92		R222	19 523.23	3 046 183.02			
L223	19 654.41	3 061 071.40		R223	19 525.52	3 046 131.24			
L224	19 656.83	3 061 064.67		R224	19 537.64	3 045 783.45			
L225	19 667.44	3 061 035.16		R225	19 535.66	3 045 743.17			
L226	19 669.02	3 060 983.76		R226	19 540.29	3 045 703.81			
L227	19 690.42	3 060 889.41		R227	19 555.57	3 045 266.94			
L228	19 720.99	3 060 754.59		R228	19 542.37	3 045 223.27			
L229	19 772.93	3 060 525.51		R229	19 527.85	3 045 208.35			
L230	19 781.35	3 060 486.08		R230	19 482.75	3 045 196.56			
L231	19 789.12	3 060 449.61		R231	19 484.27	3 045 166.27			
L232	19 813.99	3 060 295.59		R232	19 529.41	3 045 147.89			
L233	19 829.47	3 060 140.72		R233	19 545.10	3 045 131.82			
L234	19 835.32	3 059 985.21		R234	19 561.85	3 045 086.31			
L235	19 834.21	3 059 942.27		R235	19 630.49	3 043 115.25			
L236	19 831.72	3 059 829.41		R236	19 634.91	3 043 004.07			
L237	19 821.67	3 059 714.50		R237	19 645.99	3 042 883.59			
L238	19 823.10	3 059 693.96		R238	19 657.94	3 042 800.53			
L239	19 795.35	3 059 520.56		R239	19 710.25	3 042 427.49			
L240	19 780.73	3 059 443.81		R240	19 715.63	3 042 367.60			
L241	19 586.44	3 058 524.80		R241	19 729.62	3 042 288.69			
L242	19 579.71	3 058 475.87		R242	19 901.72	3 041 060.65			
L243	19 567.68	3 058 436.26		R243	19 905.66	3 041 011.14			
L244	19 406.21	3 057 673.25		R244	19 915.58	3 040 961.87			
L245	19 397.47	3 057 606.33		R245	20 098.74	3 039 652.34			
L246	19 379.46	3 057 547.34		R246	20 112.10	3 039 545.50			
L247	19 257.10	3 056 968.31		R247	20 130.46	3 039 331.03			
L248	19 248.59	3 056 888.67		R248	20 135.23	3 039 223.73			
L249	19 216.74	3 056 778.60		R249	20 186.65	3 037 558.96			
L250	19 171.37	3 056 563.56		R250	20 296.11	3 034 013.24			
L251	19 159.63	3 056 503.06		R251	20 312.11	3 033 804.61			
L252	19 141.70	3 056 380.90		R252	20 336.70	3 033 596.36			
L253	19 143.01	3 056 316.31		R253	20 428.42	3 033 038.87			
L254	19 131.31	3 056 258.43		R254	20 441.61	3 032 949.94			
L255	19 128.72	3 056 134.52		R255	20 454.24	3 032 833.10			
Vel Sheet					37	Van of	44	P941/17	

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 21°			Y	X		
L256	19 130.28	3 056 072.54		R256	20 460.59	3 032 743.47			
L257	19 229.10	3 053 681.53		R257	20 467.56	3 032 619.81			
L258	19 235.61	3 053 628.60		R258	20 461.40	3 032 591.28			
L259	19 235.42	3 053 528.91		R259	20 471.72	3 032 546.51			
L260	19 239.47	3 053 407.62		R260	20 492.05	3 032 161.73			
L261	19 242.93	3 053 164.56		R261	20 494.73	3 032 085.34			
L262	19 242.03	3 053 043.24		R262	20 494.44	3 032 008.76			
L263	19 237.90	3 052 757.78		R263	20 491.35	3 031 936.80			
L264	19 226.71	3 051 938.46		R264	20 484.83	3 031 855.80			
L265	19 229.72	3 051 887.24		R265	20 425.08	3 031 265.39			
L266	19 225.27	3 051 839.58		R266	20 412.63	3 031 142.92			
L267	19 223.90	3 051 723.56		R267	20 400.96	3 030 933.32			
L268	19 226.72	3 051 687.90		R268	20 399.84	3 030 857.82			
L269	19 222.47	3 051 651.49		R269	20 397.71	3 030 712.93			
L270	19 215.29	3 051 200.92		R270	20 401.92	3 030 600.76			
L271	19 223.38	3 051 163.72		R271	20 460.48	3 028 732.84			
L272	19 215.17	3 051 095.92		R272	20 461.96	3 028 638.71			
L273	19 213.71	3 051 005.68		R273	20 457.63	3 028 479.35			
L274	19 213.30	3 050 905.93		R274	20 451.12	3 028 385.62			
L275	19 217.34	3 050 706.38		R275	20 376.49	3 027 515.51			
L276	19 222.21	3 050 606.83		R276	20 368.40	3 027 420.27			
L277	19 235.94	3 050 354.82		R277	20 361.79	3 027 279.73			
L278	19 243.11	3 050 224.98		R278	20 355.75	3 027 256.28			
L279	19 247.24	3 050 164.64		R279	20 364.16	3 027 222.31			
L280	19 250.32	3 050 104.60		R280	20 368.32	3 027 095.91			
L281	19 339.66	3 048 513.20		R281	20 387.56	3 026 892.98			
L282	19 345.49	3 048 461.22		R282	20 571.69	3 025 375.08			
L283	19 345.36	3 048 413.28		R283	20 568.84	3 025 334.09			
L284	19 352.06	3 048 350.50		R284	20 564.16	3 025 312.78			
L285	19 353.02	3 048 273.08		R285	20 548.95	3 025 300.01			
L286	19 361.80	3 048 115.48		R286	20 489.26	3 025 293.19			
L287	19 365.56	3 048 053.68		R287	20 493.27	3 025 262.26			
L288	19 378.00	3 047 895.21		R288	20 558.24	3 025 237.79			
L289	19 391.62	3 047 756.26		R289	20 575.31	3 025 220.24			
L290	19 399.71	3 047 688.97		R290	20 596.42	3 025 171.92			
L291	19 413.18	3 047 578.09		R291	20 862.54	3 022 980.65			
L292	19 466.28	3 047 141.08		R292	20 875.65	3 022 859.69			
L293	19 475.69	3 047 103.66		R293	20 891.77	3 022 640.51			
L294	19 476.03	3 047 061.57		R294	20 898.29	3 022 421.20			
L295	19 551.47	3 046 440.77		R295	20 894.53	3 022 393.30			
L296	19 561.14	3 046 366.34		R296	20 895.26	3 022 201.73			
L297	19 574.76	3 046 186.05		R297	20 889.44	3 022 080.16			
L298	19 575.74	3 046 133.13		R298	20 842.93	3 021 315.49			
L299	19 588.53	3 045 765.28		R299	20 831.27	3 021 303.56			
L300	19 596.94	3 045 706.82		R300	20 324.90	3 012 970.49			
L301	19 591.80	3 045 665.29		R301	20 326.57	3 012 970.38			
L302	19 636.24	3 044 392.61		R302	20 328.44	3 012 966.67			
L303	19 652.94	3 044 342.51		R303	20 327.92	3 012 957.35			
L304	19 668.58	3 044 323.51		R304	20 327.17	3 012 947.82			
L305	19 714.42	3 044 297.49		R305	20 366.15	3 012 568.01			
L306	19 715.71	3 044 266.21		R306	20 380.04	3 012 445.42			
					Vel Sheet	38	Van of	44	P941/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 21°			Y	X		
L307	19 670.80	3 044 261.31		R307	20 445.22	3 011 868.32			
L308	19 656.19	3 044 249.35		R308	20 459.70	3 011 739.98			
L309	19 671.98	3 043 358.40		R309	20 490.39	3 011 546.09			
L310	19 679.28	3 043 151.45		R310	20 528.47	3 011 353.44			
L311	19 680.24	3 043 117.73		R311	20 557.68	3 011 233.81			
L312	19 690.09	3 043 008.41		R312	20 753.51	3 010 430.36			
L313	19 697.28	3 042 889.30		R313	20 780.96	3 010 311.66			
L314	19 707.54	3 042 807.53		R314	20 823.67	3 010 091.63			
L315	19 765.40	3 042 394.72		R315	20 842.68	3 009 971.23			
L316	19 785.17	3 042 331.50		R316	21 141.73	3 007 923.00			
L317	19 782.11	3 042 275.85		R317	21 155.59	3 007 828.21			
L318	19 893.48	3 041 483.83		R318	21 182.92	3 007 693.05			
L319	19 912.28	3 041 408.41		R319	21 216.58	3 007 559.10			
L320	19 912.57	3 041 344.88		R320	21 256.21	3 007 426.95			
L321	19 920.93	3 041 285.62		R321	21 288.49	3 007 336.86			
L322	19 931.32	3 041 246.41		R322	21 348.75	3 007 169.30			
L323	19 934.69	3 041 186.37		R323	21 384.10	3 007 066.54			
L324	20 019.23	3 040 583.65		R324	21 427.98	3 006 922.98			
L325	20 038.16	3 040 548.35		R325	21 433.20	3 006 905.89			
L326	20 034.08	3 040 477.11		R326	21 475.26	3 006 744.05			
L327	20 111.29	3 039 924.89		R327	21 510.65	3 006 580.09			
L328	20 117.09	3 039 906.89		R328	21 539.01	3 006 414.69			
L329	20 116.31	3 039 888.29		R329	21 553.76	3 006 306.82			
L330	20 148.30	3 039 659.52		R330	21 621.92	3 005 750.95			
L331	20 168.25	3 039 551.88		R331	21 635.13	3 005 629.73			
L332	20 180.46	3 039 334.07		R332	21 644.61	3 005 521.06			
L333	20 185.18	3 039 225.24		R333	21 643.09	3 005 467.52			
L334	20 200.44	3 038 732.32		R334	21 652.72	3 005 388.59			
L335	20 236.08	3 037 579.33		R335	21 658.79	3 005 146.98			
L336	20 342.24	3 034 137.95		R336	21 656.90	3 005 034.81			
L337	20 347.59	3 034 016.28		R337	21 542.57	3 000 333.75			
L338	20 363.34	3 033 809.56		R338	21 511.59	3 000 282.72			
L339	20 387.63	3 033 603.40		R339	21 538.92	3 000 182.52			
L340	20 406.02	3 033 483.07		R340	21 531.37	2 999 875.98			
L341	20 477.74	3 033 047.04		R341	21 523.16	2 999 542.66			
L342	20 492.57	3 032 956.68		R342	21 520.36	2 999 419.56			
L343	20 505.54	3 032 837.82		R343	21 522.04	2 999 371.12			
L344	20 510.50	3 032 746.35		R344	21 523.28	2 999 248.02			
L345	20 519.45	3 032 584.11		R345	21 531.57	2 999 106.72			
L346	20 532.39	3 032 554.97		R346	21 530.27	2 999 078.86			
L347	20 522.83	3 032 518.65		R347	21 535.21	2 999 043.76			
L348	20 542.00	3 032 163.85		R348	21 557.53	2 998 661.71			
L349	20 546.17	3 032 086.01		R349	21 565.13	2 998 507.46			
L350	20 545.91	3 032 007.42		R350	21 569.04	2 998 389.54			
L351	20 542.49	3 031 928.70		R351	21 563.27	2 998 361.37			
L352	20 534.59	3 031 850.29		R352	21 570.84	2 998 234.77			
L353	20 515.93	3 031 666.59		R353	21 576.12	2 997 332.96			
L354	20 474.78	3 031 260.30		R354	21 576.78	2 997 211.35			
L355	20 463.99	3 031 138.93		R355	21 585.96	2 996 952.90			
L356	20 460.04	3 031 066.21		R356	21 597.22	2 996 779.69			
L357	20 467.55	3 031 048.52		R357	21 657.71	2 995 859.88			
					Vel Sheet	39	Van of	44	P941/17

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L358	20 457.79	3	031	027.86	R358	21 656.85	2	995	818.22
L359	20 452.40	3	030	931.49	R359	21 664.69	2	995	749.87
L360	20 453.03	3	030	854.30	R360	21 683.31	2	995	588.78
L361	20 449.47	3	030	724.20	R361	21 708.98	2	995	423.66
L362	20 451.87	3	030	602.21	R362	21 736.47	2	995	288.31
L363	20 490.65	3	029	369.24	R363	21 940.37	2	994	285.60
L364	20 495.59	3	029	359.64	R364	21 939.81	2	994	230.90
L365	20 491.36	3	029	345.79	R365	21 964.63	2	994	166.14
L366	20 497.09	3	029	162.91	R366	21 978.25	2	994	099.09
L367	20 501.43	3	029	148.22	R367	21 980.70	2	994	069.78
L368	20 498.05	3	029	130.23	R368	21 995.85	2	994	006.66
L369	20 509.47	3	028	768.34	R369	22 015.51	2	993	872.58
L370	20 515.29	3	028	756.77	R370	22 023.50	2	993	797.21
L371	20 510.49	3	028	734.38	R371	22 018.97	2	993	766.96
L372	20 512.49	3	028	638.77	R372	22 029.42	2	993	734.56
L373	20 508.10	3	028	476.60	R373	22 036.50	2	993	610.01
L374	20 500.94	3	028	381.28	R374	22 040.14	2	992	951.74
L375	20 459.56	3	027	897.35	R375	22 031.12	2	992	933.83
L376	20 468.44	3	027	871.83	R376	22 027.69	2	992	832.40
L377	20 455.78	3	027	853.80	R377	22 040.58	2	992	802.61
L378	20 426.40	3	027	511.30	R378	22 043.95	2	991	883.33
L379	20 419.90	3	027	417.45	R379	22 029.53	2	991	844.04
L380	20 419.87	3	027	272.62	R380	22 044.28	2	991	751.57
L381	20 431.69	3	027	243.15	R381	22 044.61	2	991	676.33
L382	20 419.99	3	027	212.96	R382	22 038.47	2	991	658.09
L383	20 419.89	3	027	098.66	R383	22 045.15	2	991	642.21
L384	20 437.28	3	026	899.00	R384	22 045.47	2	991	562.72
L385	20 625.32	3	025	349.60	R385	22 026.15	2	991	522.09
L386	20 644.02	3	025	301.69	R386	22 045.84	2	991	464.24
L387	20 661.46	3	025	283.92	R387	22 047.47	2	990	853.04
L388	20 709.66	3	025	262.00	R388	22 042.11	2	990	837.87
L389	20 713.65	3	025	230.97	R389	22 047.57	2	990	801.77
L390	20 669.57	3	025	222.08	R390	22 048.24	2	990	575.81
L391	20 656.03	3	025	208.83	R391	22 044.12	2	990	552.32
L392	20 647.80	3	025	164.65	R392	22 048.45	2	990	522.53
L393	20 681.01	3	024	889.87	R393	22 049.46	2	990	250.55
L394	20 729.78	3	024	489.41	R394	22 046.23	2	990	218.64
L395	20 737.70	3	024	466.06	R395	22 049.67	2	990	179.43
L396	20 735.35	3	024	442.88	R396	22 049.94	2	990	119.36
L397	20 912.17	3	022	986.92	R397	22 037.26	2	990	067.16
L398	20 926.97	3	022	864.76	R398	22 039.27	2	990	000.76
L399	20 943.24	3	022	643.31	R399	22 050.43	2	989	948.06
L400	20 949.83	3	022	421.57	R400	22 050.37	2	989	923.41
L401	20 959.65	3	022	332.94	R401	22 044.36	2	989	877.10
L402	20 946.54	3	022	199.73	R402	22 050.78	2	989	826.13
L403	20 939.32	3	022	076.98	R403	22 051.50	2	989	717.88
L404	20 896.48	3	021	370.29	R404	22 033.68	2	989	691.28
L405	20 892.79	3	021	309.53	R405	22 051.58	2	989	644.76
L406	20 897.02	3	021	284.84	R406	22 054.50	2	988	690.78
L407	20 879.18	3	021	033.78	R407	22 045.95	2	988	637.91
L408	20 875.33	3	021	024.09	R408	22 055.01	2	988	570.00
					Vel Sheet 40 Van of 44 P941/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L409	20 843.03	3 020	410.07		R409	22 055.06	2 988	548.38	
L410	20 835.37	3 020	363.47		R410	22 025.05	2 988	489.56	
L411	20 743.83	3 018	854.64		R411	22 055.37	2 988	437.38	
L412	20 748.44	3 018	837.62		R412	22 056.28	2 988	201.99	
L413	20 741.21	3 018	812.04		R413	22 053.66	2 988	136.37	
L414	20 704.47	3 018	206.61		R414	22 043.38	2 988	030.60	
L415	20 713.39	3 018	176.83		R415	22 025.52	2 987	976.09	
L416	20 700.24	3 018	136.52		R416	22 000.31	2 987	823.52	
L417	20 620.91	3 016	829.63		R417	21 967.62	2 987	722.34	
L418	20 632.35	3 016	788.61		R418	21 927.86	2 987	624.08	
L419	20 614.85	3 016	729.53		R419	21 899.66	2 987	564.75	
L420	20 559.69	3 015	815.88		R420	21 820.96	2 987	412.57	
L421	20 563.27	3 015	784.94		R421	21 799.91	2 987	368.30	
L422	20 555.72	3 015	751.53		R422	21 771.68	2 987	284.45	
L423	20 499.64	3 014	824.96		R423	21 753.29	2 987	197.93	
L424	20 493.88	3 014	621.92		R424	21 744.75	2 987	109.85	
L425	20 480.25	3 014	505.48		R425	21 746.47	2 987	021.38	
L426	20 424.53	3 013	587.27		R426	21 750.27	2 986	992.46	
L427	20 424.05	3 013	521.15		R427	21 757.99	2 986	933.79	
L428	20 413.56	3 013	407.67		R428	21 779.58	2 986	847.99	
L429	20 410.01	3 013	347.86		R429	21 810.72	2 986	765.13	
L430	20 421.57	3 013	300.50		R430	21 851.00	2 986	686.38	
L431	20 435.66	3 013	283.22		R431	21 900.01	2 986	612.75	
L432	20 479.54	3 013	261.37		R432	21 957.13	2 986	545.14	
L433	20 522.99	3 013	254.70		R433	21 987.67	2 986	516.82	
L434	20 518.49	3 013	224.97		R434	21 994.11	2 986	512.29	
L435	20 478.06	3 013	230.99		R435	22 140.84	2 986	408.92	
L436	20 432.64	3 013	222.98		R436	22 243.81	2 986	353.16	
L437	20 417.15	3 013	210.04		R437	22 383.19	2 986	277.80	
L438	20 400.91	3 013	167.05		R438	22 419.64	2 986	240.76	
L439	20 398.08	3 012	982.25		R439	22 425.67	2 986	220.46	
L440	20 400.74	3 012	940.52						
L441	20 403.96	3 012	889.96						
L442	20 403.75	3 012	777.04						
L443	20 418.01	3 012	566.04						
L444	20 429.80	3 012	451.03						
L445	20 495.71	3 011	867.88						
L446	20 510.74	3 011	746.94						
L447	20 541.19	3 011	555.22						
L448	20 578.88	3 011	364.41						
L449	20 606.36	3 011	245.62						
L450	20 658.40	3 011	031.88						
L451	20 802.04	3 010	442.36						
L452	20 831.23	3 010	322.73						
L453	20 843.94	3 010	277.01						
L454	20 856.72	3 010	202.87						
L455	20 874.51	3 010	100.34						
L456	20 892.24	3 009	978.63						
L457	21 044.95	3 008	931.15						
L458	21 191.17	3 007	930.20						
L459	21 206.38	3 007	837.45						
					Vel 41 Van of 44 P941/17				
					Sheet				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 21°	Y	X
L460	21 191.17	3 007 930.20			
L461	21 206.38	3 007 837.45			
L462	21 233.20	3 007 704.37			
L463	21 266.15	3 007 572.75			
L464	21 305.13	3 007 442.82			
L465	21 336.39	3 007 361.50			
L466	21 395.75	3 007 186.31			
L467	21 433.09	3 007 082.74			
L468	21 484.29	3 006 914.32			
L469	21 525.42	3 006 755.92			
L470	21 561.26	3 006 590.05			
L471	21 590.01	3 006 422.67			
L472	21 604.84	3 006 313.16			
L473	21 671.55	3 005 756.97			
L474	21 686.46	3 005 635.08			
L475	21 700.24	3 005 462.42			
L476	21 705.37	3 005 421.89			
L477	21 704.18	3 005 391.13			
L478	21 710.32	3 005 146.85			
L479	21 707.53	3 005 029.62			
L480	21 674.67	3 003 690.33			
L481	21 681.47	3 003 651.12			
L482	21 672.56	3 003 604.97			
L483	21 669.89	3 003 489.41			
L484	21 673.06	3 003 456.29			
L485	21 667.72	3 003 409.29			
L486	21 652.36	3 002 768.79			
L487	21 657.43	3 002 748.22			
L488	21 650.76	3 002 713.46			
L489	21 641.69	3 002 339.80			
L490	21 614.94	3 001 244.73			
L491	21 620.17	3 001 223.53			
L492	21 613.76	3 001 191.43			
L493	21 608.92	3 000 999.90			
L494	21 610.56	3 000 970.34			
L495	21 609.54	3 000 859.81			
L496	21 605.11	3 000 839.40			
L497	21 592.28	3 000 314.07			
L498	21 627.71	3 000 248.15			
L499	21 592.97	3 000 165.61			
L500	21 592.26	3 000 120.05			
L501	21 587.12	3 000 103.48			
L502	21 582.80	2 999 928.61			
L503	21 574.23	2 999 581.16			
L504	21 577.64	2 999 559.42			
L505	21 573.04	2 999 527.27			
L506	21 571.82	2 999 419.53			
L507	21 572.05	2 999 371.35			
L508	21 574.75	2 999 249.81			
L509	21 584.19	2 999 081.67			
L510	21 590.54	2 999 040.74			
			Vel Sheet	42 Van of	44 P941/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 21°	Y	X
L511	21 588.59	2 999 001.18			
L512	21 607.86	2 998 664.66			
L513	21 617.81	2 998 509.73			
L514	21 620.83	2 998 483.27			
L515	21 630.53	2 998 322.52			
L516	21 621.43	2 998 235.07			
L517	21 627.03	2 997 334.98			
L518	21 628.24	2 997 213.05			
L519	21 648.86	2 997 163.20			
L520	21 634.28	2 997 147.36			
L521	21 631.82	2 997 112.49			
L522	21 644.13	2 997 023.66			
L523	21 648.63	2 996 983.83			
L524	21 637.58	2 996 950.67			
L525	21 647.10	2 996 782.98			
L526	21 707.55	2 995 863.13			
L527	21 716.32	2 995 754.66			
L528	21 734.18	2 995 595.42			
L529	21 758.76	2 995 437.26			
L530	21 778.95	2 995 330.53			
L531	21 848.34	2 994 989.80			
L532	21 856.92	2 994 962.32			
L533	21 861.84	2 994 923.22			
L534	21 926.88	2 994 604.22			
L535	21 941.53	2 994 600.58			
L536	21 933.54	2 994 571.91			
L537	22 027.43	2 994 109.23			
L538	22 049.47	2 994 021.12			
L539	22 066.46	2 993 881.52			
L540	22 080.08	2 993 749.97			
L541	22 086.36	2 993 725.32			
L542	22 082.59	2 993 706.15			
L543	22 088.02	2 993 611.70			
L544	22 089.40	2 993 237.75			
L545	22 094.78	2 993 198.91			
L546	22 091.37	2 992 733.74			
L547	22 094.76	2 992 718.81			
L548	22 091.18	2 992 682.23			
L549	22 094.14	2 991 855.63			
L550	22 105.29	2 991 767.82			
L551	22 094.55	2 991 708.14			
L552	22 094.86	2 991 664.81			
L553	22 105.85	2 991 638.80			
L554	22 095.02	2 991 601.83			
L555	22 095.15	2 991 525.48			
L556	22 107.95	2 991 467.21			
L557	22 095.69	2 991 423.25			
L558	22 096.23	2 991 259.70			
L559	22 109.71	2 991 168.25			
L560	22 096.85	2 991 109.67			
L561	22 097.42	2 990 833.71			
			Vel Sheet	43 Van of 44	P941/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 21°	Y	X
L562	22 104.34	2 990 800.91			
L563	22 097.74	2 990 769.07			
L564	22 098.63	2 990 538.98			
L565	22 102.15	2 990 510.56			
L566	22 098.70	2 990 491.03			
L567	22 099.55	2 990 203.05			
L568	22 104.23	2 990 172.58			
L569	22 099.76	2 990 158.16			
L570	22 100.25	2 990 027.10			
L571	22 109.39	2 989 979.26			
L572	22 100.50	2 989 921.55			
L573	22 100.70	2 989 876.94			
L574	22 106.87	2 989 858.63			
L575	22 101.00	2 989 732.83			
L576	22 103.61	2 988 963.19			
L577	22 104.60	2 988 647.41			
L578	22 115.03	2 988 592.80			
L579	22 104.96	2 988 563.77			
L580	22 106.18	2 988 201.19			
L581	22 105.13	2 988 133.06			
L582	22 094.46	2 988 022.77			
L583	22 075.94	2 987 915.58			
L584	22 049.94	2 987 809.23			
L585	22 016.02	2 987 704.70			
L586	21 974.99	2 987 603.21			
L587	21 944.45	2 987 542.18			
L588	21 866.14	2 987 391.08			
L589	21 847.78	2 987 349.18			
L590	21 837.58	2 987 308.91			
L591	21 821.40	2 987 270.82			
L592	21 804.26	2 987 190.02			
L593	21 796.21	2 987 107.85			
L594	21 797.76	2 987 025.27			
L595	21 807.23	2 986 954.57			
L596	21 808.74	2 986 943.33			
L597	21 837.97	2 986 864.71			
L598	21 857.85	2 986 785.98			
L599	21 895.46	2 986 712.35			
L600	21 941.20	2 986 643.68			
L601	21 994.55	2 986 580.55			
L602	22 027.05	2 986 548.39			
L603	22 172.32	2 986 437.53			
L604	22 257.87	2 986 391.28			
L605	22 455.17	2 986 284.27			
			Vel 44 Van 44 P941/17 Sheet of		