

DEPARTMENT OF TRANSPORT

NO. 944

30 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

**DECLARATION AMENDMENT OF NATIONAL ROAD R104 SECTION 1 AND DECLARATION OF
EXISTING ROAD THROUGH THE TOWN OF BRONKHORSTSPRUIT AS PART OF NATIONAL ROAD
R104 SECTION 1.**

- i) By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1736 of 2003 by substituting the Annexure, being the descriptive declaration of the route from Pretoria up to Bronkhorstspuit, with the accompanying sheets 1 to 19 of Plan No. P1029/18.
- ii) By virtue of Section 40 (1)(a) of The South African National Road Agency Limited and National Roads Act 1998 (Act No. 7 of 1998), I hereby declare the section of the road, commencing from points L245 and R274 on sheet 13 of Plan No. P1029/18, and from there in a general easterly direction along the street known as Church Street at the time of declaration up to the intersection with the street known as Lanham Street in Bronkhorstspuit, at time of declaration, as a National Road.

(National Road R104 Section 1: Pretoria – Bronkhorstspuit)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 944

30 September 2021


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


**VERKLARING WYSIGING VAN NASIONALE PAD R104 SEKSIE 1 EN VERKLARING VAN
BESTAANDE PAD DEUR DIE DORPSGEBIED VAN BRONKHORSTSPRUIT AS DEEL VAN
NASIONALE PAD R104 SEKSIE 1 .**

- i) Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 1736 van 2003 deur die Bylaag te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Pretoria tot by Bronkhorstspuit, met bygaande velle 1 tot 19 van Plan No. P1029/18.
- ii) Kragtens Artikel 40(1)(a) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), verklaar ek hiermee die gedeelte van die pad, beginnende vanaf punte L245 en R274 op vel 13 van Plan No. P1029/18, en daarvaandaan in 'n algemene oostelike rigting langs die straat bekend as Kerkstraat tydens datum van verklaring tot by die aansluiting met die straat bekend as Lanhamstraat in Bronkhorstspuit, tydens datum van verklaring, as 'n Nasionale Pad.


(Nasionale Pad R104 Seksie 1: Pretoria – Bronkhorstspuit)**MINISTER VAN VERVOER**








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R104 of National Route	Vel Sheet 3 of 19 Plan P1029/18
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R104 of National Route	Vel Sheet 4 of 19 Plan P1029/18
---	---------------------------------------	---	---------------------------------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserve voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	6 of	19
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	R104 Seksie Section	Plan	P1029/18





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R104 of National Route	1	Plan P1029/18	Vel Sheet 7 of 19	Section
---	---------------------------------------	---	---	---------------	-------------------	---------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R104 of National Route	Vel Sheet	8	van of	19
The South African National Roads Agency SOC Ltd	The figure shown			1	Plan	P1029/18	








Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R104 of National Route	1	Vel Sheet 11 of 19	Plan P1029/18
---	---------------------------------------	---	---	-----------------------	---------------



Die Suid Afrikaanse Nasionale Padagentskap USB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R104 of National Route	Vel Sheet	12 of	19
The South African National Roads Agency SOC Ltd	The figure shown			1	Plan	P1029/18



PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L1	67 208.71	2 847 948.13		R1	67 219.37	2 847 994.78
L2	67 202.54	2 847 921.12		R1X	67 233.32	2 848 024.64
L3	67 192.45	2 847 939.78		R2	67 214.17	2 848 014.69
L4	67 142.19	2 847 973.08		R3	67 149.66	2 848 020.90
L5	66 939.70	2 848 049.04		R4	66 484.22	2 848 270.25
L6	65 855.42	2 848 446.83		R5	66 469.48	2 848 275.77
L7	65 380.33	2 848 624.55		R6	66 193.61	2 848 393.50
L8	65 341.49	2 848 628.34		R7	66 195.10	2 848 396.20
L9	65 282.08	2 848 632.46		R8	66 030.78	2 848 457.49
L10	65 284.96	2 848 640.82		R9	66 027.39	2 848 467.01
L11	65 275.06	2 848 663.01		R10	66 012.41	2 848 472.62
L12	65 238.58	2 848 693.87		R11	66 001.06	2 848 468.58
L13	64 691.20	2 848 901.12		R12	65 881.22	2 848 513.29
L14	64 637.12	2 848 904.38		R13	65 862.40	2 848 519.33
L15	64 617.78	2 848 895.58		R14	65 628.67	2 848 597.83
L16	64 587.86	2 848 906.95		R15	65 510.87	2 848 637.39
L17	64 579.14	2 848 926.34		R16	65 419.47	2 848 668.09
L18	64 542.50	2 848 957.42		R17	65 186.76	2 848 750.77
L19	63 973.36	2 849 172.92		R18	64 397.60	2 849 047.27
L20	63 925.17	2 849 174.82		R19	64 153.59	2 849 168.17
L21	63 906.59	2 849 166.11		R20	64 129.76	2 849 179.98
L22	63 883.25	2 849 174.92		R21	63 997.27	2 849 230.24
L23	63 875.13	2 849 193.77		R22	63 960.06	2 849 261.19
L24	63 842.39	2 849 220.48		R23	63 904.04	2 849 284.53
L25	63 743.95	2 849 258.64		R24	63 894.14	2 849 285.33
L26	63 579.77	2 849 319.73		R25	63 847.46	2 849 289.00
L27	63 408.59	2 849 386.51		R26	63 826.88	2 849 296.80
L28	63 331.63	2 849 353.53		R27	63 772.87	2 849 315.21
L29	63 300.43	2 849 299.81		R28	63 483.89	2 849 424.52
L30	63 277.53	2 849 309.47		R29	63 431.67	2 849 456.06
L31	63 237.82	2 849 326.23		R30	63 426.29	2 849 467.94
L32	63 259.85	2 849 360.14		R31	63 449.27	2 849 523.59
L33	63 244.60	2 849 449.63		R32	63 461.28	2 849 543.22
L34	63 197.92	2 849 469.85		R33	63 440.37	2 849 551.76
L35	63 043.11	2 849 538.07		R34	63 406.38	2 849 565.63
L36	62 754.15	2 849 663.91		R35	63 379.73	2 849 534.56
L37	62 644.41	2 849 712.69		R36	63 346.68	2 849 499.71
L38	62 569.68	2 849 745.43		R37	63 331.65	2 849 495.51
L39	62 492.39	2 849 774.86		R38	63 273.18	2 849 506.13
L40	62 385.84	2 849 786.82		R39	63 184.86	2 849 538.33
L41	62 155.36	2 849 781.21		R40	62 916.87	2 849 656.87
L42	62 110.55	2 849 776.15		R41	62 897.83	2 849 681.69
L43	61 984.94	2 849 780.80		R42	62 902.29	2 849 712.56
L44	61 930.86	2 849 774.08		R43	62 866.18	2 849 720.75
L45	61 311.91	2 849 590.61		R44	62 841.59	2 849 706.73
L46	61 186.04	2 849 573.33		R45	62 804.13	2 849 706.85
L47	61 071.73	2 849 595.18		R46	62 756.70	2 849 727.77
L48	61 065.60	2 849 596.85		R47	62 724.96	2 849 739.50
L49	60 966.76	2 849 634.17		R48	62 687.69	2 849 748.29
L50	60 857.06	2 849 674.64		R49	62 673.65	2 849 751.64
L51	60 503.30	2 849 802.75		R50	62 609.64	2 849 770.40
				Vel Sheet 14	Van of 19	P1029/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L52	60 387.52	2 849 842.32		R51	62 481.86	2 849 797.02			
L53	59 913.99	2 849 995.12		R52	62 358.68	2 849 812.86			
L54	59 395.37	2 850 162.30		R53	62 352.23	2 849 813.69			
L55	59 160.22	2 850 237.36		R54	62 221.69	2 849 819.26			
L56	58 975.04	2 850 296.64		R55	62 157.66	2 849 815.55			
L57	58 838.14	2 850 341.94		R56	62 092.66	2 849 816.41			
L58	58 697.20	2 850 387.67		R57	61 989.58	2 849 814.55			
L59	58 591.68	2 850 423.09		R58	61 925.75	2 849 805.04			
L60	58 499.53	2 850 453.66		R59	61 618.05	2 849 715.34			
L61	58 496.51	2 850 454.59		R60	61 317.22	2 849 627.59			
L62	58 428.53	2 850 475.43		R61	61 178.73	2 849 618.07			
L63	58 299.00	2 850 519.06		R62	61 007.91	2 849 649.46			
L64	58 235.19	2 850 546.33		R63	60 740.37	2 849 749.31			
L65	58 207.54	2 850 559.27		R64	60 467.11	2 849 848.29			
L66	58 195.31	2 850 565.01		R65	60 129.49	2 849 959.15			
L67	58 115.71	2 850 610.93		R66	60 051.96	2 849 985.39			
L68	57 874.57	2 850 764.41		R67	59 872.02	2 850 046.31			
L69	57 830.36	2 850 791.57		R68	59 439.80	2 850 186.05			
L70	57 805.14	2 850 796.42		R69	59 004.23	2 850 327.38			
L71	57 800.83	2 850 808.42		R70	58 733.26	2 850 415.18			
L72	57 749.03	2 850 835.50		R71	58 530.13	2 850 481.04			
L73	57 661.92	2 850 873.49		R72	58 511.74	2 850 483.78			
L74	57 604.96	2 850 894.18		R73	58 397.54	2 850 530.00			
L75	57 340.67	2 850 984.07		R74	58 283.80	2 850 598.66			
L76	57 088.33	2 851 069.14		R75	58 236.74	2 850 635.51			
L77	57 071.96	2 851 073.78		R76	58 230.90	2 850 635.87			
L78	57 060.73	2 851 076.96		R77	58 217.92	2 850 636.67			
L79	56 936.27	2 851 112.17		R78	58 185.21	2 850 621.34			
L80	56 731.34	2 851 182.34		R79	58 070.45	2 850 686.91			
L81	56 696.21	2 851 194.37		R80	57 890.75	2 850 790.33			
L82	56 282.10	2 851 336.19		R81	57 879.04	2 850 799.23			
L83	56 194.36	2 851 366.23		R82	57 862.68	2 850 807.44			
L84	55 556.00	2 851 584.84		R83	57 848.98	2 850 814.37			
L85	55 439.35	2 851 624.78		R84	57 763.27	2 850 864.58			
L86	54 875.39	2 851 817.91		R85	57 671.26	2 850 904.61			
L87	54 669.76	2 851 888.33		R86	57 615.11	2 850 923.14			
L88	54 382.70	2 851 941.73		R87	57 605.01	2 850 927.13			
L89	54 226.83	2 851 957.85		R88	57 445.84	2 850 981.42			
L90	54 210.59	2 851 959.50		R89	57 421.00	2 850 989.88			
L91	54 029.49	2 851 977.45		R90	57 346.95	2 851 014.50			
L92	53 827.36	2 851 997.62		R91	57 274.37	2 851 039.22			
L93	53 711.85	2 852 014.85		R92	57 081.37	2 851 104.66			
L94	53 650.31	2 852 030.20		R93	57 070.93	2 851 108.20			
L95	53 563.94	2 852 057.41		R94	57 018.39	2 851 126.43			
L96	53 438.46	2 852 102.54		R95	56 717.74	2 851 222.78			
L97	53 303.35	2 852 152.19		R96	56 703.62	2 851 242.84			
L98	53 187.55	2 852 194.31		R97	56 705.62	2 851 255.90			
L99	52 926.53	2 852 288.88		R98	56 683.00	2 851 267.68			
L100	52 487.82	2 852 449.11		R99	56 644.23	2 851 258.23			
L101	52 426.31	2 852 470.88		R100	56 435.67	2 851 327.45			
L102	52 407.03	2 852 477.70		R101	56 250.29	2 851 390.42			
					Vel Sheet	15	Van of	19	P1029/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L103	52 389.50	2 852 482.26		R102	56 158.94	2 851 422.78			
L104	52 371.56	2 852 486.14		R103	56 020.35	2 851 468.42			
L105	52 353.37	2 852 489.09		R104	55 747.04	2 851 560.91			
L106	52 345.71	2 852 490.15		R105	55 532.67	2 851 626.31			
L107	52 299.16	2 852 492.88		R106	54 995.07	2 851 810.02			
L108	52 227.02	2 852 486.59		R107	54 956.91	2 851 822.43			
L109	52 178.56	2 852 474.66		R108	54 900.05	2 851 841.95			
L110	52 123.39	2 852 452.22		R109	54 739.88	2 851 896.95			
L111	52 061.19	2 852 414.55		R110	54 647.82	2 851 927.18			
L112	52 007.66	2 852 370.31		R111	54 538.50	2 851 951.71			
L113	51 846.52	2 852 210.04		R112	54 314.91	2 851 980.20			
L114	51 789.84	2 852 164.63		R113	54 160.55	2 851 995.87			
L115	51 725.24	2 852 128.69		R114	54 054.26	2 852 006.55			
L116	51 693.98	2 852 114.34		R115	53 803.39	2 852 031.22			
L117	51 646.23	2 852 097.98		R116	53 690.85	2 852 051.47			
L118	51 579.45	2 852 084.45		R117	53 575.67	2 852 086.27			
L119	51 522.07	2 852 079.58		R118	53 501.50	2 852 113.43			
L120	51 464.24	2 852 081.27		R119	53 437.22	2 852 137.15			
L121	51 395.68	2 852 092.63		R120	53 248.68	2 852 205.40			
L122	51 342.76	2 852 109.09		R121	53 200.32	2 852 222.90			
L123	51 294.50	2 852 129.80		R122	53 136.20	2 852 247.53			
L124	51 256.85	2 852 147.95		R123	52 955.70	2 852 316.87			
L125	51 138.62	2 852 222.40		R124	52 943.83	2 852 316.10			
L126	51 116.97	2 852 235.74		R125	52 629.87	2 852 431.63			
L127	51 098.42	2 852 247.17		R126	52 456.00	2 852 494.57			
L128	50 901.79	2 852 369.80		R127	52 430.72	2 852 503.25			
L129	50 878.15	2 852 380.20		R128	52 417.20	2 852 507.89			
L130	50 793.57	2 852 432.85		R129	52 384.13	2 852 515.88			
L131	50 708.77	2 852 485.59		R130	52 349.04	2 852 521.10			
L132	50 625.36	2 852 537.04		R131	52 316.86	2 852 524.35			
L133	50 613.03	2 852 535.94		R132	52 260.91	2 852 523.45			
L134	50 605.62	2 852 554.02		R133	52 222.01	2 852 518.80			
L135	50 604.30	2 852 554.84		R134	52 195.63	2 852 512.82			
L136	50 379.89	2 852 693.72		R135	52 158.71	2 852 502.11			
L137	50 285.19	2 852 752.33		R136	52 127.83	2 852 489.48			
L138	50 156.51	2 852 831.88		R137	52 105.98	2 852 480.31			
L139	49 948.81	2 852 960.12		R138	52 054.21	2 852 449.02			
L140	49 826.99	2 853 035.60		R139	52 018.75	2 852 421.58			
L141	49 692.55	2 853 118.90		R140	51 985.08	2 852 390.47			
L142	49 479.06	2 853 251.35		R141	51 857.11	2 852 263.53			
L143	49 165.41	2 853 445.95		R142	51 838.45	2 852 254.96			
L144	49 023.32	2 853 534.39		R143	51 825.26	2 852 233.70			
L145	48 740.67	2 853 709.95		R144	51 779.03	2 852 197.90			
L146	48 729.20	2 853 717.31		R145	51 770.41	2 852 192.93			
L147	48 635.55	2 853 770.19		R146	51 690.91	2 852 147.06			
L148	48 571.78	2 853 796.58		R147	51 615.74	2 852 122.63			
L149	48 539.79	2 853 809.82		R148	51 525.40	2 852 109.94			
L150	48 391.66	2 853 841.49		R149	51 479.58	2 852 110.32			
L151	48 342.26	2 853 846.83		R150	51 382.62	2 852 127.91			
L152	48 294.84	2 853 831.41		R151	51 325.31	2 852 150.46			
L153	48 264.14	2 853 791.99		R152	51 193.16	2 852 225.80			
					Vel Sheet	16	Van of	19	P1029/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L154	48 250.10	2 853 746.57		R153	51 163.38	2 852 244.16
L155	48 227.67	2 853 752.43		R154	51 021.65	2 852 332.00
L156	48 212.49	2 853 756.40		R155	50 624.56	2 852 578.13
L157	48 206.59	2 853 759.12		R156	50 533.43	2 852 634.54
L158	48 231.63	2 853 859.27		R157	50 399.03	2 852 717.68
L159	48 224.17	2 853 859.48		R158	50 179.15	2 852 854.11
L160	48 155.47	2 853 861.39		R159	50 061.89	2 852 926.67
L161	47 974.64	2 853 865.72		R160	49 944.83	2 852 999.22
L162	47 880.16	2 853 868.15		R161	49 811.42	2 853 081.74
L163	47 762.06	2 853 871.76		R162	49 685.73	2 853 161.04
L164	47 154.91	2 853 886.86		R163	49 555.00	2 853 241.87
L165	47 039.21	2 853 882.35		R164	49 432.18	2 853 318.30
L166	46 884.67	2 853 871.58		R165	49 304.76	2 853 397.21
L167	46 856.51	2 853 872.28		R166	49 172.38	2 853 479.18
L168	46 758.13	2 853 889.35		R167	49 034.46	2 853 564.68
L169	46 612.00	2 853 900.56		R168	48 890.18	2 853 654.12
L170	46 548.07	2 853 902.17		R169	48 754.98	2 853 738.27
L171	46 142.25	2 853 912.66		R170	48 676.33	2 853 784.75
L172	45 841.23	2 853 920.05		R171	48 627.36	2 853 808.80
L173	45 578.50	2 853 926.56		R172	48 615.74	2 853 814.49
L174	45 126.62	2 853 937.83		R173	48 564.59	2 853 835.25
L175	44 667.34	2 853 949.59		R174	48 495.03	2 853 854.51
L176	44 436.81	2 853 955.58		R175	48 422.57	2 853 874.59
L177	44 030.89	2 853 965.65		R176	48 282.57	2 853 889.66
L178	43 575.74	2 853 977.43		R177	48 279.72	2 853 889.69
L179	43 485.84	2 853 979.94		R178	48 243.47	2 853 890.47
L180	43 020.90	2 853 991.32		R179	48 111.51	2 853 893.31
L181	42 775.50	2 853 997.33		R180	47 988.91	2 853 896.94
L182	42 654.93	2 854 000.51		R181	47 778.43	2 853 903.17
L183	42 534.70	2 854 002.93		R182	47 198.98	2 853 917.00
L184	42 414.23	2 854 006.85		R183	46 984.94	2 853 930.09
L185	42 228.82	2 854 011.47		R184	46 886.40	2 853 945.32
L186	42 020.95	2 854 016.86		R185	46 858.40	2 853 947.86
L187	41 812.92	2 854 021.75		R186	46 703.86	2 853 937.09
L188	41 642.28	2 854 025.89		R187	46 586.55	2 853 932.87
L189	41 449.30	2 854 030.58		R188	46 169.56	2 853 943.50
L190	41 339.53	2 854 033.32		R189	45 882.01	2 853 950.74
L191	40 744.25	2 854 048.15		R190	45 589.45	2 853 958.11
L192	40 449.43	2 854 055.87		R191	45 338.99	2 853 964.41
L193	40 111.09	2 854 064.30		R192	44 995.04	2 853 973.12
L194	39 873.29	2 854 070.59		R193	44 649.41	2 853 981.80
L195	39 492.18	2 854 079.90		R194	44 423.87	2 853 987.46
L196	38 839.36	2 854 097.05		R195	44 032.02	2 853 997.17
L197	38 504.08	2 854 104.26		R196	43 559.23	2 854 009.29
L198	38 443.71	2 854 107.19		R197	43 501.82	2 854 010.73
L199	38 130.93	2 854 115.50		R198	43 214.90	2 854 017.90
L200	37 979.18	2 854 119.54		R199	42 757.05	2 854 029.53
L201	37 652.44	2 854 127.82		R200	42 541.84	2 854 035.00
L202	37 360.44	2 854 135.45		R201	42 437.01	2 854 037.44
L203	37 030.67	2 854 144.06		R202	42 327.00	2 854 040.15
L204	36 502.33	2 854 158.12		R203	42 111.97	2 854 045.12
				Vel Sheet	17 of	19 P1029/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°		Y	X			
L205	36 013.20	2 854 170.97		R204	41 897.54	2 854 050.48			
L206	35 179.66	2 854 192.63		R205	41 683.24	2 854 056.00			
L207	34 479.87	2 854 210.83		R206	41 469.10	2 854 061.88			
L208	34 380.09	2 854 213.44		R207	40 695.79	2 854 081.41			
L209	34 286.99	2 854 219.90		R208	40 269.49	2 854 092.19			
L210	34 200.14	2 854 234.50		R209	40 086.61	2 854 096.58			
L211	34 114.85	2 854 257.26		R210	39 891.28	2 854 101.36			
L212	32 375.13	2 854 784.81		R211	39 467.35	2 854 112.14			
L213	32 185.05	2 854 843.23		R212	38 484.48	2 854 137.44			
L214	31 958.29	2 854 911.69		R213	38 483.27	2 854 138.97			
L215	31 789.63	2 854 962.60		R214	38 469.53	2 854 156.26			
L216	31 719.26	2 854 984.32		R215	38 469.63	2 854 161.12			
L217	31 666.62	2 854 999.69		R216	38 456.93	2 854 161.24			
L218	31 542.70	2 855 037.89		R217	38 444.44	2 854 161.34			
L219	31 331.89	2 855 102.10		R218	38 444.33	2 854 157.24			
L220	31 147.51	2 855 134.85		R219	38 429.10	2 854 139.46			
L221	31 039.92	2 855 138.22		R220	38 367.80	2 854 140.44			
L222	30 679.75	2 855 151.05		R221	38 130.41	2 854 146.57			
L223	30 476.26	2 855 156.90		R222	37 979.75	2 854 150.41			
L224	30 431.24	2 855 141.70		R223	37 615.55	2 854 159.98			
L225	30 409.80	2 855 125.53		R224	37 349.98	2 854 166.87			
L226	30 316.48	2 855 131.32		R225	36 499.60	2 854 189.25			
L227	30 305.86	2 855 149.75		R226	36 026.09	2 854 201.79			
L228	30 261.34	2 855 164.50		R227	35 652.45	2 854 211.42			
L229	30 144.34	2 855 168.26		R228	35 179.30	2 854 224.25			
L230	29 791.18	2 855 180.00		R229	34 804.50	2 854 234.13			
L231	29 510.11	2 855 189.69		R230	34 523.28	2 854 241.47			
L232	28 639.16	2 855 218.28		R231	34 432.85	2 854 249.05			
L233	28 575.07	2 855 220.66		R232	34 186.49	2 854 269.73			
L234	28 331.33	2 855 228.91		R233	33 690.80	2 854 419.25			
L235	28 172.71	2 855 233.23		R234	33 267.11	2 854 547.83			
L236	28 094.91	2 855 244.37		R235	32 836.49	2 854 678.11			
L237	28 018.95	2 855 266.50		R236	32 816.53	2 854 684.99			
L238	27 796.62	2 855 353.96		R237	32 677.19	2 854 726.64			
L239	27 758.13	2 855 369.25		R238	32 404.92	2 854 809.36			
L240	27 732.31	2 855 379.42		R239	32 188.72	2 854 875.05			
L241	27 710.55	2 855 388.00		R240	31 952.86	2 854 945.88			
L242	27 697.57	2 855 392.93		R241	31 789.05	2 854 996.44			
L243	27 490.79	2 855 428.49		R242	31 722.32	2 855 017.13			
L244	27 490.58	2 855 430.02		R243	31 693.50	2 855 026.82			
L245	26 560.67	2 855 305.37		R244	31 541.99	2 855 074.10			
				R245	31 339.64	2 855 135.59			
				R246	31 161.21	2 855 167.84			
				R247	30 717.06	2 855 184.13			
				R248	30 678.23	2 855 185.39			
				R249	30 633.32	2 855 186.87			
				R250	30 484.22	2 855 191.78			
				R251	30 407.71	2 855 194.34			
				R252	30 380.17	2 855 195.33			
				R253	30 261.11	2 855 199.15			
				R254	30 239.98	2 855 199.83			
					Vel Sheet	18	Van of	19	P1029/18

This gazette is also available free online at www.gpwonline.co.za