

DEPARTMENT OF TRANSPORT

NO. 947

30 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R75 SECTION 4

AMENDMENT OF DECLARATION No. 266 OF 2018.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 266 of 2018 by substituting it in its entirety, with the accompanying sheets 1 to 21 of Plan No. P1095/18.

In the town of Jansenville the R75 Section 4 starts at its intersection with the streets known as Main Street and Bridge Street at time of declaration, therefrom it follows the street known as Bridge Street in a general northerly direction, at the time of declaration.

(National Road R75 Section 4: Jansenville – R63 Junction)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 947

30 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R75 SEKSIE 4


WYSIGING VAN VERKLARING No. 266 VAN 2018.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 266 van 2018 deur dit in sy geheel te vervang, met bygaande velle 1 tot 21 van Plan No. P1095/18.

In die dorp Jansenville begin die R75 Seksie 4 by die interseksie met die strate bekend as Hoofstraat en Bridgestraat tydens datum van verklaring, daarvandaan volg dit die straat bekend as Bridgestraat in 'n algemene noordelike rigting, tydens datum van verklaring.

(Nasionale Pad R75 Seksie 4: Jansenville – R63 Aansluiting)

**MINISTER VAN VERVOER**




Vel
Sheet 1 of 21
Plan P1095/18

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R75 Sektie
of National Route Section 4



Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route
Vel Sheet 2 of 21 Plan P1095/18	4	4	4








Vel
Sheet 5 of 21
Plan P1095/18

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R75 Seksie 4
of National Route of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route	Vel Sheet Plan 6 21 P1095/18
---	---------------------------------------	---	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route	Vel Sheet 7 of 21 Plan P1095/18
---	---------------------------------------	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 Sektie of National Route Section
Vel Sheet	8 of	21	Plan P1095/18



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	9 of	21
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	R75	Seksie Section	4



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R75 of National Route Section	Vel Sheet 10 of 21 Plan P1095/18
---	---------------------------------------	---	--



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L1	31 041.96	3 646 317.09		R1	31 018.01	3 646 324.74
L2	30 999.99	3 646 189.07		R2	31 014.76	3 646 314.89
L3	30 924.71	3 646 076.31		R3	31 000.97	3 646 278.55
L4	30 867.83	3 645 961.03		R4	30 986.60	3 646 249.11
L5	30 817.99	3 645 685.10		R5	30 974.41	3 646 229.53
L6	30 771.22	3 645 423.32		R6	30 962.30	3 646 221.40
L7	30 701.49	3 645 037.14		R7	30 884.69	3 646 106.02
L8	30 700.04	3 644 996.23		R8	30 846.52	3 646 032.41
L9	30 677.79	3 644 905.83		R9	30 840.40	3 646 005.02
L10	30 668.11	3 644 865.73		R10	30 831.98	3 645 967.30
L11	30 660.94	3 644 840.82		R11	30 825.68	3 645 939.07
L12	30 652.79	3 644 814.87		R12	30 839.43	3 645 946.13
L13	30 614.38	3 644 741.87		R13	30 800.36	3 645 735.99
L14	30 583.50	3 644 698.73		R14	30 771.73	3 645 572.99
L15	30 550.12	3 644 646.15		R15	30 729.08	3 645 332.43
L16	30 448.54	3 644 520.78		R16	30 676.55	3 645 041.49
L17	30 439.06	3 644 504.93		R17	30 664.04	3 644 987.87
L18	30 430.63	3 644 488.02		R18	30 652.18	3 644 906.72
L19	30 420.25	3 644 463.09		R19	30 644.35	3 644 874.46
L20	30 410.66	3 644 434.90		R20	30 627.40	3 644 820.97
L21	30 366.91	3 644 292.86		R21	30 610.01	3 644 785.52
L22	30 248.01	3 643 907.40		R22	30 602.75	3 644 771.84
L23	30 242.74	3 643 890.01		R23	30 589.44	3 644 749.44
L24	30 140.67	3 643 558.98		R24	30 556.02	3 644 703.39
L25	30 105.02	3 643 461.17		R25	30 524.47	3 644 659.82
L26	30 084.29	3 643 411.66		R26	30 466.21	3 644 602.90
L27	30 067.13	3 643 374.40		R27	30 412.97	3 644 507.34
L28	30 049.36	3 643 337.30		R28	30 391.70	3 644 456.34
L29	30 029.79	3 643 301.23		R29	30 387.33	3 644 444.07
L30	30 011.82	3 643 268.82		R30	30 304.84	3 644 176.09
L31	29 970.98	3 643 201.18		R31	30 239.62	3 643 966.35
L32	29 791.15	3 642 932.20		R32	30 228.56	3 643 930.23
L33	29 790.58	3 642 931.24		R33	30 122.51	3 643 584.82
L34	29 776.39	3 642 910.12		R34	30 103.12	3 643 526.91
L35	29 760.33	3 642 885.00		R35	30 071.64	3 643 446.08
L36	29 745.04	3 642 859.54		R36	30 040.93	3 643 376.68
L37	29 730.66	3 642 833.36		R37	30 029.07	3 643 352.51
L38	29 718.39	3 642 809.28		R38	30 010.19	3 643 317.32
L39	29 703.15	3 642 777.55		R39	29 950.15	3 643 215.49
L40	29 691.98	3 642 751.65		R40	29 928.01	3 643 181.42
L41	29 681.17	3 642 723.61		R41	29 830.91	3 643 037.38
L42	29 671.01	3 642 695.54		R42	29 768.68	3 642 943.10
L43	29 658.30	3 642 654.27		R43	29 764.22	3 642 937.12
L44	29 612.35	3 642 492.63		R44	29 742.26	3 642 903.07
L45	29 579.89	3 642 378.45		R45	29 730.29	3 642 883.60
L46	29 529.20	3 642 197.40		R46	29 727.54	3 642 879.12
L47	29 506.67	3 642 119.55		R47	29 714.73	3 642 856.92
L48	29 494.47	3 642 081.12		R48	29 708.42	3 642 845.40
L49	29 480.30	3 642 044.16		R49	29 689.64	3 642 809.15
L50	29 469.56	3 642 020.08		R50	29 671.35	3 642 768.80
L51	29 451.43	3 641 984.28		R51	29 663.78	3 642 750.77
				Vel Sheet	12 of	P1095/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	29 430.81	3	641	950.61	R52	29 651.77	3	642	718.62
L53	29 426.65	3	641	944.33	R53	29 643.63	3	642	693.08
L54	29 423.25	3	641	939.19	R54	29 605.05	3	642	557.86
L55	29 407.79	3	641	917.15	R55	29 576.90	3	642	459.18
L56	29 394.80	3	641	900.01	R56	29 526.96	3	642	284.12
L57	29 393.78	3	641	898.80	R57	29 481.58	3	642	124.06
L58	29 383.03	3	641	886.00	R58	29 473.69	3	642	098.40
L59	29 365.58	3	641	866.13	R59	29 469.43	3	642	085.41
L60	29 266.85	3	641	767.52	R60	29 459.91	3	642	060.74
L61	28 979.71	3	641	485.22	R61	29 449.60	3	642	036.04
L62	28 705.66	3	641	215.90	R62	29 432.14	3	642	000.17
L63	28 531.59	3	641	044.78	R63	29 419.93	3	641	979.04
L64	28 501.74	3	641	017.26	R64	29 405.90	3	641	956.76
L65	28 481.22	3	641	000.46	R65	29 390.51	3	641	934.70
L66	28 470.63	3	640	992.09	R66	29 368.49	3	641	906.73
L67	28 449.15	3	640	976.76	R67	29 347.88	3	641	884.01
L68	28 415.24	3	640	955.09	R68	29 346.76	3	641	882.87
L69	28 392.42	3	640	941.87	R69	29 290.18	3	641	825.35
L70	28 295.41	3	640	896.80	R70	29 023.67	3	641	563.14
L71	28 257.12	3	640	882.95	R71	28 732.29	3	641	277.00
L72	28 243.92	3	640	878.17	R72	28 587.51	3	641	134.90
L73	28 219.47	3	640	867.30	R73	28 557.05	3	641	105.04
L74	28 184.51	3	640	849.38	R74	28 513.74	3	641	062.71
L75	28 140.09	3	640	818.56	R75	28 445.43	3	641	004.26
L76	28 110.44	3	640	792.43	R76	28 398.35	3	640	972.96
L77	28 080.04	3	640	766.47	R77	28 345.37	3	640	946.11
L78	28 055.29	3	640	736.16	R78	28 316.15	3	640	933.87
L79	28 038.47	3	640	714.38	R79	28 235.89	3	640	901.04
L80	28 027.62	3	640	698.30	R80	28 207.30	3	640	889.38
L81	28 014.22	3	640	676.07	R81	28 174.18	3	640	872.18
L82	27 850.61	3	640	414.22	R82	28 142.29	3	640	853.53
L83	27 839.45	3	640	396.36	R83	28 110.52	3	640	829.48
L84	27 833.86	3	640	387.42	R84	28 084.14	3	640	805.45
L85	27 808.84	3	640	351.84	R85	28 074.69	3	640	796.14
L86	27 792.36	3	640	331.55	R86	28 043.89	3	640	762.31
L87	27 765.69	3	640	302.65	R87	28 032.94	3	640	749.17
L88	27 756.03	3	640	293.46	R88	28 018.27	3	640	730.21
L89	27 736.53	3	640	276.38	R89	27 927.43	3	640	585.10
L90	27 725.83	3	640	268.44	R90	27 835.32	3	640	437.52
L91	27 694.01	3	640	248.70	R91	27 806.79	3	640	391.82
L92	27 639.27	3	640	215.79	R92	27 803.94	3	640	387.26
L93	27 627.38	3	640	209.52	R93	27 795.30	3	640	374.68
L94	27 609.42	3	640	201.70	R94	27 757.09	3	640	329.33
L95	27 587.09	3	640	191.98	R95	27 735.36	3	640	308.65
L96	27 573.38	3	640	184.93	R96	27 715.26	3	640	291.67
L97	27 566.46	3	640	181.36	R97	27 668.50	3	640	259.15
L98	27 552.35	3	640	174.11	R98	27 634.91	3	640	240.40
L99	27 522.10	3	640	158.54	R99	27 601.63	3	640	224.84
L100	27 521.48	3	640	158.22	R100	27 586.37	3	640	217.70
L101	27 495.51	3	640	141.93	R101	27 561.03	3	640	205.82
L102	27 474.24	3	640	126.06	R102	27 525.70	3	640	189.26
					Vel Sheet 13 Van of 21 P1095/18				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L103	27 453.78	3 640 109.02		R103	27 516.08	3 640 183.90
L104	27 425.18	3 640 080.90		R104	27 515.11	3 640 183.38
L105	27 407.19	3 640 060.82		R105	27 491.11	3 640 168.81
L106	27 399.30	3 640 050.26		R106	27 479.36	3 640 160.79
L107	27 384.13	3 640 028.53		R107	27 439.45	3 640 130.39
L108	27 368.85	3 640 006.34		R108	27 424.59	3 640 116.49
L109	27 350.05	3 639 972.19		R109	27 383.24	3 640 074.09
L110	27 338.89	3 639 948.30		R110	27 362.44	3 640 049.64
L111	27 329.94	3 639 924.78		R111	27 345.83	3 640 022.50
L112	27 323.06	3 639 903.25		R112	27 308.17	3 639 937.86
L113	27 317.28	3 639 881.98		R113	27 296.01	3 639 899.10
L114	27 311.42	3 639 854.33		R114	27 290.11	3 639 875.56
L115	27 306.51	3 639 816.59		R115	27 285.49	3 639 851.01
L116	27 304.07	3 639 777.52		R116	27 283.43	3 639 837.60
L117	27 301.60	3 639 726.21		R117	27 281.34	3 639 816.92
L118	27 300.83	3 639 713.55		R118	27 275.04	3 639 714.04
L119	27 298.63	3 639 686.96		R119	27 268.55	3 639 689.14
L120	27 291.80	3 639 633.48		R120	27 262.71	3 639 667.34
L121	27 286.10	3 639 608.30		R121	27 259.59	3 639 639.56
L122	27 242.02	3 639 471.81		R122	27 250.81	3 639 587.81
L123	27 226.52	3 639 421.44		R123	27 240.07	3 639 549.47
L124	27 222.90	3 639 411.05		R124	27 203.21	3 639 431.40
L125	27 214.31	3 639 385.89		R125	27 187.47	3 639 384.44
L126	27 189.62	3 639 317.72		R126	27 163.97	3 639 321.70
L127	27 155.81	3 639 237.79		R127	27 132.47	3 639 248.18
L128	27 140.20	3 639 204.54		R128	27 100.70	3 639 182.78
L129	27 122.04	3 639 168.54		R129	27 072.04	3 639 130.11
L130	27 103.04	3 639 133.06		R130	27 046.24	3 639 086.94
L131	27 089.57	3 639 110.00		R131	27 019.77	3 639 045.38
L132	27 055.67	3 639 054.41		R132	26 988.38	3 638 999.68
L133	27 003.36	3 638 977.47		R133	26 943.47	3 638 940.72
L134	26 952.78	3 638 909.46		R134	26 736.75	3 638 686.74
L135	26 694.58	3 638 595.17		R135	26 609.67	3 638 530.87
L136	26 639.42	3 638 527.42		R136	26 609.61	3 638 530.79
L137	26 570.71	3 638 443.02		R137	26 475.32	3 638 366.79
L138	26 503.68	3 638 360.66		R138	26 434.23	3 638 310.43
L139	26 463.39	3 638 307.46		R139	26 397.91	3 638 254.07
L140	26 437.73	3 638 271.19		R140	26 391.04	3 638 242.65
L141	26 423.64	3 638 248.84		R141	26 377.78	3 638 219.45
L142	26 396.32	3 638 201.73		R142	26 342.13	3 638 153.70
L143	26 305.93	3 638 032.87		R143	26 281.30	3 638 039.81
L144	26 260.52	3 637 948.06		R144	26 230.81	3 637 945.27
L145	26 205.36	3 637 845.01		R145	26 184.03	3 637 857.69
L146	26 120.02	3 637 686.98		R146	26 079.84	3 637 666.10
L147	26 100.72	3 637 652.06		R147	26 061.08	3 637 634.58
L148	26 093.72	3 637 640.63		R148	26 030.35	3 637 587.68
L149	26 034.64	3 637 549.48		R149	26 016.22	3 637 567.07
L150	26 012.57	3 637 518.97		R150	25 962.16	3 637 494.69
L151	25 959.32	3 637 451.72		R151	25 923.77	3 637 448.39
L152	25 933.37	3 637 421.10		R152	25 838.65	3 637 354.07
L153	25 908.55	3 637 393.46		R153	25 745.83	3 637 254.20
				Vel Sheet	14 Van of 21	P1095/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°		Y	X			
L154	25 893.39	3 637 376.59		R154	25 717.39	3 637 224.60			
L155	25 751.89	3 637 224.03		R155	25 689.30	3 637 196.78			
L156	25 714.45	3 637 185.95		R156	25 680.00	3 637 188.14			
L157	25 714.22	3 637 185.74		R157	25 660.24	3 637 169.71			
L158	25 664.50	3 637 140.39		R158	25 630.30	3 637 142.89			
L159	25 628.29	3 637 109.65		R159	25 617.01	3 637 131.84			
L160	25 581.12	3 637 069.60		R160	25 601.91	3 637 119.28			
L161	25 475.46	3 636 992.82		R161	25 567.13	3 637 092.30			
L162	25 257.17	3 636 869.47		R162	25 485.71	3 637 033.13			
L163	25 168.42	3 636 820.69		R163	25 460.43	3 637 016.81			
L164	25 136.56	3 636 800.00		R164	25 406.81	3 636 983.71			
L165	25 070.02	3 636 740.95		R165	25 220.99	3 636 877.87			
L166	25 035.53	3 636 673.36		R166	25 115.16	3 636 818.40			
L167	25 035.43	3 636 636.68		R167	25 097.75	3 636 807.36			
L168	25 050.38	3 636 581.38		R168	25 087.97	3 636 800.67			
L169	25 076.03	3 636 531.24		R169	25 051.57	3 636 772.77			
L170	25 103.90	3 636 506.32		R170	25 021.11	3 636 729.24			
L171	25 142.56	3 636 483.31		R171	25 007.21	3 636 677.47			
L172	25 260.00	3 636 418.78		R172	25 003.18	3 636 626.45			
L173	25 305.43	3 636 395.93		R173	25 020.05	3 636 542.93			
L174	25 341.68	3 636 386.11		R174	25 036.29	3 636 514.11			
L175	25 407.10	3 636 378.06		R175	25 149.07	3 636 408.76			
L176	25 485.35	3 636 360.54		R176	25 253.70	3 636 381.25			
L177	25 563.65	3 636 316.79		R177	25 259.35	3 636 379.76			
L178	25 657.93	3 636 248.60		R178	25 321.13	3 636 349.31			
L179	25 695.34	3 636 231.60		R179	25 463.52	3 636 319.50			
L180	25 819.18	3 636 194.24		R180	25 468.20	3 636 318.46			
L181	25 859.10	3 636 160.53		R181	25 530.11	3 636 304.74			
L182	25 962.25	3 636 089.85		R182	25 656.60	3 636 211.33			
L183	25 993.47	3 636 074.05		R183	25 705.71	3 636 194.44			
L184	26 030.64	3 636 067.08		R184	25 752.58	3 636 172.79			
L185	26 142.51	3 636 067.08		R185	25 781.52	3 636 141.06			
L186	26 214.75	3 636 029.92		R186	25 880.92	3 636 100.03			
L187	26 371.07	3 635 923.09		R187	25 895.00	3 636 065.13			
L188	26 416.19	3 635 900.58		R188	25 927.38	3 636 038.12			
L189	26 509.10	3 635 865.52		R189	26 019.69	3 636 003.23			
L190	26 591.10	3 635 822.59		R190	26 146.99	3 636 003.60			
L191	26 658.04	3 635 763.02		R191	26 234.62	3 635 966.21			
L192	26 706.77	3 635 704.69		R192	26 286.27	3 635 910.53			
L193	26 750.91	3 635 628.26		R193	26 494.71	3 635 839.85			
L194	26 770.41	3 635 568.40		R194	26 553.15	3 635 811.31			
L195	26 779.09	3 635 529.73		R195	26 624.00	3 635 758.02			
L196	26 781.43	3 635 519.30		R196	26 695.07	3 635 672.69			
L197	26 792.54	3 635 458.12		R197	26 731.92	3 635 600.32			
L198	26 822.61	3 635 243.87		R198	26 758.48	3 635 506.22			
L199	26 869.94	3 634 926.13		R199	26 813.90	3 635 125.50			
L200	26 917.62	3 634 602.16		R200	26 855.54	3 634 842.21			
L201	26 944.58	3 634 396.22		R201	26 896.47	3 634 583.31			
L202	26 939.62	3 634 248.33		R202	26 912.79	3 634 445.70			
L203	26 932.57	3 634 177.71		R203	26 915.04	3 634 366.52			
L204	26 929.93	3 634 151.32		R204	26 915.86	3 634 281.40			
					Vei Sheet 15 Van of 21 P1095/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L205	26 920.61	3 634 058.02		R205	26 913.96	3 634 234.29			
L206	26 899.55	3 633 885.58		R206	26 909.23	3 634 174.19			
L207	26 875.10	3 633 684.29		R207	26 897.66	3 634 076.48			
L208	26 870.50	3 633 645.99		R208	26 857.56	3 633 750.80			
L209	26 844.80	3 633 494.81		R209	26 841.82	3 633 631.24			
L210	26 832.16	3 633 430.86		R210	26 820.32	3 633 502.50			
L211	26 807.47	3 633 314.95		R211	26 807.44	3 633 437.90			
L212	26 797.50	3 633 270.37		R212	26 784.15	3 633 335.98			
L213	26 792.58	3 633 251.88		R213	26 763.32	3 633 254.72			
L214	26 771.47	3 633 191.93		R214	26 746.93	3 633 199.19			
L215	26 727.83	3 633 053.45		R215	26 728.64	3 633 137.20			
L216	26 697.10	3 632 968.08		R216	26 705.27	3 633 065.22			
L217	26 654.89	3 632 860.41		R217	26 671.57	3 632 971.64			
L218	26 614.59	3 632 767.82		R218	26 631.30	3 632 869.45			
L219	26 526.96	3 632 584.00		R219	26 595.78	3 632 787.66			
L220	26 356.29	3 632 228.54		R220	26 437.55	3 632 456.03			
L221	26 175.78	3 631 852.78		R221	26 261.43	3 632 089.73			
L222	26 044.32	3 631 579.44		R222	25 989.69	3 631 523.82			
L223	25 977.58	3 631 440.47		R223	25 949.66	3 631 441.49			
L224	25 961.70	3 631 403.67		R224	25 922.50	3 631 367.91			
L225	25 952.54	3 631 378.21		R225	25 915.68	3 631 342.78			
L226	25 942.89	3 631 346.46		R226	25 909.88	3 631 317.17			
L227	25 930.85	3 631 288.39		R227	25 905.70	3 631 291.29			
L228	25 927.70	3 631 261.75		R228	25 900.54	3 631 238.97			
L229	25 926.53	3 631 248.65		R229	25 899.66	3 631 213.68			
L230	25 925.22	3 631 202.34		R230	25 901.04	3 631 174.03			
L231	25 929.71	3 631 140.13		R231	25 907.05	3 631 121.93			
L232	25 940.29	3 631 080.29		R232	25 914.56	3 631 082.29			
L233	25 947.80	3 631 055.39		R233	25 924.17	3 631 045.11			
L234	25 962.55	3 631 012.07		R234	25 943.65	3 630 982.86			
L235	25 981.28	3 630 970.00		R235	25 974.48	3 630 925.57			
L236	25 993.72	3 630 946.80		R236	25 987.49	3 630 903.01			
L237	26 015.80	3 630 912.28		R237	26 012.87	3 630 870.57			
L238	26 030.82	3 630 889.62		R238	26 046.64	3 630 830.61			
L239	26 045.63	3 630 870.47		R239	26 074.34	3 630 802.90			
L240	26 064.98	3 630 847.70		R240	26 170.52	3 630 717.49			
L241	26 086.03	3 630 826.51		R241	26 236.33	3 630 656.20			
L242	26 104.14	3 630 809.79		R242	26 242.65	3 630 648.80			
L243	26 199.92	3 630 724.94		R243	26 279.16	3 630 597.47			
L244	26 211.95	3 630 713.92		R244	26 307.68	3 630 552.78			
L245	26 244.05	3 630 682.71		R245	26 334.16	3 630 500.40			
L246	26 277.35	3 630 645.93		R246	26 342.60	3 630 478.87			
L247	26 318.37	3 630 591.17		R247	26 356.61	3 630 434.99			
L248	26 335.24	3 630 563.05		R248	26 365.13	3 630 396.92			
L249	26 354.21	3 630 518.53		R249	26 372.61	3 630 350.68			
L250	26 377.15	3 630 456.58		R250	26 375.52	3 630 287.07			
L251	26 390.45	3 630 401.57		R251	26 374.32	3 630 256.99			
L252	26 394.75	3 630 376.76		R252	26 371.59	3 630 228.34			
L253	26 398.84	3 630 335.22		R253	26 361.14	3 630 169.71			
L254	26 400.46	3 630 313.81		R254	26 354.66	3 630 146.08			
L255	26 401.64	3 630 258.62		R255	26 278.84	3 629 905.52			
					Vel Sheet	16	Van of	21	P1095/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 25°		Y	X
L256	26 394.09	3 630 208.20		R256	26 209.72	3 629 686.80
L257	26 387.52	3 630 173.04		R257	26 161.71	3 629 534.98
L258	26 381.07	3 630 148.76		R258	26 020.84	3 629 089.28
L259	26 326.28	3 629 963.80		R259	25 918.21	3 628 764.21
L260	26 311.74	3 629 916.45		R260	25 773.84	3 628 307.70
L261	26 242.09	3 629 704.67		R261	25 735.12	3 628 185.27
L262	26 211.25	3 629 610.89		R262	25 698.26	3 628 074.97
L263	26 173.30	3 629 487.69		R263	25 671.77	3 627 991.06
L264	26 050.78	3 629 100.25		R264	25 656.96	3 627 931.46
L265	25 929.27	3 628 715.52		R265	25 650.75	3 627 900.12
L266	25 814.86	3 628 354.10		R266	25 644.23	3 627 856.40
L267	25 801.31	3 628 311.15		R267	25 642.45	3 627 841.92
L268	25 694.76	3 627 973.59		R268	25 640.78	3 627 813.92
L269	25 684.33	3 627 935.53		R269	25 641.56	3 627 787.25
L270	25 675.22	3 627 895.57		R270	25 644.98	3 627 723.80
L271	25 671.38	3 627 869.24		R271	25 648.72	3 627 697.68
L272	25 668.78	3 627 843.60		R272	25 653.52	3 627 671.45
L273	25 667.44	3 627 818.85		R273	25 660.57	3 627 639.77
L274	25 666.71	3 627 779.62		R274	25 670.06	3 627 606.39
L275	25 668.05	3 627 752.68		R275	25 752.60	3 627 380.47
L276	25 671.90	3 627 714.33		R276	25 911.34	3 626 949.65
L277	25 675.29	3 627 690.57		R277	26 047.63	3 626 578.09
L278	25 681.92	3 627 657.40		R278	26 066.93	3 626 525.68
L279	25 689.17	3 627 631.37		R279	26 095.39	3 626 448.43
L280	25 697.32	3 627 604.75		R280	26 204.08	3 626 153.33
L281	25 745.57	3 627 473.09		R281	26 356.51	3 625 739.65
L282	25 749.05	3 627 463.60		R282	26 439.35	3 625 514.50
L283	25 775.68	3 627 390.94		R283	26 581.31	3 625 128.95
L284	25 925.72	3 626 982.78		R284	26 664.76	3 624 902.30
L285	26 056.38	3 626 627.43		R285	26 695.75	3 624 813.00
L286	26 194.84	3 626 250.53		R286	26 735.29	3 624 686.24
L287	26 229.27	3 626 155.54		R287	26 819.98	3 624 402.84
L288	26 239.32	3 626 128.60		R288	26 917.87	3 624 074.45
L289	26 304.46	3 625 954.01		R289	26 976.95	3 623 877.40
L290	26 444.15	3 625 574.28		R290	27 016.81	3 623 744.47
L291	26 578.01	3 625 210.62		R291	27 118.97	3 623 403.74
L292	26 688.52	3 624 910.11		R292	27 119.22	3 623 402.92
L293	26 719.18	3 624 822.59		R293	27 232.76	3 623 024.81
L294	26 746.03	3 624 737.28		R294	27 279.69	3 622 868.37
L295	26 773.93	3 624 644.35		R295	27 370.52	3 622 564.65
L296	26 915.82	3 624 169.90		R296	27 478.42	3 622 203.92
L297	27 003.44	3 623 878.20		R297	27 545.01	3 621 981.26
L298	27 007.94	3 623 863.23		R298	27 604.96	3 621 781.35
L299	27 125.64	3 623 469.41		R299	27 654.98	3 621 614.57
L300	27 237.88	3 623 094.89		R300	27 778.06	3 621 204.64
L301	27 274.48	3 622 972.58		R301	27 814.15	3 621 081.13
L302	27 277.53	3 622 962.37		R302	27 930.42	3 620 693.63
L303	27 319.64	3 622 821.64		R303	28 042.56	3 620 318.81
L304	27 356.69	3 622 697.23		R304	28 204.86	3 619 776.68
L305	27 375.53	3 622 655.76		R305	28 430.63	3 619 021.59
L306	27 391.66	3 622 619.80		R306	28 519.19	3 618 726.09
				Vel Sheet	17 Van of 21	P1095/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L307	27 411.29	3 622 557.05		R307	28 510.35	3 618 727.44			
L308	27 428.68	3 622 454.75		R308	28 537.53	3 618 642.40			
L309	27 499.70	3 622 218.77		R309	28 566.98	3 618 549.99			
L310	27 551.07	3 622 048.53		R310	28 578.67	3 618 510.69			
L311	27 630.42	3 621 783.11		R311	28 602.80	3 618 414.08			
L312	27 680.81	3 621 614.58		R312	28 639.07	3 618 295.89			
L313	27 733.88	3 621 438.67		R313	28 661.45	3 618 222.94			
L314	27 835.64	3 621 098.40		R314	28 692.13	3 618 129.35			
L315	27 904.14	3 620 869.41		R315	28 721.12	3 618 031.83			
L316	27 999.29	3 620 551.89		R316	28 741.60	3 617 962.77			
L317	28 109.32	3 620 183.66		R317	28 744.88	3 617 971.30			
L318	28 232.42	3 619 772.09		R318	28 760.32	3 617 919.65			
L319	28 346.86	3 619 389.80		R319	28 771.07	3 617 879.97			
L320	28 411.82	3 619 173.17		R320	28 777.33	3 617 854.80			
L321	28 503.94	3 618 864.61		R321	28 785.85	3 617 816.62			
L322	28 546.71	3 618 721.92		R322	28 795.75	3 617 765.63			
L323	28 554.68	3 618 720.71		R323	28 803.43	3 617 714.48			
L324	28 577.34	3 618 643.23		R324	28 810.90	3 617 649.90			
L325	28 583.74	3 618 621.37		R325	28 819.37	3 617 507.19			
L326	28 621.45	3 618 495.42		R326	28 842.48	3 617 109.01			
L327	28 650.44	3 618 407.39		R327	28 851.76	3 616 948.07			
L328	28 696.25	3 618 247.95		R328	28 853.98	3 616 820.18			
L329	28 711.20	3 618 195.21		R329	28 854.82	3 616 806.88			
L330	28 741.63	3 618 085.55		R330	28 862.37	3 616 687.99			
L331	28 762.67	3 618 017.60		R331	28 866.28	3 616 628.43			
L332	28 759.42	3 618 009.15		R332	28 871.41	3 616 548.54			
L333	28 790.06	3 617 906.17		R333	28 881.00	3 616 445.44			
L334	28 797.60	3 617 877.81		R334	28 894.95	3 616 201.27			
L335	28 808.98	3 617 828.33		R335	28 913.26	3 615 885.72			
L336	28 816.57	3 617 790.72		R336	28 930.26	3 615 591.83			
L337	28 828.59	3 617 715.90		R337	28 953.79	3 615 187.82			
L338	28 837.76	3 617 628.74		R338	28 978.21	3 614 764.42			
L339	28 849.93	3 617 406.96		R339	28 990.97	3 614 546.50			
L340	28 871.10	3 617 043.57		R340	28 991.18	3 614 543.01			
L341	28 871.52	3 617 036.35		R341	28 993.22	3 614 521.25			
L342	28 873.33	3 617 005.26		R342	29 012.97	3 614 077.60			
L343	28 876.37	3 616 952.00		R343	29 013.40	3 614 068.06			
L344	28 893.50	3 616 849.23		R344	29 010.46	3 613 989.16			
L345	28 899.88	3 616 730.49		R345	29 010.03	3 613 941.88			
L346	28 915.50	3 616 626.21		R346	29 004.26	3 613 909.51			
L347	28 919.58	3 616 550.36		R347	29 005.72	3 613 865.20			
L348	28 914.88	3 616 451.40		R348	28 962.44	3 613 563.80			
L349	28 924.24	3 616 285.68		R349	28 938.82	3 613 336.16			
L350	28 921.86	3 616 165.09		R350	28 921.13	3 613 211.45			
L351	28 930.78	3 616 013.62		R351	28 911.08	3 613 133.01			
L352	28 953.66	3 615 623.02		R352	28 899.83	3 613 129.11			
L353	28 975.42	3 615 244.80		R353	28 899.29	3 613 100.91			
L354	28 998.68	3 614 848.03		R354	28 905.96	3 613 062.13			
L355	29 013.17	3 614 592.89		R355	28 905.85	3 612 925.69			
L356	29 016.62	3 614 532.12		R356	28 909.05	3 612 676.15			
L357	29 029.90	3 614 444.14		R357	28 908.79	3 612 578.62			
					Vel Sheet	18	Van of	21	P1095/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES										
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X		
L358	29 041.38	3	614 245.23		R358	28 916.33	3	612 571.42		
L359	29 051.28	3	614 110.83		R359	28 935.86	3	612 506.39		
L360	29 053.20	3	614 069.55		R360	28 944.02	3	612 484.96		
L361	29 056.75	3	613 993.38		R361	28 956.55	3	612 456.50		
L362	29 053.20	3	613 912.78		R362	28 971.37	3	612 429.47		
L363	29 043.64	3	613 840.11		R363	28 987.64	3	612 402.56		
L364	29 029.03	3	613 712.15		R364	29 005.91	3	612 377.00		
L365	29 022.50	3	613 664.12		R365	29 024.71	3	612 353.45		
L366	29 013.12	3	613 595.10		R366	29 063.21	3	612 308.99		
L367	29 006.99	3	613 549.96		R367	29 091.87	3	612 272.45		
L368	28 974.71	3	613 306.52		R368	29 109.36	3	612 246.74		
L369	28 961.81	3	613 217.45		R369	29 138.33	3	612 196.89		
L370	28 955.14	3	613 118.86		R370	29 152.12	3	612 168.34		
L371	28 952.41	3	613 078.64		R371	29 164.91	3	612 138.25		
L372	28 951.32	3	612 997.29		R372	29 182.24	3	612 086.76		
L373	28 958.62	3	612 924.38		R373	29 261.30	3	611 783.50		
L374	28 958.62	3	612 862.84		R374	29 356.79	3	611 416.87		
L375	28 952.00	3	612 764.52		R375	29 357.55	3	611 413.93		
L376	28 953.52	3	612 643.74		R376	29 399.12	3	611 252.46		
L377	28 957.07	3	612 595.27		R377	29 449.07	3	611 061.01		
L378	28 971.03	3	612 539.69		R378	29 486.69	3	610 917.35		
L379	28 991.33	3	612 487.93		R379	29 483.30	3	610 871.81		
L380	28 999.12	3	612 476.01		R380	29 489.12	3	610 853.51		
L381	29 023.33	3	612 438.95		R381	29 514.09	3	610 813.84		
L382	29 119.00	3	612 327.75		R382	29 515.14	3	610 809.92		
L383	29 136.70	3	612 307.18		R383	29 536.36	3	610 730.36		
L384	29 188.69	3	612 203.74		R384	29 552.82	3	610 668.66		
L385	29 195.48	3	612 178.39		R385	29 617.39	3	610 421.57		
L386	29 208.80	3	612 128.61		R386	29 619.57	3	610 413.23		
L387	29 241.20	3	612 038.36		R387	29 648.27	3	610 286.21		
L388	29 254.83	3	611 939.74		R388	29 662.14	3	610 228.20		
L389	29 272.49	3	611 871.05		R389	29 689.74	3	610 144.39		
L390	29 309.08	3	611 738.19		R390	29 751.47	3	609 907.42		
L391	29 321.90	3	611 691.64		R391	29 773.43	3	609 823.25		
L392	29 336.81	3	611 630.73		R392	29 786.16	3	609 766.83		
L393	29 348.17	3	611 584.05		R393	29 789.84	3	609 743.52		
L394	29 354.88	3	611 556.49		R394	29 822.74	3	609 618.86		
L395	29 375.60	3	611 476.93		R395	29 852.35	3	609 501.38		
L396	29 393.53	3	611 408.19		R396	29 865.62	3	609 434.24		
L397	29 483.44	3	611 064.64		R397	29 878.40	3	609 375.54		
L398	29 495.47	3	611 070.38		R398	29 899.44	3	609 284.68		
L399	29 500.08	3	611 052.93		R399	29 945.70	3	609 070.55		
L400	29 488.10	3	611 046.89		R400	29 974.56	3	608 935.19		
L401	29 533.10	3	610 873.53		R401	29 998.63	3	608 818.36		
L402	29 577.25	3	610 706.56		R402	30 016.81	3	608 730.13		
L403	29 622.59	3	610 531.92		R403	30 031.70	3	608 648.47		
L404	29 652.30	3	610 418.50		R404	30 090.99	3	608 397.05		
L405	29 668.40	3	610 357.23		R405	30 123.70	3	608 244.98		
L406	29 690.76	3	610 279.28		R406	30 148.43	3	608 130.10		
L407	29 702.02	3	610 238.30		R407	30 180.82	3	607 979.67		
L408	29 729.48	3	610 123.38		R408	30 213.66	3	607 827.19		
						Vel Sheet	19	Van of	21	P1095/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L409	29 750.01	3 610 044.28		R409	30 250.85	3 607 654.67			
L410	29 790.92	3 609 888.19		R410	30 273.87	3 607 547.85			
L411	29 797.73	3 609 863.45		R411	30 298.13	3 607 435.48			
L412	29 833.00	3 609 735.40		R412	30 357.02	3 607 163.16			
L413	29 855.28	3 609 647.50		R413	30 391.67	3 606 998.33			
L414	29 874.13	3 609 563.71		R414	30 402.68	3 606 944.73			
L415	29 888.63	3 609 499.25		R415	30 426.70	3 606 836.31			
L416	29 904.35	3 609 429.40		R416	30 468.22	3 606 644.79			
L417	29 939.00	3 609 268.80		R417	30 486.68	3 606 560.02			
L418	29 964.32	3 609 151.52		R418	30 536.14	3 606 332.91			
L419	30 002.77	3 608 973.84		R419	30 617.72	3 605 954.90			
L420	30 034.92	3 608 828.57		R420	30 699.94	3 605 571.72			
L421	30 063.67	3 608 704.15		R421	30 786.72	3 605 168.76			
L422	30 080.05	3 608 637.84		R422	30 867.42	3 604 794.72			
L423	30 135.94	3 608 356.97		R423	30 887.18	3 604 703.17			
L424	30 163.13	3 608 228.27		R424	30 883.52	3 604 649.04			
L425	30 183.07	3 608 135.80		R425	30 887.37	3 604 631.20			
L426	30 219.47	3 607 968.14		R426	30 911.06	3 604 592.54			
L427	30 246.41	3 607 842.40		R427	30 950.14	3 604 411.55			
L428	30 279.32	3 607 690.44		R428	30 996.91	3 604 194.17			
L429	30 304.01	3 607 576.25		R429	31 029.31	3 604 043.60			
L430	30 333.11	3 607 441.08		R430	31 113.05	3 603 656.37			
L431	30 392.10	3 607 166.80		R431	31 164.47	3 603 417.61			
L432	30 429.25	3 606 994.53		R432	31 194.25	3 603 279.28			
L433	30 436.47	3 606 960.85		R433	31 333.28	3 602 633.74			
L434	30 461.01	3 606 862.06		R434	31 363.89	3 602 492.39			
L435	30 508.35	3 606 627.42		R435	31 449.03	3 602 095.76			
L436	30 514.67	3 606 598.12		R436	31 577.94	3 601 498.42			
L437	30 541.09	3 606 475.79		R437	31 725.11	3 600 814.29			
L438	30 574.77	3 606 318.85		R438	31 759.23	3 600 657.23			
L439	30 607.00	3 606 169.38		R439	31 789.06	3 600 519.93			
L440	30 644.30	3 605 997.08		R440	31 810.67	3 600 427.98			
L441	30 677.03	3 605 844.07		R441	31 813.60	3 600 435.05			
L442	30 716.11	3 605 663.65		R442	31 824.22	3 600 386.72			
L443	30 744.83	3 605 531.08		R443	31 867.17	3 600 230.05			
L444	30 843.43	3 605 072.81		R444	31 975.85	3 599 842.70			
L445	30 920.43	3 604 718.90		R445	32 051.63	3 599 568.72			
L446	30 944.36	3 604 680.44		R446	32 054.25	3 599 559.24			
L447	30 948.41	3 604 662.23		R447	32 073.83	3 599 488.64			
L448	30 942.64	3 604 587.88		R448	32 146.63	3 599 226.14			
L449	31 011.93	3 604 267.03		R449	32 225.85	3 598 942.99			
L450	31 093.42	3 603 889.10		R450	32 272.64	3 598 775.58			
L451	31 177.81	3 603 497.77		R451	32 286.40	3 598 726.38			
L452	31 201.93	3 603 385.89		R452	32 297.88	3 598 685.30			
L453	31 786.88	3 600 677.48		R453	32 314.48	3 598 625.72			
L454	31 829.90	3 600 478.28		R454	32 322.50	3 598 596.91			
L455	31 830.45	3 600 475.77		R455	32 405.30	3 598 299.72			
L456	31 848.81	3 600 392.19		R456	32 482.89	3 598 022.92			
L457	31 891.40	3 600 236.92		R457	32 564.56	3 597 732.59			
L458	31 943.33	3 600 052.09		R458	33 140.77	3 595 680.15			
L459	32 000.10	3 599 849.63		R459	33 284.98	3 595 167.01			
Vel Sheet					20	Van of	21	P1095/18	

This gazette is also available free online at www.gpwonline.co.za