

DEPARTMENT OF TRANSPORT

NO. 950

30 September 2021


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R63 SECTION 12

AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph E(I) of the Schedule, being the descriptive declaration of the route from its junction with National Road N10 Section 3 up to Adelaide, with the accompanying sheets 1 to 17 of Plan No. P957/17.

(National Road R63 Section 12: N10 Junction – Adelaide)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 950

30 September 2021


**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R63 SEKSIE 12


WYSIGING VAN VERKLARING No. 305 VAN 2012.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf E(I) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad N10 Seksie 3 tot by Adelaide, met bygaande velle 1 tot 17 van Plan No. P957/17.

(Nasionale Pad R63 Seksie 12: N10 Aansluiting – Adelaide)**MINISTER VAN VERVOER**



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route R63 Section	Vel Sheet 1 of 17 Plan P957/17
---	---------------------------------------	---	--------------------------------------




Vel
Sheet 2 of 17
Plan P957/17

stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R63
Seksie 12
Section of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 Seksie of National Route Section	12	Vel Sheet 3 of 17 Plan P957/17
---	---------------------------------------	---	---	----	-----------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	Vel Sheet	4 of	17
The South African National Roads Agency SOC Ltd	The figure shown			12	Plan	P957/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 Sektie of National Route Section	Vel Sheet	5 of 17
The South African National Roads Agency SOC Ltd	The figure shown			Plan	P957/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	12	Vel Sheet 6 of 17	Plan P957/17
---	---------------------------------------	---	--	----	-------------------------------	-----------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route R63 Section	Vel Sheet 7 of 17 Plan P957/17
---	---------------------------------------	---	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	12	Plan P957/17	Vel Sheet 8 of 17	Plan P957/17
---	---------------------------------------	---	--	----	--------------	-------------------------	--------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route R63 Section	Vel Sheet 9 of 17 Plan P957/17
---	---------------------------------------	---	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	10 of	17
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete R63 of National Route	Plan	12	P957/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	Vel Sheet 11 of 17 Plan P957/17
---	---------------------------------------	---	---------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	Vel Sheet 12 of 17 Plan P957/17
---	---------------------------------------	---	---	---------------------------------------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	104 401.98	3	616 189.81		R1	104 400.72	3	616 223.20	
L2	103 741.81	3	615 882.42		R2	104 393.76	3	616 214.34	
L3	103 571.83	3	615 807.67		R3	103 731.03	3	615 905.22	
L4	101 866.41	3	615 097.77		R4	103 562.28	3	615 830.81	
L5	100 019.44	3	614 331.02		R5	101 781.66	3	615 091.31	
L6	98 558.12	3	613 723.71		R6	100 008.74	3	614 354.03	
L7	98 387.42	3	613 652.94		R7	98 450.39	3	613 706.33	
L8	98 246.26	3	613 601.15		R8	98 239.03	3	613 625.45	
L9	98 092.15	3	613 562.73		R9	98 096.01	3	613 588.96	
L10	97 949.99	3	613 541.35		R10	97 950.54	3	613 566.83	
L11	97 800.36	3	613 533.18		R11	97 801.24	3	613 558.62	
L12	97 637.88	3	613 541.42		R12	97 653.66	3	613 564.72	
L13	97 542.69	3	613 553.99		R13	97 553.48	3	613 577.82	
L14	95 072.75	3	613 943.70		R14	95 080.47	3	613 968.10	
L15	94 646.38	3	614 011.04		R15	94 650.38	3	614 035.98	
L16	94 506.39	3	614 039.37		R16	94 513.06	3	614 063.25	
L17	94 376.12	3	614 079.26		R17	94 378.31	3	614 103.84	
L18	94 248.88	3	614 129.71		R18	94 259.16	3	614 152.70	
L19	94 003.22	3	614 240.78		R19	94 013.70	3	614 263.75	
L20	93 858.16	3	614 313.40		R20	93 871.16	3	614 334.80	
L21	93 715.58	3	614 401.69		R21	93 729.42	3	614 422.71	
L22	93 579.24	3	614 503.78		R22	93 595.24	3	614 523.15	
L23	93 452.65	3	614 619.59		R23	93 468.89	3	614 638.82	
L24	93 449.59	3	614 622.81		R24	93 465.44	3	614 642.50	
L25	93 349.64	3	614 728.42		R25	93 372.14	3	614 742.07	
L26	93 272.69	3	614 824.55		R26	93 370.07	3	614 753.55	
L27	93 194.46	3	614 937.32		R27	93 295.76	3	614 839.75	
L28	93 121.84	3	615 060.72		R28	93 215.06	3	614 950.53	
L29	92 397.26	3	616 414.02		R29	93 140.13	3	615 080.68	
L30	92 334.52	3	616 511.65		R30	92 593.92	3	616 103.48	
L31	92 291.54	3	616 560.50		R31	92 499.51	3	616 276.59	
L32	92 200.86	3	616 648.88		R32	92 407.92	3	616 446.56	
L33	92 126.54	3	616 708.66		R33	92 352.25	3	616 534.81	
L34	92 063.95	3	616 746.61		R34	92 188.21	3	616 701.70	
L35	91 978.65	3	616 775.03		R35	92 128.69	3	616 742.39	
L36	91 891.17	3	616 785.54		R36	92 074.19	3	616 770.68	
L37	91 808.38	3	616 778.55		R37	91 984.26	3	616 800.21	
L38	91 705.90	3	616 761.26		R38	91 891.01	3	616 811.14	
L39	91 695.92	3	616 760.45		R39	91 820.10	3	616 804.89	
L40	91 633.51	3	616 755.36		R40	91 806.28	3	616 802.74	
L41	91 564.35	3	616 764.26		R41	91 701.51	3	616 786.44	
L42	91 489.28	3	616 779.96		R42	91 676.34	3	616 785.57	
L43	91 437.37	3	616 786.83		R43	91 630.72	3	616 786.54	
L44	91 387.56	3	616 789.35		R44	91 499.31	3	616 809.52	
L45	91 329.94	3	616 788.67		R45	91 441.34	3	616 826.21	
L46	91 253.04	3	616 792.60		R46	91 403.26	3	616 831.03	
L47	91 185.50	3	616 810.58		R47	91 371.20	3	616 822.83	
L48	91 159.64	3	616 822.81		R48	91 338.37	3	616 817.30	
L49	91 091.28	3	616 867.37		R49	91 208.39	3	616 834.31	
L50	90 891.59	3	617 022.38		R50	91 172.70	3	616 852.86	
L51	90 867.81	3	617 037.11		R51	91 136.64	3	616 882.23	
					Vel 13 Sheet of Van 17 of P957/17				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	90 780.41	3	617	075.71	R52	91 080.58	3	616	911.23
L53	90 695.16	3	617	099.46	R53	91 034.04	3	616	947.42
L54	90 648.20	3	617	106.89	R54	91 014.28	3	616	967.72
L55	90 221.46	3	617	135.27	R55	90 993.19	3	616	975.91
L56	90 052.19	3	617	146.52	R56	90 940.95	3	617	016.47
L57	89 048.44	3	617	208.95	R57	90 921.65	3	617	028.63
L58	88 059.29	3	617	271.64	R58	90 876.77	3	617	060.12
L59	87 266.47	3	617	323.73	R59	90 786.68	3	617	099.79
L60	87 124.21	3	617	334.13	R60	90 696.36	3	617	124.27
L61	87 073.57	3	617	341.49	R61	90 637.39	3	617	132.59
L62	87 049.54	3	617	345.82	R62	90 439.82	3	617	145.23
L63	87 000.78	3	617	355.79	R63	90 196.16	3	617	161.83
L64	86 953.05	3	617	368.13	R64	90 160.52	3	617	164.06
L65	86 905.81	3	617	382.14	R65	89 025.50	3	617	234.79
L66	86 870.26	3	617	394.33	R66	88 241.20	3	617	284.67
L67	86 800.14	3	617	421.95	R67	87 669.76	3	617	321.65
L68	86 749.41	3	617	445.90	R68	87 285.62	3	617	348.40
L69	86 698.53	3	617	472.66	R69	87 231.01	3	617	353.03
L70	86 647.71	3	617	502.53	R70	87 128.59	3	617	358.23
L71	86 606.45	3	617	529.41	R71	87 065.04	3	617	367.86
L72	86 457.94	3	617	629.02	R72	87 018.42	3	617	377.09
L73	86 283.05	3	617	744.79	R73	86 956.49	3	617	392.46
L74	86 036.20	3	617	904.80	R74	86 921.59	3	617	402.55
L75	86 009.33	3	617	922.25	R75	86 870.04	3	617	420.50
L76	85 999.65	3	617	921.43	R76	86 818.60	3	617	440.66
L77	84 649.41	3	618	082.76	R77	86 760.27	3	617	467.44
L78	84 411.36	3	618	202.66	R78	86 703.74	3	617	497.50
L79	84 207.77	3	618	296.50	R79	86 664.00	3	617	520.72
L80	84 149.82	3	618	316.28	R80	86 610.32	3	617	555.85
L81	84 045.46	3	618	339.80	R81	86 565.29	3	617	587.24
L82	83 939.55	3	618	346.77	R82	86 076.86	3	617	911.30
L83	83 865.09	3	618	342.44	R83	86 036.68	3	617	937.86
L84	83 270.42	3	618	284.45	R84	86 028.14	3	617	944.86
L85	83 265.88	3	618	276.61	R85	86 026.89	3	617	954.54
L86	83 260.43	3	618	276.45	R86	84 663.47	3	618	099.68
L87	83 259.05	3	618	283.69	R87	84 464.70	3	618	199.73
L88	82 196.68	3	618	180.33	R88	84 420.97	3	618	221.73
L89	82 170.26	3	618	159.45	R89	84 301.24	3	618	281.96
L90	82 161.46	3	618	158.88	R90	84 273.33	3	618	296.01
L91	82 141.12	3	618	174.32	R91	84 243.78	3	618	310.87
L92	81 858.42	3	618	147.32	R92	84 119.73	3	618	354.27
L93	81 706.90	3	618	139.10	R93	84 034.18	3	618	366.01
L94	81 540.93	3	618	148.27	R94	84 038.92	3	618	371.51
L95	81 390.98	3	618	172.57	R95	83 980.54	3	618	378.70
L96	80 718.55	3	618	312.71	R96	83 889.55	3	618	378.32
L97	80 218.93	3	618	416.84	R97	82 147.94	3	618	208.14
L98	80 015.95	3	618	465.10	R98	82 081.61	3	618	197.54
L99	79 812.08	3	618	528.45	R99	81 720.63	3	618	166.26
L100	79 592.37	3	618	614.15	R100	81 696.59	3	618	171.76
L101	79 253.54	3	618	758.25	R101	81 531.71	3	618	182.86
L102	79 137.71	3	618	807.30	R102	81 432.07	3	618	197.74
					Vel Sheet 14 Van of 17 P957/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	78 978.91	3 618 834.00		R103	81 241.59	3 618 235.03
L104	78 943.23	3 618 836.37		R104	81 095.21	3 618 266.15
L105	78 835.06	3 618 830.97		R105	81 082.91	3 618 266.19
L106	78 738.52	3 618 814.18		R106	81 071.19	3 618 271.26
L107	78 637.14	3 618 782.08		R107	80 724.21	3 618 345.04
L108	78 542.11	3 618 735.83		R108	80 719.35	3 618 360.13
L109	78 485.47	3 618 698.95		R109	80 702.04	3 618 363.63
L110	78 199.26	3 618 498.30		R110	80 698.21	3 618 359.54
L111	78 045.80	3 618 390.72		R111	80 691.00	3 618 351.86
L112	77 914.39	3 618 304.72		R112	80 105.97	3 618 476.31
L113	77 780.38	3 618 231.82		R113	80 008.83	3 618 501.92
L114	77 639.96	3 618 169.08		R114	79 453.28	3 618 709.79
L115	77 534.80	3 618 129.76		R115	79 418.91	3 618 727.93
L116	77 537.27	3 618 117.43		R116	79 411.48	3 618 740.87
L117	77 517.90	3 618 114.66		R117	79 341.41	3 618 758.23
L118	77 508.30	3 618 121.30		R118	79 200.78	3 618 823.12
L119	77 310.14	3 618 063.05		R119	79 117.42	3 618 844.07
L120	77 070.68	3 618 030.67		R120	79 047.15	3 618 859.01
L121	76 908.63	3 618 021.74		R121	78 948.50	3 618 868.44
L122	76 717.51	3 618 028.59		R122	78 946.27	3 618 873.11
L123	76 573.75	3 618 045.92		R123	78 939.18	3 618 873.28
L124	75 493.50	3 618 225.98		R124	78 937.32	3 618 868.09
L125	74 983.45	3 618 311.02		R125	78 825.88	3 618 866.00
L126	74 870.41	3 618 331.04		R126	78 726.77	3 618 844.35
L127	74 677.32	3 618 376.10		R127	78 641.41	3 618 820.22
L128	74 518.32	3 618 423.82		R128	78 521.41	3 618 764.27
L129	72 560.77	3 619 053.26		R129	78 165.71	3 618 516.55
L130	72 550.38	3 619 043.26		R130	77 961.57	3 618 374.39
L131	72 533.27	3 619 053.72		R131	77 877.73	3 618 322.10
L132	72 532.30	3 619 061.89		R132	77 790.45	3 618 274.26
L133	72 125.72	3 619 192.97		R133	77 719.65	3 618 239.80
L134	72 117.92	3 619 195.43		R134	77 609.42	3 618 192.80
L135	71 360.29	3 619 438.92		R135	77 520.65	3 618 159.53
L136	71 033.61	3 619 543.87		R136	77 512.51	3 618 165.27
L137	71 025.06	3 619 546.62		R137	77 505.35	3 618 163.78
L138	70 896.01	3 619 587.07		R138	77 502.88	3 618 155.41
L139	70 791.64	3 619 610.09		R139	77 422.47	3 618 129.53
L140	70 683.66	3 619 623.64		R140	77 228.38	3 618 086.40
L141	70 575.02	3 619 627.17		R141	77 073.14	3 618 064.11
L142	70 332.50	3 619 614.32		R142	76 875.77	3 618 054.97
L143	70 251.50	3 619 615.67		R143	76 597.52	3 618 074.83
L144	70 170.98	3 619 632.41		R144	76 581.09	3 618 071.05
L145	70 086.61	3 619 667.09		R145	76 565.33	3 618 078.66
L146	70 018.27	3 619 711.92		R146	75 983.54	3 618 177.46
L147	70 000.52	3 619 729.33		R147	75 509.86	3 618 256.36
L148	69 995.56	3 619 728.95		R148	74 996.15	3 618 341.74
L149	69 947.92	3 619 779.65		R149	74 645.48	3 618 419.45
L150	69 904.34	3 619 842.78		R150	74 642.23	3 618 425.63
L151	69 866.25	3 619 928.04		R151	74 634.43	3 618 427.39
L152	69 783.28	3 620 170.64		R152	74 626.05	3 618 423.30
L153	69 774.52	3 620 172.87		R153	73 232.01	3 618 871.72
				Vel Sheet	15 Van of	17 P957/17

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	69 772.37	3	620 179.76		R154	73 228.86	3	618 876.81	
L155	69 777.29	3	620 187.47		R155	73 222.50	3	618 881.36	
L156	69 625.10	3	620 624.30		R156	73 217.03	3	618 876.49	
L157	69 613.39	3	620 645.60		R157	72 587.57	3	619 079.05	
L158	69 579.77	3	620 738.59		R158	72 284.69	3	619 176.55	
L159	69 555.69	3	620 797.70		R159	72 282.49	3	619 199.36	
L160	69 547.92	3	620 816.76		R160	72 265.88	3	619 194.86	
L161	69 515.61	3	620 874.48		R161	72 261.73	3	619 183.36	
L162	69 452.97	3	620 955.60		R162	72 140.80	3	619 222.20	
L163	69 249.83	3	621 183.32		R163	72 141.44	3	619 227.81	
L164	69 134.07	3	621 313.14		R164	72 130.49	3	619 230.92	
L165	69 061.90	3	621 382.92		R165	72 127.49	3	619 226.53	
L166	68 935.60	3	621 462.37		R166	71 343.71	3	619 478.26	
L167	68 845.53	3	621 496.32		R167	70 934.94	3	619 609.59	
L168	68 732.38	3	621 519.49		R168	70 882.17	3	619 624.01	
L169	68 713.06	3	621 521.17		R169	70 751.66	3	619 649.05	
L170	68 669.14	3	621 519.43		R170	70 666.86	3	619 657.71	
L171	68 580.05	3	621 515.90		R171	70 592.25	3	619 659.92	
L172	68 430.98	3	621 494.99		R172	70 515.29	3	619 657.77	
L173	68 240.87	3	621 464.16		R173	70 335.20	3	619 646.56	
L174	68 136.15	3	621 457.40		R174	70 277.29	3	619 647.60	
L175	67 995.52	3	621 454.63		R175	70 220.44	3	619 656.42	
L176	67 859.77	3	621 465.03		R176	70 160.95	3	619 669.98	
L177	67 848.25	3	621 466.43		R177	70 138.36	3	619 670.02	
L178	67 782.01	3	621 474.51		R178	70 123.98	3	619 686.05	
L179	67 526.63	3	621 505.64		R179	70 030.17	3	619 747.15	
L180	67 376.33	3	621 503.55		R180	69 988.08	3	619 786.42	
L181	67 294.57	3	621 492.88		R181	69 968.40	3	619 810.95	
L182	67 240.83	3	621 485.87		R182	69 951.80	3	619 831.65	
L183	67 108.35	3	621 453.46		R183	69 921.77	3	619 881.26	
L184	67 038.42	3	621 428.55		R184	69 898.42	3	619 934.41	
L185	66 995.13	3	621 413.13		R185	69 814.35	3	620 182.19	
L186	66 870.95	3	621 351.86		R186	69 823.16	3	620 194.82	
L187	66 564.38	3	621 162.82		R187	69 819.77	3	620 201.57	
					R188	69 807.42	3	620 202.14	
					R189	69 672.30	3	620 608.92	
					R190	69 667.02	3	620 627.10	
					R191	69 645.59	3	620 696.66	
					R192	69 632.99	3	620 732.45	
					R193	69 580.17	3	620 828.96	
					R194	69 554.58	3	620 875.72	
					R195	69 454.50	3	621 003.12	
					R196	69 255.94	3	621 229.89	
					R197	69 227.98	3	621 257.08	
					R198	69 147.58	3	621 346.35	
					R199	69 102.32	3	621 390.04	
					R200	69 055.76	3	621 427.41	
					R201	68 986.34	3	621 471.47	
					R202	68 950.16	3	621 490.29	
					R203	68 891.16	3	621 514.89	
					R204	68 854.71	3	621 526.91	
Vel Sheet 16					Van of 17		P957/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
Y	X	WG 27°	Y	X		
			R205	68 815.15	3 621	537.51
			R206	68 774.97	3 621	545.54
			R207	68 737.31	3 621	550.51
			R208	68 729.22	3 621	557.38
			R209	68 722.05	3 621	557.61
			R210	68 718.16	3 621	552.56
			R211	68 708.54	3 621	552.94
			R212	68 671.91	3 621	554.39
			R213	68 634.09	3 621	553.64
			R214	68 583.80	3 621	550.09
			R215	68 454.52	3 621	531.82
			R216	68 214.08	3 621	497.82
			R217	68 173.51	3 621	495.04
			R218	68 116.66	3 621	494.46
			R219	68 088.61	3 621	493.23
			R220	68 057.16	3 621	491.84
			R221	67 979.50	3 621	489.47
			R222	67 917.53	3 621	492.19
			R223	67 879.49	3 621	495.23
			R224	67 838.69	3 621	500.08
			R225	67 770.28	3 621	509.44
			R226	67 643.52	3 621	526.77
			R227	67 561.03	3 621	534.74
			R228	67 500.34	3 621	537.40
			R229	67 472.77	3 621	537.64
			R230	67 439.65	3 621	537.92
			R231	67 394.09	3 621	535.61
			R232	67 375.88	3 621	534.09
			R233	67 327.46	3 621	530.05
			R234	67 277.47	3 621	522.67
			R235	67 220.13	3 621	512.29
			R236	67 207.61	3 621	509.18
			R237	67 150.98	3 621	495.09
			R238	67 082.04	3 621	474.55
			R239	67 043.63	3 621	461.84
			R240	66 948.61	3 621	422.77
			R241	66 941.74	3 621	434.34
			R242	66 924.06	3 621	428.79
			R243	66 920.15	3 621	427.56
			R244	66 919.38	3 621	409.25
			R245	66 824.55	3 621	357.28
			R246	66 688.71	3 621	273.88
			R247	66 591.33	3 621	211.52
			R248	66 565.73	3 621	212.52
			R249	66 571.59	3 621	197.25
			R250	66 553.66	3 621	181.35
			Vel Sheet	17	Van of	17
			P957/17			